



Centers for Medicare & Medicaid Services

---

## **Internet Quality Improvement & Evaluation System (iQIES)**

---

# **Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI) Error Message Reference Guide**

**Version 2.3**

**December 11, 2024**

# Table of Contents

1. Introduction	1
2. Troubleshooting – iQIES Service Center	1
3. Submission ERROR Messages for IRF-PAI Data	3
4. File Processing Error Messages for IRF-PAI Data	4
5. Error Messages	5

# 1. Introduction

---

This user guide addresses Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI) error messages and troubleshooting.

## 2. Troubleshooting – iQIES Service Center

---

The iQIES Service Center supports users working within the various iQIES components: Survey and Certification (S&C), Patient Assessment, and Reporting.

Always attempt to determine the nature or source of a particular problem in order to contact the appropriate department for assistance and give detailed information about the issue.

**For assistance accessing iQIES:** Contact the iQIES Security Officer (SO) for your organization.

**For technical support:** Contact the iQIES Service Center:

**Phone:** 800-339-9313

**email:** [iQIES@cms.hhs.gov](mailto:iQIES@cms.hhs.gov)

**Idea Portal:** Feedback for future iQIES software development: [CCSQ Support Central](#). Click **Idea Portals**.

**For more information on iQIES:** Refer to the [QIES Technical Support Office](#) (QTSO) and the [Quality, Safety, & Education Portal](#) (QSEP).

iQIES reference materials include:

- Links to Training Videos for Providers
- Assessment Management User Manual
- Quick Reference Guides
- Onboarding Guide
- Managing User Information

### 3. Submission ERROR Messages for IRF-PAI Data

---

During the file submission process, iQIES displays a limited number of error messages. iQIES errors are detailed in [Step 5, Error Messages](#).

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with iQIES. For those situations you should refer to the appropriate vendor-provided documentation.

## 4. File Processing Error Messages for IRF-PAI Data

---

An IRF-PAI **Provider Final Validation Report** is automatically generated within 24 hours of successful submission of a file. A file may include one or more records. The Report details the errors, if any, in the submitted records within the file. Go to the **Reports** section in iQIES to view this report.

Each error is noted on the report by its numeric identifier and severity (**Fatal** or **Warning**). The report also includes a brief description of the error and notes the submitted item values that triggered the error.

### Notes:

- The **IRF-PAI Submitter Final Validation Report** must be requested by the user who submitted the file.
- Records with fatal errors will be rejected. All fatal errors in a file or record must be corrected and the file or record must be resubmitted.
- All warning errors must be reviewed and corrected if appropriate, to ensure the data uploaded is accurate and complete.
- Providers who submit files for multiple providers receive one **IRF-PAI Provider Final Validation Report** for each provider for which records were submitted in a file.
- Certain fatal errors in the submitted file or one of its records can prevent the system from creating and placing the automatically-generated **IRF-PAI Provider Final Validation Report** in the Provider's folder. To view these errors, the submitter can request the **IRF-PAI Submitter Final Validation Report** in iQIES.

## 5. Error Messages

---

This section lists the error messages in order by **Error ID** followed by **Error Message**. The severity and type of error message are shown. A type of error can help determine the solution.

The first four explanatory columns are followed by three columns explaining the potential cause, tips to correcting the error, and finally actions to take.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-901	Invalid Zip File: Unable to process the submitted file.	Fatal	System	<ul style="list-style-type: none"> <li>The submitted file is not formatted properly. The contents of the file could not be extracted.</li> <li>The submitted file is not a .zip file.</li> <li>The submitted .zip file is not compressed.</li> <li>The submitted file is a .zipx file.</li> <li>The submitted file is empty.</li> <li>The submitted file is encrypted.</li> </ul>	<ul style="list-style-type: none"> <li>The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.</li> <li>The .zip file must not contain subfolders.</li> <li>The name of the .zip file must not exceed 260 characters, including the extension (.zip).</li> <li>The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Refer vendor to the data specifications for file submission requirements.</li> <li>Recreate and/or rename the .zip file and resubmit.</li> </ul>
-902	Invalid XML File: The submitted file does not have a valid XML file name extension.	Fatal	System	Each IRF-PAI record submitted to the iQIES system must be a properly formatted XML file.	<ul style="list-style-type: none"> <li>The name of an XML file must not exceed 200 characters, including the extension (.xml).</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Refer vendor to the data specifications for file submission requirements.</li> <li>Recreate and/or rename the .xml file and resubmit.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-903	Required Item Missing or Invalid: Based on the IRF-PAI Data Specifications in effect on the discharge date of this record, this item is required to be submitted.	Fatal	System	<ul style="list-style-type: none"> <li>A valid value was not submitted for this item. Based upon the IRF-PAI Data Specifications in effect for this record, this item is required.</li> <li>The length of the value submitted for this item exceeds the maximum length allowed.</li> </ul>	Review IRF-PAI data specifications and ensure all required items are included in the XML file.	Make appropriate corrections to the record and resubmit.
-904	Invalid XML File Format: The submitted file is not structured properly or contains tags longer than 30 characters and cannot be processed.	Fatal	System	The submitted record is not a properly structured XML file and cannot be processed.	<ul style="list-style-type: none"> <li>Beginning and ending tags must enclose the entire assessment record.</li> <li>Beginning and ending tags must enclose each item of the assessment record.</li> <li>Tags must not exceed 30 characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-905	Invalid Target Date: Unable to calculate the target date due to missing or invalid required field.	Fatal	System	The iQIES System is unable to calculate the target date of this record because the value submitted Discharge Date (40) is missing or invalid.	Verify that the Discharge Date (40) is a valid date.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-906	No Match Found: No existing record was found in the iQIES database for the submitted modification/ inactivation record	Fatal	System	The values submitted in this modification or inactivation record do not match the values submitted in a previously accepted record in iQIES.	To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record: <ul style="list-style-type: none"> <li>• Patient First Name (4)</li> <li>• Patient Last Name (5A)</li> <li>• Birth Date (6)</li> <li>• Social Security Number (7)</li> <li>• Gender (8)</li> <li>• Discharge Date (40)</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-907	Duplicate Assessment: The submitted record is a duplicate of a previously submitted record.	Fatal	System	The submitted record is a duplicate of a previously submitted record for this patient, or the admission and/or discharge date of this record overlaps a previously accepted record.	<ul style="list-style-type: none"> <li>• Duplicate records match on the following items:                             <ul style="list-style-type: none"> <li>• Patient First name (4)</li> <li>• Patient Last name (5A)</li> <li>• Gender (8)</li> <li>• Birth Date (6)</li> <li>• Social Security Number (7)</li> <li>• Admission Date (12)</li> <li>• Discharge Date (40)</li> </ul> </li> <li>• DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</li> </ul>	<ul style="list-style-type: none"> <li>• Determine why this record was submitted multiple times.</li> <li>• DO NOT resubmit this record as it is already in the database.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-908	CMG Calculation Issue: Unexpected error returned from the Grouper. No CMG code could be calculated.	Fatal	System	The CMG encountered an unexpected error and was unable to calculate a CMG code.	Make appropriate corrections to the record and resubmit. If one or more of the dates are prior to 10/01/2012, do not submit the record.	Contact the iQIES Service Center: 800.339.9313 <a href="mailto:iQIES@cms.hhs.gov">iQIES@cms.hhs.gov</a>  Resubmit the record after the new CMS is available in iQIES.
-909	Invalid Patient Age: Patient age at the time of (Admission or Discharge Date) must not be less than 1 year.	Fatal	System	The calculated age of patient is less than 1 year	The Birth Date (6) compared to the Admission Date (12) has a system calculated age of less than one year and an IRF-PAI is not required. <ul style="list-style-type: none"> <li>For submitted partial DOB, the system will substitute in missing values with MM=06 and/or DD=15</li> </ul>	<ul style="list-style-type: none"> <li>Review the submitted Birth Date and make appropriate corrections to the record and resubmit, if applicable.</li> </ul>
-910	Invalid Age: The calculated age is less than zero (0).	Fatal	System	The calculated age is invalid.	Age must not be less than zero.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record and CMG Grouper documentation to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-911	Invalid Age: The calculated age is greater than 140 years.	Fatal	System	The calculated age is invalid.	Age must not be more than 140 years earlier than the admission date.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record and CMG Grouper documentation to identify the acceptable values for this item.</li> </ul>
-912	Invalid Impairment Group: The Admission Impairment Group (21a) is invalid. The Impairment Group code must be in the Impairment Group Code table found in the IRF-PAI manual.	Fatal	System	The submitted Admission Impairment Group (21a) is not a valid value found in the Impairment Group table.	Review the valid Impairment Group Code values in the IRF-PAI manual.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-913	Invalid Item Length: The length of the text submitted for this item exceeds the maximum length allowed.	Fatal	System	The text submitted exceeds the maximum length allowed for this item.	Review the item length listed in the data specifications for the item.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-914	Invalid Format: The value submitted for this item contains one or more nonprintable or control characters.	Fatal	System	The value submitted for this item is invalid; it cannot contain nonprintable or control characters.	N/A	Make appropriate corrections to the record and resubmit.
-915	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the Help Desk.	Fatal	System	This record matches multiple records in the database. The modification or inactivation was not performed.	N/A	Contact the iQIES Service Center.
-916	Invalid Submission: This record was submitted more than 24 months after the facility's closed date.	Fatal	System	The submission date of this record is more than 24 months after the date the facility closed.	N/A	No action is required. You cannot submit this record.
-917	Invalid Submission: The target date (Discharge Date (40)) of this record is after the provider's closed date.	Fatal	System	The Discharge Date (40) submitted is after the date the provider closed.	Verify the Discharge Date (40).	<ul style="list-style-type: none"> <li>• If the submitted Discharge Date is valid, you cannot submit this record.</li> <li>• Otherwise, make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-918	Invalid Submission: The target date (Discharge Date (40)) of this record is more than 24 months prior to the submission date.	Fatal	System	The target date value submitted in this record is more than 24 months prior to the date the record was submitted.	Verify the Discharge Date (40).	<ul style="list-style-type: none"> <li>If the submitted Discharge Date is valid, you cannot submit the record.</li> <li>Otherwise, make appropriate corrections to the record and resubmit.</li> </ul>
-919	Invalid Target Date: The calculated target date is greater than the submission date.	Fatal	System	The target date value calculated by the iQIES system is later than the date the record was submitted.	Verify the Discharge Date (40).	Make appropriate corrections to the record and resubmit.
-1001	Invalid FAC_ID: The Facility (FAC_ID) submitted in this record does not identify a valid provider in the CMS National database. Please contact the Help Desk	Fatal	Format	The Facility ID (FAC_ID) in the submitted record is not associated with a valid provider in the iQIES system.	<ul style="list-style-type: none"> <li>The FAC_ID must be the system-assigned FAC_ID.</li> <li>The value of the submitted FAC_ID must match the FAC_ID in the iQIES system for the facility.</li> <li>The submitted FAC_ID must be associated with the state submitted in the STATE_CD control item</li> </ul>	<ul style="list-style-type: none"> <li>Verify that the FAC_ID value and the STATE_CD value are correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1002	Invalid TRANS_TYPE_CD: The Transaction Type Code (TRANS_TYPE_CD) submitted in this record does not identify a valid transaction type.	Fatal	Consistency	The submitted Transaction Type Code (TRANS_TYPE_CD) value is not valid.	N/A	<ul style="list-style-type: none"> <li>• Contact your software vendor.</li> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications for this record to identify the acceptable values for this item.</li> </ul>
-1004	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	<ul style="list-style-type: none"> <li>• Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the value does not exceed the allowed maximum length for the item.</li> <li>• Numbers with a decimal point and one or more decimal places are not allowed for this item.</li> <li>• Signed numbers (+ for positive or – for negative) are not allowed for this item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1005	Invalid Format: Embedded spaces and dashes are invalid for this item.	Fatal	Format	The value submitted for this item is invalid; it cannot contain embedded spaces or dashes.	Refer to the current data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1006	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>If the value submitted is not one of the specifically allowed values for this item in the data specifications, the value may only contain alphanumeric characters 0-9, A-Z or a-z.</li> <li>No spaces are allowed in this item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1007	Invalid Format: Only numeric characters 0-9 and specified values are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>If the value submitted is not one of the specifically allowed values for this item in the data specifications, the value may only contain numeric characters 0-9.</li> <li>No spaces are allowed in this item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1008	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), ampersand (&) and embedded spaces are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain characters 0-9, A-Z, a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_) and ampersand (&amp;).</li> <li>Embedded spaces are allowed. Only those spaces surrounded by any of the characters listed above are valid.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1010	Invalid Value: The value submitted for this item is not an acceptable value.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed in the data specifications	Refer to the current data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-1011	Invalid Correction Number: The submitted Correction Number value is not one number greater than the number on the original or previously corrected record.	Fatal	Consistency	The submitted Correction Number (CORRECTION_NUM) is invalid for this record.	The Correction Number in this modification/inactivation record must be 1 number greater than the Correction Number on the original or previously corrected record.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1012	Invalid Birth Date: Birth Date must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.	Fatal	Format	The birth date submitted in this item is invalid or formatted improperly.	<ul style="list-style-type: none"> <li>Birth Date (6) must be submitted in YYYYMMDD, YYYYMM, or YYYY format.                             <ul style="list-style-type: none"> <li>If a date is submitted in YYYYMMDD format, it must be 8 characters in length and each of the 8 characters must contain a number 0-9.</li> <li>YYYY and MM must be zero-filled, where appropriate.</li> </ul> </li> <li>The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the vendor of your encoding software to correct the formatting of dates.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1013	Invalid Impairment Group Code: The format of the submitted Impairment Group Code is not valid.	Fatal	Format	The Impairment Group Code value submitted for this record is invalid.	Contact your software vendor, if necessary.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1014	Required Item Is Blank: The value for this required item is blank.	Fatal	Consistency	A blank value was submitted for this required item.	Contact your software vendor, if necessary.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1015	CCN Mismatch: The submitted (1B) on the assessment does not match the CCN stored in the CMS National database for the facility.	Warning	Consistency	<p>The Medicare Provider Number (CMS Certification Number) (1B) in this record differs from the CCN that is in the iQIES System database for this provider.</p> <p>The value submitted in 1B does not match the CCN on file in the iQIES System for the provider identified by the FAC_ID in this record.</p>	<p><b>Example:</b></p> <p>The CCN was entered incorrectly into item 1B either manually or by the encoding software that created the submission file.</p> <p>The facility's CCN was changed by CMS, but you are still submitting with a user ID associated with the old CCN. Despite the CCN submitted in item 1B, if you submit with your old user ID, you are still submitting for your old CCN.</p>	<ul style="list-style-type: none"> <li>Contact your Regional Office to identify the correct CCN for your facility.</li> <li>Verify that the CCN in the encoding software is correct.</li> <li>If the facility's CCN changed, register for a new user ID for the new CCN.</li> <li>If you need additional assistance, contact the Help Desk.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1016	Invalid E-Mail Address Format: An e-mail address may contain any printable characters except single-quotes (') and double-quotes (").	Fatal	Format	The value submitted for this item is invalid. An e-mail address may not contain single quote (') or double-quote (") characters.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-1017	Invalid Format: 'E' codes are not allowed.	Fatal	Format	The value submitted for this item is invalid. 'E' codes are not allowed.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-1023	Invalid CCN Length: The CMS Certification Number (CCN) (1B) must be exactly 6 characters.	Fatal	Format	The Facility Medicare Provider Number (CMS Certification Number) (1B) submitted is invalid.	The CCN must be 6 characters in length.	Make appropriate corrections to the record and resubmit.
-1024	Facility Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the iQIES database. The database has been updated.	Warning	Consistency	The submitted facility information differs from what is stored in the iQIES database for this provider; the database was updated with this new information.	If not correct, contact your software vendor.	<ul style="list-style-type: none"> <li>Verify that the facility information in the encoding software is correct.</li> </ul>
-1030	Patient Provider Updated: Our records indicated that a different provider previously cared for this patient. The provider associated with this patient has been updated.	Warning	Consistency	A different provider submitted the previous record for this patient. The iQIES System was updated to reflect the patient's new provider of care.	No tip available	No action is required.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1031	Patient Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the iQIES database. If the record was accepted, the patient information in the database was updated. Verify that the new information is correct.	Warning	Consistency	Based on resident (patient) matching criteria, patient information in this record, though not identical, is similar enough to patient information in the iQIES System that a match was identified. If the record was accepted, one or more fields in the iQIES System were updated with the new or previously missing information.	<p><b>Example:</b> The patient’s first name was spelled differently or the facility is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p><b>Definition:</b> Resident (patient) matching criteria: Criteria used to match key patient-identifying information in a record with an existing patient known to the iQIES System.</p> <p><b>Tip:</b> The resident match process may update the following patient information:</p> <ul style="list-style-type: none"> <li>• last name</li> <li>• first name</li> <li>• birth date</li> <li>• death date</li> <li>• social security number</li> <li>• Medicare Number</li> <li>• Medicaid number</li> <li>• Gender</li> <li>• Race/ethnicity</li> <li>• Current Facility Internal ID</li> </ul> <p><b>Note:</b> The Death Date in the iQIES database is updated with the value in item 40 (Discharge Date) when item 44C (Was the patient discharged alive) equals 0 (No).</p>	<ul style="list-style-type: none"> <li>• Verify the old and new information.</li> <li>• If the new information is correct, no action is required.</li> <li>• If the new information is not correct, make appropriate modifications to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1032	Inconsistent Version Number: The version number of the data specifications used for this submission file is not the current version.	Warning	Consistency	The submitted version number of the data specifications used for this record is not the current version.	Contact your software vendor.	Verify that the version number in the encoding software is correct.
-1038	Inconsistent 20A/20B: The Primary Payment Source (20A) cannot equal 02 or 51 if Secondary Payment Source (20B) equals 02 or 51.	Fatal	Consistency	The values submitted for Primary Payment Source (20A) and Secondary Payment Source (20B) are not consistent.	IF Secondary Payment Source is 2 or 51, THEN Primary Payment Source must not be 2 or 51.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1044	Non-Medicare Record: If Medicare is not a payor (20A is not = [02, 51] and 20B is not = [02, 51]), then the record will be rejected by iQIES.	Fatal	Consistency	Only Medicare records are accepted by the iQIES system.	<ul style="list-style-type: none"> <li>• A Medicare record is one in which the value of Primary Payment Source (20A) or Secondary Payment Source (20B) is 02 or 51.</li> <li>• The value submitted for neither Primary Payment Source nor Secondary Payment Source was 02 or 51.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit, if appropriate.</li> <li>• In the future, if the value of Primary Payment Source or Secondary Payment Source is not 02 or 51, do not submit the record to the iQIES System.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1045	Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.	Fatal	<b>Format</b>	The date submitted in this item is invalid or formatted improperly.	<ul style="list-style-type: none"> <li>• A date must be in YYYYMMDD format or must contain a special allowed value noted in the data specifications.</li> <li>• The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</li> </ul>	<ul style="list-style-type: none"> <li>• Contact the vendor of your encoding software if the date format is incorrect.</li> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1046	Date Too Old: The date listed is more than 140 years in the past.	Fatal	<b>Consistency</b>	The submitted Birth Date (6) value is invalid.	Birth Date must not be more than 140 years earlier than the current date.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1047	Dates Out of Order: The dates listed are out of order or in the future.	Fatal	Consistency	The submitted dates are out of order or in the future.	Dates must occur chronologically as follows: <ul style="list-style-type: none"> <li>• Birth Date (6) must precede or be the same as Date of Onset (23)</li> <li>• Date of Onset must precede or be the same as Admission Date (12)</li> <li>• Admission Date must precede or be the same as Assessment Reference Date (13)</li> <li>• Assessment Reference Date must precede or be the same as Discharge Date (40)</li> <li>• Discharge Date must precede or be the same as the submission date.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1053	Inconsistent Admission date: Admission Date (12) should be later than 1980.	Fatal	Consistency	The submitted Admission Date (12) value should be later than 1980.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-1055	Failed CMG Calculation: CMG calculation could not be performed due to a system error.	Fatal	Consistency	No CMG value was calculated because of an error that was encountered in the iQIES system.	Resubmit this record when the iQIES system error is resolved.	<ul style="list-style-type: none"> <li>• Notify the Help Desk.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1056	Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERSION must match the calculated values.	Warning	Consistency	The submitted CMG code value does not match the CMG code value calculated by the iQIES system.	Contact your software vendor.	
-1057	CMG Not Recalculated: The CMG for this assessment was not recalculated as the Discharge Date is more than 27 months prior to the Submission Date.	Warning	Consistency	The iQIES system did not recalculate the CMG for this record because the Discharge Date is more than 27 months prior to the Submission Date.	Verify the Discharge Date	Make corrections to the record and submit a modification record, if appropriate.
-1060	Inconsistent 12/13. The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).	Warning	Consistency	The submitted Assessment Reference Date (13) is not 2 days after the Admission Date (12).	To avoid this warning in the future, review assessment timing requirements.	Make corrections to the record and submit a modification record, if appropriate.
-1071	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this record.	Fatal	Consistency	The submitter's User ID does not have authority to submit for the provider associated with the FAC ID submitted in this record.	Confirm user has correct role and association to this provider.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Contact the Help Desk for additional assistance.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1100	Incorrect Format: Invalid ICD-10 item format.	Fatal	Format	The submitted ICD-10 value is invalid. An ICD-10 code is an 8-position string of alphanumeric (A-Z, a-z, 0-9) characters with a decimal point as the 4 <sup>th</sup> character.	<ul style="list-style-type: none"> <li>• Formatting rules are:                             <ul style="list-style-type: none"> <li>○ Character 1 must be alphabetic (A-Z, a-z)</li> <li>○ Character 2 must be numeric (0-9)</li> <li>○ Character 3 must be numeric or alphabetic</li> <li>○ Character 4 must be a decimal point</li> <li>○ Characters 5 through 8 must be numeric, alphabetic, or blank (^)</li> <li>○ If any character 5 through 8 is a blank (^), all subsequent characters must be a blank</li> </ul> </li> <li>• If an ICD-10 item is not required, the submitted “No information” value must be a single blank (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1101	Inconsistent 44D/45: If Discharge to Living Setting (44D) equals 01, then Discharge to Living With (45) cannot equal No Information/skipped (^). If Discharge to Living Setting (44D) does not equal 01, then Discharge to Living With (45) must equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Discharge to Living With (45) and Discharge to Living Setting (44D) are not consistent.	<ul style="list-style-type: none"> <li>• IF Discharge to Living Setting is 01, THEN Discharge to Living With must not be No information/skipped (^).</li> <li>• IF Discharge to Living Setting is not 01, THEN Discharge to Living With must be No information/skipped (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1102	Inconsistent 44C/44D/45: If Was Patient Discharged Alive (44C) equals 0, then Discharge to Living Setting (44D) and Discharge to Living With (45) must equal No Information/skipped (^). If Was Patient Discharged Alive (44C) equals 1, then Discharge to Living Setting (44D) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Discharge to Living Setting (44D) and Discharge to Living With (45) are not consistent with the value submitted for Was Patient Discharged Alive (44C).	<ul style="list-style-type: none"> <li>• IF Was Patient Discharged Alive is 0, THEN Discharge to Living Setting and Discharge to Living With must not be No information/skipped (^).</li> <li>• IF Was Patient Discharged Alive is 1, THEN Discharge to Living Setting and Discharge to Living With must be No information/skipped (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1105	Inconsistent 16A/17: If Pre-hospital Living Setting (16A) equals 01, then Pre-hospital Living With (17) must not equal No Information/skipped (^). If Pre-hospital Living Setting (16A) does not equal 01, then Pre-hospital Living With (17) must equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Pre-hospital Living With (17) and Pre-hospital Living Setting (16A) are not consistent.	<ul style="list-style-type: none"> <li>• IF Pre-hospital Living Setting is 01, THEN Pre-hospital Living With must not be No information/skipped (^).</li> <li>• IF Pre-hospital Living Setting is not 01, THEN Pre-hospital Living With must be No information/skipped (^).</li> </ul> <p>This is a skip pattern. If Pre-hospital Living Setting is not 01, then skip to Payment Source (20) or the next active item.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1106	Incorrect Format: If this item does not equal one of the allowed special values (if any), then the length of the submitted value must match exactly the maximum length of the item.	Fatal	Format	The value submitted for this item is not valid.	If the value submitted for this item is not one of the allowed special characters, the length must be the maximum length noted in the IRF-PAI Data Specifications.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1108	Incorrect SSN: If the value of Social Security Number (7) is not equal to blank (^), it must be 9 characters long, the first three characters must not equal 000, and it must not equal 111111111, 333333333, 123456789, or 999999999.	Fatal	Format	The submitted Social Security Number (7) is invalid.	IF Social Security Number is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1109	Inconsistent 2/20A/20B: If Primary Payment Source (20A) equals 02 or 51 or Secondary Payment Source (20B) equals 02 or 51, then Patient Medicare Number (2) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Patient Medicare Number (2) and Primary Payment Source (20A) or Secondary Source (20B) are not consistent.	IF Primary Payment Source is 02 or 51 OR Secondary Payment Source is 02 or 51, THEN Patient Medicare Number must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
<b>-1110</b>	Inconsistent 33A/34A: If Tub Transfer-Admission (33A) is equal to 00 through 07, then Shower Transfer-Admission (34A) must equal No Information/skipped (^). If Shower Transfer-Admission (34A) is equal to 00 through 09, then Tub Transfer-Admission (33A) must equal No Information/skipped (^).	Fatal	<b>Consistency</b>	The values submitted for Tub Transfer-Admission (33A) and Shower Transfer-Admission (34A) are not consistent.	<p>One of the admission transfer items must be scored and the other No Information/skipped (^).</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Admission is No Information/skipped (^), THEN Shower Transfer-Admission must not be No Information/skipped (^).</li> <li>• IF Tub Transfer-Admission is not No Information/skipped (^), THEN Shower Transfer-Admission must be No Information/skipped (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
<b>-1111</b>	Inconsistent 33D/34D: If Tub Transfer-Discharge (33D) is equal to 00 through 07, then Shower Transfer-Discharge (34D) must equal No Information/skipped (^). If Shower Transfer-Discharge (34D) is equal to 00 through 09, then Tub Transfer-Discharge (33D) must equal No Information/skipped (^).	Fatal	<b>Consistency</b>	The values submitted for Tub Transfer-Discharge (33D) and Shower Transfer-Discharge (34D) are not consistent.	<p>One of the discharge transfer items must be scored and the other No Information/skipped (^).</p> <ul style="list-style-type: none"> <li>• IF Tub Transfer-Discharge is No Information/skipped (^), THEN Shower Transfer-Discharge must not be No Information/skipped (^).</li> <li>• IF Tub Transfer-Discharge is not No Information/skipped (^), THEN Shower Transfer-Discharge must be No Information/skipped (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1112	Inconsistent 24A-24Y: If a Comorbid Condition (24A-24Y) equals No Information/skipped (^), then the next comorbid item must equal No Information/skipped (^).	Fatal	Consistency	The values submitted in the listed Comorbid Conditions (24A-24Y) items are not consistent.	IF a Comorbid Condition item is No Information/skipped (^), THEN the next item in the list must also be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1113	Inconsistent 47A-47F: If a Complication During Rehabilitation Stay (47A-47F) equals No Information/skipped (^), then the next complication item must equal No Information/skipped (^).	Fatal	Consistency	The values submitted in the listed Complications During Rehabilitation Stay items (47A-47F) are not consistent.	IF Complications During Rehabilitation Stay item is No Information/skipped (^), THEN the next item in the list must also be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1114	Inconsistent Dates: The dates listed are inconsistent.	Fatal	Consistency	The submitted dates are out of order.	<ul style="list-style-type: none"> <li>• The first date must precede or be the same as the second date if the dates are not blank.</li> <li>• Ignore dates with “No information” (^).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1115	Invalid Skip Pattern: If Program Interruption(s) (42) equals 0, then all Program Interruption Dates (43A-43F) must equal No Information/skipped (^).	Fatal	Consistency	The values submitted for the Program Interruption Dates (43A-43F) and Program Interruption(s) (42) are not consistent.	<ul style="list-style-type: none"> <li>• IF Program Interruption(s) is 0, THEN all Program Interruption Dates (43A-43F) must be No Information/skipped (^).</li> <li>• This is a skip pattern. If Program Interruption(s) is 0, then skip to Was the patient discharged alive (44C) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1116	Inconsistent 42/43A: If Program Interruption(s) (42) equals 1, then the first Program Interruption Date (43A) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for 1st Program Interruption Date (43A) and Program Interruption(s) (42) are not consistent.	IF Program Interruption(s) is 1, THEN 1st Program Interruption Date must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1117	Inconsistent Dates: If a Program Interruption Date (43A-43F) equals No Information/skipped (^), then the next program interruption date item must equal No Information/skipped (^).	Fatal	Consistency	The values submitted in the listed Program Interruption Dates (43A-43F) are not consistent.	IF Program Interruption Date is No Information/skipped (^), THEN the next date must be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1118	Inconsistent Date Pairs: If the first Program Interruption Date (43A-43F) listed does not equal No Information/skipped (^), then the second Program Interruption Date must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted in the listed Program Interruption Dates (43A-43F) are not consistent.	IF the first item is not No Information/skipped (^), THEN the second item must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1127	Invalid Etiologic Diagnosis Code: ICD-10-CM codes V00.01 through Y99.9 are not valid Etiologic Diagnoses (22A/22B/22C).	Fatal	Consistency	The value submitted for Etiologic Diagnosis Code A (22A), Etiologic Diagnosis Code B (22B), or Etiologic Diagnosis Code C (22C) is invalid.	ICD-10-CM codes V00.01 through Y99.9 are not valid for these items.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1128	Inconsistent 22B/22C: If Etiologic Diagnosis Code B (22B) equals No Information (^), then Etiologic Diagnosis Code C (22C) must equal No Information (^).	Fatal	Consistency	The value submitted for Etiologic Diagnosis Code C (22C) is not consistent with the value submitted for Etiologic Diagnosis Code B (22B).	IF 22B is No Information (^), THEN 22C must be No Information (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-1129	Invalid Version Code: The value submitted for this item is not an acceptable value.	Warning	Format	The value submitted for this item is invalid; it is not one of the values allowed in the data specifications.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-1131	Incorrect Medicare Beneficiary Identifier (MBI): The MBI format is invalid.	Fatal	<b>Format</b>	The Medicare Beneficiary Identifier (MBI) item 2 (Patient Medicare Number) is invalid.	The MBI must be eleven characters as follows: <ul style="list-style-type: none"> <li>○ The 1<sup>st</sup> character must be a number 1-9.</li> <li>○ The 2<sup>nd</sup>, 5<sup>th</sup>, 8<sup>th</sup>, and 9<sup>th</sup> characters must be letters, excluding S, L, O, I, B, and Z.</li> <li>○ The 4<sup>th</sup>, 7<sup>th</sup>, 10<sup>th</sup>, and 11<sup>th</sup> characters must be numbers.</li> <li>○ The 3<sup>rd</sup> and 6<sup>th</sup> characters must be numbers or letters, excluding S, L, O, I, B, and Z.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5004	Entering a dash as a response to a Quality item may result in a payment reduction for your facility of two percentage points for the applicable fiscal year annual increase factor.	Warning	<b>Consistency</b>	Submitting a value of a dash (-) for any of the Quality items may result in a 2% reduction in payment for your facility for the applicable fiscal year annual increase factor.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5006	Invalid Skip Pattern: If Unhealed PUs/Injuries-Admission (M0210) equals 0, then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) must equal Skipped (^).	Fatal	Consistency	The values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) and Unhealed PUs/Injuries -Admission (M0210) are not consistent.	<ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries - Admission is 0, THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Admission must be skipped (^).</li> <li>• This is a skip pattern. If Unhealed PUs-Admission is 0, then skip to High-Risk Drug Classes (N0415) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5009	Inconsistent O0250B/6/40: If a valid date is entered, the Influenza Vaccination Date (O0250B) must be on or after the Birth Date (6) and on or before the Discharge Date (40).	Fatal	Consistency	The value submitted for Influenza Vaccination Date (O0250B) is not consistent with the value submitted for Birth Date (6) or Discharge Date (40).	<ul style="list-style-type: none"> <li>• If a valid date is entered for O0250B, The Birth Date must precede or be the same as the Influenza Vaccination Date</li> <li>• The Influenza Vaccination Date must precede or be the same as the Discharge Date.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5010	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Admission (M0210) equals 1, then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission (M0300A1 through M0300G1) and Unhealed PUs/Injuries-Admission (M0210) are not consistent.	IF Unhealed PUs/Injuries-Admission is 1, THEN all Current Number of unhealed PUs/Injuries at Each Stage-Admission must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5016	Invalid M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals 0, then Unhealed Stage 2 PUs Present on Admission (M0300B2) must equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1) and Unhealed Stage 2 PUs Present on Admission (M0300B2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 2 PUs-Discharge is 0, THEN Unhealed Stage 2 PUs Present on Admission must be No Information/skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Stage 2 PUs-Discharge is 0, then skip to Current Unhealed Stage 3 PUs-Discharge (M0300C1) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5017	Inconsistent M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals 1-9, then Unhealed Stage 2 PUs Present on Admission (M0300B2) must not equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 2 PUs-Discharge (M0300B1) and Unhealed Stage 2 PUs Present on Admission (M0300B2) are not consistent.	IF Current Unhealed Stage 2 PUs-Discharge is 1-9, THEN Unhealed Stage 2 PUs Present on Admission must not be Skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5018	Invalid M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals 0, then Unhealed Stage 3 PUs Present on Admission (M0300C2) must equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1) and Unhealed Stage 3 PUs Present on Admission (M0300C2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 3 PUs-Discharge is 0, THEN Unhealed Stage 3 PUs Present on Admission must be Skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Stage 3 PUs-Discharge is 0, then skip to Current Unhealed Stage 4 PUs-Discharge (M0300D1) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5019	Inconsistent M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals 1-9, then Unhealed Stage 3 PUs Present on Admission (M0300C2) must not equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 3 PUs-Discharge (M0300C1) and Unhealed Stage 3 PUs Present on Admission (M0300C2) are not consistent.	IF Current Unhealed Stage 3 PUs-Discharge is 1-9, THEN Unhealed Stage 3 PUs Present on Admission must not be Skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5020	Invalid M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals 0, then Unhealed Stage 4 PUs Present on Admission (M0300D2) must equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1) and Unhealed Stage 4 PUs Present on Admission (M0300D2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Stage 4 PUs-Discharge is 0, THEN Unhealed Stage 4 PUs Present on Admission must be Skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Stage 4 PUs-Discharge is 0, then skip to Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5021	Inconsistent M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals 1-9, then Unhealed Stage 4 PUs Present on Admission (M0300D2) must not equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Stage 4 PUs-Discharge (M0300D1) and Unhealed Stage 4 PUs Present on Admission (M0300D2) are not consistent.	IF Current Unhealed Stage 4 PUs-Discharge is 1-9, THEN Unhealed Stage 4 PUs Present on Admission must not be Skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5022	Invalid M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) equals 0, then Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) must equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) and Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 0, THEN Unhealed Unstageable (non-removable dressing) PUs Present on Admission must be Skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 0, then skip to Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5023	Inconsistent M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) equals 1-9, then Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) must not equal Skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (non-removable dressing) PUs-Discharge (M0300E1) and Unhealed Unstageable (non-removable dressing) PUs Present on Admission (M0300E2) are not consistent.	IF Current Unhealed Unstageable (non-removable dressing) PUs-Discharge is 1-9, THEN Unhealed Unstageable (non-removable dressing) PUs Present on Admission must not be Skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5024	Invalid M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals 0, then Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) must equal Skipped (^).	Fatal	<b>Consistency</b>	The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) and Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 0, THEN Unhealed Unstageable (slough/eschar) PUs Present on Admission must be Skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 0, then skip to Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5025	Inconsistent M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals 1-9, then Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) must not equal Skipped (^).	Fatal	<b>Consistency</b>	The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) and Unhealed Unstageable (slough/eschar) PUs Present on Admission (M0300F2) are not consistent.	IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is 1-9, THEN Unhealed Unstageable (slough/eschar) PUs Present on Admission must not be Skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5026	Invalid M0300G Items: If Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) equals 0, then Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.	<ul style="list-style-type: none"> <li>• IF Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 0, THEN Unhealed Unstageable (suspected DTI) PUs Present on Admission must be No Information/skipped (^).</li> <li>• This is a skip pattern. If Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 0, then skip to High-Risk Drug Classes (N0415) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5027	Inconsistent M0300G Items: If Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) equals 1-9, then Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300F1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.	IF Current Unhealed Unstageable (suspected DTI) PUs-Discharge is 1-9, THEN Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5028	Inconsistent O0250A/O0250B: The submitted Did Patient Receive Influenza Vaccine (O0250A) value is inconsistent with the Date Influenza Vaccine Received (O0250B) value.	Fatal	Consistency	The values submitted for Did Patient Receive Influenza Vaccine (O0250A) and Date Influenza Vaccine Received (O0250B) are not consistent.	<ul style="list-style-type: none"> <li>• IF Did Patient Receive Influenza Vaccine is 1, THEN Date Influenza Vaccine Received must not be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is 0, THEN Date Influenza Vaccine Received must be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is a dash (-), THEN Date Influenza Vaccine Received must be a dash (-).</li> <li>• This is a skip pattern. If Did Patient Receive Influenza Vaccine is 0, then skip to Reason Influenza Vaccine not Received (O0250C).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5029	Inconsistent O0250A/O0250C: The submitted Did Patient Receive Influenza Vaccine (O0250A) value is inconsistent with the Reason Influenza Vaccine not Received (O0250C) value.	Fatal	Consistency	The values submitted for Did Patient Receive Influenza Vaccine (O0250A) and Reason Influenza Vaccine not Received (O0250C) are not consistent.	<ul style="list-style-type: none"> <li>• IF Did Patient Receive Influenza Vaccine is 0, THEN Reason Influenza Vaccine not Received must not be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is 1, THEN Reason Influenza Vaccine not Received must be No Information/skipped (^).</li> <li>• IF Did Patient Receive Influenza Vaccine is a dash (-), Reason Influenza Vaccine not Received must be a dash (-).</li> <li>• This is a skip pattern. If Did Patient Receive Influenza Vaccine is 1, then skip to Signature of Persons Completing the Assessment (Z0400A).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5043	<p>Inconsistent M0300G1/M0300G2: Since Current Unhealed Unstageable (suspected DTI) PUs- Discharge has a numeric value present [1-9] then Unhealed Unstageable PUs Present on Admission (M0300G2) must equal or be less than Current Unhealed Unstageable (suspected DTI) PUs- Discharge (M0300G1) OR equal Not assessed/No information [-].</p>	Fatal	<b>Consistency</b>	<p>The values submitted for Current Unhealed Unstageable (suspected DTI) PUs-Discharge (M0300G1) and Unhealed Unstageable (suspected DTI) PUs Present on Admission (M0300G2) are not consistent.</p>	<p>IF M0300G1_2 (Discharge) is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN the number of M0300G2_2 (admission) MUST be a dash (-) OR must equal 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 AND must be less than or equal to M0300G1_2 (Discharge)</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5044	<p>Inconsistent M0210/M0300: If Unhealed PUs/Injuries- Admission (M0210_1) equals Not assessed/No information (-), then all Current Number of Unhealed PUs/Injuries at Each Stage-Admission items (M0300A1_1 through M0300G1_1) must equal Not assessed/No information (-).</p>	Fatal	<b>Consistency</b>	<p>One or more values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Admission items (M0300A1 through M0300G1) and the value submitted for Unhealed PUs/Injuries-Admission (M0210) are not consistent.</p>	<p>IF Unhealed PUs/Injuries - Admission is a dash (-), THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Admission must be a dash (-).</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5046	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Discharge (M0210_2) equals Not assessed/No information (-), then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1_2 through M0300G2_2) must equal Not assessed/No information (-).	Fatal	Consistency	One or more values submitted for Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) and the value submitted for Unhealed PUs/Injuries-Discharge (M0210) are not consistent.	IF Unhealed PUs/Injuries-Discharge is a dash (-), THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5048	Inconsistent M0300B Items: If Current Unhealed Stage 2 PUs-Discharge (M0300B1) equals Not assessed/No information (-), then Current Unhealed Stage 2 PUs-Discharge (M0300B2) must equal Not assessed/No information (-).	Fatal	Consistency	The values submitted for Unhealed Stage 2 PUs Present on Admission (M0300B2) and Current Unhealed Stage 2 PUs-Discharge (M0300B1) are not consistent.	IF Current Unhealed Stage 2 PUs-Discharge is a dash (-), THEN Unhealed Stage 2 PUs Present on Admission must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5049	Inconsistent M0300C Items: If Current Unhealed Stage 3 PUs-Discharge (M0300C1) equals Not assessed/No information (-), then Current Unhealed Stage 3 PUs-Discharge (M0300C2) must equal Not assessed/No information (-).	Fatal	<b>Consistency</b>	The values submitted for Unhealed Stage 3 PUs Present on Admission (M0300C2) and Current Unhealed Stage 3 PUs-Discharge (M0300C1) are not consistent.	IF Current Unhealed Stage 3 PUs-Discharge is a dash (-), THEN Unhealed Stage 3 PUs-Discharge must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5050	Inconsistent M0300D Items: If Current Unhealed Stage 4 PUs-Discharge (M0300D1) equals Not assessed/No information (-), then Current Unhealed Stage 4 PUs-Discharge (M0300D2) must equal Not assessed/No information (-).	Fatal	<b>Consistency</b>	The values submitted for Unhealed Stage 4 PUs Present on Admission (M0300D2) and Current Unhealed Stage 4 PUs-Discharge (M0300D1) are not consistent.	IF Current Unhealed Stage 4 PUs-Discharge is a dash (-), THEN Unhealed Stage 4 PUs-Discharge must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5051	Inconsistent M0300E Items: If Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge (M0300E1) equals Not assessed/No information (-), then Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge (M0300E2) must equal Not assessed/No information (-).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (non-removable dressing) Pressure Ulcers/Injuries-Discharge (M0300E2) and Current Unhealed Unstageable (non-removable dressing) Pressure Ulcers/Injuries-Discharge (M0300E1) are not consistent.	IF Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge is a dash (-), THEN Current Unhealed Unstageable (non-removable dressing) PUs/Injuries-Discharge must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5052	Inconsistent M0300F Items: If Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) equals Not assessed/No information (-), then Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F2) must equal Not assessed/No information (-).	Fatal	Consistency	The values submitted for Current Unhealed Unstageable (slough/eschar) PUs-Discharge items (M0300F2) and Current Unhealed Unstageable (slough/eschar) PUs-Discharge (M0300F1) are not consistent.	IF Current Unhealed Unstageable (slough/eschar) PUs-Discharge is a dash (-), THEN Current Unhealed Unstageable (slough/eschar) PUs-Discharge must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5053	Inconsistent M0300G Items: If Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge (M0300G1) equals Not assessed/No information (-), then Unhealed Unstageable (suspected DTI) Pressure Injuries Present-Discharge (M0300G2) must equal Not assessed/No information (-).	Fatal	Consistency	The values submitted for Unhealed Unstageable (suspected DTI) Pressure Injuries Present on Admission (M0300G2) and Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge (M0300G1) are not consistent.	IF Unhealed Unstageable (suspected DTI) Pressure Injuries Present on Admission is a dash (-), THEN Current Unhealed Unstageable (suspected DTI) Pressure Injuries-Discharge must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5055a	Invalid Skip Pattern: If C0100 is equal to 0, then all items C0200 through C0600 must be equal to blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	<ul style="list-style-type: none"> <li>IF C0100 is 0, THEN items C0200 (Repetition of Three Words) through C0600 (Should the Staff Assessment for Mental Status be conducted?) must be blank (^).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5055b	Invalid Skip Pattern: If C0100 is equal to 1, then all items from C0200 through C0600 must not be equal to blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	IF C0100 is 1, THEN all items C0200 through C0600 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5055c	Invalid Skip Pattern: If C0100 is equal to dash (-), then all items from C0200 through C0500 must be equal to dash (-) and C0600 must be equal to 1 or dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	IF C0100 is a dash (-), THEN all items C0200 through C0500 (BIMS Summary Score) must be a dash () and C0600 must be 1 or a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5056a	Inconsistent C0500 Value: If on admission, all of the BIMS component items C0200 through C0400C are active and not equal to dash (-) and if 3 or fewer of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in the BIMS items C0200 through C0400C.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 3 or fewer of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C.  <b>Definition:</b> <u>BIMS</u> – Brief Interview for Mental Status.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5056b	Inconsistent C0500 Value: If on admission, all of the BIMS component items C0200 through C0400C are active and are not equal to dash (-) and if 4 or more of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in BIMS items C0200 through C0400C or must equal 99.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 4 or more of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C or 99.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5056c	Inconsistent C0500 Value: If on admission, some, but not all, of the BIMS component items C0200 through C0400C are equal to dash (-), then C0500 must be equal to 99.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF some, but not all, of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be 99.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5056d	Inconsistent C0500 Value: If on admission, all of the BIMS Component items C0200 through C0400C are equal to dash (-), then C0500 must be equal to dash (-).	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF all of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5057a	Invalid Skip Pattern: If C0600 is equal to 0, then all items C0900A through C0900Z must be equal to blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<ul style="list-style-type: none"> <li>IF C0600 is 0, THEN items C0900A (Current season) through C0900Z (None of the above) must be blank (^).</li> <li>This is a skip pattern. If C0600 is 0 or blank (^), then skip to C1300 (Delirium).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5057b	Invalid Skip Pattern: If C0600 is equal to 1 or blank (^), then all items C0900A through C0900Z must not be equal to blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<ul style="list-style-type: none"> <li>IF C0600 is 1 or blank (^), THEN all items C0900A through C0900Z must not be blank (^).</li> <li>This is a skip pattern. If C0600 is 0 or blank (^), then skip to C1300 (Delirium).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5057c	Invalid Skip Pattern: If C0600 is equal to dash (-), then all items C0900A through C0900Z must be equal to dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<ul style="list-style-type: none"> <li>IF C0600 is a dash (-), THEN all items C0900A through C0900Z must be a dash (-).</li> <li>This is a skip pattern. If C0600 is 0 or blank (^), then skip to C1300 (Delirium).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5058a	Inconsistent C0500/C0600 Values: If C0500 is equal to dash (-) or 99, then C0600 must be equal to 1 or dash (-).	Fatal	Consistency	The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).	<ul style="list-style-type: none"> <li>IF C0500 is a dash (-) or 99, THEN C0600 must be 1 or a dash (-).</li> <li>IF C0500 is 00-15 (inclusive), THEN C0600 must be 0.</li> </ul> <b>Definition:</b> BIMS – Brief Interview for Mental Status	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5058b	Inconsistent C0500/C0600 Values: If C0500 is equal to 00-15, then C0600 must be equal to 0.	Fatal	Consistency	The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).	IF C0500 is 00-15 (inclusive), THEN C0600 must be 0. <b>Definition:</b> BIMS – Brief Interview for Mental Status	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5059a	Inconsistent None of the Above Value: If C0900Z is equal to 1, then all items C0900A through C0900E must be equal to 0.	Fatal	Consistency	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A (Current season) through C0900E (That he or she is in a hospital/hospital unit).	IF C0900Z = 1, THEN all items C0900A through C0900E must be = 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5059b	Inconsistent None of the Above Value: If C0900Z is equal to 0, then at least one item C0900A through C0900E must be equal to 1.	Fatal	Consistency	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A (Current season) through C0900E (That he or she is in a hospital/hospital unit).	IF C0900Z= 0, THEN one or more items C0900A through C0900E must= 1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5059c	Inconsistent None of the Above Value: If C0900Z is equal to dash (-), then at least one item C0900A through C0900E must be equal to dash (-) and all remaining items must be equal to 0 or dash (-).	Fatal	Consistency	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A (Current season) through C0900E (That he or she is in a hospital/hospital unit).	IF C0900Z is a dash (-), THEN one or more items C0900A through C0900E must be a dash (-) and the remaining items C0900A through C0900E must = 0.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5060a	Inconsistent None of the Above Value: If GG0110Z is equal to 1, then all items GG0110A through GG0110E must be equal to 0.	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A (Prior Device User: Manual wheelchair) through GG0110E (Prior Device User: Orthotics/Prosthetics).	IF GG0110Z= 1, THEN all items GG0110A through GG0110E must= 0.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5060b	Inconsistent None of the Above Value: If GG0110Z is equal to 0, then at least one item GG0110A through GG0110E must be equal to 1.	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A (Prior Device User: Manual wheelchair) through GG0110E (Prior Device User: Orthotics/Prosthetics).	IF GG0110Z= 0, THEN one or more items GG0110A through GG0110E must= 1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5060c	Inconsistent None of the Above Value: If GG0110Z is equal to dash (-), then at least one item GG0110A through GG0110E must be equal to dash (-) and all remaining items must be equal to 0 or dash (-).	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A (Prior Device User: Manual wheelchair) through GG0110E (Prior Device User: Orthotics/Prosthetics).	IF GG0110Z is a dash (-), THEN at least one item GG0110A through GG0110E must be a dash (-) and all remaining items must be unchecked or a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5061	Discharge Goal Not Identified: At least one of the Discharge Goal items GG0130A2 through GG0130H2 and GG0170A2 through GG0170S2 should be equal to 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88. Entering a dash (-) for the response to all of the	Warning	Consistency	A value of 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88 should be submitted for at least one of the following Self-care or mobility discharge goals to avoid a payment reduction of two percentage points for the applicable fiscal year annual increase factor.	At least one of the following Self-care or Mobility discharge goals should have a value other than dash (-). <ul style="list-style-type: none"> <li>• GG0130A2</li> <li>• GG0130B2</li> <li>• GG0130C2</li> <li>• GG0130E2</li> <li>• GG0130F2</li> <li>• GG0130G2</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
	Discharge Goal items may result in a payment reduction of two percentage points for the applicable fiscal year annual increase factor.				<ul style="list-style-type: none"> <li>• GG0130H2</li> <li>• GG0170A2</li> <li>• GG0170B2</li> <li>• GG0170C2</li> <li>• GG0170D2</li> <li>• GG0170E2</li> <li>• GG0170F2</li> <li>• GG0170G2</li> <li>• GG0170I2</li> <li>• GG0170J2</li> <li>• GG0170K2</li> <li>• GG0170L2</li> <li>• GG0170M2</li> <li>• GG0170N2</li> <li>• GG0170O2</li> <li>• GG0170P2</li> <li>• GG0170R2</li> <li>• GG0170S2</li> </ul>	
-5065a	Invalid Skip Pattern: If GG0170Q1 is equal to 0, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must be equal to blank (^).	Fatal	<b>Consistency</b>	The value submitted in item GG0170Q1 (Mobility: patient use a wheelchair/scooter?) is not consistent with value(s) submitted in Admission Performance and/or Discharge Goal items GG0170R1 through GG0170SS1	IF GG0170Q1 is 0, THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must be blank (^). This is a skip pattern. If GG0170Q1 is 0, then skip to H0350 (Bladder Continence).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5065b	Invalid Skip Pattern: If GG0170Q1 is equal to 1, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must not be equal to blank (^).	Fatal	Consistency	The value submitted in item GG0170Q1 (Mobility: patient use a wheelchair/scooter?) is not consistent with value(s) submitted in Admission Performance and/or Discharge Goal items GG0170R1 through GG0170SS1	IF GG0170Q1 is 1, THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5065c	Invalid Skip Pattern: If GG0170Q1 is equal to dash (-), then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must be equal to dash (-).	Fatal	Consistency	The value submitted in item GG0170Q1 (Mobility: patient use a wheelchair/scooter?) is not consistent with value(s) submitted in Admission Performance and/or Discharge Goal items GG0170R1 through GG0170SS1	IF GG0170Q1 is a dash (-), THEN all Admission Performance and Discharge Goal items GG0170R1 through GG0170SS1 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5066a	Invalid Skip Pattern: If GG0170Q3 is equal to 0 or blank (^), then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must be equal to blank (^).	Fatal	Consistency	The value submitted in item GG0170Q3 (Mobility: wheelchair/scooter?) is not consistent with one or more values submitted in Discharge Performance items GG0170R3 (Mobility: Wheel 50 feet with two turns) through GG0170SS3 (Mobility: type of wheelchair/scooter used).	IF GG0170Q3 is 0 or blank (^), THEN all Discharge Performance items GG0170R3 through GG0170SS3 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5066b	Invalid Skip Pattern: If GG0170Q3 is equal to 1, then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must not be equal to blank (^).	Fatal	<b>Consistency</b>	The value submitted in item GG0170Q3 (Mobility: wheelchair/scooter?) is not consistent with one or more values submitted in Discharge Performance items GG0170R3 (Mobility: Wheel 50 feet with two turns) through GG0170SS3 (Mobility: type of wheelchair/scooter used).	IF GG0170Q3 is 1, THEN all Discharge Performance items GG0170R3 through GG0170SS3 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5066c	Invalid Skip Pattern: If GG0170Q3 is equal to dash (-), then items GG0170R3, GG0170RR3, GG0170S3 and GG0170SS3 must be equal to dash (-).	Fatal	<b>Consistency</b>	The value submitted in item GG0170Q3 (Mobility: wheelchair/scooter?) is not consistent with one or more values submitted in Discharge Performance items GG0170R3 (Mobility: Wheel 50 feet with two turns) through GG0170SS3 (Mobility: type of wheelchair/scooter used).	IF GG0170Q3 is a dash (-), THEN all Discharge Performance items GG0170R3 through GG0170SS3 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5067a	Inconsistent None of the Above Value: If I7900 is equal to 1, then items I0900 and I2900 must equal 0.	Fatal	<b>Consistency</b>	The value submitted in item I7900 (None of the above) is not consistent with one or more values submitted in related items I0900 (Peripheral Vascular Disease or Peripheral Arterial Disease) and I2900 (Diabetes Mellitus).	IF I7900= 1, THEN items I0900 and I2900 must= 0.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5067b	Inconsistent None of the Above Value: If I7900 is equal to 0, then at least 1 item I0900 or I2900 must not equal 0.	Fatal	Consistency	The value submitted in item I7900 (None of the above) is not consistent with one or more values submitted in related items I0900 (Peripheral Vascular Disease or Peripheral Arterial Disease) and I2900 (Diabetes Mellitus).	IF I7900= 0, THEN at least 1 item I0900 or I2900 must= 1	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5067c	Inconsistent None of the Above Value: If I7900 is equal to dash (-), then either item I0900 or I2900 must equal dash (-) and the other item must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item I7900 (None of the above) is not consistent with one or more values submitted in related items I0900 (Peripheral Vascular Disease or Peripheral Arterial Disease) and I2900 (Diabetes Mellitus).	IF I7900 is a dash (-), THEN either item I0900 or I2900 must be a dash (-) and the other item must be unchecked or a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5068a	Inconsistent J Items: If J1800 is equal to 0, then all active items from J1900A through J1900C must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J1800 (Any Falls Since Admission).	IF J1800 is 0, THEN all active items J1900A through J1900C (Number of Falls Since Admission) must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5068b	Inconsistent J Items: If J1800 is equal to 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J1800 (Any Falls Since Admission).	IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5068c	Inconsistent J Items: If J1800 is equal to dash (-), then all active items from J1900A through J1900C must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J1800 (Any Falls Since Admission).	IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5069	Inconsistent M Items: If M0300B1-Discharge is equal to 1-9, then M0300B2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300B1-Discharge.	Fatal	Consistency	The value submitted in item M0300B2-Discharge (Number of Stage 2 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	IF M0300B1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300B2-Discharge must be a dash (-), OR M0300B2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300B1-Discharge.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5070	Inconsistent M Items: If M0300C1-Discharge is equal to 1-9, then M0300C2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300C1-Discharge.	Fatal	<b>Consistency</b>	The value submitted in item M0300C2-Discharge (Number of Stage 3 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300C1-Discharge (Number of Stage 3 pressure ulcers).	IF M0300C1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2-Discharge must be a dash, OR M0300C2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300C1-Discharge.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5071	Inconsistent M Items: If M0300D1-Discharge is equal to 1-9, then M0300D2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300D1-Discharge.	Fatal	<b>Consistency</b>	The value submitted in item M0300D2-Discharge (Number of Stage 4 pressure ulcers present upon admission) is not consistent with the value submitted in item M0300D1-Discharge (Number of Stage 4 pressure ulcers).	IF M0300D1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2-Discharge must be a dash (-), OR M0300D2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300D1-Discharge.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5072	Inconsistent M Items: If M0300E1-Discharge is equal to 1-9, then M0300E2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300E1-Discharge.	Fatal	<b>Consistency</b>	The value submitted in item M0300E2-Discharge (Number of unstageable [non-removable dressing] pressure ulcers present upon admission) is not consistent with the value submitted in item M0300E1-Discharge (Number of unstageable [non-removable dressing] pressure ulcers).	IF M0300E1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2-Discharge must be a dash, OR M0300E2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300E1-Discharge.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5073	Inconsistent M Items: If M0300F1-Discharge is equal to 1-9, then M0300F2-Discharge must be equal to dash (-), OR must be equal to 0-9 and less than or equal to M0300F1-Discharge.	Fatal	Consistency	The value submitted in item M0300F2-Discharge (Number of unstageable [slough/eschar] pressure ulcers present upon admission) is not consistent with the value submitted in item M0300F1-Discharge (Number of unstageable [slough/eschar] pressure ulcers).	IF M0300F1-Discharge is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2-Discharge must be a dash (-), OR M0300F2-Discharge must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300F1-Discharge.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5080	Invalid Skip Pattern: If Unhealed PUs/Injuries-Discharge (M0210) equals 0, then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) must equal Skipped (^).	Fatal	Consistency	The values submitted for Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G2) and Unhealed PUs/Injuries-Discharge (M0210) are not consistent.	<ul style="list-style-type: none"> <li>• IF Unhealed PUs/Injuries-Discharge is 0, THEN all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items must be skipped (^).</li> <li>• This is a skip pattern. If Unhealed PUs-Discharge is 0, then skip to High-Risk Drug Classes (N0415) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5081	Inconsistent M0210/M0300: If Unhealed PUs/Injuries-Discharge (M0210) equals 1, then all Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G1) must not equal No Information/skipped (^).	Fatal	Consistency	The values submitted for Current Number of Unhealed PUs/Injuries at Each Stage-Discharge items (M0300A1 through M0300G1) and Unhealed PUs-Discharge (M0210) are not consistent.	IF Unhealed PUs/Injuries-Discharge is 1, THEN all Current Number of unhealed PUs at Each Stage-Discharge items must not be No Information/skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5082a	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals 0 or 9, then Medication Follow-up (N2003) must equal blank (^).	Fatal	Consistency	The values submitted for Medication Follow-up (N2003) and Drug Regimen Review (N2001) are not consistent.	IF N2001 is 0 or 9, THEN N2003 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5082b	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals 1, then Medication Follow-up (N2003) must not equal blank (^).	Fatal	Consistency	The values submitted for Medication Follow-up (N2003) and Drug Regimen Review (N2001) are not consistent.	IF N2001 is 1, THEN N2003 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5082c	Inconsistent N2001/N2003: If Drug Regimen Review (N2001) equals dash (-), then Medication Follow-up (N2003) must equal dash (-).	Fatal	Consistency	The values submitted for Medication Follow-up (N2003) and Drug Regimen Review (N2001) are not consistent.	IF N2001 is a dash (-), THEN N2003 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5084a	Inconsistent GG0170 Items: If GG0170I1 is equal to 07, 09, 10, or 88, then GG0170J1, GG0170K1 and GG0170L1 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170I1 (Mobility: Walk 10 feet) is not consistent with the value(s) submitted in Admission Performance items GG0170J1, GG0170K1, and GG0170L1	IF GG0170I1 is 07, 09, 10, or 88, THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5084b	Inconsistent GG0170 Items: If GG0170I1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J1, GG0170K1 and GG0170L1 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170I1 (Mobility: Walk 10 feet) is not consistent with the value(s) submitted in Admission Performance items GG0170J1, GG0170K1, and GG0170L1	IF GG0170I1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5084c	Inconsistent GG0170 Items: If GG0170I1 is equal to dash (-), then GG0170J1, GG0170K1 and GG0170L1 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170I1 (Mobility: Walk 10 feet) is not consistent with the value(s) submitted in Admission Performance items GG0170J1, GG0170K1, and GG0170L1	IF GG0170I1 is a dash (-), THEN Admission Performance items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5085a	Inconsistent GG0170 Items: If GG0170I3 is equal to 07, 09, 10, 88 or blank (^), then GG0170J3, GG0170K3 and GG0170L3 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170I3 (Mobility: Walk 10 feet) is not consistent with one or more values submitted in Discharge Goal Mobility items GG0170J3, GG0170K3, and GG0170L3.	IF GG0170I3 is 07, 09, 10, or 88, THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5085b	Inconsistent GG0170 Items: If GG0170I3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J3, GG0170K3 and GG0170L3 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170I3 (Mobility: Walk 10 feet) is not consistent with one or more values submitted in Discharge Goal Mobility items GG0170J3, GG0170K3, and GG0170L3.	IF GG0170I3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5085c	Inconsistent GG0170 Items: If GG0170I3 is equal to dash (-), then GG0170J3, GG0170K3 and GG0170L3 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170I3 (Mobility: Walk 10 feet) is not consistent with one or more values submitted in Discharge Goal Mobility items GG0170J3, GG0170K3, and GG0170L3.	IF GG0170I3 is a dash (-), THEN Discharge Goal items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5086a	Inconsistent GG0170 Items: If GG0170M1 is equal to 07, 09, 10, or 88, then GG0170N1 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170M1 (Mobility: 1 step (curb)) is not consistent with the value submitted in Admission Performance item GG0170N1 (Mobility: 4 steps).	IF GG0170M1 is 07, 09, 10, or 88, THEN Admission Performance item GG0170N1 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5086b	Inconsistent GG0170 Items: If GG0170M1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170N1 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170M1 (Mobility: 1 step (curb)) is not consistent with the value submitted in Admission Performance item GG0170N1 (Mobility: 4 steps).	IF GG0170M1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance item GG0170N1 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5086c	Inconsistent GG0170 Items: If GG0170M1 is equal to dash (-), then GG0170N1 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170M1 (Mobility: 1 step (curb)) is not consistent with the value submitted in Admission Performance item GG0170N1 (Mobility: 4 steps).	IF GG0170M1 is a dash (-), THEN Admission Performance item GG0170N1 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5087a	Inconsistent GG0170 Items: If GG0170M3 is equal to 07, 09, 10, 88 or blank (^), then GG0170N3 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170M3 (Mobility: 1 step (curb)) is not consistent with the value submitted in Discharge Goal item GG0170N3 (Mobility: 4 steps).	IF GG0170M3 is 07, 09, 10, or 88, THEN Discharge Goal item GG0170N3 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5087b	Inconsistent GG0170 Items: If GG0170M3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170N3 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170M3 (Mobility: 1 step (curb)) is not consistent with the value submitted in Discharge Goal item GG0170N3 (Mobility: 4 steps).	IF GG0170M3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal item GG0170N3 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5087c	Inconsistent GG0170 Items: If GG0170M3 is equal to dash (-), then GG0170N3 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170M3 (Mobility: 1 step (curb)) is not consistent with the value submitted in Discharge Goal item GG0170N3 (Mobility: 4 steps).	IF GG0170M3 is a dash (-), THEN Discharge Goal item GG0170N3 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5088a	Inconsistent GG0170 Items: If GG0170N1 is equal to 07, 09, 10, 88 or blank (^), then GG0170O1 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in Admission Performance item GG0170O1 (Mobility: 12 steps).	IF GG0170N1 is 07, 09, 10, or 88, THEN Admission Performance item GG0170O1 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5088b	Inconsistent GG0170 Items: If GG0170N1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170O1 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in Admission Performance item GG0170O1 (Mobility: 12 steps).	IF GG0170N1 is 01, 02, 03, 04, 05, or 06, THEN Admission Performance item GG0170O1 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5088c	Inconsistent GG0170 Items: If GG0170N1 is equal to dash (-), then GG0170O1 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in Admission Performance item GG0170O1 (Mobility: 12 steps).	IF GG0170N1 is a dash (-), THEN Admission Performance item GG0170O1 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5089a	Inconsistent GG0170 Items: If GG0170N3 is equal to 07, 09, 10, 88 or blank (^), then GG0170O3 must equal blank (^).	Fatal	Consistency	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in Discharge Goal item GG0170O3 (Mobility: 12 steps).	IF GG0170N3 is 07, 09, 10, or 88, THEN Discharge Goal item GG0170O3 must be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5089b	Inconsistent GG0170 Items: If GG0170N3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170O3 must not equal blank (^).	Fatal	Consistency	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in Discharge Goal item GG0170O3 (Mobility: 12 steps).	IF GG0170N3 is 01, 02, 03, 04, 05, or 06, THEN Discharge Goal item GG0170O3 must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5089c	Inconsistent GG0170 Items: If GG0170N3 is equal to dash (-), then GG0170O3 must equal dash (-).	Fatal	Consistency	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in Discharge Goal item GG0170O3 (Mobility: 12 steps).	IF GG0170N3 is a dash (-), THEN Discharge Goal item GG0170O3 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5091a	Inconsistent D0150A Items: If on admission D0150A1 symptom presence is equal to no [0], then D0150A2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is No [0], THEN D0150A2 must equal [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5091b	Inconsistent D0150A Items: If on admission D0150A1 symptom presence is equal to yes [1], then D0150A2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is Yes [1], THEN D0150A2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5091c	Inconsistent D0150A Items: If on admission D0150A1 symptom presence is equal to no response or a dash [9, -], then D0150A2 symptom frequency must equal skipped[^].	Fatal	Consistency	The value submitted on admission for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is No Response or dash [9, -], THEN D0150A2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5092a	Inconsistent D0150A Items: If on discharge D0150A1 symptom presence is equal to no [0], then D0150A2 symptom frequency must equal never/1 day [0].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is No [0], THEN D0150A2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5092b	Inconsistent D0150A Items: If on discharge D0150A1 symptom presence is equal to yes [1], then D0150A2 symptom frequency must equal [0, 1, 2, 3].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is Yes [1], THEN D0150A2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5092c	Inconsistent D0150A Items: If on discharge D0150A1 symptom presence is equal to no response, a dash, or skipped [9, -, ^], then D0150A2 symptom frequency must equal skipped [^].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Little interest/pleasure doing things: Presence is not consistent with other Mood item responses.	IF D0150A1 is No Response, dash, or skipped [9, -, ^], THEN D0150A2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5093a	Inconsistent D0150B Items: If on admission D0150B1 symptom presence is equal to no [0], then D0150B2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is No [0], THEN D0150B2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5093b	Inconsistent D0150B Items: If on admission D0150B1 symptom presence is equal to yes [1], then D0150B2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is Yes [1], THEN D0150B2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5093c	Inconsistent D0150B Items: If on admission D0150B1 symptom presence is equal to no response or a dash [9, -], then D0150B2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is No Response or dash [9, -], THEN D0150B2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5094a	Inconsistent D0150B Items: If on discharge D0150B1 symptom presence is equal to no [0], then D0150B2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is No [0], THEN D0150B2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5094b	Inconsistent D0150B Items: If on discharge D0150B1 symptom presence is equal to yes [1], then D0150B2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is Yes [1], THEN D0150B2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5094c	Inconsistent D0150B Items: If on discharge D0150B1 symptom presence is equal to no response, a dash, or skipped [9, -, ^], then D0150B2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling down, depressed, or hopeless: Presence is not consistent with other Mood item responses.	IF D0150B1 is No Response, dash, or skipped [9, -, ^], THEN D0150B2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5095a	Inconsistent D0150C Items: If on admission D0150C1 symptom presence is equal to no [0], then D0150C2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Trouble falling or staying asleep: Presence is not consistent with other Mood item responses.	If D0150C1 is No [0], then D0150C2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5095b	Inconsistent D0150C Items: If on admission D0150C1 symptom presence is equal to yes [1], then D0150C2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Trouble falling or staying asleep: Presence is not consistent with other Mood item responses.	If D0150C1 is Yes [1], then D0150C2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5095c	Inconsistent D0150C Items: If on admission D0150C1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150C2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Trouble falling or staying asleep: Presence is not consistent with other Mood item responses.	If D0150C1 is No Response, skipped or dash [9, ^, -], then D0150C2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5096a	Inconsistent D0150D Items: If on admission D0150D1 symptom presence is equal to no [0], then D0150D2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is No [0], then D0150D2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5096b	Inconsistent D0150D Items: If on admission D0150D1 symptom presence is equal to yes [1], then D0150D2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is Yes [1], then D0150D2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5096c	Inconsistent D0150D Items: If on admission D0150D1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150D2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is No Response, skipped or dash [9, ^, -], then D0150D2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5097a	Inconsistent D0150D Items: If on discharge D0150D1 symptom presence is equal to no [0], then D0150D2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is No [0], then D0150D2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5097b	Inconsistent D0150D Items: If on discharge D0150D1 symptom presence is equal to yes [1], then D0150D2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is Yes [1], then D0150D2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5097c	Inconsistent D0150D Items: If on discharge D0150D1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150D2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling tired or having little energy: Presence is not consistent with other Mood item responses.	If D0150D1 is No Response, skipped or dash [9, ^, -], then D0150D2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5098a	Inconsistent D0150E Items: If on admission D0150E1 symptom presence is equal to no [0], then D0150E2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is No [0], then D0150E2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5098b	Inconsistent D0150E Items: If on admission D0150E1 symptom presence is equal to yes [1], then D0150E2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is Yes [1], then D0150E2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5098c	Inconsistent D0150E Items: If on admission D0150E1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150E2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is No Response, skipped or dash [9, ^, -], then D0150E2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5099a	Inconsistent D0150E Items: If on discharge D0150E1 symptom presence is equal to no [0], then D0150E2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is No [0], then D0150E2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5099b	Inconsistent D0150E Items: If on discharge D0150E1 symptom presence is equal to yes [1], then D0150E2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is Yes [1], then D0150E2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5099c	Inconsistent D0150E Items: If on discharge D0150E1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150E2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Poor appetite or overeating: Presence is not consistent with other Mood item responses.	If D0150E1 is No Response, skipped or dash [9, ^, -], then D0150E2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5100a	Inconsistent D0150F Items: If on admission D0150F1 symptom presence is equal to no [0], then D0150F2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is No [0], then D0150F2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5100b	Inconsistent D0150F Items: If on admission D0150F1 symptom presence is equal to yes [1], then D0150F2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is Yes [1], then D0150F2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5100c	Inconsistent D0150F Items: If on admission D0150F1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150F2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is No Response, skipped or dash [9, ^, -], then D0150F2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5101a	Inconsistent D0150F Items: If on discharge D0150F1 symptom presence is equal to no [0], then D0150F2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is No [0], then D0150F2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5101b	Inconsistent D0150F Items: If on discharge D0150F1 symptom presence is equal to yes [1], then D0150F2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is Yes [1], then D0150F2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5101c	Inconsistent D0150F Items: If on discharge D0150F1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150F2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Feeling bad about yourself: Presence is not consistent with other Mood item responses.	If D0150F1 is No Response, skipped or dash [9, ^, -], then D0150F2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5102a	Inconsistent D0150G Items: If on admission D0150G1 symptom presence is equal to no [0], then D0150G2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is No [0], then D0150G2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5102b	Inconsistent D0150G Items: If on admission D0150G1 symptom presence is equal to yes [1], then D0150G2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is Yes [1], then D0150G2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5102c	Inconsistent D0150G Items: If on admission D0150G1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150G2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is No Response, skipped, or dash [9, ^, -], then D0150G2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5103a	Inconsistent D0150G Items: If on discharge D0150G1 symptom presence is equal to no [0], then D0150G2 symptom frequency must equal never/1 day [0].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is No [0], then D0150G2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5103b	Inconsistent D0150G Items: If on discharge D0150G1 symptom presence is equal to yes [1], then D0150G2 symptom frequency must equal [0, 1, 2, 3].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is Yes [1], then D0150G2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5103c	Inconsistent D0150G Items: If on discharge D0150G1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150G2 symptom frequency must equal skipped [^].	Fatal	<b>Consistency</b>	The value submitted on discharge for Mood: Trouble concentrating on things: Presence is not consistent with other Mood item responses.	If D0150G1 is No Response, skipped, or dash [9, ^, -], then D0150G2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5104a	Inconsistent D0150H Items: If on admission D0150H1 symptom presence is equal to no [0], then D0150H2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is No [0], then D0150H2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5104b	Inconsistent D0150H Items: If on admission D0150H1 symptom presence is equal to yes [1], then D0150H2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is Yes [1], then D0150H2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5104c	Inconsistent D0150H Items: If on admission D0150H1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150H2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is No Response, skipped, or dash [9, ^, -], then D0150H2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5105a	Inconsistent D0150H Items: If on discharge D0150H1 symptom presence is equal to no [0], then D0150H2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is No [0], then D0150H2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5105b	Inconsistent D0150H Items: If on discharge D0150H1 symptom presence is equal to yes [1], then D0150H2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is Yes [1], then D0150H2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5105c	Inconsistent D0150H Items: If on discharge D0150H1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150H2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Moving or speaking so slowly: Presence is not consistent with other Mood item responses.	If D0150H1 is No Response, skipped, or dash [9, ^, -], then D0150H2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5106a	Inconsistent D0150I Items: If on admission D0150I1 symptom presence is equal to no [0], then D0150I2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on admission for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is No [0], then D0150I2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5106b	Inconsistent D0150I Items: If on admission D0150I1 symptom presence is equal to yes [1], then D0150I2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on admission for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is Yes [1], then D0150I2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5106c	Inconsistent D0150I Items: If on admission D0150I1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150I2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on admission for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is No Response, skipped or dash [9, ^, -], then D0150I2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5107a	Inconsistent D0150I Items: If on discharge D0150I1 symptom presence is equal to no [0], then D0150I2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is No [0], then D0150I2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5107b	Inconsistent D0150I Items: If on discharge D0150I1 symptom presence is equal to yes [1], then D0150I2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is Yes [1], then D0150I2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5107c	Inconsistent D0150I Items: If on discharge D0150I1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150I2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Thoughts of better off dead: Presence is not consistent with other Mood item responses.	If D0150I1 is No Response, skipped or dash [9, ^, -], then D0150I2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5108a	Inconsistent D0150 Items: If on admission, D0150A2 and D0150B2 symptom frequency is equal to never/1 day or 2-6 days [0,1], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A2 response is 6 days or less [0,1] and D0150B2 is 6 days or less [0,1], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5108b	Inconsistent D0150 Items: If on admission, D0150A1 or D0150B1 Symptom Presence is equal to a dash [-], then the following items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A1 is dashed [-] or D0150B1 is dashed [-], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5108c	Inconsistent D0150 Items: If on admission, D0150A1 and D0150B1 Symptom Presence is No Response [9], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A1 is No Response [9] and D0150B1 is No Response [9], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5108d	<p>Inconsistent D0150 Items: If on admission, D0150A2 Symptom Frequency is skipped [^] AND D0150B2 Symptom Frequency is never/1 day or 2-6 days [0,1] OR D0150A2 Symptom Frequency is never/1 day or 2-6 days [0,1] AND D0150B2 Symptom Frequency is skipped [^], then the following items D0150C1 through D0150I1 must not be skipped [^].</p>	Fatal	Consistency	<p>The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.</p>	<p>If D0150A2 is skipped [^] and D0150B2 less than 6 days [0,1] OR if D0150A2 is less than 6 days [0,1] and D0150B2 is skipped [^], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5108e	<p>Inconsistent D0150 Items: If on admission, D0150A2 or D0150B2 symptom frequency is equal to 7 to 14 days [2,3], then the following items D0150C1 through D0150I1 must not be skipped [^].</p>	Fatal	Consistency	<p>The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.</p>	<p>If D0150A2 more than 6 days [2,3] or D0150B2 is more than 6 days [2,3], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5109a	Inconsistent D0150 Items: If on discharge, D0150A2 and D0150B2 Symptom Frequency is equal to never/1 day or 2-6 days [0,1], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A2 response is 6 days or less [0,1] and D0150B2 is 6 days or less [0,1], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5109b	Inconsistent D0150 Items: If on discharge, (D0150A1 is equal to dash [-] and D0150B1 is equal to 0, 1, 9, ^) OR (D0150B1 is equal to dash [-] and D0150A1 is equal to 0, 1, 9, ^), then the following discharge items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If (D0150A1 is dashed [-] and D0150B1 is = to 0, 1, 9, ^) OR (D0150B1 is dashed [-] and D0150A1 is = to 0, 1, 9, ^), then the following discharge items D0150C1 through D0150I1 must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5109c	Inconsistent D0150 Items: If on discharge, D0150A1 and D0150B1 Symptom Presence is No Response [9], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A1 is No Response [9] and D0150B1 is No Response [9], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5109d	<p>Inconsistent D0150 Items: If on discharge, D0150A2 Symptom Frequency is skipped [^] AND D0150B2 Symptom Frequency is never/1 day or 2-6 days [0,1] OR D0150A2 Symptom Frequency is never/1 day or 2-6 days [0,1] AND D0150B2 Symptom Frequency is skipped [^], then the following items D0150C1 through D0150I1 must not be skipped [^].</p>	Fatal	Consistency	<p>The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.</p>	<p>If D0150A2 is skipped [^] and D0150B2 less than 6 days [0,1] OR if D0150A2 is less than 6 days [0,1] and D0150B2 is skipped [^], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5109e	<p>Inconsistent D0150 Items: If on discharge, D0150A2 or D0150B2 symptom frequency is equal to 7 to 14 days [2,3], then the following items D0150C1 through D0150I1 must not be skipped [^].</p>	Fatal	Consistency	<p>The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.</p>	<p>If D0150A2 more than 6 days [2,3] or D0150B2 is more than 6 days [2,3], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5109f	Inconsistent D0150 Items: If on discharge, D0150A2 and D0150B2 symptom frequency is equal to skipped [^], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted for Little interest/pleasure doing things: frequency OR Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	If D0150A2 and D0150B2 are skipped [^], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5110a	Inconsistent Items: If on admission, J0510 pain effect on sleep does not apply [0], then J0520 and J0530 pain interference must be skipped [^].	Fatal	Consistency	The value submitted on admission in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does not apply [0], meaning no pain or hurting in the past 5 days, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities (J0530) must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5110b	Inconsistent Items: If on admission, J0510 pain effect on sleep is applicable [1,2,3,4,8], then J0520 and J0530 pain interference must not be skipped [^].	Fatal	Consistency	The value submitted on admission in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does apply [1,2,3,4,8], meaning some level pain reported, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities (J0530) must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5111a	Inconsistent Items: If on discharge, J0510 pain effect on sleep does not apply or is skipped [0, ^], then J0520 and J0530 pain interference must be skipped [^].	Fatal	Consistency	The value submitted on discharge in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does not apply or is skipped [0,^], meaning no pain or hurting in the past 5 days, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities (J0530) must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5111b	Inconsistent Items: If on discharge, J0510 pain effect on sleep is applicable [1,2,3,4,8], then J0520 and J0530 pain interference must not be skipped [^].	Fatal	Consistency	The value submitted on discharge in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does apply [1,2,3,4,8], meaning some level pain reported, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities (J0530) must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5112a	Inconsistent K0520 Items: If K0520Z1 is checked [1], then all active items K0520A1 through K0520D1 must not be checked [0].	Fatal	Consistency	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	If K0520Z1=[1], then all active items from K0520A1 through K0520D1 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5112b	Inconsistent K0520 Item: If K0520Z1 is not checked [0], then at least one of the active items K0520A1 through K0520D1 must be checked [1] and all remaining items must equal not checked or checked [0,1].	Fatal	Consistency	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	<ul style="list-style-type: none"> <li>• If K0520Z1=[0], then at least one active item from K0520A1 through K0520D1 must equal [1].</li> <li>• All remaining items must equal not checked or checked [0,1].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5112c	Inconsistent K0520 Item: If K0520Z1 is a dash [-], then at least one of the active items K0520A1 through K0520D1 must be dashed [-], and all remaining items must be not checked or a dash [0,-].	Fatal	Consistency	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	If K0520Z1 = [-], then at least one active item from K0520A1 through K0520D1 must be dashed and the other items must be dashed or zero.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5113a	Inconsistent N0415 items: If on admission, N0415A1 taking antipsychotics is not checked [0], then N0415A2 antipsychotic indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[0], then N0415A2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5113b	Inconsistent N0415 items: If on admission, N0415A1 taking antipsychotics is checked [1], then N0415A2 antipsychotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[1], then N0415A2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5113c	Inconsistent N0415 items: If on admission, N0415A1 taking antipsychotics is a dash [-], then N0415A2 antipsychotics indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[-], then N0415A2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5114a	Inconsistent N0415 items: If on discharge, N0415A1 taking antipsychotics is not checked [0], then N0415A2 antipsychotic indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[0], then N0415A2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5114b	Inconsistent N0415 items: If on discharge, N0415A1 taking antipsychotics is checked [1], then N0415A2 antipsychotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[1], then N0415A2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5114c	Inconsistent N0415 items: If on discharge, N0415A1 taking antipsychotics is a dash [-], then N0415A2 antipsychotics indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses.	If N0415A1=[-], then N0415A2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5115a	Inconsistent N0415 items: If on admission, N0415E1 taking anticoagulant is not checked [0], then N0415E2 anticoagulant indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[0], then N0415E2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5115b	Inconsistent N0415 items: If on admission, N0415E1 taking anticoagulant is checked [1], then N0415E2 anticoagulant indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[1], then N0415E2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5115c	Invalid Skip Pattern: If on admission, N0415E1 taking anticoagulant is a dash [-], then N0415E2 anticoagulant indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[-], then N0415E2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5116a	Inconsistent N0415 items: If on discharge, N0415E1 taking anticoagulant is not checked [0], then N0415E2 anticoagulant indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[0], then N0415E2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5116b	Inconsistent N0415 items: If on discharge, N0415E1 taking anticoagulant is checked [1], then N0415E2 anticoagulant indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[1], then N0415E2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5116c	Inconsistent N0415 items: If on discharge, N0415E1 taking anticoagulant is a dash [-], then N0415E2 anticoagulant indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses.	If N0415E1=[-], then N0415E2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5117a	Inconsistent N0415 items: If on admission, N0415F1 taking antibiotics not checked [0], then N0415F2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is not checked [0], then N0415F2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5117b	Inconsistent N0415 items: If on admission, N0415F1 taking antibiotics is checked [1], then N0415F2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is checked [1], then N0415F2 must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5117c	Inconsistent N0415 items: If on admission, N0415F1 taking antibiotics is a dash [-], then N0415F2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is dashed [-], then N0415F2 must also be dashed [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5118a	Inconsistent N0415 items: If on discharge, N0415F1 taking antibiotics is not checked [0], then N0415F2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is not checked [0], then N0415F2 must be skipped [^]. If N0415F1 is checked [1], then N0415F2 must not be skipped [^]. If N0415F1 is dashed [-], then N0415F2 must also be dashed [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5118b	Inconsistent N0415 items: If on discharge, N0415F1 taking antibiotics is checked [1], then N0415F2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is checked [1], then N0415F2 must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5118c	Inconsistent N0415 items: If on discharge, N0415F1 taking antibiotics is a dash [-], then N0415F2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses.	If N0415F1 is dashed [-], then N0415F2 must also be dashed [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5119a	Inconsistent N0415 items: If on admission, N0415H1 taking opioids not checked [0], then N0415H2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[0], then N0415H2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5119b	Inconsistent N0415 items: If on admission, N0415H1 taking opioids is checked [1], then N0415H2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[1], then N0415H2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5119c	Inconsistent N0415 items: If on admission, N0415H1 taking opioids is a dash [-], then N0415H2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[-], then N0415H2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5120a	Inconsistent N0415 items: If on discharge, N0415H1 taking opioids not checked [0], then N0415H2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[0], then N0415H2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5120b	Inconsistent N0415 items: If on discharge, N0415H1 taking opioids is checked [1], then N0415H2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[1], then N0415H2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5120c	Inconsistent N0415 items: If on discharge, N0415H1 taking opioids is a dash [-], then N0415H2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses.	If N0415H1=[-], then N0415H2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5121a	Inconsistent N0415 items: If on admission, N0415I1 taking antiplatelets not checked [0], then N0415I2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[0], then N0415I2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5121b	Inconsistent N0415 items: If on admission, N0415I1 taking antiplatelets is checked [1], then N0415I2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[1], then N0415I2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5121c	Inconsistent N0415 items: If on admission, N0415I1 taking antiplatelets is a dash [-], then N0415I2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[-], then N0415I2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5122a	Inconsistent N0415 items: If on discharge, N0415I1 taking antiplatelets not checked [0], then N0415I2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[0], then N0415I2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5122b	Inconsistent N0415 items: If on discharge, N0415I1 taking antiplatelets is checked [1], then N0415I2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[1], then N0415I2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5122c	Inconsistent N0415 items: If on discharge, N0415I1 taking antiplatelets is a dash [-], then N0415I2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses.	If N0415I1=[-], then N0415I2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5123a	Inconsistent N0415 items: If on admission, N0415J1 taking hypoglycemics not checked [0], then N0415J2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[0], then N0415J2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5123b	Inconsistent N0415 items: If on admission, N0415J1 taking hypoglycemics is checked [1], then N0415J2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[1], then N0415J2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5123c	Inconsistent N0415 items: If on admission, N0415J1 taking hypoglycemics is a dash [-], then N0415J2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[-], then N0415J2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5124a	Inconsistent N0415 items: If on discharge, N0415J1 taking hypoglycemics not checked [0], then N0415J2 antibiotics indication must be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[0], then N0415J2 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5124b	Inconsistent N0415 items: If on discharge, N0415J1 taking hypoglycemics is checked [1], then N0415J2 antibiotics indication must not be skipped [^].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[1], then N0415J2 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5124c	Inconsistent N0415 items: If on discharge, N0415J1 taking hypoglycemics is a dash [-], then N0415J2 antibiotics indication must be a dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses.	If N0415J1=[-], then N0415J2 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5125a	Inconsistent N0415 items: If on admission, N0415Z1 None of the Above is checked [1], then N0415A1 through N0415J1 must not be checked [0].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1= [1], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5125b	Inconsistent N0415 items: If on admission, N0415Z1 None of the Above is not checked [0], then at least one item N0415A1 through N0415J1 must be checked [1].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1= [0], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5125c	Inconsistent N0415 items: If on admission, N0415Z1 None of the Above is a dash [-], then at least one of the following active items N0415A1 through N0415J1 must be a dash [-], and the remaining items be either not checked [0] or dash [-].	Fatal	Consistency	The value submitted on admission for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1 = [-], then at least one of the following items must equal [-] and the remaining equal [0 or -]: N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5126a	Inconsistent N0415 items: If on discharge, N0415Z1 None of the Above is checked [1], then N0415A1 through N0415J1 must not be checked [0].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1= [1], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5126b	Inconsistent N0415 items: If on discharge, N0415Z1 None of the Above is not checked [0], then at least one item N0415A1 through N0415J1 must be checked [1].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1= [0], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5126c	Inconsistent N0415 items: If on discharge, N0415Z1 None of the Above is a dash [-], then at least one of the following active items N0415A1 through N0415J1 must be a dash [-], and the remaining items be either not checked [0] or dash [-].	Fatal	Consistency	The value submitted on discharge for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses.	If N0415Z1 = [-], then at least one of the following items must equal [-] and the remaining equal [0 or -]: N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5127a	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is not checked [0], then all items O0110A2A through O0110A10A must not be checked [0].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Admission) must be consistent with other Treatment: Chemotherapy (Admission) item responses.	If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5127b	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is checked [1], then at least one of the following items O0110A2A through O0110A10A must be checked [1] and the remaining items be checked or unchecked [0,1].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Admission) must be consistent with other Treatment: Chemotherapy (Admission) item responses.	If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5127c	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is a dash [-], then all items O0110A2A through O0110A10A must be a dash [-].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Admission) must be consistent with other Treatment: Chemotherapy (Admission) item responses.	If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5128a	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is not checked [0], then all items O0110C2A through O0110C4A must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Admission) must be consistent with other Therapies: Oxygen Therapy (Admission) item responses.	If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5128b	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is checked [1], then at least one of the following items O0110C2A through O0110C4A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	<b>Consistency</b>	The value submitted for Therapies: Oxygen Therapy (Admission) must be consistent with other Therapies: Oxygen Therapy (Admission) item responses.	If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and remaining items must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5128c	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is a dash [-], then all items O0110C2A through O0110C4A must be a dash [-].	Fatal	<b>Consistency</b>	The value submitted for Therapies: Oxygen Therapy (Admission) must be consistent with other Therapies: Oxygen Therapy (Admission) item responses.	If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5129a	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is not checked [0], then the following items O0110D2A and O0110D3A must not be checked [0].	Fatal	<b>Consistency</b>	The value submitted for Therapies: Suctioning (Admission) must be consistent with other Therapies: Suctioning (Admission) item responses.	If O0110D1A=[0], then all active items from O0110D2A through O0110D3A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5129b	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is checked [1], then at least one of the following items O0110D2A and O0110D3A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Admission) must be consistent with other Therapies: Suctioning (Admission) item responses.	If O0110D1A=[1], then at least one active item from O0110D2A and O0110D3A must equal [1], and remaining item must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5129c	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is a dash [-], then the following items O0110D2A and O0110D3A must be a dash [-].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Admission) must be consistent with other Therapies: Suctioning (Admission) item responses.	If O0110D1A=[-], then all active items from O0110D2A and O0110D3A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5130a	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is not checked [0], then all items O0110G2A and O0110G3A must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Admission) must be consistent with other Therapies: Non-Invasive Mechanical Ventilator (Admission) item responses.	If O0110G1A= [0], then O0110G2A and O0110G3A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5130b	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is checked [1], then at least one of the following items O0110G2A and O0110G3A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Admission) must be consistent with other Therapies: Non-Invasive Mechanical Ventilator (Admission) item responses.	If O0110G1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5130c	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is a dash [-], then all items O0110G2A and O0110G3A must be a dash [-].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Admission) must be consistent with other Therapies: Non-Invasive Mechanical Ventilator (Admission) item responses.	If O0110G1A= [-], then O0110G2A and O0110G3A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5131a	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is not checked [0], then all items O0110H2A through O0110H10A must not be checked [0].	Fatal	Consistency	The value submitted for Other: IV Medications (Admission) must be consistent with other Other: IV (Admission) item responses.	If O0110H1A= [0], then O0110H2A through O0110H10A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5131b	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is checked [1], then at least one of the following items O0110H2A through O0110H10A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Other: IV Medications (Admission) must be consistent with other Other: IV (Admission) item responses.	If O0110H1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5131c	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is a dash [-], then all items O0110H2A through O0110H10A must be a dash [-].	Fatal	Consistency	The value submitted for Other: IV Medications (Admission) must be consistent with other Other: IV (Admission) item responses.	If O0110H1A = [-], then O0110H2A through O0110H10A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5132a	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is not checked [0], then all items O0110J2A and O0110J3A must not be checked [0].	Fatal	Consistency	The value submitted for Other: Dialysis (Admission) must be consistent with other Other: (Admission) item responses.	If O0110J1A= [0], then O0110J2A and O0110J3A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5132b	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is checked [1], then at least one of the following items O0110J2A and O0110J3A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Other: Dialysis (Admission) must be consistent with other Other: (Admission) item responses.	If O0110J1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5132c	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is a dash [-], then all items O0110J2A and O0110J3A must be a dash [-].	Fatal	Consistency	The value submitted for Other: Dialysis (Admission) must be consistent with other Other: (Admission) item responses.	If O0110J1A = [-], then O0110J2A and O0110J3A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5133a	Inconsistent O0110O Items: If on admission, O0110O1A IV access is not checked [0], then all items O0110O2A through O0110O4A must not be checked [0].	Fatal	Consistency	The value submitted for Other: IV Access (Admission) must be consistent with other Other: IV Access (Admission) item responses.	If O0110O1A= [0], then O0110O2A through O0110O4A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5133b	Inconsistent O01100 Items: If on admission, O011001A IV access is checked [1], then at least one of the following items O011002A through O011004A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Other: IV Access (Admission) must be consistent with other Other: IV Access (Admission) item responses.	If O011001A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O011002A, O011003A and O011004A.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5133c	Inconsistent O01100 Items: If on admission, O011001A IV access is a dash [-], then all items O011002A through O011004A must be a dash [-].	Fatal	Consistency	The value submitted for Other: IV Access (Admission) must be consistent with other Other: IV Access (Admission) item responses.	If O011001A = [-], then O011002A through O011004A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5134a	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is checked [1], then all the following items O0110A1A through O011001A must be not checked [0].	Fatal	Consistency	The value submitted for Other: None of the above (Admission) must be consistent with other admission item responses.	If O0110Z1A= [0], then O0110A1A through O011001A must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5134b	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is not checked [0], then at least one of the following items O0110A1A through O0110O1A must be checked [1].	Fatal	Consistency	The value submitted for Other: None of the above (Admission) must be consistent with other admission item responses.	If O0110Z1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, and O0110O1A.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5134c	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is a dash [-], then at least one of the following items O0110A1A through O0110O1A must be a dash [-] and the remaining items be unchecked or a dash [0,-].	Fatal	Consistency	The value submitted for Other: None of the above (Admission) must be consistent with other admission item responses.	If O0110Z1A = [-], then O0110A1A through O0110O1A must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5135a	Inconsistent items: If provision of medication list to subsequent provider (A2121) is No or skipped [0, ^], then all of the following active items A2122A through A2122E must be skipped [^].	Fatal	Consistency	If the response for Current Reconciled Medication List – Provider is No or skipped, then all other Medication Reconciliation items must be skipped.	If A2121 is No [0] or skipped [^], then A2122A through A2122E must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5135b	Inconsistent items: provision of medication list to subsequent provider (A2121) is Yes [1], then at least one of the following active items A2122A through A2122E must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	If the response for Current Reconciled Medication List – Provider is No or skipped, then all other Medication Reconciliation items must be skipped.	If A2121 is Yes [1], then at least one item A2122A through A2122E must be checked [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5136a	Inconsistent items: If provision of medication list to patient (A2123) is No or skipped [0, ^], then all of the following active items A2124A through A2124E must be skipped [^].	Fatal	Consistency	If the response for Current Reconciled Medication List – Patient/Family/Caregiver is No or skipped, then all other Patient Trans items must be skipped.	If A2123 is No [0] or skipped [^], then A2124A through A2124E must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5136b	Inconsistent items: provision of medication list to patient (A2123) is Yes [1], then at least one of the following active items A2124A through A2124E must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	If the response for Current Reconciled Medication List – Patient/Family/Caregiver is No or skipped, then all other Patient Trans items must be skipped.	If A2123 is Yes [1], then at least one item A2124A through A2124E must be checked [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5137a	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is checked [1], then all active items K0520A4 through K0520D4 must equal not checked [0].	Fatal	Consistency	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	If K0520Z4=[1], then all active items from K0520A4 through K0520D4 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5137b	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is not checked [0], then at least one of the following items K0520A4 through K0520D4 must be checked [1], and all remaining items must equal not checked or checked [0,1].	Fatal	Consistency	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	<ul style="list-style-type: none"> <li>• If K0520Z4=[0], then at least one active item from K0520A4 through K0520D4 must equal [1].</li> <li>• All remaining items must equal [0 or 1].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5137c	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is a dash [-], then at least one of the following items K0520A4 through K0520D4 must be a dash [-] and all remaining items must be a dash or not checked [-, 0].	Fatal	Consistency	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	If K0520Z4 = [-], then at least one active item from K0520A4 through K0520D4 must be dashed and the other items must be dashed or zero.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5138a	Inconsistent K0520 Items: If nutritional approaches at discharge (K0520Z5) is checked [1], then all active items K0520A5 through K0520D5 must not be checked [0].	Fatal	Consistency	If the item Nutritional Approaches (Discharge): None is checked, then all other Nutritional Approaches (Discharge) items must not be checked.	If K0520Z5=[1], then all active items from K0520A5 through K0520D5 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5138b	Inconsistent K0520 Items: If nutritional approaches at discharge (K0520Z5) is not checked [0], then at least one of the following items K0520A5 through K0520D5 must be checked [1] and all remaining items must equal not checked or checked [0,1].	Fatal	Consistency	If the item Nutritional Approaches (Discharge): None is checked, then all other Nutritional Approaches (Discharge) items must not be checked.	<ul style="list-style-type: none"> <li>• If K0520Z5=[0], then at least one active item from K0520A5 through K0520D5 must equal [1].</li> <li>• All remaining items must equal [0 or 1].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5138c	Inconsistent K0520 Items: If nutritional approaches at discharge (K0520Z5) is a dash [-], then at least one of the following items K0520A5 through K0520D5 must be a dash [-] and all remaining items must be a dash or not checked [-, 0].	Fatal	Consistency	If the item Nutritional Approaches (Discharge): None is checked, then all other Nutritional Approaches (Discharge) items must not be checked.	If K0520Z5 = [-], then at least one active item from K0520A5 through K0520D5 must be dashed and the other items must be dashed or zero.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5139a	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is not checked [0], then all items O0110A2C through O0110A10C must not be checked [0].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Discharge) must be consistent with other Treatment: Chemotherapy (Discharge) item responses.	If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5139b	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is checked [1], then at least one of the following items O0110A2C through O0110A10C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Discharge) must be consistent with other Treatment: Chemotherapy (Discharge) item responses.	If O0110A1C= [1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5139c	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is a dash [-], then all items O0110A2C through O0110A10C must be a dash [-].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Discharge) must be consistent with other Treatment: Chemotherapy (Discharge) item responses.	If O0110A1C= [-], then all active items from O0110A2C through O0110A10C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5140a	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is not checked [0], then all items O0110C2C through O0110C4C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Discharge) must be consistent with other Therapies: Oxygen Therapy (Discharge) item responses.	If O0110C1C= [0], then all active items from O0110C2C through O0110C4C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5140b	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is checked [1], then at least one of the following items O0110C2C through O0110C4C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Discharge) must be consistent with other Therapies: Oxygen Therapy (Discharge) item responses.	If O0110C1C= [1], then at least one active item from O0110C2C through O0110C4C must equal [1], and remaining items must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5140c	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is a dash [-], then all items O0110C2C through O0110C4C must be a dash [-].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Discharge) must be consistent with other Therapies: Oxygen Therapy (Discharge) item responses.	If O0110C1C= [-], then all active items from O0110C2C through O0110C4C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5141a	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is not checked [0], then the following items O0110D2C and O0110D3C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Discharge) must be consistent with other Therapies: Suctioning (Discharge) item responses.	If O0110D1C=[0], then all active items from O0110D2C through O0110D3C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5141b	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is checked [1], then at least one of the following items O0110D2C and O0110D3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Discharge) must be consistent with other Therapies: Suctioning (Discharge) item responses.	If O0110D1C=[1], then at least one active item from O0110D2C and O0110D3C must equal [1], and remaining item must equal [0,1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5141c	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is a dash [-], then the following items O0110D2C and O0110D3C must be a dash [-].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Discharge) must be consistent with other Therapies: Suctioning (Discharge) item responses.	If O0110D1C=[-], then all active items from O0110D2C and O0110D3C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5142a	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is not checked [0], then the following items O0110G2C and O0110G3C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Discharge) must be consistent with other Therapy (Discharge) item responses.	If O0110G1C= [0], then O0110G2C and O0110G3C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5142b	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is checked [1], then at least one of the following items O0110G2C and O0110G3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Discharge) must be consistent with other Therapy (Discharge) item responses.	If O0110G1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5142c	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is a dash [-], then the following items O0110G2C and O0110G3C must be a dash [-].	Fatal	Consistency	The value submitted for Therapies: Non-Invasive Mechanical Ventilator (Discharge) must be consistent with other Therapy (Discharge) item responses.	If O0110G1C = [-], then O0110G2C and O0110G3C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5143a	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is not checked [0], then all items O0110H2C through O0110H10C must not be checked [0].	Fatal	Consistency	The value submitted for Other: IV Medications (Discharge) must be consistent with other Other: IV (Discharge) item responses.	If O0110H1C= [0], then O0110H2C through O0110H10C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5143b	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is checked [1], then at least one of the following items O0110H2C through O0110H10C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Other: IV Medications (Discharge) must be consistent with other Other: IV (Discharge) item responses.	If O0110H1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5143c	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is a dash [-], then all items O0110H2C through O0110H10C must be a dash [-].	Fatal	Consistency	The value submitted for Other: IV Medications (Discharge) must be consistent with other Other: IV (Discharge) item responses.	If O0110H1C = [-], then O0110H2C through O0110H10C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
<b>-5144a</b>	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is not checked [0], then the following items O0110J2C and O0110J3C must not be checked [0].	Fatal	<b>Consistency</b>	The value submitted for Other: Dialysis (Discharge) must be consistent with other Other: Dialysis (Discharge) item responses.	If O0110J1C= [0], then O0110J2C and O0110J3C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
<b>-5144b</b>	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is checked [1], then at least one of the following items O0110J2C and O0110J3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	<b>Consistency</b>	The value submitted for Other: Dialysis (Discharge) must be consistent with other Other: Dialysis (Discharge) item responses.	If O0110J1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
<b>-5144c</b>	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is a dash [-], then the following items O0110J2C and O0110J3C must be a dash [-].	Fatal	<b>Consistency</b>	The value submitted for Other: Dialysis (Discharge) must be consistent with other Other: Dialysis (Discharge) item responses.	If O0110J1C = [-], then O0110J2C and O0110J3C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5145a	Inconsistent O01100 Items: If on discharge, O011001C IV access is not checked [0], then all items O011002C through O011004C must not be checked [0].	Fatal	Consistency	The value submitted for Other: IV Access (Discharge) must be consistent with other Other: IV Access (Discharge) item responses.	If O011001C= [0], then O011002C through O011004C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5145b	Inconsistent O01100 Items: If on discharge, O011001C IV access is checked [1], then at least one of the following items O011002C through O011004C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	The value submitted for Other: IV Access (Discharge) must be consistent with other Other: IV Access (Discharge) item responses.	If O011001C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O011002C, O011003C and O011004C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5145c	Inconsistent O01100 Items: If on discharge, O011001C IV access is a dash [-], then all items O011002C through O011004C must be a dash [-].	Fatal	Consistency	The value submitted for Other: IV Access (Discharge) must be consistent with other Other: IV Access (Discharge) item responses.	If O011001C = [-], then O011002C through O011004C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5146a	Inconsistent O0110Z Items: If on discharge, O0110Z1C none of the above is checked [1], then all of the following items O0110A1C through O0110O1C must be not checked [0].	Fatal	Consistency	The value submitted for Other: None of the above (Discharge) must be consistent with other discharge item responses.	If O0110Z1C = [0], then O0110A1C through O0110O1C must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5146b	Inconsistent O0110Z Items: If on discharge, O0110Z1C none of the above is not checked [0], then at least one of the following items O0110A1C through O0110O1C must be checked [1].	Fatal	Consistency	The value submitted for Other: None of the above (Discharge) must be consistent with other discharge item responses.	If O0110Z1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, and O0110O1C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5146c	Inconsistent O0110Z Items: If on discharge, O0110Z1C none of the above is a dash [-], then at least one of the following items O0110A1C through O0110O1C must be a dash [-] and the remaining items be unchecked or a dash [0,-].	Fatal	Consistency	The value submitted for Other: None of the above (Discharge) must be consistent with other discharge item responses.	If O0110Z1C = [-], then O0110A1C through O0110O1C must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5147a	Inconsistent Item: If on discharge, C0100 is No or skipped [0, ^], then all active items from C0200 through C0500 must be skipped [^].	Fatal	Consistency	The value(s) submitted on discharge in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item.	If C0100=[0,^], then C0200 through C0500 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5147b	Inconsistent Item: If on discharge, C0100 equals Yes [1], then all active items from C0200 through C0500 must not be skipped [^].	Fatal	Consistency	The value(s) submitted on discharge in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item.	If C0100=[1], then C0200 through C0500 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5147c	Inconsistent Item: If on discharge, C0100 is a dash [-], then all active items from C0200 through C0500 must also be a dash [-].	Fatal	Consistency	The value(s) submitted on discharge in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item.	If C0100=[-], then C0200 through C0500 must equal [-].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5148a	Inconsistent C0500 Value: If on discharge, all of the BIMS component items C0200 through C0400C are active and are not equal to dash [-] and if 3 or fewer of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in the BIMS items C0200 through C0400C.	Fatal	Consistency	The value submitted on discharge in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	If C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 3 or fewer of these items are 0, then C0500 must be the sum of items C0200 through C0400C.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5148b	Inconsistent C0500 Value: If on discharge, all of the BIMS component items C0200 through C0400C are active and are not equal to dash [-] and if 4 or more of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in the BIMS items C0200 through C0400C or must equal 99.	Fatal	Consistency	The value submitted on discharge in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 4 or more of these items are 0, then C0500 must be the sum of items C0200 through C0400C or 99.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5148c	Inconsistent C0500 Value: If on discharge, some, but not all, of the BIMS component items C0200 through C0400C are equal to dash [-], then C0500 must be equal to 99.	Fatal	Consistency	The value submitted on discharge in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF some, but not all, of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), then C0500 must be 99.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5148d	Inconsistent C0500 Value: If on discharge, all of the BIMS component items C0200 through C0400C are equal to dash [-], then C0500 must be equal to dash [-].	Fatal	Consistency	The value submitted on discharge in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	IF all of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), then C0500 must be a dash (-).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5149a	Inconsistent A1005 Item: At least one active item A1005A through A1005Y must be checked [1].	Fatal	Consistency	A value submitted for Ethnicity is not consistent with other Ethnicity item responses.	Make sure at least one item A1005A through A1005Y = [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5149b	Inconsistent A1005 Item: If A1005A is checked [1], then all active items from A1005B through A1005E and A1005Y must not be checked [0].	Fatal	Consistency	A value submitted for Ethnicity is not consistent with other Ethnicity item responses.	IF A1005A =1, THEN all items A1005B through A1005E and A1005Y must = 0	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5149c	Inconsistent A1005 Item: If any item A1005B through A1005E is checked [1], then A1005A and A1005Y must not be checked [0].	Fatal	Consistency	A value submitted for Ethnicity is not consistent with other Ethnicity item responses.	If any item A1005B through A1005E = 1, then A1005A and A1005Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5149d	Inconsistent A1005 Item: If A1005X is checked [1], then A1005Y must not be checked [0].	Fatal	Consistency	A value submitted for Ethnicity is not consistent with other Ethnicity item responses.	If A1005X =1, then A1005Y must not = [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5149e	Inconsistent A1005 Item: If A1005Y is checked [1], then all active items A1005A through A1005X must not be checked [0].	Fatal	Consistency	A value submitted for Ethnicity is not consistent with other Ethnicity item responses.	If A1005Y = 1, then A1005A through A1005X must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5150a	Inconsistent A1010 Item: At least one active item A1010A through A1010Z must be checked [1].	Fatal	Consistency	A value submitted for Race is not consistent with other Race item responses.	Make sure at least one item A1010A through A1010Z = [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5150b	Inconsistent A1010 Item: If any item A1010A through A1010N is checked [1], then A1010Y and A1010Z must not be checked [0].	Fatal	Consistency	A value submitted for Race is not consistent with other Race item responses.	If any item A1010A through A1010N = 1, then A1010Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5150c	Inconsistent A1010 Item: If A1010X is checked [1], then A1010Y must not be checked [0].	Fatal	Consistency	A value submitted for Race is not consistent with other Race item responses.	If A1010X =1, then A1010Y must = [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5150d	Inconsistent A1010 Item: A1010Y is checked [1], then all active items from A1010A through A1010X and A1010Z must not be checked [0].	Fatal	Consistency	A value submitted for Race is not consistent with other Race item responses.	If A1010Y = 1, then A1010A through A1010Z must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5150e	Inconsistent A1010 Item: If A1010Z is checked [1], then all active items A1010A through A1010N and A1010Y must not be checked [0].	Fatal	Consistency	A value submitted for Race is not consistent with other Race item responses.	If A1010Z=1, then A1010A through A1010N and A1010Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5151a	Inconsistent A1250 Item: On admission, at least one active items A1250A through A1250Y must be checked [1].	Fatal	Consistency	A value submitted on admission for Transportation is not consistent with other Transportation item responses.	Make sure at least one item A1250A through A1250Y = [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5151b	Inconsistent A1250 Item: On admission, if A1250A or A1250B is checked [1], then A1250C and A1250Y must not be checked [0].	Fatal	Consistency	A value submitted on admission for Transportation is not consistent with other Transportation item responses.	If A1250A or A1250B = 1, then A1250C and A1250Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5151c	Inconsistent A1250 Item: On admission, if A1250C is checked [1], then A1250A and A1250B must not be checked [0].	Fatal	Consistency	A value submitted on admission for Transportation is not consistent with other Transportation item responses.	If A1250C=1, then A1250A and A1250B must = [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5151d	Inconsistent A1250 Item: On admission, if A1250X is checked [1], then A1250Y must not be checked [0].	Fatal	Consistency	A value submitted on admission for Transportation is not consistent with other Transportation item responses.	If A1250X= 1, then A1250Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5151e	Inconsistent A1250 Item: On admission, if A1250Y is checked [1], then A1250A through A1250X must not be checked [0].	Fatal	Consistency	A value submitted on admission for Transportation is not consistent with other Transportation item responses.	If A1250Y=1, then A1250A through A1250X must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5152a	Inconsistent A1250 Item: On discharge, at least one active items A1250A through A1250Y must be checked [1].	Fatal	Consistency	A value submitted on discharge for Transportation is not consistent with other Transportation item responses.	Make sure at least one item A1250A through A1250Y = [1].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5152b	Inconsistent A1250 Item: On discharge, if A1250A or A1250B is checked [1], then A1250C and A1250Y must not be checked [0].	Fatal	Consistency	A value submitted on discharge for Transportation is not consistent with other Transportation item responses.	If A1250A or A1250B = 1, then A1250C and A1250Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5152c	Inconsistent A1250 Item: On discharge, if A1250C is checked [1], then A1250A and A1250B must not be checked [0].	Fatal	Consistency	A value submitted on discharge for Transportation is not consistent with other Transportation item responses.	If A1250C=1, then A1250A and A1250B must = [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5152d	Inconsistent A1250 Item: On discharge, if A1250X is checked [1], then A1250Y must not be checked [0].	Fatal	Consistency	A value submitted on discharge for Transportation is not consistent with other Transportation item responses.	If A1250X= 1, then A1250Y must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5152e	Inconsistent A1250 Item: On discharge, if A1250Y is checked [1], then A1250A through A1250X must not be checked [0].	Fatal	Consistency	A value submitted on discharge for Transportation is not consistent with other Transportation item responses.	If A1250Y=1, then A1250A through A1250X must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5153a	Inconsistent Item: If on admission, D0150A1 and D0150B1 Symptom Presence are No Response [9], then D0160 must be skipped [^].	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (feeling down, depressed, or hopeless Symptom Presence).	If D0150A1 and D0150B1 are No Response [9], then D0160 (Total Severity Score) must be skipped.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5153b	Inconsistent Item: If on admission, D0150A2 and D0150B2 Symptom Frequency are never/1 day or 2-6 days [0,1], then D0160 must equal the sum of those two items.	Fatal	Consistency	The value submitted on admission in D0160 (Total Severity Score) is inconsistent with the values submitted in D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (feeling down, depressed, or hopeless Symptom Presence).	Review your responses to D0150A2 and D0150B2 and then D0160 should equal these two items.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5153c	Inconsistent Item: If on admission, items D0150A2 through D0150I2 symptom frequency equal [0,1,2,3], then D0160 total severity score must equal the sum of these items.	Fatal	Consistency	If the value submitted on admission for the Mood frequency items is more than 1 day then a summary total must be entered in the Total severity score item.	<p>Total Severity Score Calculation:</p> <p>If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5153d	Inconsistent Item: If on admission, one of the items D0150A2 through D0150I2 symptom frequency is skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/8(1.125).	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Total Severity Score Calculation:</p> <p>If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5153e	Inconsistent Item: If on admission, two of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/7(1.286).	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Total Severity Score Calculation:</p> <p>If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5153f	Inconsistent Item: If on admission, three or more of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must be [99].	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5154a	Inconsistent Item: If on discharge, (D0150A1 and D0150B1 Symptom Presence are No Response [9]) OR (D0150A1 and D0150B1 Symptom Presence are skipped [^]), then D0160 must be skipped [^].	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (feeling down, depressed, or hopeless Symptom Presence).	IF D0150A1 and D0150B1 are No Response [9] OR D0150A1 and D0150B1 are skipped [^], then D0160 (Total Severity Score) must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5154b	Inconsistent Item: If on discharge, D0150A2 and D0150B2 Symptom Frequency are never/1 day or 2-6 days [0,1], then D0160 must equal the sum of those two items.	Fatal	Consistency	The value submitted on admission in D0160 (Total Severity Score) is inconsistent with the values submitted in D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (feeling down, depressed, or hopeless Symptom Presence).	Review your responses to D0150A2 and D0150B2 and then D0160 should equal these two items.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5154c	Inconsistent Item: If on discharge, items D0150A2 through D0150I2 symptom frequency equal [0,1,2,3], then D0160 total severity score must equal the sum of these items.	Fatal	Consistency	If the value submitted on admission for the Mood frequency items is more than 1 day then a summary total must be entered in the Total severity score item.	Total Severity Score Calculation: <ul style="list-style-type: none"> <li>• If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5154d	Inconsistent Item: If on discharge, one of the items D0150A2 through D0150I2 symptom frequency is skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/8(1.125).	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	Total Severity Score Calculation:  If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5154e	Inconsistent Item: If on discharge, two of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/7(1.286).	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	Total Severity Score Calculation:  If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5154f	Inconsistent Item: If on discharge, three or more of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must be [99].	Fatal	Consistency	The value submitted on admission in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^], then D0160 must equal [99].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5155a	Inconsistent D0150C Items: If on discharge D0150C1 symptom presence is equal to no [0], then D0150C2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted on discharge for Mood: Trouble falling or staying asleep: Presence - discharge is not consistent with other Mood item responses.	If D0150C1 is No [0], then D0150C2 must equal [0].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5155b	Inconsistent D0150C Items: If on discharge D0150C1 symptom presence is equal to yes [1], then D0150C2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted on discharge for Mood: Trouble falling or staying asleep: Presence - discharge is not consistent with other Mood item responses.	If D0150C1 is Yes [1], then D0150C2 must equal [0,1,2,3].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5155c	Inconsistent D0150C Items: If on discharge D0150C1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150C2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted on discharge for Mood: Trouble falling or staying asleep: Presence - discharge is not consistent with other Mood item responses.	If D0150C1 is No Response, skipped or dash [9, ^, -], then D0150C2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5156	Invalid Format: The length of the text submitted for this item exceeds the maximum length allowed.	Fatal	Format	The text submitted exceeds the maximum length allowed for this item.	Refer to the current data specifications to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5157	The height value submitted in 25A is less than 10 inches. Please confirm that the submitted value for 25A is correct.	Warning	Consistency	The value submitted in item 25A (Height) is less than 10 inches and may be in error.	Review the height value submitted and ensure value is accurate.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and submit a modification record.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5158	The weight value submitted in 26A is less than 10 pounds. Please confirm that the submitted value for 26A is correct.	Warning	Consistency	The value submitted in item 26A (Weight) is less than 10 pounds and may be in error.	Review the weight value submitted and ensure value is accurate.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and submit a modification record.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5163a	Inconsistent 44C item: If 44C patient discharged alive is no [0], then A2121 and A2123 Medication Reconciliation List items must be skipped [^].	Fatal	Consistency	The value submitted for patient discharged alive is not consistent with Medication Reconciliation item responses.	If 44C is No, then A2121 and A2123 must equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5163b	Inconsistent 44C item: If 44C patient discharged alive is yes [1], then A2121 and A2123 Medication Reconciliation List items must not be skipped [^].	Fatal	Consistency	The value submitted for patient discharged alive is not consistent with Medication Reconciliation item responses.	If 44C is Yes, then A2121 and A2123 must not equal [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5164a	Invalid Skip Pattern: If Discharge Destination (44D) equals Home [01] or Not Listed [99], then the Reconciled Medication list items A2121 must be skipped [^] and A2123 must not be skipped [^].	Fatal	Skip	The values submitted for Reconciled Medication list items are not consistent with Discharge Destination item.	Confirm if 44D Discharge Destination is equal to Home or Not Listed [01, 99], if so, then A2121 must be skipped and A2123 must not be skipped	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5164b	Invalid Skip Pattern: If Discharge Destination (44D) equals [02, 03, 04, 06, 50, 51, 61, 62, 63, 64, 65, 66], then the Reconciled Medication list items A2121 must not be skipped [^] and A2123 must be skipped [^].	Fatal	Skip	The values submitted for Reconciled Medication list items are not consistent with Discharge Destination item.	Confirm if 44D Discharge Destination is equal to [02, 03, 04, 06, 50, 51, 61, 62, 63, 64, 65, 66], if so, then A2121 must not be skipped and A2123 must be skipped	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5165a	Invalid Skip Pattern: If (Discharge to Living Setting (44D) equals [02, 63, 65, 66]) OR (Admission class (14) equals Unplanned Discharge [04]) OR (Discharged against medical advice (41) equals Yes [1]) OR (Patient Discharged Alive (44C) equals No [0]), then B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, and J0510_2 must be skipped [^].	Fatal	Skip	The value(s) submitted in Health Literacy item, BIMS item, Mood items, and Pain item are not consistent with Discharge to Living Setting, Admission class, discharged against medical advice, and Discharge Alive item(s).	Review if 44D equals [02, 63, 65, 66]) OR 14 equals [04] OR (41) equals [1] OR 44C equals [0] , then B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, and J0510_2 must be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-5165b	Invalid Skip Pattern: If (Discharge to Living Setting (44D) equals [01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (Admission Class equals [01, 03, 05, ^]) AND (Discharged against medical advice (41) equals No [0]) AND (Patient Discharged Alive (44C) equals Yes [1]), then B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, and J0510_2 must not be skipped [^].	Fatal	Skip	The value(s) submitted in Health Literacy item, BIMS item, Mood items, and Pain item are not consistent with Discharge to Living Setting, Admission Class, discharged against medical advice, and Discharge Alive item(s).	Review if 44D equals [01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (14 equals [01, 03, 05, ^]) AND 41 equals [0] AND 44C equals [1]), then B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, and J0510_2 must not be skipped [^].	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5166a	Invalid Skip Pattern: If GG0170Q1 is equal to 0, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must be skipped (^).	Fatal	Consistency	The response for GG0170Q1 Wheelchair/scooter use is not consistent with other Admission Performance responses.	<ul style="list-style-type: none"> <li>Confirm GG0170Q1 Wheelchair and/or scooter Use is No [0], if so, then the following items must be skipped [^]: GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5166b	Invalid Skip Pattern: If GG0170Q1 is equal to 1, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must not be skipped (^).	Fatal	Consistency	The response for GG0170Q1 Wheelchair/scooter use is not consistent with other Admission Performance responses.	<ul style="list-style-type: none"> <li>Confirm GG0170Q1 Wheelchair and/or scooter use is Yes [1], if so, then the following items must not be skipped [^]: GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5166c	Inconsistent GG0170 item: If GG0170Q1 is equal to dash (-), then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS1 must equal dash (-).	Fatal	Consistency	The response for GG0170Q1 Wheelchair/scooter use is not consistent with other Admission Performance responses.	<ul style="list-style-type: none"> <li>Confirm GG0170Q1 is [-], if so, then the following items must equal [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
<b>-5167a</b>	Inconsistent A1400 item: If A1400K Payer Information No payer source is checked [1], then A1400A through A1400J must not be checked [0].	Fatal	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>• Confirm if A1400K No Payer Information should be checked [1], if so, then all items A1400A through A1400J must not be checked [0].</li> <li>• A checked response displays as a 1 on the validation report.</li> <li>• An unchecked response displays as a 0 on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
<b>-5167b</b>	Inconsistent A1400 item: If A1400K Payer Information No payer source is checked [1], then A1400X Payer Information Unknown must not be checked [0].	Fatal	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>• Confirm if A1400K Payer Information No Payer source should be checked [1], if so, then A1400X Payer Information Unknown must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
<b>-5167c</b>	Inconsistent A1400 item: If A1400K Payer Information No payer source is checked [1], then A1400Y Payer Information Other must not be checked [0].	Fatal	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>• Confirm if A1400K Payer Information No Payer source should be checked [1], if so, then A1400Y Payer Information Other must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5168	Inconsistent A1400 item: At least one active item from A1400A through A1400Y must be checked [1].	Fatal	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm payer information and check [1] for at least one value for A1400A through A1400Y.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5169a	Inconsistent A1400 item: A1400X Payer Information Unknown is checked [1], then A1400A through A1400J should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400X Payer Information Unknown should be checked [1], if so, then A1400A through A1400J must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5169b	Inconsistent A1400 item: A1400X Payer Information Unknown is checked [1], then A1400Y Payer Information Other should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400X Payer Information Unknown should be checked [1], if so, then A1400Y Payer Information Other should not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5170	Inconsistent A1400 item: If A1400A Payer Information Medicare-FFS is checked [1], then A1400B Payer Information Medicare-managed care/Part C/Medicare Advantage must not be checked [0].	Fatal	Consistency	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400A Payer Information Medicare-FFS should be checked [1], if so, then A1400B Payer Information Medicare-managed care/Part C/Medicare Advantage must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5171	Inconsistent A1400 item: If A1400C Payer Information Medicaid-FFS is checked [1], then A1400D Payer Information Medicaid-managed care must not be checked [0].	Fatal	Consistency	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400C Payer Information Medicaid-FFS should be checked [1], if so, then A1400D Payer Information Medicaid-managed care must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5172	Inconsistent A1400 item: If A1400C Payer Information Medicaid-FFS is checked [1], then A1400H Payer Information Private insurance/Medigap should not be checked [0].	Warning	Consistency	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400C Payer Information Medicaid-FFS should be checked [1], if so, then A1400H Payer Information Private insurance/Medigap must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5173	Inconsistent A1400 item: If A1400C Payer Information Medicaid-FFS is checked [1], then A1400I Payer Information Private managed care should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400C Payer Information Medicaid-FFS should be checked [1], if so, then A1400I Payer Information Private managed care must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5174	Inconsistent A1400 item: If A1400D Payer Information Medicaid-managed care is checked [1], then A1400H Payer Information Private insurance/Medigap should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400D Payer Information Medicaid-managed should be checked [1], if so, then A1400H Payer Information Private insurance/Medigap must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5175	Inconsistent A1400 item: If A1400D Payer Information Medicaid-managed care is checked [1], then A1400I Payer Information Private managed care should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400D Payer Information Medicaid-managed should be checked [1], if so, then A1400I Payer Information Private managed care must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5176	Inconsistent A1400 item: If A1400J Payer Information Self-pay is checked [1], then A1400Y Payer Information Other should not be checked [0].	Warning	<b>Consistency</b>	The value(s) submitted in this item is not consistent with other A1400 Payer Information value(s).	<ul style="list-style-type: none"> <li>Confirm if A1400J Payer Information Self-pay should be checked [1], if so, then A1400Y Payer Information Other must not be checked [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-5179	If A1400A=[1] OR A1400B=[1], then the Patient Medicare number item (2) cannot be skipped with value of "No information" [^].	Fatal	<b>Consistency</b>	The value(s) submitted in A1400 is not consistent with items in the Identification Information section.	<ul style="list-style-type: none"> <li>Confirm if A1400A Medicare FFS OR A1400B Medicare managed care/Part C/Medicare Advantage should be checked [1], if so, then the Patient Medicare Number (item 2) in the Identification Information section must not be skipped.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>