



Centers for Medicare & Medicaid Services

## **Internet Quality Improvement & Evaluation System (iQIES)**

---

# **Long Term Care Hospital (LTCH) Error Message User Guide**

**Version 2.2**

**October 1, 2023**

# Table of Contents

<b>1. Introduction</b>	<b>1</b>
<b>2. Troubleshooting – iQIES Service Center</b>	<b>1</b>
<b>3. Submission ERROR Messages for LTCH CARE Data</b>	<b>2</b>
<b>4. File Processing Error Messages for LTCH CARE Data</b>	<b>3</b>
<b>5. Error Messages</b>	<b>4</b>

## 1. Introduction

---

This user guide addresses Long Term Care Hospital (LTCH) error messages and troubleshooting.

## 2. Troubleshooting – iQIES Service Center

---

The iQIES Service Center supports users working within the various iQIES components: S&C, Patient Assessment, and Reporting.

Always attempt to determine the nature or source of a particular problem in order to contact the appropriate department for assistance and give detailed information about the issue.

**For assistance accessing iQIES:** Contact the iQIES Security Official (SO) for your organization

**For technical support:** Contact the iQIES Service Center:

**Phone:** 800-339-9313

**email:** [iQIES@cms.hhs.gov](mailto:iQIES@cms.hhs.gov)

**For more information on iQIES:** Refer to the [QIES Technical Support Office](#) (QTSO) and the [Quality, Safety, & Education Portal](#) (QSEP). It may be required to log into HARP before accessing some documentation in QTSO.

iQIES reference materials include:

- Links to Training Videos for Providers
- Assessment Management User Manual
- Quick Reference Guides
- Onboarding Guide
- Managing User Information

iQIES training materials on QSEP include S&C Foundation Series Videos.

### 3. Submission ERROR Messages for LTCH CARE Data

---

During the file submission process, iQIES displays a limited number of error messages. iQIES errors are detailed in [Step 5, Error Messages](#).

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with iQIES. For those situations you should refer to the appropriate vendor-provided manuals.

## 4. File Processing Error Messages for LTCH CARE Data

---

An **LTCH Provider Final Validation Report** is automatically generated within 24 hours of successful submission of a file. The report details the errors, if any, in the submitted records. Go to the **Reports** section in iQIES to view this report.

Each error is noted on the report by its numeric identifier and severity (**Fatal** or **Warning**). The report also includes a brief description of the error and notes the submitted item values that triggered the error.

### Notes:

- The **LTCH Submitter Final Validation Report** must be requested by the user who submitted the file.
- Records with fatal errors will be rejected. All fatal errors in a file or record must be corrected and the file or record must be resubmitted.
- All warning errors must be reviewed and corrected if appropriate, to ensure the data uploaded is accurate and complete.
- Providers who submit files for multiple providers receive one **LTCH Provider Final Validation Report** for each provider for which records were submitted in a file.
- Certain severe errors in the submitted file or one of its records can prevent the system from creating and placing the automatically-generated **LTCH Provider Final Validation Report** in the Provider's **Validation Report (VR)** folder. To find these errors, request the **LTCH Submitter Final Validation Report** in the iQIES.

## 5. Error Messages

This section lists the error messages in order by **Error ID** followed by **Error Message**. The severity and type of error message are shown. A type of error can help decode the solution.

The first four explanatory columns are followed by three columns explaining the potential cause, tips to correcting the error, and finally actions to take.

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-901	Invalid Zip File: Unable to process the submitted file.	Fatal	System	<ul style="list-style-type: none"> <li>The submitted file is not formatted properly. The contents of the file could not be extracted.</li> <li>The submitted file is not a .zip file.</li> <li>The submitted .zip file is not compressed.</li> <li>The submitted file is a .zipx file.</li> <li>The submitted file is empty.</li> <li>The submitted file is encrypted.</li> </ul>	<ul style="list-style-type: none"> <li>The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.</li> <li>The .zip file must not contain subfolders.</li> <li>The name of the .zip file must not exceed 260 characters, including the extension (.zip).</li> <li>The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Refer vendor to the data specifications for file submission requirements.</li> <li>Recreate and/or rename the .zip file and resubmit.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-902	Invalid XML File: The submitted file does not have a valid XML file name extension.	Fatal	System	Each LTCH CARE record submitted to the IQIES system must be a properly-formatted XML file.	<ul style="list-style-type: none"> <li>The name of an XML file must not exceed 200 characters, including the extension (.xml).</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Refer vendor to the data specifications for file submission requirements.</li> <li>Recreate and/or rename the .xml file and resubmit.</li> </ul>
-903	Required Item Missing or Invalid: Based on the LTCH CARE Data Specifications in effect on the target date of this record, this item is required.	Fatal	System	<ul style="list-style-type: none"> <li>A valid value was not submitted for this item. Based upon the LTCH CARE Data Specifications in effect for this record, this item is required.</li> <li>The length of the value submitted for this item exceeds the maximum length allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Target Date – The target date identifies when the assessment event occurred. Based upon the value of A0250 (Reason for Assessment), the target date is defined as follows: <ul style="list-style-type: none"> <li>A0270 (Discharge Date) when A0250 is 10, 11, or 12</li> <li>A0220 (Admission Date) when A0250 is 01</li> </ul> </li> </ul>	Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-904	Invalid XML File Format: The submitted file is not structured properly or contains tags longer than 30 characters and cannot be processed.	Fatal	System	The submitted record is not a properly structured XML file and cannot be processed.	<ul style="list-style-type: none"> <li>Beginning and ending tags must enclose the entire assessment record.</li> <li>Beginning and ending tags must enclose each item of the assessment record.</li> <li>Tags must not exceed 30 characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-905	Invalid Target Date: Unable to calculate the target date due to missing or invalid required field.	Fatal	System	The IQIES System is unable to calculate the target date of this record because the value submitted in Admission Date (A0220) or Discharge Date (A0270) is missing or invalid.	<p><u>Target Date</u> – The target date identifies when the assessment event occurred. Based upon the value of A0250 (Reason for Assessment), the target date is defined as follows:</p> <p>A0270 when A0250 is 10, 11, or 12</p> <p>A0220 when A0250 is 01</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-907	Duplicate Assessment: The submitted record is a duplicate of a previously submitted record.	Fatal	System	The submitted record is a duplicate of a previously submitted record for this patient.	<ul style="list-style-type: none"> <li>• Duplicate records match on the following items:</li> <li>• First name (A0500A) Last name (A0500C)</li> <li>• Gender (A0800)</li> <li>• Birth Date (A0900)</li> <li>• Social Security Number (A0600A)</li> <li>• Admission Date (A0220) Discharge Date (A0270)</li> <li>• DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</li> </ul>	<ul style="list-style-type: none"> <li>• Determine why this record was submitted multiple times.</li> <li>• DO NOT resubmit this record as it is already in the database.</li> </ul>
-908	Invalid Submission: One or more of the following dates is prior to the LTCH CARE ASAP system implementation date of 10/01/2012: Admission Date (A0220), Discharge Date (A0270), Assessment Reference Date (A0210).	Fatal	System	The submitted Admission Date (A0220), Discharge Date (A0270), and/or Assessment Reference Date (A0210) of this record is precedes 10/01/2012, the implementation date of the LTCH CARE ASAP system.	Make appropriate corrections to the record and resubmit. If one or more of the dates are prior to 10/01/2012, do not submit the record.	Refer to the current data specifications to identify the acceptable values for this item.

-909	Inconsistent Record Sequence: Under CMS sequencing guidelines, the type of assessment in this record does not logically follow the type of assessment in the record received prior to this one.	Warning	System	The submitted record does not satisfy CMS sequencing guidelines when compared to the record that was submitted to the LTCH CARE ASAP System prior to this one for this patient.	<ul style="list-style-type: none"> <li>• The reasons for assessment in this record indicate that it was submitted out of order. The record that must have preceded this record may not have been submitted successfully.</li> <li>• The patient's identifying information in this record may differ from the patient-identifying information submitted for this patient in a prior record. The current and prior LTCH CARE records may have matched to different patient records causing what appears to be a failure in the sequencing order.</li> <li>• If the prior record is an Admission, the next record cannot be an Admission, but can be a Planned or Unplanned Discharge, or an Expired.</li> <li>• If the prior record is a Planned Discharge, the next record can be an Admission, but cannot be a Planned or</li> </ul>	<ul style="list-style-type: none"> <li>• There are a limited number of exceptions to the sequencing guidelines. If you are certain this record is correct due to an exception, no action is necessary.</li> <li>• If this message occurred because a record was completed and not submitted, submit the missing record now.</li> <li>• Refer to the current data specifications for additional information.</li> </ul>
------	---	---------	--------	---	--	--

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					Unplanned Discharge, or an Expired. <ul style="list-style-type: none"> <li>• If the prior record is an Unplanned Discharge, the next record can be an Admission, but cannot be a Planned or Unplanned Discharge, or an Expired.</li> <li>• If the prior record is an Expired entry, the next record cannot be an Admission, a Planned or Unplanned Discharge, or an Expired.</li> </ul>	
<b>-914</b>	Invalid Format: The value submitted for this item contains one or more nonprintable or control characters.	<b>Fatal</b>	<b>System</b>	The value submitted for this item is invalid; it cannot contain nonprintable or control characters.	<b>N/A</b>	Make appropriate corrections to the record and resubmit.

-915	Patient Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the IQIES database. The database has been updated.	Warning	System	<p>Based on resident (patient) matching criteria, patient information in this record, though not identical, is similar enough to patient information in the IQIES System that a match was identified. One or more fields in the IQIES System were updated with the new or previously missing information.</p> <p><b>Example:</b></p> <p>The patient's first name was spelled differently, the birth date was entered incorrectly, or the facility is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p><u>Resident (patient) matching criteria:</u></p> <p>Criteria used to match key patient-identifying information in a record with an existing patient known to the IQIES System.</p>	<ul style="list-style-type: none"> <li>• The Resident Match process may update the following patient information:</li> <li>• Facility ID</li> <li>• last name</li> <li>• first name</li> <li>• middle initial</li> <li>• birth date</li> <li>• death date</li> <li>• social security number</li> <li>• Medicare number</li> <li>• Medicaid number</li> <li>• gender</li> <li>• race/ethnicity</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the old and new information.</li> <li>• If the new information is correct, no action is required.</li> <li>• If the new information is not correct, Make appropriate modifications to the record and resubmit.</li> </ul>
------	---	---------	--------	--	--	---

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-916	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the IQIES Service Center.	Fatal	System	The submitted record matches multiple records in the IQIES database.	N/A	<ul style="list-style-type: none"> <li>• Contact the IQIES Service Center for assistance</li> <li>• DO NOT resubmit this record as it is already in the database.</li> </ul>
-917	Invalid Submission: This record was submitted more than 24 months after the provider's closed date.	Fatal	System	The submission date of this record is more than 24 months after the date the provider closed.	N/A	<ul style="list-style-type: none"> <li>• No action is necessary.</li> <li>• If you believe this error is invalid, contact the IQIES Service Center.</li> </ul>
-918	Invalid Submission: The target date (A0220 or A0270) of this record is more than 24 months prior to the submission date.	Fatal	System	The target date value submitted in this record is more than 24 months prior to the date the record was submitted.	<u>Target Date</u> – The target date identifies when the assessment event occurred. Based upon the value of A0250 (Reason for Assessment), the target date is defined as follows: A0220 (Admission Date) when A0250 is 01 A0270 (Discharge Date) when A0250 is 10, 11, or 12	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Otherwise, no action is necessary. You cannot submit this record.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-919	Invalid Target Date: The calculated target date is greater than the submission date.	Fatal	System	The target date value calculated by the system is greater than the date the record was submitted.	<u>Target Date</u> – The target date identifies when the assessment event occurred. Based upon the value of A0250 (Reason for Assessment), the target date is defined as follows: A0220 (Admission Date) when A0250 is 01 A0270 (Discharge Date) when A0250 is 10, 11, or 12	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-1000	Incorrect Format: If the value is not equal to blank (^), it must be 9 characters long.	Fatal	Format	The submitted SSN must be 9 characters in length.	IF A0600A (Social Security Number) is not blank (^), THEN it must contain 9 characters	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1001	Incorrect Format: If the value is not equal to blank (^), the first three characters must not equal 000.	Fatal	Format	The submitted SSN is invalid.	IF A0600A (Social Security Number) is not blank (^), THEN the first three characters must not be 000.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1002	Incorrect Format: Social Security Number must not equal any of the following: 111111111, 333333333, 123456789, or 999999999.	Fatal	Format	The submitted SSN is invalid.	IF A0600A (Social Security Number) is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1003	Incorrect Format: If A0100A is not equal to blank (^), then it must contain 10 numeric characters.	Fatal	Format	The submitted National Provider Identifier (NPI) is invalid.	IF A0100A (NPI) is not blank (^), THEN it must be 10 numeric characters.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1004	Incorrect Format: If the first character is numeric (0-9), then the first 9 characters must be numeric (0-9).	Fatal	Format	The submitted Medicare/Railroad Insurance Number is invalid.	IF the first character of A0600B (Medicare/railroad insurance number) is numeric, THEN all 9 characters must be numeric.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1005	Incorrect Format: If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.	Fatal	Format	The submitted Medicare/ Railroad Insurance Number is invalid.	IF the first character of A0600B (Medicare/railroad insurance number) is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1007	Inconsistent Reasons for Assessment: A0200 (Type of Provider) and A0250 (Reason for Assessment) are not a valid combination for the submitted Item Subset Code (ISC).	Fatal	Consistency	The Item Subset Code (ISC) submitted is not consistent with values submitted in A0200 (Type of Provider) and A0250 (Reason for Assessment).	N/A	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> <li>Contact the software vendor.</li> </ul>
-1008	Invalid Date: A0900 (birth date) cannot be more than 140 years earlier than the current date.	Fatal	Consistency	The submitted birth date is invalid.	A0900 (Birth Date) must not be more than 140 years earlier than the submission date.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1009	Invalid Value: The value submitted for this item is not an acceptable value.	Fatal	Format	The submitted value is not one of the options allowed for this item.	N/A	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1010	Invalid Date: This item must contain a valid date in YYYYMMDD format or allowable special character(s).	Fatal	Format	<ul style="list-style-type: none"> <li>The date submitted in this item is invalid or formatted improperly.</li> <li>A date must be submitted in YYYYMMDD format or must contain the appropriate allowable special character(s).</li> </ul>	The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.	<ul style="list-style-type: none"> <li>Contact the vendor of the encoding software if the date format is incorrect.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1011	Invalid Birth Date: This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.	Fatal	Format	<ul style="list-style-type: none"> <li>The birth date submitted in this item is invalid or formatted improperly.</li> <li>A0900 (Birth Date) must be submitted in YYYYMMDD, YYYYMM, or YYYY format or as one of the allowable special values.</li> </ul>	The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.	<ul style="list-style-type: none"> <li>Contact the vendor of the encoding software to correct the formatting of dates.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1012	Invalid Value: Only numeric values that fall within the range of acceptable values and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	<ul style="list-style-type: none"> <li>The submitted value must be greater than or equal to the minimum value allowed and less than or equal to the maximum value allowed.</li> <li>The length of the submitted value must not exceed the allowed maximum length for the item.</li> <li>Signed numbers (with a leading plus or minus sign) are not allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1013	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	Numbers with a decimal point and one or more decimal places are not allowed for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1014	Inconsistent Software Vendor Information: If the SFTWR_VNDR_ID is equal to blank (^), then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal blank (^).	Fatal	Consistency	The value submitted in SFTWR_VNDR_ID (Software Vendor ID) is not consistent with the values submitted in SFTWR_VNDR_NAME (Software Vendor Name) and SFTWR_VNDR_EMAIL_ADR (Software Vendor email Address).	IF SFTWR_VNDR_ID is blank (^), THEN SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software vendor information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1015	Inconsistent Software Vendor Information: If the SFTWR_VNDR_ID is not equal to blank (^), then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal blank (^).	Fatal	Consistency	The value submitted in SFTWR_VNDR_ID (Software Vendor ID) is not consistent with the values submitted in SFTWR_VNDR_NAME (Software Vendor Name) and SFTWR_VNDR_EMAIL_ADR (Software Vendor email Address).	IF SFTWR_VNDR_ID is not blank (^), THEN SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software vendor information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1016	Invalid Format: Only numeric characters 0-9 and specified special characters are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>A0100A (NPI), A0600A (Social Security Number), and SFTWR VNDR ID may only contain numeric characters or be blank (^).</li> <li>No spaces are allowed in this item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1017	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, and specified special characters are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>No spaces are allowed in this item.</li> <li>This item may only contain alphanumeric characters or the special character(s) identified in the data specifications for the item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1018	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and embedded spaces are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, a dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</li> <li>Embedded spaces are allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1019	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), and underscore (_) are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	This item may only contain alphanumeric characters, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1020	Invalid email Address: An email address may contain any printable characters except single-quotes (') and double-quotes (").	Fatal	Format	The value submitted for this item is invalid.	An email address may not contain single quote (') or double-quote (") characters.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1021	Invalid FAC_ID: The FAC ID submitted in this file does not identify a valid provider in the IQIES System.	Fatal	Consistency	The Facility ID (FAC_ID) in the submitted record is not associated with a valid provider in the IQIES system.	<ul style="list-style-type: none"> <li>The FAC_ID must be a system-assigned FAC_ID</li> <li>The value of the submitted FAC_ID must match the FAC_ID in the IQIES system for the provider.</li> <li>The submitted FAC_ID must be associated with the state submitted in the STATE_CD control item.</li> </ul>	<ul style="list-style-type: none"> <li>Ensure that the FAC_ID value and the STATE_CD value are correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1022	Incorrect CCN: A0100B does not match the CMS Certification Number (CCN) in the IQIES System database for the provider identified by the FAC_ID in the file.	Warning	Consistency	The CMS Certification Number in this record differs from the CCN that is in the IQIES System database for this provider.	<ul style="list-style-type: none"> <li>The value submitted in A0100B (CMS Certification Number (CCN)) does not match the CCN on file in the IQIES System for the provider identified by the FAC_ID (Facility ID) in this record.</li> <li><b>Example:</b> The CCN was entered incorrectly into item A0100B either manually or by the encoding software that created the submission file.</li> <li>The provider's CCN was changed by CMS, but you are still submitting with a user ID associated with the old CCN. Despite the CCN submitted in item A0100B, if you submit with your old user ID, you are still submitting for your old CCN.</li> </ul>	<ul style="list-style-type: none"> <li>Verify that the CCN in the encoding software is correct.</li> <li>If the provider's CCN changed, register for a new user ID for the new CCN.</li> <li>Contact the IQIES Service Center if you believe your CCN is correct or you need additional assistance.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1025	Inconsistent A0055: The Correction Number submitted in A0055 is not incremented by one (1) from the previously submitted Correction Number for this record.	Fatal	Consistency	The value submitted in A0055 (Correction Number) is inconsistent with the value of A0055 submitted in the previous record.	<ul style="list-style-type: none"> <li>The value of A0055 in this record must be the value of A0055 submitted in the previous, if any, record plus 1.</li> <li>For the first record that is submitted to correct or inactivate an existing record, the value of A0055 must be 01. If that correction/inactivation record is accepted and if a subsequent correction/inactivation is required, the value of A0055 in the second correction record must be 02, and so on. The value of A0055 minus 1 must equal the value of A0055 that was previously submitted successfully for this record.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1026	Inconsistent A0050 and A0055 Items: If A0050 is equal to 1, then A0055 must equal 0.	Fatal	Consistency	The value submitted in item A0055 (Correction Number) is not consistent with the value submitted in item A0050 (Type of Record).	IF A0050 is 1, THEN A0055 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1027	Text Too Long: The length of the text submitted for this item exceeds the maximum length allowed.	Fatal	Format	The text submitted exceeds the maximum length allowed for this item.	N/A	<ul style="list-style-type: none"> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-1028	Inconsistent Software Information: If SFTWR_PROD_NAME is equal to blank (^), then SFTWR_PROD_VRSN_CD must equal blank (^).	Fatal	Consistency	The SFTWR_PROD_VRSN_CD (Software Product Version Code) value submitted is not consistent with the SFTWR_PROD_NAME (Software Product Name) value submitted.	IF SFTWR_PROD_NAME is blank (^), THEN SFTWR_PROD_VRSN_CD must be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1029	Inconsistent Software Information: If SFTWR_PROD_NAME is not equal to blank (^), then SFTWR_PROD_VRSN_CD must not equal blank (^).	Fatal	Consistency	The SFTWR_PROD_VRSN_CD (Software Product Version Code) value submitted is not consistent with the SFTWR_PROD_NAME (Software Product Name) value submitted.	IF SFTWR_PROD_NAME is not blank (^), THEN SFTWR_PROD_VRSN_CD must not be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1030	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), ampersand (&), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and embedded spaces are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, a dash (-), at sign (@), ampersand (&amp;), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</li> <li>Embedded spaces are allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1031	Invalid Version Code: The value submitted for this item is not an acceptable value.	Warning	Format	A valid value was not submitted for this item. The value for this item is either missing or invalid.	N/A	<ul style="list-style-type: none"> <li>• Verify that the version code in the encoding software is correct.</li> <li>• Contact the software vendor.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-1032	Invalid Numeric Format: Only whole numbers, numbers with one decimal place, and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	Numbers with two or more decimal places are not allowed for this item.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1033	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this file.	Fatal	Consistency	The submitter's User ID does not have authority to submit for the provider associated with the FAC_ID (Facility ID) submitted in this record.	Review the user role and ID used for this submission and ensure appropriate permissions have been requested and approved.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Contact the IQIES Service Center for additional assistance.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1034	Invalid ISC: The submitted ISC (item subset code) does not match the ISC calculated by the IQIES System.	Fatal	Consistency	The submitted Item Subset Code (ISC) does not match the ISC calculated by the IQIES System.	<p>The values of the following items determine which subset of items (ISC) is appropriate for this record:</p> <ul style="list-style-type: none"> <li>A0200 (Type of Provider)</li> <li>A0250 (Reason for Assessment).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-1036	Inconsistent A Items: If A0050 is equal to 2 or 3, then A0055 must not equal 0.	Fatal	Consistency	The value submitted in item A0055 (Correction Number) is not consistent with the value submitted in item A0050 (Type of Record).	IF A0050 is 2 or 3, THEN A0055 must not be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

-1037	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<b>Fatal</b>	<b>Format</b>	The value submitted in item A0600B (Medicare Number) is not correct.	<p>This item must conform to one of two possible formats:</p> <ul style="list-style-type: none"> <li>• MBI format: The MBI must be 11 characters in length. The first character must be numeric, excluding zero. The second, fifth, eighth, and ninth characters must be alphabetic, excluding the letters S, L, O, I, B, and Z. The fourth, seventh, tenth, and eleventh characters must be numeric. The third and sixth characters must be numeric or alphabetic, excluding the letters S, L, O, I, B, and Z.</li> <li>• Medicare Number format: If the first character is numeric (0 through 9), which is an SSN, the first 9 characters must be numeric (0 through 9). If the first character is alphabetic, which is a RR insurance number, there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-------	---	--------------	---------------	--	--	---

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-1038	Invalid Integer Format: Only single-digit whole numbers and specified special values are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	<ul style="list-style-type: none"><li>Only single-digit whole numbers are allowed.</li><li>Numbers with a decimal point and one or more decimal places are not allowed for this item.</li></ul>	<ul style="list-style-type: none"><li>Make appropriate corrections to the record and resubmit</li><li>Refer to the current data specifications to identify the acceptable values for this item.</li></ul>

-1039	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<b>Fatal</b>	<b>Format</b>	The value submitted for this item is invalid; it is not in the required format	<p>The Medicare Beneficiary Identifier (MBI) or Medicare/railroad insurance number submitted in A0600B (Medicare/railroad insurance number) is invalid.</p> <ul style="list-style-type: none"> <li>• IF A0600B contains an MBI, it must be eleven characters as follows: <ul style="list-style-type: none"> <li>○ The 1st character must be a number 1-9.</li> <li>○ The 2nd, 5th, 8th, and 9th characters must be letters, excluding S, L, O, I, B, and Z.</li> <li>○ The 4th, 7th, 10th, and 11th characters must be numbers.</li> <li>○ The 3rd and 6th characters must be numbers or letters, excluding S, L, O, I, B, and Z.</li> </ul> </li> <li>• IF A0600B contains a Medicare/railroad insurance number, it must be formatted as follows: <ul style="list-style-type: none"> <li>○ IF the first character is numeric, THEN all 9 characters must be numeric.</li> </ul> </li> </ul>	<p>Make appropriate corrections to the record and resubmit.</p> <p>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-------	---	--------------	---------------	--	--	--

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<ul style="list-style-type: none"> <li>IF the first character is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric.</li> </ul>	
-3010	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300B1 is equal to 0 or blank (^), then M0300B2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300B1 (Number of Stage 2 pressure ulcers).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300B1 is 0 or blank (^), THEN M0300B2 (Number present at admission) if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300B1 is 0, then skip to M0300C (Stage 3) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3011	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300B1 equals dash (-), then M0300B2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300B1 (Number of Stage 2 pressure ulcers).	IF A0250 is 10 or 11 AND M0300B1 is a dash (-), THEN item M0300B2 (Number present at admission), if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3012	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300C1 is equal to 0 or blank (^), then M0300C2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300C1 (Number of Stage 3 pressure ulcers).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300C1 is 0 or blank (^), THEN M0300C2 (Number present at admission), if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300C1 is 0, then skip to M0300D (Stage 4) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3013	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300C1 is equal to dash (-), then M0300C2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300C1 (Number of Stage 3 pressure ulcers).	IF A0250 is 10 or 11 AND M0300C1 is a dash (-), THEN M0300C2 (Number present at admission) must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3014	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300D1 is equal to 0 or blank (^), then M0300D2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300D1 (Number of Stage 4 pressure ulcers).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300D1 is 0 or blank (^), THEN M0300D2 (Number present at admission), if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300D1 is 0, then skip to M0300E (Unstageable – Non-removable dressing) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3015	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300D1 is equal to dash (-), then M0300D2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300D1 (Number of Stage 4 pressure ulcers).	IF A0250 is 10 or 11 AND M0300D1 is a dash (-), THEN M0300D2 (Number present at admission) must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3016	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300E1 is equal to 0 or blank (^), then M0300E2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300E1 is 0 or blank (^), THEN M0300E2 (Number present at admission), if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300E1 is 0, then skip to M0300F (Unstageable – Slough and/or eschar) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3017a	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300E1 is equal to dash (-), then M0300E2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300E1 is a dash (-), THEN M0300E2 (Number present at admission) must be a dash (-).</li> <li>IF M0300E1 is an equal sign (=), THEN M0300E2 must be an equal sign (=).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3018	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300F1 is equal to 0 or blank (^), then M0300F2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300F1 is 0 or blank (^), THEN M0300F2 (Number present at admission), if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300F1 is 0, then skip to M0300G (Unstageable – Deep tissue injury) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3019a	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300F1 is equal to dash (-), then M0300F2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300F1 is a dash (-), THEN M0300F2 (Number present at admission) must be a dash (-).</li> <li>IF M0300F1 is an equal sign (=), THEN M0300F2 must be an equal sign (=).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3020	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300G1 is equal to 0 or blank (^), then M0300G2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300G1 is 0 or blank (^), THEN M0300G2 (Number present at admission), if active, must be blank (^).</li> <li>This is a skip pattern. If A0250 is 10 or 11 AND M0300G1 is 0, then skip to M0800 (Worsening in Pressure Ulcer Status Since Admission) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3021a	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300G1 is equal to dash (-), then M0300G2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	<ul style="list-style-type: none"> <li>IF A0250 is 10 or 11 AND M0300G1 is a dash (-), THEN M0300G2 (Number present at admission) must be a dash (-).</li> <li>IF M0300G1 is an equal sign (=), THEN M0300G2 must be an equal sign (=).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3022	Invalid Skip Pattern: If A1100A is equal to 1, then A1100B must not equal blank (^).	Fatal	Consistency	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the patient need/want an interpreter?).	IF A1100A is 1, THEN A1100B must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3023	Invalid Skip Pattern: If A1100A is equal to dash (-), then A1100B must equal dash (-).	Fatal	Consistency	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the patient need/want an interpreter?).	IF A1100A is a dash (-), THEN A1100B must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3025	Invalid Skip Pattern: If A0250 is equal to 01, then A0270 must equal blank (^).	Fatal	Consistency	The value submitted in item A0270 (Discharge Date) is not consistent with the value submitted in item A0250 (Reason for Assessment).	IF A0250 is 01, THEN A0270 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3033	Inconsistent M Items: If M0300C1, M0300D1, and M0300F1 are all equal to 0, dash (-), or blank (^), then M0610A, M0610B, and M0610C must equal blank (^).	Fatal	Consistency	The dimensions of unhealed Stage 3 or 4 pressure ulcers or eschar submitted in items M0610A (Pressure ulcer length), M0610B (Pressure ulcer width) and/or M0610C (Pressure ulcer depth) are not consistent with the presence/number of unhealed pressure ulcers indicated in items M0300C1 (Number of Stage 3 pressure ulcers), M0300D1 (Number of Stage 4 pressure ulcers) and/or M0300F1 (Number of unstageable slough/eschar pressure ulcers).	IF M0300C1, M0300D1, and M0300F1 are 0, a dash (-), or blank (^), THEN M0610A, M0610B, and M0610C must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3034	Invalid Skip Pattern: If M0210 is equal to dash (-), then all items from M0300A through M0300G2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).	IF M0210 is a dash (-), THEN all active items M0300A through M0300G2 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3035	Invalid Skip Pattern: If M0210 is equal to dash (-), then M0700 must equal dash (-).	Fatal	Consistency	The value submitted in item M0700 (Most Severe Tissue Type for Any Pressure Ulcer) is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).	IF M0210 is a dash (-), THEN M0700 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3036a	Invalid Skip Pattern: If B0100 is equal to 1, then all active items from BB0700 through BB0800 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	<ul style="list-style-type: none"> <li>IF B0100 is 1, THEN all active items BB0700 (Expression of Ideas and Wants) through BB0800 (Understanding Verbal Content) must be blank (^).</li> <li>IF B0100 is 0, THEN all active items BB0700 through BB0800 must not be blank (^).IF B0100 is a dash (-), THEN all active items BB0700 through BB0800 must be a dash (-).</li> <li>This is a skip pattern. If B0100 is 1, then skip to GG0100 (Prior Functioning: Everyday Activities) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3036b	Invalid Skip Pattern: If B0100 is equal to 0, then all active items from BB0700 through BB0800 must not equal blank (^).	Fatal	Consistency	See error number -3036a		
-3036c	Invalid Skip Pattern: If B0100 is equal to dash (-), then all active items from BB0700 through BB0800 must equal dash (-).	Fatal	Consistency	See error number -3036a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3039a	Inconsistent None of the Above Value: If GG0110Z is equal to 1, then all active items from GG0110A through GG0110C must equal 0.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item GG0110Z (Prior Device Use: None of the above).	<ul style="list-style-type: none"> <li>• IF GG0110Z is checked, THEN all active items GG0110A through GG0110C (Prior Device Use) must be unchecked.</li> <li>• IF GG0110Z is unchecked, THEN at least one active item GG0110A through GG0110C must be checked.</li> <li>• IF GG0110Z is a dash (-), THEN all active items GG0110A through GG0110C must be unchecked or a dash (-).</li> <li>• A checked response displays as a <b>1</b> on the validation report.</li> <li>• An unchecked response displays as a <b>0</b> on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3039b	Inconsistent None of the Above Value: If GG0110Z is equal to 0, then at least 1 active item from GG0110A through GG0110C must not equal 0.	Fatal	Consistency	See error number -3039a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3039c	Inconsistent None of the Above Value: If GG0110Z is equal to dash (-), then all active items from GG0110A through GG0110C must equal 0 or dash (-).	Fatal	Consistency	See error number -3039a		
-3043a	Invalid Skip Pattern: If GG0170Q1 is equal to 0, then all active items from GG0170R1 through GG0170SS1 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item GG0170Q1 (Does the patient use a wheelchair/scooter?).	<ul style="list-style-type: none"> <li>• IF GG0170Q1 is 0, THEN all active items GG0170R1 (Mobility: Wheel 50 feet with two turns) through GG0170SS1 (Mobility: Indicate type of wheelchair or scooter used)) must be blank (^).</li> <li>• IF GG0170Q1 is 1, THEN all active items GG0170R1 through GG0170SS1 must not be blank (^).</li> <li>• This is a skip pattern. If GG0170Q1 is 0, then skip to H0350 (Bladder Continence) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3043b	Invalid Skip Pattern: If GG0170Q1 is equal to 1, then all active items from GG0170R1 through GG0170SS1 must not equal blank (^).	Fatal	Consistency	See error number -3043a		
-3044a	Inconsistent I Items: If I0050 is equal to 5, then I0050A must not equal blank (^).	Fatal	Consistency	The value submitted in item I0050A (Other medical condition: ICD code) is not consistent with the value submitted in item I0050 (Indicate the patient's primary medical condition category).	<ul style="list-style-type: none"> <li>IF I0050 is 5, THEN I0050A must not be blank (^).</li> <li>IF I0050 is 1, 2, 3, 4, or a dash (-), THEN I0050A must be blank (^).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3044b	Inconsistent I Items: If I0050 is equal to 1, 2, 3, 4, or dash (-), then I0050A must equal blank (^).	Fatal	Consistency	See error number -3044a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3049a	Inconsistent J Items: If J1800 is equal to 0, then all active items from J1900A through J1900C must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J1800 (Any Falls Since Admission).	<ul style="list-style-type: none"> <li>IF J1800 is 0, THEN all active items J1900A through J1900C (Number of Falls Since Admission) must be blank (^).</li> <li>IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^) and at least one of these items must be a dash (-), 1, or 2.</li> <li>IF J1800 is a dash (-), THEN all active items from J1900A through J1900C must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3049b	Inconsistent J Items: If J1800 is equal to 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	Fatal	Consistency	See error number -3049a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3049c	Inconsistent J Items: If J1800 is equal to dash (-), then all active items from J1900A through J1900C must equal dash (-).	Fatal		See error number -3049a		
-3542	Invalid Skip Pattern: If M0210 is equal to 1, then all items M0300A through M0300B1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN items M0300A (Number of Stage 1 pressure ulcers) and M0300B1 (Number of stage 2 pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3543	Invalid Skip Pattern: If M0210 is equal to 1, then M0300C1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN M0300C1 (Number of Stage 3 pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3544	Invalid Skip Pattern: If M0210 is equal to 1, then M0300D1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN M0300D1 (Number of Stage 4 pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3545	Invalid Skip Pattern: If M0210 is equal to 1, then M0300E1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN M0300E1 (Number of unstageable nonremovable dressing pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3546	Invalid Skip Pattern: If M0210 is equal to 1, then M0300F1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN M0300F1 (Number of unstageable slough/eschar pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3547	Invalid Skip Pattern: If M0210 is equal to 1, then M0300G1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	IF M0210 is 1, THEN M0300G1 (Number of unstageable deep tissue pressure ulcers), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3548	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300B1 is equal to 1 - 9, then M0300B2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300B1 (Number of Stage 2 pressure ulcers).	IF A0250 is 10 or 11 AND M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN item M0300B2 (Number present at admission) must not be blank (^).	<p>Make appropriate corrections to the record and resubmit.</p> <p>Refer to the current data specifications to identify the acceptable values for this item.</p>
-3549	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300C1 is equal to 1-9, then M0300C2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300C1 (Number of Stage 3 pressure ulcers).	IF A0250 is 10 or 11 AND M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2 (Number present at admission), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3550	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300D1 is equal to 1-9, then M0300D2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300D1 (Number of Stage 4 pressure ulcers).	IF A0250 is 10 or 11 AND M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2 (Number present at admission), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3551	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300E1 is equal to 1-9, then M0300E2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	IF A0250 is 10 or 11 AND M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 (Number present at admission), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3552	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300F1 is equal to 1-9, then M0300F2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	IF A0250 is 10 or 11 AND M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2 (Number present at admission), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3553	Invalid Skip Pattern: If A0250 is equal to 10 or 11 AND if M0300G1 is equal to 1-9, then M0300G2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0250 (Reason for Assessment) and M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	IF A0250 is 10 or 11 AND M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 (Number present at admission), if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3572	Invalid Skip Pattern: If A1100A is equal to 0 or 9, then A1100B must equal blank (^).	Fatal	Consistency	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the patient need/want an interpreter?).	<ul style="list-style-type: none"> <li>IF A1100A is 0 or 9, THEN A1100B must be blank (^).</li> <li>This is a skip pattern. If A1100A is 0 or 9, then skip to A1200 (Marital Status) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3573	Inconsistent Dates: The dates listed are inconsistent.	Fatal	Consistency	The submitted dates are out of order or in the future.  These dates must occur chronologically as follows: A0900 (Birth Date) must precede or be the same as A0220 (Admission Date)	<ul style="list-style-type: none"> <li>A0220 must precede or be the same as A0210 (Assessment Reference Date)</li> <li>A0210 must be the same as A0270 (Discharge Date)</li> <li>A0270 must precede or be the same as Z0500B (Date RN signed assessment as complete)</li> <li>Z0500B must precede or be the same as the current date</li> <li>If A0250 is 10, 11, or 12, then M0300B3 must precede or be the same as A0270.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3662	Inconsistent M Items: If M0300B1 is equal to 1-9, then M0300B2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300B1.	Fatal	Consistency	The value submitted in item M0300B2 (Number of Stage 2 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300B2 must be a dash (-), OR M0300B2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300B1.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3663	Inconsistent M Items: If M0300C1 is equal to 1-9, then M0300C2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300C1.	Fatal	Consistency	The value submitted in item M0300C2 (Number of Stage 3 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).	IF M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2 must be a dash, OR M0300C2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300C1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3664	Inconsistent M Items: If M0300D1 is equal to 1-9, then M0300D2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300D1.	Fatal	Consistency	The value submitted in item M0300D2 (Number of Stage 4 pressure ulcers at admission) is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).	IF M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2 must be a dash (-), OR M0300D2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300D1.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3665	Inconsistent M Items: If M0300E1 is equal to 1-9, then M0300E2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300E1.	Fatal	Consistency	The value submitted in item M0300E2 (Number of unstageable [nonremovable dressing] pressure ulcers at admission) is not consistent with the value submitted in item M0300E1 (Number of unstageable [nonremovable dressing] pressure ulcers).	IF M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 must be a dash, OR M0300E2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300E1.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3666	Inconsistent M Items: If M0300F1 is equal to 1-9, then M0300F2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300F1.	Fatal	Consistency	The value submitted in item M0300F2 (Number of unstageable [slough/eschar] pressure ulcers at admission) is not consistent with the value submitted in item M0300F1 (Number of unstageable [slough/eschar] pressure ulcers).	IF M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2 must be a dash (-), OR M0300F2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300F1.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3667	Inconsistent M Items: If M0300G1 is equal to 1-9, then M0300G2 must be equal to dash (-), OR must be equal to 0-9 and must be less than or equal to M0300G1.	Fatal	Consistency	The value submitted in item M0300G2 (Number of unstageable [deep tissue injury] pressure ulcers at admission) is not consistent with the value submitted in item M0300G1 (Number of unstageable [deep tissue injury] pressure ulcers).	IF M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 must be a dash (-), OR M0300G2 must be 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300G1.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3745	No Match Found: This modification/inactivation record does not match a previously accepted record in the IQIES System. One or more of the items submitted for this record did not match the corresponding items of an existing record in the database.	Fatal	Consistency	One or more values submitted in this modification or inactivation record do not match the values submitted in a previously accepted record in the IQIES System.	To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record: <ul style="list-style-type: none"> <li>A0220 (Admission Date)</li> <li>A0250 (Reason for Assessment)A0270 (Discharge Date)</li> <li>A0500A (First name)</li> <li>A0500C (Last name)</li> <li>A0600A (Social Security Number)</li> <li>A0800 (Gender)</li> <li>A0900 (Birth Date)</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3749	Assessment Completed Late: The Completion Date (Z0500B) is more than 5 days after the Assessment Reference Date (A0210).	Warning	Consistency	The date submitted in item Z0500B (LTCH CARE Data Set Completion Date) is more than 5 days after the date submitted in item A0210 (Assessment Reference Date). The assessment was not completed within CMS timing guidelines.	To avoid this warning in the future, review the assessment schedule and verify that all assessments are completed in a timely manner.	No action is required.
-3761a	Inconsistent A1000 Items: If any item A1000A through A1000F is equal to dash (-), then all items from A1000A through A1000F must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with one or more values submitted in related items A1000A – A1000F (Race/Ethnicity).	<ul style="list-style-type: none"> <li>• IF one or more items A1000A through A1000F are a dash (-), THEN all items A1000A through A1000F must be a dash (-).</li> <li>• IF one or more items A1000A through A1000F are an equal sign (=), THEN all items A1000A through A1000F must be an equal sign (=).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3790	Inconsistent A0250 and A0270 Items: If A0250 is equal to 10, 11, or 12, then A0270 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0250 (Reason for Assessment).	IF A0250 is 10, 11, or 12, THEN A0270 (Discharge Date) must not be blank (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3810	Record Submitted Late: The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.	Warning	Consistency	Based upon the values submitted in items A0050 (Type of Record) and Z0500B (LTCH CARE Data Set Completion Date) and the submission date, the assessment was not submitted within CMS timing guidelines.	<ul style="list-style-type: none"><li>• IF the submission date is more than 7 days after Z0500B for a new record (A0050 equals 1), THEN this record was submitted late.</li><li>• To avoid this warning in the future, review the assessment schedule and verify that all assessments are submitted in a timely manner.</li></ul>	No action is required.

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3852	Incorrect Format: Invalid ICD-10 Format.	<b>Fatal</b>	<b>Format</b>	The ICD-10 code submitted in this item is not formatted properly.	<p>IF item I0050A (Other Medical condition: ICD code) is not blank (^), THEN it must be an 8-character, fixed-format string with all blanks replaced with the caret symbol (^), and with a decimal point as the 4<sup>th</sup> character. An entirely blank ICD item must be submitted as a single ^.</p> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> <li>• Character 1 must be alphabetic [A-Z, a-z]. Character 2 must be numeric [0-9].</li> <li>• Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].</li> <li>• Character 4 must be a decimal point.</li> <li>• Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or ^.</li> <li>• If any character 5 through 8 is ^, then all subsequent characters must be ^.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3863	Inconsistent A1400 Values: If A1400K is equal to 1, then A1400A through A1400J and A1400X and A1400Y must equal 0.	Warning	Consistency	The value submitted in this item is not consistent with one or more values submitted in related items A1400A – A1400J, A1400X, and A1400Y (Payer Information).	<ul style="list-style-type: none"> <li>• IF A1400K is a 1, THEN all items A1400A through A1400J, A1400X, and A1400Y must be 0.</li> <li>• A checked response displays as a 1 on the validation report.</li> <li>• An unchecked response displays as a 0 on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3889a	Invalid Skip Pattern: If N0415F1 is not checked [0], then N0415F2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses	If N0415F1=[0], then N0415F2 must equal [^].	Refer to the current data specifications to identify the acceptable values for this item.
-3889b	Invalid Skip Pattern: If N0415F1 is checked [1], then N0415F2 must not be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses	If N0415F1=[1], then N0415F2 must not equal [^].	Refer to the current data specifications to identify the acceptable values for this item.
-3889c	Invalid Skip Pattern: If N0415F1 is dashed [-], then N0415F2 must be dashed [-].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses	If N0415F1=[-], then N0415F2 must equal [-].	Refer to the current data specifications to identify the acceptable values for this item.

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3900	Payment Reduction Warning: A dash (-) submitted in this quality measure item may result in a payment reduction for the facility of two percentage points for the affected payment determination.	Warning	Consistency	The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed or information was not available.	Not assessing a quality measure item may result in a payment reduction for the facility of 2% for the affected fiscal year payment determination.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3922a	Inconsistent O0250 Items: If O0250A is equal to 1, then O0250B must not equal blank (^).	Fatal	Consistency	The value submitted in item O0250B (Date vaccine received) is not consistent with the value submitted in item O0250A (Did resident receive the influenza vaccine?).	<ul style="list-style-type: none"> <li>IF O0250A is 1, THEN O0250B must not be blank (^).</li> <li>IF O0250A is 0, THEN O0250B must be blank (^).</li> <li>IF O0250A is a dash (-), THEN O0250B must be a dash (-).</li> <li>This is a skip pattern. If O0250A is 0, then skip to O0250C (If Influenza vaccine not received, state reason) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3922b	Inconsistent O0250 Items: If O0250A is equal to 0, then O0250B must equal blank (^).	Fatal	Consistency	See error number -3922a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3922c	Inconsistent O0250 Items: If O0250A is equal to dash (-), then O0250B must equal dash (-).	Fatal	Consistency	See error number -3922a		
-3923a	Inconsistent O0250 Items: If O0250A is equal to 0, then O0250C must not equal blank (^).	Fatal	Consistency	The value submitted in item O0250C (If Influenza vaccine not received, state reason) is not consistent with the value submitted in item O0250A (Did the resident receive the Influenza vaccine in this facility?).	<ul style="list-style-type: none"> <li>• IF O0250A is 0, THEN O0250C must not be blank (^).</li> <li>• IF O0250A is 1, THEN O0250C must be blank (^).</li> <li>• IF O0250A is a dash (-), THEN O0250C must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3923b	Inconsistent O0250 Items: If O0250A is equal to 1, then O0250C must equal blank (^).	Fatal	Consistency	See error number -3923a		
-3923c	Inconsistent O0250 Items: If O0250A is equal to (-), then O0250C must equal dash (-).	Fatal	Consistency	See error number -3923a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3924	Invalid Format: The CMS Certification Number (A0100B) must be exactly 6 characters in length.	Fatal	Format	The CMS Certification Number submitted in A0100B (CMS Certification Number (CCN)) is invalid.	A CCN must be exactly 6 characters in length.	<ul style="list-style-type: none"> <li>Verify that the CCN in the encoding software is correct.</li> <li>Contact State to obtain the correct CCN for the provider.</li> </ul>
-3932b	Inconsistent C Items: If B0100 is equal to 0, then C1610E1 and C1610E2 must not BOTH equal dash (-).	Fatal	Consistency	The value submitted in item C1610E2 (Comatose) is not consistent with the value submitted in item C1610E1 (Altered Level of Consciousness: Alert) or C1610E2 (Altered Level of Consciousness: Vigilant, Lethargic, Stupor or Coma)	Review the response submitted for B0100 (persistent vegetative state/no discernible consciousness) and if it is No [0], then ensure C1610E1 (Altered Level of Consciousness: Alert) and C1610E2 (Altered Level of Consciousness: Vigilant, Lethargic, Stupor or Coma) are both not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

-3933	Inconsistent GG items: At least one of the Discharge Goal Items must be equal to 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88. Entering a dash (-) as the response to all of the Discharge Goal items may result in a payment reduction for the facility of two percentage points for the affected payment determination.	<b>Warning</b>	<b>Consistency</b>	<p>The value submitted in at least one of the following Self-Care (GG0130) and Mobility (GG0170) Discharge Goal items must be 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88:</p> <ul style="list-style-type: none"> <li>• GG0130A2 (Self-Care: Eating)</li> <li>• GG0130B2 (Self-Care: Oral hygiene)</li> <li>• GG0130C2 (Self-Care: Toileting hygiene)</li> <li>• GG0130D2 (Self-Care: Wash upper body)</li> <li>• GG0170A2 (Mobility: Roll left and right)</li> <li>• GG0170B2 (Mobility: Sit to lying)</li> <li>• GG0170C2 (Mobility: Lying to sitting on side of bed)</li> <li>• GG0170D2 (Mobility: Sit to stand)</li> <li>• GG0170E2 (Mobility:</li> </ul>	Refer to the LTCH QRP Manual for more information about these items.	No action is necessary.
-------	---	----------------	--------------------	--	--	-------------------------

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
				Chair/bed-to-chair transfer) <ul style="list-style-type: none"> <li>• GG0170F2 (Mobility: Toilet transfer)</li> <li>• GG0170I2 (Mobility: Walk 10 feet)</li> <li>• GG0170J2 (Mobility: Walk 50 feet with two turns)</li> <li>• GG0170K2 (Mobility: Walk 150 feet)</li> <li>• GG0170R2 (Mobility: Wheel 50 feet with two turns)</li> <li>• GG0170S2 (Mobility: Wheel 150 feet)</li> </ul>		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3936	Inconsistent GG Items: If GG0170Q1 is equal to dash (-), then all active items GG0170R1 through GG0170SS1 must all equal dash (-).	Fatal	Consistency	One or more values submitted in items GG0170R1 (Mobility: Wheel 50 feet with two turns), CG0170RR1, (Mobility: Type of wheelchair/scooter used), GG0170S1 (Mobility: Wheel 150 feet), and GG0170SS1 (Mobility: Type of wheelchair/scooter used) are not consistent with the value submitted in item GG0170Q1 (Mobility: Does the patient use a wheelchair/scooter?).	IF GG0170Q1 is a dash (-), THEN GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must all be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3937a	Invalid Skip Pattern: If GG0170Q3 is equal to 0, then all active items GG0170R3 through GG0170SS3 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item GG0170Q3 (Mobility: Does the patient use a wheelchair/scooter?).	<ul style="list-style-type: none"> <li>• IF GG0170Q3 is 0, THEN all active items GG0170R3 through GG0170SS3 must be blank (^).</li> <li>• IF GG0170Q3 is 1, THEN all active items GG0170R3 through GG0170SS3 must not be blank (^).</li> <li>• IF GG0170Q3 is a dash (-), THEN all active items GG0170R3 through GG0170SS3 must be a dash (-).</li> <li>• This is a skip pattern. If GG0170Q3 is 0, then skip to H0350 (Bladder Continence) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3937b	Invalid Skip Pattern: If GG0170Q3 is equal to 1, then all active items GG0170R3 through GG0170SS3 must not equal blank (^).	Fatal	Consistency	See error number -3937a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3937c	Invalid Skip Pattern: If GG0170Q3 is equal to dash (-), then all active items GG0170R3 through GG0170SS3 must equal dash (-).	Fatal	Consistency	See error number -3937a		
-3938	Inconsistent C1610 Items: If A0250 is equal to 11, then all active items from C1610A through C1610E2 must not equal blank (^).	Fatal	Consistency	The values submitted in active items C1610A (Acute Onset and Fluctuating Course: Change from patient's baseline) through C1610E2 (Altered Level of Consciousness: Vigilant, Lethargic, Stupor or Coma) are not consistent with the value submitted in item A0250 (Reason for Assessment).	IF A0250 is 11, THEN C1610A through C1610E2 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3940a	Inconsistent GG0170 Items: If GG0170I1 is equal to 07, 09, 10, or 88, then GG0170J1 and GG0170K1 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	<ul style="list-style-type: none"> <li>IF GG0170I1 is 07, 09, 10, or 88, THEN items GG0170J1 (Mobility: Walk 50 feet with two turns) and GG0170K1 (Mobility: Walk 150 feet) must be blank (^).</li> <li>IF GG0170I1 is 01, 02, 03, 04, 05, or 06, THEN items GG0170J1 and GG0170K1 must not be blank (^).</li> <li>IF GG0170I1 is a dash (-), THEN items GG0170J1 and GG0170K1 must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3940b	Inconsistent GG0170 Items: If GG0170I1 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J1 and GG0170K1 must not equal blank (^).	Fatal	Consistency	See error number -3940a		
-3940c	Inconsistent GG0170 Items: If GG0170I1 is equal to dash (-), then GG0170J1 and GG0170K1 must equal dash (-).	Fatal	Consistency	See error number -3940a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3941a	Inconsistent GG0170 Items: If GG0170I3 is equal to 07, 09, 10, or 88, then GG0170J3 and GG0170K3 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	<ul style="list-style-type: none"> <li>IF GG0170I3 is 07, 09, 10, or 88, THEN items GG0170J3 (Mobility: Walk 50 feet with two turns) and GG0170K3 (Mobility: Walk 150 feet) must be blank (^).</li> <li>IF GG0170I3 is 01, 02, 03, 04, 05, or 06, THEN items GG0170J3 and GG0170K3 must not be blank (^).</li> <li>IF GG0170I3 is a dash (-), THEN items GG0170J3 and GG0170K3 must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3941b	Inconsistent GG0170 Items: If GG0170I3 is equal to 01, 02, 03, 04, 05 or 06, then GG0170J3 and GG0170K3 must not equal blank (^).	Fatal	Consistency	See error number -3941a		
-3941c	Inconsistent GG0170 Items: If GG0170I3 is equal to dash (-), then GG0170J3 and GG0170K3 must equal dash (-).	Fatal	Consistency	See error number -3941a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3942a	Inconsistent None of the Above Value: If I7900 is equal to 1, then all active items from I0103 through I7104 must equal 0.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item I7900 (None of the above).	<ul style="list-style-type: none"> <li>• IF I7900 is checked, THEN all active Comorbidities and Co-existing Conditions items I0103 through I7104 must be unchecked.</li> <li>• IF I7900 is unchecked, THEN at least 1 active item I0103 through I7104 must not be unchecked.</li> <li>• IF I7900 is a dash (-), THEN all active items from I0103 through I7104 must be unchecked or a dash (-).</li> <li>• A checked response displays as a <b>1</b> on the validation report.</li> <li>• An unchecked response displays as a <b>0</b> on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3942b	Inconsistent None of the Above Value: If I7900 is equal to 0, then at least 1 active item from I0103 through I7104 must not equal 0.	Fatal	Consistency	See error number -3942a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3942c	Inconsistent None of the Above Value: If I7900 is equal to dash (-), then all active items from I0103 through I7104 must equal 0 or dash (-).	Fatal	Consistency	See error number -3942a		
-3943	Invalid Skip Pattern: If M0210 is equal to 0, then all active items from M0300A through M0300G2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).	<ul style="list-style-type: none"> <li>IF M0210 is 0, THEN all active Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage items M0300A through M0300G2 must be blank (^).</li> <li>This is a skip pattern. If M0210 is 0, then skip to the next active Section N item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3944a	Inconsistent N2001/N2003 Items: If N2001 is equal to 0 or 9, then N2003 must equal blank (^).	Fatal	Consistency	The value submitted in item N2003 (Medication Follow-up) is not consistent with the value submitted in item N2001 (Drug Regimen Review).	<ul style="list-style-type: none"> <li>IF N2001 is 0 or 9, THEN N2003 must be blank (^).</li> <li>IF N2001 is 1, THEN N2003 must not be blank (^).</li> <li>IF N2001 is a dash (-), THEN N2003 must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3944b	Inconsistent N2001/N2003 Items: If N2001 is equal to 1, then N2003 must not equal blank (^).	Fatal	Consistency	See error number -3944a		
-3944c	Inconsistent N2001/N2003 Items: If N2001 is equal to dash (-), then N2003 must equal dash (-).	Fatal	Consistency	See error number -3944a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3945a	Inconsistent None of the Above Value: If O0100Z is equal to 1, then items O0100G, O0100H, O0100J and O0100N must equal 0.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item O0100Z (Special Treatments, Procedures, and Programs: None of the above).	<ul style="list-style-type: none"> <li>• IF O0100Z is checked, THEN items O0100G (Non-invasive Ventilator), O0100H (IV Medications), O0100J (Dialysis), and O0100N (Total Parenteral Nutrition) must be unchecked.</li> <li>• IF O0100Z is unchecked, THEN at least one of items O0100G, O0100H, O0100J, and O0100N must be checked.</li> <li>• IF O0100Z is a dash (-), THEN items O0100G, O0100H, O0100J, and O0100N must be unchecked or a dash (-).</li> <li>• A checked response displays as a <b>1</b> on the validation report.</li> <li>• An unchecked response displays as a <b>0</b> on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3945b	Inconsistent None of the Above Value: If O0100Z is equal to 0, then at least 1 of items O0100G, O0100H, O0100J and O0100N must not equal 0.	Fatal	Consistency	See error number -3945a		
-3945c	Inconsistent None of the Above Value: If O0100Z is equal to dash (-), then items O0100G, O0100H, O0100J and O0100N must equal 0 or dash (-).	Fatal	Consistency	See error number -3945a		
-3946a	Inconsistent O0100H Items: If O0100H is equal to 0, then O0100H2a must equal 0.	Fatal	Consistency	The value submitted in item O0100H2a (Vasoactive medications) is not consistent with the value submitted in item O0100H (IV Medications).	<ul style="list-style-type: none"> <li>• IF O0100H is 0, THEN O0100H2a must be 0.</li> <li>• IF O0100H is a dash (-), THEN O0100H2a must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3946b	Inconsistent O0100H Items: If O0100H is equal to dash (-), then O0100H2a must equal dash (-).	Fatal	Consistency	See error number -3946a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3947a	Inconsistent O0150 Items: If O0150A is equal to 0 or 2, then all active items O0150B through O0150E must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item O0150A (Invasive Mechanical Ventilation Support upon Admission).	<ul style="list-style-type: none"> <li>• IF O0150A is 0 or 2, THEN all active Spontaneous Breathing Trial items O0150B through O0150E must be blank (^).</li> <li>• IF O0150A is 1, THEN item O0150B (Assessed for readiness for SBT by day 2) must not be blank (^).</li> <li>• IF O0150A is a dash (-), THEN all active Spontaneous Breathing Trial items O0150B through O0150E must be a dash (-).</li> <li>• This is a skip pattern. If O0150A is 0 or 2, then skip to O0250 (Influenza Vaccine).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3947b	Inconsistent O0150 Items: If O0150A is equal to 1, then O0150B must not equal blank (^).	Fatal	Consistency	See error number -3947a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3947c	Inconsistent O0150 Items: If O0150A is equal to dash (-), then all active items O0150B through O0150E must equal dash (-).	Fatal	Consistency	See error number -3947a		
-3948a	Inconsistent O0150 Items: If O0150B is equal to 0, then all active items O0150C through O0150E must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item O0150B (Assessed for readiness for SBT by day 2).	<ul style="list-style-type: none"> <li>• IF O0150B is 0, THEN all active Spontaneous Breathing Trial items O0150C through O0150E must be blank (^).</li> <li>• IF O0150B is 1, THEN item O0150C (Deemed medically ready for SBT by day 2) must not be blank (^).</li> <li>• IF O0150B is a dash (-), THEN all active Spontaneous Breathing Trial items O0150C through O0150E must be a dash (-).</li> </ul> <p>This is a skip pattern. If O0150B is 0, then skip to O0250 (Influenza Vaccine).</p>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3948b	Inconsistent O0150 Items: If O0150B is equal to 1, then O0150C must not equal blank (^).	Fatal	Consistency	See error number -3948a		
-3948c	Inconsistent O0150 Items: If O0150B is equal to dash (-), then all active items O0150C through O0150E must equal dash (-).	Fatal	Consistency	See error number -3948a		
-3949a	Inconsistent O0150 Items: If O0150C is equal to 0, then O0150D must not equal blank (^).	Fatal	Consistency	The value submitted in item O0150D (Documentation patient was deemed medically unready for SBT by day 2) is not consistent with the value submitted in item O0150C (Deemed medically ready for SBT by day 2).	<ul style="list-style-type: none"> <li>• IF O0150C is 0, THEN O0150D must not be blank (^).</li> <li>• IF O0150C is 1, THEN O0150D must be blank (^).</li> <li>• IF O0150C is a dash (-), THEN O0150D must be a dash (-).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3949b	Inconsistent O0150 Items: If O0150C is equal to 1, then O0150D must equal blank (^).	Fatal	Consistency	See error number -3949a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3949c	Inconsistent O0150 Items: If O0150C is equal to dash (-), then O0150D must equal dash (-).	Fatal	Consistency	See error number -3949a		
-3950a	Inconsistent O0150 Items: If O0150D is equal to 0 or 1, then O0150E must equal blank (^).	Fatal	Consistency	The value submitted in item O0150E (SBT performed by day 2) is not consistent with the value submitted in item O0150D (Documentation patient was deemed medically unready for SBT by day 2).	<ul style="list-style-type: none"> <li>• IF O0150D is 0 or 1, THEN O0150E must be blank (^).</li> <li>• IF O0150D is a dash (-), THEN O0150E must be a dash (-).</li> <li>• This is a skip pattern. If O0150D is 0 or 1, then skip to O0250 (Influenza Vaccine).</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3950b	Inconsistent O0150 Items: If O0150D is equal to dash (-), then O0150E must equal dash (-).	Fatal	Consistency	See error number -3950a		
-3951	Inconsistent C1610E1/C1610E2 Items: If C1610E1 is equal to 1, then C1610E2 must equal 0.	Fatal	Consistency	The value submitted in item C1610E2 (Level of Consciousness: Vigilant or Lethargic) is not consistent with the value submitted in item C1610E1 (Level of Consciousness: Alert).	IF C1610E1 is 1, THEN C1610E2 must be 0.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3952	Invalid Height: The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.	Warning	Format	The value submitted in item K0200A (Height) is less than 10 inches and may be in error. Please confirm that the submitted value for K0200A is correct.	Review the height value submitted and ensure value is accurate before resubmitting.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3953	Invalid Weight: The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.	Warning	Format	The value submitted in item K0200B (Weight) is less than 10 inches and may be in error. Please confirm that the submitted value for K0200B is correct.	Review the weight value submitted and ensure value is accurate before resubmitting.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3954	Payment Reduction Warning: If A0250 is equal to 10 or 11, a dash (-) submitted in this quality measure item may result in a payment reduction for the facility of two percentage points for the affected payment determination.	Warning	Consistency	The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed or information was not available.	Not assessing this quality measure item when A0250 (Reason for Assessment) equals 10 or 11 may result in a payment reduction for the facility of 2% for the affected fiscal year payment determination.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3955a	Inconsistent Item: If C0100 equals zero [0], then all active items from C0200 through C0500 must be skipped [^].	Fatal	Consistency	The value(s) submitted in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item	If patient is rarely/never understood C0100 is [0] then C0200 through C0500 must be skipped.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3955b	Inconsistent Item: If C0100 equals one [1], then all active items from C0200 through C0500 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item	If BIMS should be conducted C0100 is [1] then C0200 through C0500 must have responses	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3955c	Inconsistent Item: If C0100 is a dash [-], then all active items from C0200 through C0500 must also be a dash [-].	Fatal	Consistency	The value(s) submitted in C0200 through C0500 are not consistent with the value supplied in C0100 BIMS trigger item	If BIMS trigger item C0100 is not assessed [-] then items C0200 through C0600 must also be not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3956a	Inconsistent Item: If O0110H1A is not checked [0], then all active items from O0110H2A through O0110H10A must not be checked [0].	Fatal	Consistency	The value(s) submitted in O0110H2A through O0110H10A are not consistent with the value supplied in O0110H1A IV Medications	Review if O0110H1A IV Medications is not checked, then ensure Vasoactive medications, antibiotics, anticoagulation, and other item(s) are also not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3956b	Inconsistent Item: If O0110H1A is checked [1], then at least one active item from O0110H2A through O0110H10A must be checked [1] and the remaining items equal [1] or [0].	Fatal	Consistency	The value(s) submitted in O0110H2A through O0110H10A are not consistent with the value submitted in O0110H1A IV Medications.	Review if O0110H1A IV Medications is checked, if so, then ensure at least one of the following Vasoactive medications, antibiotics, anticoagulation, and other item(s) are checked.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3956c	Inconsistent Item: If O0110H1A is dashed [-], then all active items from O0110H2A through O0110H10A must also be dashed [-].	Fatal	Consistency	The value(s) submitted in O0110H2A through O0110H10A are not consistent with the value submitted in O0110H1A IV Medications.	Review if O0110H1A IV Medications is blank, if so, then ensure all of the following Vasoactive medications, antibiotics, anticoagulation, and other item(s) are also blank.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3957a	Invalid Skip Pattern: If GG0170F1 is not attempted [07,09,10,88] then GG0170G1 must be skipped [^].	Fatal	Skip	These items follow a skip pattern. If Toilet Transfer GG0170F1 is not attempted, then Car Transfer GG0170G1 must be skipped.	Review response to GG0170F1 Toilet Transfer and if it was not attempted then ensure GG0170G1 Car Transfer is skipped.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3957b	Invalid Skip Pattern: If GG0170F1 is attempted [01,02,03,04,05,06] then GG0170G1 must not be skipped [^].	Fatal	Skip	These items follow a skip pattern. If GG0170F1 is attempted, then GG0170G1 must not be skipped.	Review response to GG0170F1 Toilet Transfer and if it was attempted then ensure GG0170G1 Car Transfer has a response and is not skipped.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3957c	Invalid Skip Pattern: If GG0170F1 is dashed [-] then GG0170G1 must be dashed [-].	Fatal	Skip	These items follow a skip pattern. If GG0170F1 is not assessed then GG0170G1 must be not assessed	Review response to GG0170F1 Toilet Transfer and if it was not assessed [-] then ensure GG0170G1 Car Transfer is also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3958a	Inconsistent Item: If GG0170I1 for Admission Performance is not attempted [07, 09, 10, 88], then all active items GG0170J1 through GG0170L1 must be skipped [^].	Fatal	Consistency	The value(s) submitted in GG0170J1 through GG0170L1 are not consistent with the value submitted in GG0170I1	Review if GG0170I1 Walk 10 Feet was not attempted, if it wasn't, then ensure GG0170J1 Walk 50 feet with two turns, GG0170K1 Walk 150 feet, and GG0170L1 Walking 10 feet on uneven surfaces are all skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3958b	Inconsistent Item: If GG0170I1 for Admission Performance is completed [01, 02, 03, 04, 05, 06], then all active items GG0170J1 through GG0170L1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in GG0170J1 through GG0170L1 are not consistent with the value submitted in GG0170I1	Review if GG0170I1 Walk 10 Feet was completed, if so, then ensure GG0170J1 Walk 50 feet with two turns, GG0170K1 Walk 150 feet, and GG0170L1 Walking 10 feet on uneven surfaces are not skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3958c	Inconsistent Item: If GG0170I1 For Admission Performance is dashed [-], then all active items GG0170J1 through GG0170L1 must be dashed [-].	Fatal	Consistency	The value(s) submitted in GG0170J1 through GG0170L1 are not consistent with the value submitted in GG0170I1	Review if GG0170I1 Walk 10 Feet was not assessed [-], if so, then ensure GG0170J1 Walk 50 feet with two turns, GG0170K1 Walk 150 feet, and GG0170L1 Walking 10 feet on uneven surfaces are also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3959a	Inconsistent Item: If GG0170I3 for Discharge Performance is not attempted [07, 09, 10, 88], then all active items from GG0170J3 through GG0170L3 must be skipped [^].	Fatal	Consistency	The value(s) submitted in GG0170J3 through GG0170L3 are not consistent with the value submitted in GG0170I3	Review if GG0170I3 Walk 10 Feet was not attempted, if it wasn't, then ensure GG0170J3 Walk 50 feet with two turns, GG0170K3 Walk 150 feet, and GG0170L3 Walking 10 feet on uneven surfaces are all skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3959b	Inconsistent Item: If GG0170I3 for Discharge Performance is attempted [01,02,03,04,05,06], then all active items from GG0170J3 through GG0170L3 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in GG0170J3 through GG0170L3 are not consistent with the value submitted in GG0170I3	Review if GG0170I3 Walk 10 Feet was completed, if so, then ensure GG0170J3 Walk 50 feet with two turns, GG0170K3 Walk 150 feet, and GG0170L3 Walking 10 feet on uneven surfaces are not skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul> <p>Refer to the current data specifications to identify the acceptable values for this item.</p>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3959c	Inconsistent Item: If GG0170I3 for Discharge Performance is dashed [-], then all active items from GG0170J3 through GG0170L3 must also be dashed [-].	Fatal	Consistency	The value(s) submitted in GG0170J3 through GG0170L3 are not consistent with the value submitted in GG0170I3	Review if GG0170I3 Walk 10 Feet was not assessed [-], if so, then ensure GG0170J3 Walk 50 feet with two turns, GG0170K3 Walk 150 feet, and GG0170L3 Walking 10 feet on uneven surfaces are also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3960a	Inconsistent GG0170 Item: If GG0170M1 for Admission Performance is not attempted [07,09,10,88], then GG0170N1 must be skipped [^].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M1 is not consistent with the value submitted in 4 steps GG0170N1	Review if GG0170M1 1 step (curb) was not attempted, if so, then ensure GG0170N1 4 Steps is skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3960b	Inconsistent GG0170 Item: If GG0170M1 for Admission Performance is attempted [01,02,03,04,05,06], then GG0170N1 must not be skipped [^].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M1 is not consistent with the value submitted in 4 steps GG0170N1	Review if GG0170M1 1 step (curb) was attempted, if so, then ensure GG0170N1 4 Steps is not skipped.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3960c	Inconsistent GG0170 Item: If GG0170M1 for Admission Performance is a dash [-], then GG0170N1 must also be a dash [-].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M1 is not consistent with the value submitted in 4 steps GG0170N1	Review if GG0170M1 1 step (curb) was not assessed [-], if so, then ensure GG0170N1 4 Steps is also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3961a	Inconsistent GG0170 Item: If GG0170M3 for Discharge Performance is not attempted [07,09,10,88], then GG0170N3 must be skipped [^].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M3 is not consistent with the value submitted in 4 steps GG0170N3	Review if GG0170M3 1 step (curb) was not attempted, if so, then ensure GG0170N3 4 Steps is skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3961b	Inconsistent GG0170 Item: If GG0170M3 for Discharge Performance is attempted [01,02,03,04,05,06], then GG0170N3 must not be skipped [^].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M3 is not consistent with the value submitted in 4 steps GG0170N3	Review if GG0170M3 1 step (curb) was attempted, if so, then ensure GG0170N3 4 Steps is not skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3961c	Inconsistent GG0170 Item: If GG0170M3 for Discharge Performance is a dash [-], then GG0170N3 must also be a dash [-].	Fatal	Consistency	The value submitted in 1 Step (curb) GG0170M3 is not consistent with the value submitted in 4 steps GG0170N3	Review if GG0170M3 1 step (curb) was not assessed [-], if so, then ensure GG0170N3 4 Steps is also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3962a	Inconsistent Item: If GG0170N1 for Admission Performance is not attempted [07,09,10,88,^], then GG0170O1 must be skipped [^].	Fatal	Consistency	The value submitted in 4 Steps GG0170N1 is not consistent with the value submitted in 12 Steps GG0170O1	Review if GG0170N1 4 Steps was not attempted, if so, then ensure GG0170O1 12 Steps is skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3962b	Inconsistent Item: If GG0170N1 for Admission Performance is attempted [01,02,03,04,05,06], then GG0170O1 must not be skipped [^].	Fatal	Consistency	The value submitted in 4 Steps GG0170N1 is not consistent with the value submitted in 12 Steps GG0170O1	Review if GG0170N1 4 Steps was attempted, if so, then ensure GG0170O1 12 Steps is not skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3962c	Inconsistent Item: If GG0170N1 for Admission Performance is dashed [-], then GG0170O1 must be dashed [-].	Fatal	Consistency	The value submitted in 4 Steps GG0170N1 is not consistent with the value submitted in 12 Steps GG0170O1	Review if GG0170N1 4 Steps was not assessed [-], if so, then ensure GG0170O1 12 Steps is also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3963a	Inconsistent Item: If GG0170N3 for Discharge Performance is not attempted [07,09,10,88,^], then GG0170O3 must be skipped [^].	Fatal	Consistency	The value submitted in 4 Steps GG0170N3 is not consistent with the value submitted in 12 Steps GG0170O3	Review if GG0170N3 4 Steps was not attempted, if so, then ensure GG0170O3 12 Steps is skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3963b	Inconsistent Item: If GG0170N3 for Discharge Performance is attempted [01,02,03,04,05,06], then GG0170O3 must not be skipped [^].	Fatal	Consistency	The value submitted in 4 Steps GG0170N3 is not consistent with the value submitted in 12 Steps GG0170O3	Review if GG0170N3 4 Steps was attempted, if so, then ensure GG0170O3 12 Steps is not skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3963c	Inconsistent Item: If GG0170N3 for Discharge Performance is dashed [-], then GG0170O3 must be dashed [-].	Fatal	Consistency	The value submitted in 4 Steps GG0170N3 is not consistent with the value submitted in 12 Steps GG0170O3	Review if GG0170N3 4 Steps was not assessed [-], if so, then ensure GG0170O3 12 Steps is also not assessed [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3964a	Inconsistent Item: If J0510 does not apply [0], then J0520 and J0530 must be skipped [^].	Fatal	Consistency	The value submitted in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does not apply [0], meaning no pain or hurting in the past 5 days, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities (J0530) must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3964b	Inconsistent Item: If J0510 does apply [1,2,3,4,8], then J0520 and J0530 must not be skipped [^].	Fatal	Consistency	The value submitted in J0520 or J0530 is not consistent with the value supplied for J0510, Pain Effect on Sleep.	If Pain Effect on Sleep does apply [1,2,3,4,8], meaning some level pain reported, then Pain Interference with Therapy Activities (J0520) and Pain Interference with Day-to-date Activities [J0530] must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3965a	If A1005A = [1], then all active items from A1005B through A1005E must equal [0]	Warning	Consistency	The value submitted in A1005B through A1005E is not consistent with the value submitted in item A1005A (No, not of Hispanic, Latino/a, or Spanish origin).	Confirm if the responses in A1005A is checked then A1005B through A1005E are consistent to the data specifications and not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3965b	If any item A1005B through A1005E is equal to [1], then A1005A must equal [0]	Warning	Consistency	The value submitted in A1005B through A1005E is not consistent with the value submitted in item A1005A (No, not of Hispanic, Latino/a, or Spanish origin).	Confirm if the responses in A1005A is checked then A1005B through A1005E are consistent to the data specifications and not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3965c	At least one active item from A1005A through A1005E must equal [1]	Warning	Consistency	At least one active Ethnicity item must be checked (A1005A through A1005E),	Provide a valid response for A1005A through A1005E and ensure that at least one of these items is checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3966a	Inconsistent Item: At least one active items A1250A through A1250C must be checked [1].	Fatal	Consistency	At least one active item A1250A (Transportation: Medical Yes), A1250B (Transportation: non-medical) or A1250C (Transportation: No) must be checked.	Provide a valid response for A1250A, A1250B and A1250C and ensure that at least one of these items is checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3966b	Inconsistent Item: If A1250A or A1250B is checked [1], then A01250C and A1250Y must not be checked [0].	Fatal	Consistency	See error number -3966a		
-3966c	Inconsistent Item: If A1250C is checked [1], then A1250A and A1250B must not be checked [0].	Fatal	Consistency	See error number -3966a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3966d	Inconsistent Item: If A1250X is checked [1], then A1250Y must not be checked [0].	Fatal	Consistency	If A1250X (Transportation: Patient unable to respond) is checked, then A1250Y (Transportation: Patient declines to respond) must not be checked.	Confirm the responses in A1250X and A1250Y are consistent to the data specifications.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3966e	Inconsistent Item: If A1250Y is checked [1], then A01250A through A11250X must not be checked [0].	Fatal	Consistency	See error number -3966d		
-3967a	Inconsistent Item: At least one active items A1010A through A1010Z must be checked [1].	Fatal	Consistency	At least one Race item must be checked (A1010A through A1010Z),	Confirm at least one item A1010A through A1010Z has been checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3967b	Inconsistent Item: If any item A1010A through A1010N is checked [1], then A1010Y and A1010Z must not be checked [0].	Fatal	Consistency	If at least one Race item is selected (A1010A through A1010N) then A1010Y Patient declines to respond and A1010Z None of the above must not be checked.	Confirm if at least one item A1010A through A1010N has been checked [1], then confirm that A1010Y and A1010Z are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3967c	Inconsistent Item: If A1010X is checked [1], then A1010Y must not be checked [0].	Fatal	Consistency	If the Race: Patient unable to Respond item is checked (A1010X), then the Race: Patient declines to respond item must not be checked (A1010X)	Confirm that item A1010X is checked [1], then confirm that item A1010Y is not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3967d	Inconsistent Item: If A1010Y is checked [1], then all other items A1010A through A1010X and Z1010Z must not be checked [0].	Fatal	Consistency	If the Race: Patient declines to response item is checked (A1010Y), then all other Race items must not be checked.	Confirm that A1010Y is checked [1], then confirm that all other race items are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3967e	Inconsistent Item: If A1010Z None of the Above is checked [1], then all items A1010A through A1010N and A1010Y must not be checked [0].	Fatal	Consistency	If the Race: None of the above item is checked, then all other Race items must not be checked	If A1010Z is checked [1], confirm all other race items A1010A through A1010Y are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3969a	Invalid Skip Pattern: If A2121 is No [0] or skipped [^], then all active items A2122A through A2122E must be skipped [^].	Fatal	Skip	If the response for Current Reconciled Medication List – Provider is No, then all other Medication Reconciliation items must be skipped.	If A2121 is No or Skipped [0, ^], then A2122A through A2022E must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3969b	Invalid Skip Pattern: if A2121 is Yes [1], then all active items A2122A through A2122E must not be skipped [^].	Fatal	Skip	If the response for Current Reconciled Medication List – Provider is Yes, then all other Medication Reconciliation items must not be skipped.	If A2121 is Yes [1], then A2022A through A2022E must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3969c	Invalid Skip Pattern: if A2121 is Yes [1], then at least one active items A2122A through A2122E must be checked [1].	Fatal	Skip	If the response for Current Reconciled Medication List – Provider is Yes, then at least one Medication Reconciliation item must be checked.	If A2121 is Yes [1], then at least one item A2122A through A2122E must be checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3970a	Invalid Skip Pattern: If A2123 is No [0] or skipped [^], then all items A2124A through A2124E must be skipped [^].	Fatal	Skip	If the response for Current Reconciled Medication List – Ptnt/Fam/Care is No, then all other Patient Trans items must be skipped.	<ul style="list-style-type: none"> <li>If A2123 is No or Skipped [0, ^], then A2124A through A2124E must be skipped [^].through A2124E must be checked [1].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3970b	Invalid Skip Pattern: If A2123 is Yes [1], then all items A2124A through A2124E must not be skipped [^].	Fatal	Skip	If the response for Current Reconciled Medication List – Ptnt/Fam/Care is Yes, then all other Patient Trans items must not be skipped.	If A2123 is Yes [1], then A2124A through A2124E must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3970c	Invalid Skip Pattern: If A2123 is Yes [1], then at least one item A2124A through A2124E must be checked [1].	Fatal	Skip	If the response for Current Reconciled Medication List – Ptnt/Fam/Care is Yes, then at least one of the other Patient Trans items must be checked	If A2123 is Yes [1], then at least one item A2124A through A2124E must be checked [1]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul> <p>Refer to the current data specifications to identify the acceptable values for this item</p>
3971	Invalid Skip Pattern: If A0250 is an Unplanned Discharge [11], then all active items C1310A through C1310D must not be skipped [^].	Fatal	Skip	If this is an Unplanned Discharge, then all Delirium items must not be skipped.	If A0250 is 1111, then all active items from C1310A through C1310D must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3972	If B0100 is equal to 1, then all active fields: B0200 through D0700 must be blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	If patient is Comatose and B0100 is yes, then active items B0200 through D0700 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3973a	Inconsistent Item: If D0150A1 is No [0], then D0150A2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>If D0150A1 is No, then D0150A2 must equal [0].</li> <li>If D0150A1 is Yes, then D0150A2 must equal [0,1,2,3].</li> <li>If D0150A1 is No Response, then D0150A2 must be skipped [^].</li> <li>If D0150A1 is not assessed [-], then D0150A2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3973b	Inconsistent Item: If D0150A1 is Yes [1], then D0150A2 must be [0,1,2,3].	Fatal	Consistency	See error number -3973a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3973c	Inconsistent D0150 Item: If D0150A1 is No Response or a dash [9, -], then D0150A2 must be skipped [^].	Fatal	Consistency	See error number -3973a		
-3974a	Inconsistent Item: If D0150B1 is No [0], then D0150B2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Feeling down, depressed, or hopeless: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150B1 is No, then D0150B2 must equal [0].</li> <li>• If D0150B1 is Yes, then D0150B2 must equal [0,1,2,3].</li> <li>• If D0150B1 is No Response, then D0150B2 must be skipped [^].</li> <li>• If D0150B1 is not assessed [-], then D0150B2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3974b	Inconsistent Item: If D0150B1 is Yes [1], then D0150B2 must be [0,1,2,3].	Fatal	Consistency	See error number -3974a		
-3974c	Inconsistent D0150 Item: If D0150B1 is No Response or a dash [9, -], then D0150B2 must be skipped [^].	Fatal	Consistency	See error number -3974a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3975a	Inconsistent Item: If D0150C1 is No [0], then D0150C2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Trouble falling or staying asleep: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150C1 is No, then D0150C2 must equal [0].</li> <li>• If D0150C1 is Yes, then D0150C2 must equal [0,1,2,3].</li> <li>• If D0150C1 is No Response, then D0150C2 must be skipped [^].</li> <li>• If D0150C1 is not assessed [-], then D0150C2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3975b	Inconsistent Item: If D0150C1 is Yes [1], then D0150C2 must be [0,1,2,3].	Fatal	Consistency	See error number -3975a		
-3975c	Inconsistent D0150 Item: If D0150C1 is No Response, skipped, or a dash [9, ^, -], then D0150C2 must be skipped [^].	Fatal	Consistency	See error number -3975a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3976a	Inconsistent Item: If D0150D1 is No [0], then D0150D2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Feeling tired or having little energy: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150D1 is No, then D0150D2 must equal [0].</li> <li>• If D0150D1 is Yes, then D0150D2 must equal [0,1,2,3].</li> <li>• If D0150D1 is No Response, then D0150D2 must be skipped [^].</li> <li>• If D0150D1 is not assessed [-], then D0150D2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3976b	Inconsistent Item: If D0150D1 is Yes [1], then D0150D2 must be [0,1,2,3].	Fatal	Consistency	See error number -3976a		
-3976c	Inconsistent D0150 Item: If D0150D1 is No Response, skipped, or a dash [9, ^, -], then D0150D2 must be skipped [^].	Fatal	Consistency	See error number -3976a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3977a	Inconsistent Item: If D0150E1 is No [0], then D0150E2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Poor appetite or overeating: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150E1 is No, then D0150E2 must equal [0].</li> <li>• If D0150E1 is Yes, then D0150E2 must equal [0,1,2,3].</li> <li>• If D0150E1 is No Response, then D0150E2 must be skipped [^].</li> <li>• If D0150E1 is not assessed [-], then D0150E2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3977b	Inconsistent Item: If D0150E1 is Yes [1], then D0150E2 must be [0,1,2,3].	Fatal	Consistency	See error number -3977a		
-3977c	Inconsistent D0150 Item: If D0150E1 is No Response, skipped, or a dash [9, ^, -], then D0150E2 must be skipped [^].	Fatal	Consistency	See error number -3977a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3978a	Inconsistent Item: If D0150F1 is No [0], then D0150F2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Feeling bad about yourself: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150F1 is No, then D0150F2 must equal [0].</li> <li>• If D0150F1 is Yes, then D0150F2 must equal [0,1,2,3].</li> <li>• If D0150F1 is No Response, then D0150F2 must be skipped [^].</li> <li>• If D0150F1 is not assessed [-], then D0150F2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3978b	Inconsistent Item: If D0150F1 is Yes [1], then D0150F2 must be [0,1,2,3].	Fatal	Consistency	See error number -3978a		
-3978c	Inconsistent D0150 Item: If D0150F1 is No Response, skipped, or a dash [9, ^, -], then D0150F2 must be skipped [^].	Fatal	Consistency	See error number -3978a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3979a	Inconsistent Item: If D0150G1 is No [0], then D0150G2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Trouble concentrating on things: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150G1 is No, then D0150G2 must equal [0].</li> <li>• If D0150G1 is Yes, then D0150G2 must equal [0,1,2,3].</li> <li>• If D0150G1 is No Response, then D0150G2 must be skipped [^].</li> <li>• If D0150G1 is not assessed [-], then D0150G2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3979b	Inconsistent Item: If D0150G1 is Yes [1], then D0150G2 must be [0,1,2,3].	Fatal	Consistency	See error number -3979a		
-3979c	Inconsistent D0150 Item: If D0150G1 is No Response, skipped, or a dash [9, ^, -], then D0150G2 must be skipped [^].	Fatal	Consistency	See error number -3979a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3980a	Inconsistent Item: If D0150H1 is No [0], then D0150H2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Moving or speaking so slowly: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150H1 is No, then D0150H2 must equal [0].</li> <li>• If D0150H1 is Yes, then D0150H2 must equal [0,1,2,3].</li> <li>• If D0150H1 is No Response, then D0150H2 must be skipped [^].</li> <li>• If D0150H1 is not assessed [-], then D0150H2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3980b	Inconsistent Item: If D0150H1 is Yes [1], then D0150H2 must be [0,1,2,3].	Fatal	Consistency	See error number -3980a		
-3980c	Inconsistent D0150 Item: If D0150H1 is No Response, skipped, or a dash [9, ^, -], then D0150H2 must be skipped [^].	Fatal	Consistency	See error number -3980a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3981a	Inconsistent Item: If D0150I1 is No [0], then D0150I2 must be zero [0].	Fatal	Consistency	The value submitted for Mood: Thoughts of better off dead: Pres is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>If D0150I1 is No, then D0150I2 must equal [0].</li> <li>If D0150I1 is Yes, then D0150I2 must equal [0,1,2,3].</li> <li>If D0150I1 is No Response, then D0150I2 must be skipped [^].</li> <li>If D0150I1 is not assessed [-], then D0150I2 must not be assessed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-3981b	Inconsistent Item: If D0150I1 is Yes [1], then D0150I2 must be [0,1,2,3].	Fatal	Consistency	See error number -3981a		
-3981c	Inconsistent D0150 Item: If D0150I1 is No Response, skipped, or a dash [9, ^, -], then D0150I2 must be skipped [^].	Fatal	Consistency	See error number -3981a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3982a	Inconsistent D0150 Item: If D0150A2 and D0150B2 Symptom Frequency is 6 days or less [0,1], then the following active items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<ul style="list-style-type: none"> <li>• If D0150A2 response is 6 days or less [0,1] and D0150B2 is 6 days or less [0,1], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</li> <li>• If D0150A1 is dashed [-] or D0150B1 is dashed [-], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</li> <li>• If D0150A1 is No Response [9] and D0150B1 is No Response [9], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</li> <li>• If D0150A2 is skipped [^] and D0150B2 less than 6 days [0,1] OR if D0150A2 is less than 6 days [0,1] and D0150B2 is skipped [^], then the following active items must not be skipped [^]: D0150C1,</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1. <ul style="list-style-type: none"> <li>If D0150A2 more than 6 days [2,3] or D0150B2 is more than 6 days [2,3], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</li> </ul>	
<b>-3982b</b>	Inconsistent D0150 Item: If D0150A1 or D0150B1 Symptom Presence is a dash [-], then the following active items D0150C1 through D0150I1 must not be skipped [^].	<b>Fatal</b>	<b>Consistency</b>	<b>See error number -3982a</b>		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3982c	Inconsistent D0150 Item: If D0150A1 and D0150B1 Symptom Presence is No Response [9], then the following active items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	See error number -3982a		
-3982d	Inconsistent D0150 Item: If D0150A2 Symptom Frequency is skipped [^] AND D0150B2 Symptom Frequency is 6 days or less [0,1] OR D0150A2 Symptom Frequency is 6 days or less [0,1] AND D0150B2 Symptom Frequency is skipped [^], then the following active items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	See error number -3982a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3982e	Inconsistent D0150 Item: If D0150A2 or D0150B2 Symptom Frequency is 7 to 14 days [2,3], then the following active items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	See error number -3982a		
-3983a	Inconsistent D0150 Item: If D0150A1 and D0150B1 Symptom Presence are No Response [9], then D0160 must be skipped [^].	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A1 and D0150B1.	Review your responses to D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (feeling down, depressed, or hopeless Symptom Presence) and if these are No Response [9], then D0160 (Total Severity Score) should be skipped.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3983b	Inconsistent D0150 Item: If D0150A2 and D0150B2 Symptom Frequency are 6 days or less [0,1], then D0160 must equal the sum of those two items.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 and D0150B2.	<p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I and Format Integer Items to nearest integer.</p> <p>Review your responses to D0150A2 (Little interest or pleasure in doing things Symptom Frequency) and D0150B2 (feeling down, depressed, or hopeless Symptom Frequency) and then D0160 (Total Severity Score) should equal these two items.</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3983c	Inconsistent Item: If items D0150A2 through D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.	Fatal	Consistency	If the value submitted for the Mood frequency items is more than 1 day then a summary total must be entered in the Total severity score item.	<p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<p>and Format Integer Items to nearest integer. These are referred to as the "items in Column 2" below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash.</p> <ul style="list-style-type: none"> <li>• If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</li> <li>• If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times</li> </ul>	

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<p><math>9/8(1.125)</math>, rounded to the nearest integer.</p> <ul style="list-style-type: none"> <li>If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^, -], then D0160 must equal the sum of the remaining items times <math>9/7(1.286)</math>, rounded to the nearest integer.</li> <li>If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^, -] and B0100 is equal to [0], then D0160 must equal [99].</li> </ul>	

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3983d	Inconsistent Item: If one of the items D0150A2 through D0150I2 equal a caret or dash [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.25), rounded to the nearest integer.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 and Format Integer Items to nearest integer.</p> <p>If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.25), rounded to the nearest integer.</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3983e	Inconsistent Item: If two of the items D0150A2 through D0150I2 equal a caret or dash [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Total Severity Score Calculation:</p> <ul style="list-style-type: none"> <li>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I and Format Integer Items to nearest integer.</li> <li>If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3983f	Inconsistent D0150 Item: If three or more of the items D0150A2 through D0150I2 are skipped [^] and B0100 is No [0], then D0160 must be [99].	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^] and B0100 is equal to [0], then D0160 must equal [99].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3984a	Inconsistent Item: If K0520Z1 is checked [1], then all active items K0520A1 through K0520D1 must not be checked [0].	Fatal	Consistency	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	<ul style="list-style-type: none"> <li>If K0520Z1=[1], then all active items from K0520A1 through K0520D1 must equal [0].</li> <li>If K0520Z1=[0], then at least one active item from K0520A1 through K0520D1 must equal [1].</li> <li>If K0520Z1 = [-], then at least one active item from K0520A1 through K0520D1 must be dashed and the other items must be dashed or zero.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3984b	Inconsistent Item: If K0520Z1 is not checked [0], then at least one items K0520A1 through K0520D1 must be checked [1].	Fatal	Consistency	See error number -3984a		
-3984c	Inconsistent Item: If K0520Z1 is dashed [-], then at least one items K0520A1 through K0520D1 must be dashed [-], and all remaining items must be dashed or not checked [0,-].	Fatal	Consistency	See error number -3984a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3985a	Inconsistent Item: If K0520Z4 is checked [1], then all active items K0520A4 through K0520D4 must not be checked [0].	Fatal	Consistency	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	<ul style="list-style-type: none"> <li>If K0520Z4=[1], then all active items from K0520A4 through K0520D4 must equal [0].</li> <li>If K0520Z4=[0], then at least one active item from K0520A4 through K0520D4 must equal [1].</li> <li>If K0520Z4 = [-], then at least one active item from K0520A4 through K0520D4 must be dashed and the other items must be dashed or zero.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3985b	Inconsistent Item: If K0520Z4 is not checked [0], then at least one items K0520A4 through K0520D4 must be checked [1].	Fatal	Consistency	See error number -3985a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3985c	Inconsistent Item: If K0520Z4 is dashed [-], then at least one items K0520A4 through K0520D4 must be dashed [-], and all remaining items must be dashed or not checked [0,-].	Fatal	Consistency	See error number -3985a		
-3986a	Inconsistent Item: If K0520Z5 is checked [1], then all active items K0520A5 through K0520D5 must not be checked [0].	Fatal	Consistency	If the item Nutritional Approaches (Discharge): None is checked, then all other Nutritional Approaches (Discharge) items must not be checked.	<ul style="list-style-type: none"> <li>• If K0520Z5=[1], then all active items from K0520A5 through K0520D5 must equal [0].</li> <li>• If K0520Z5=[0], then at least one active item from K0520A5 through K0520D5 must equal [1].</li> <li>• If K0520Z5 = [-], then at least one active item from K0520A5 through K0520D5 must be dashed and the other items must be dashed or zero.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3986b	Inconsistent Item: If K0520Z5 is not checked [0], then at least one items K0520A5 through K0520D5 must be checked [1].	Fatal	Consistency	See error number -3986a		
-3986c	Inconsistent Item: If K0520Z5 is dashed [-], then at least one items K0520A5 through K0520D5 must be dashed [-], and all remaining items must be dashed or not checked [0,-].	Fatal	Consistency	See error number -3986a		
-3987a	Invalid Skip Pattern: If N0415A1 is not checked [0], then N0415A2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antipsychotic must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>• If N0415A1=[0], then N0415A2 must equal [^].</li> <li>• If N0415A1=[1], then N0415A2 must not equal [^].</li> <li>• If N0415A1=[-], then N0415A2 must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3987b	Invalid Skip Pattern: If N0415A1 is checked [1], then N0415A2 must not be skipped [^].	Fatal	Skip	See error number -3987a		
-3987c	Invalid Skip Pattern: If N0415A1 is dashed [-], then N0415A2 must be dashed [-].	Fatal	Skip	See error number -3987a		
-3988a	Invalid Skip Pattern: If N0415E1 is not checked [0], then N0415E2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Anticoagulant must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>• If N0415E1=[0], then N0415E2 must equal [^].</li> <li>• If N0415E1=[1], then N0415E2 must not equal [^].</li> <li>• If N0415E1=[-], then N0415E2 must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3988b	Invalid Skip Pattern: If N0415E1 is checked [1], then N0415E2 must not be skipped [^].	Fatal	Skip	See error number -3988a		
-3988c	Invalid Skip Pattern: If N0415E1 is dashed [-], then N0415E2 must be dashed [-].	Fatal	Skip	See error number -3988a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3989a	Invalid Skip Pattern: If N0415F1 is not checked [0], then N0415F2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antibiotic must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>If N0415F1 is not checked [0], then N0415F2 must be skipped [^].</li> <li>If N0415F1 is checked [1], then N0415F2 must not be skipped [^].</li> <li>If N0415F1 is dashed [-], then N0415F2 must also be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3989b	Invalid Skip Pattern: If N0415F1 is checked [1], then N0415F2 must not be skipped [^].	Fatal	Skip	See error number -3989a		
-3989c	Invalid Skip Pattern: If N0415F1 is dashed [-], then N0415F2 must be dashed [-].	Fatal	Skip	See error number -3989a		
-3990a	Invalid Skip Pattern: If N0415H1 is not checked [0], then N0415H2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Opioid must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>If N0415H1=[0], then N0415H2 must equal [^].</li> <li>If N0415H1=[1], then N0415H2 must not equal [^].</li> <li>If N0415H1=[-], then N0415H2 must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3990b	Invalid Skip Pattern: If N0415H1 is checked [1], then N0415H2 must not be skipped [^].	Fatal	Skip	See error number -3990a		
-3990c	Invalid Skip Pattern: If N0415H1 is dashed [-], then N0415H2 must be dashed [-].	Fatal	Skip	See error number -3990a		
-3991a	Invalid Skip Pattern: If N0415I1 is not checked [0], then N0415I2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Antiplatelet must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>• If N0415I1=[0], then N0415I2 must equal [^].</li> <li>• If N0415I1=[1], then N0415I2 must not equal [^].</li> <li>• If N0415I1=[-], then N0415I2 must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3991b	Invalid Skip Pattern: If N0415I1 is checked [1], then N0415I2 must not be skipped [^].	Fatal	Skip	See error number -3991a		
-3991c	Invalid Skip Pattern: If N0415I1 is dashed [-], then N0415I2 must be dashed [-].	Fatal	Skip	See error number -3991a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3992a	Invalid Skip Pattern: If N0415J1 is not checked [0], then N0415J2 must be skipped [^].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): Hypoglycemic must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>• If N0415J1=[0], then N0415J2 must equal [^].</li> <li>• If N0415J1=[1], then N0415J2 must not equal [^].</li> <li>• If N0415J1=[-], then N0415J2 must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3992b	Invalid Skip Pattern: If N0415J1 is checked [1], then N0415J2 must not be skipped [^].	Fatal	Skip	See error number -3992a		
-3992c	Invalid Skip Pattern: If N0415J1 is dashed [-], then N0415J2 must be dashed [-].	Fatal	Skip	See error number -3992a		
-3993a	Invalid Skip Pattern: If N0415Z1 is checked [1], then N0415A1 through 0415J1 must not be checked [0].	Fatal	Skip	The value submitted for High-Risk Drug (Is Taking): None of the above must be consistent with other High-Risk Drug item responses	<ul style="list-style-type: none"> <li>• If N0415Z1= [1], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [0].</li> <li>• If N0415Z1= [0], then N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [1].</li> <li>• If N0415Z1 = [-], then at</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					least one of the following items must equal [-] and the remaining equal [0,-]: N0415A1 N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1.	
-3993b	Invalid Skip Pattern: If N0415Z1 is not checked [0], then at least one item N0415A1 through 0415J1 must be checked [1].	Fatal	Skip	See error number -3993a		
-3994a	Inconsistent Item: If O0110A1A is not checked [0], then all items O0110A2A through O0110A10A must not be checked [0].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Admission) must be consistent with other Treatment: Chemotherapy (Admission ) item responses	<ul style="list-style-type: none"> <li>• If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].</li> <li>• If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].</li> <li>• If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3994b	Inconsistent Item: If O0110A1A is checked [1], then at least one items O0110A2A through A0110A10A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -3994a		
-3994c	Inconsistent Item: If O0110A1A is dashed [-], then all items O0110A2A through O0110A10A must be dashed [-].	Fatal	Consistency	See error number -3994a		
-3995a	Inconsistent Item: If O0110C1A is not checked [0], then all items O0110C2A through O0110C4A must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Admission) must be consistent with other Therapies: Oxygen Therapy (Admission) item responses	<ul style="list-style-type: none"> <li>If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].</li> <li>If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and remaining items must equal [0,1].</li> </ul>	<ul style="list-style-type: none"> <li>Make correction to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<ul style="list-style-type: none"> <li>If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].</li> </ul>	
-3995b	Inconsistent Item: If O0110C1A is checked [1], then at least one items O0110C2A through A0110C4A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -3995a		
-3995c	Inconsistent Item: If O0110C1A is dashed [-], then all items O0110C2A through O0110C4A must be dashed [-].	Fatal	Consistency	See error number -3995a		
-3996a	Inconsistent Item: If O0110D1A is not checked [0], then O0110D2A and O0110D3A must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Admission) must be consistent with other Therapies: Suctioning (Admission) item responses	<ul style="list-style-type: none"> <li>If O0110D1A=[0], then all active items from O0110D2A through O0110D3A must equal [0].</li> <li>If O0110D1A=[1], then at least one active item from O0110D2A and</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<p>O0110D3A must equal [1], and remaining item must equal [0,1].</p> <ul style="list-style-type: none"> <li>If O0110D1A=[-], then all active items from O0110D2A and O0110D3A must equal [-].</li> </ul>	
-3996b	Inconsistent Item: If O0110D1A is checked [1], then at least item, O0110D2A or O0110D3A must be checked [1] and the other checked or not checked [1,0].	Fatal	Consistency	See error number -3996a		
-3996c	Inconsistent Item: If O0110D1A is dashed then at least item, O0110D2A or O0110D3A must also be dashed.	Fatal	Consistency	See error number -3996a		
-3997a	Inconsistent Item: If O0110G1A is not checked [0], then O0110G2A and O0110G3A must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Non-Invas Mechanical Ventilator (Admis) must be consistent with other Therapies: Non-Invas Mechanical	<p>If O0110G1A= [0], then O0110G2A and O0110G3A must equal [0].</p> <p>If O0110G1A= [1], then at least one of the following items must equal [1], and the remaining item must</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
				Ventilator (Admis) item responses	equal [0,1]: O0110G2A, O0110G3A. If O0110G1A= [-], then O0110G2A and O0110G3A must equal [-].	
-3997b	Inconsistent Item: If O0110G1A is checked [1], then at least one O0110G2A or O0110G3A must be checked [1] and the other item checked or unchecked [0,1].	Fatal	Consistency	See error number -3997a		
-3997c	Inconsistent Item: If O0110G1A is dashed [-], then O0110G2A and O0110G3A must be dashed [-].	Fatal	Consistency	See error number -3997a		
-3998a	Inconsistent Item: If O0110A1C is not checked [0], then all items O0110A2C through O0110A10C must not be checked [0].	Fatal	Consistency	The value submitted for Treatment: Chemotherapy (Discharge) must be consistent with other Treatment: Chemotherapy (Discharge) item responses	<ul style="list-style-type: none"> <li>If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].</li> <li>If O0110A1C= [1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<p>must equal [0,1].</p> <ul style="list-style-type: none"> <li>If O0110A1C= [-], then all active items from O0110A2C through O0110A10C must equal [-].</li> </ul>	
<b>-3998b</b>	Inconsistent Item: If O0110A1C is checked [1], then at least one items O0110A2C through O0110A10C must be checked [1] and the remaining items be checked or unchecked [1,0].	<b>Fatal</b>	<b>Consistency</b>	<b>See error number -3998a</b>		
<b>-3998c</b>	Inconsistent Item: If O0110A1C is dashed [-], then all items O0110A2C through O0110A10C must be dashed [-].	<b>Fatal</b>	<b>Consistency</b>	<b>See error number -3998a</b>		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-3999a	Inconsistent Item: If O0110C1C is not checked [0], then all items O0110C2C through O0110C4C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Oxygen Therapy (Discharge) must be consistent with other Therapies: Oxygen Therapy (Discharge) item responses	<ul style="list-style-type: none"> <li>If O0110C1C= [0], then all active items from O0110C2C through O0110C4C must equal [0].</li> <li>If O0110C1C= [1], then at least one active item from O0110C2C through O0110C4C must equal [1], and remaining items must equal [0,1].</li> <li>If O0110C1C= [-], then all active items from O0110C2C through O0110C4C must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-3999b	Inconsistent O0110 Item: If O0110C1C is checked [1], then at least one active item O0110C2C through O0110C4C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -3999a		
-3999c	Inconsistent O0110 Item: If O0110C1C is a dash [-], then all items O0110C2C through O0110C4C must be a dash [-].	Fatal	Consistency	See error number -3999a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4000a	Inconsistent Item: If O0110D1C is not checked [0], then all items O0110D2C through O0110D3C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Suctioning (Discharge) must be consistent with other Therapies: Suctioning (Discharge) item responses	<ul style="list-style-type: none"> <li>If O0110D1C=[0], then all active items from O0110D2C through O0110D3C must equal [0].</li> <li>If O0110D1C=[1], then at least one active item from O0110D2C and O0110D3C must equal [1], and remaining item must equal [0,1].</li> <li>If O0110D1C=[-], then all active items from O0110D2C and O0110D3C must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4000b	Inconsistent Item: If O0110D1C is checked [1], then at least one items O0110D2C through O0110D3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4000a		
-4000c	Inconsistent Item: If O0110D1C is dashed [-], then all items O0110D2C through O0110D3C must be dashed [-].	Fatal	Consistency	See error number -4000a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4001a	Inconsistent Item: If O0110G1C is not checked [0], then all items O0110G2C through O0110G3C must not be checked [0].	Fatal	Consistency	The value submitted for Therapies: Non-Invas Mechanical Ventilator (Disch) must be consistent with other Therapies: Non-Invas Mechanical Ventilator (Disch) item responses	<ul style="list-style-type: none"> <li>If O0110G1C= [0], then O0110G2C and O0110G3C must equal [0].</li> <li>If O0110G1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C.</li> <li>If O0110G1C = [-], then O0110G2C and O0110G3C must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4001b	Inconsistent Item: If O0110G1C is checked [1], then at least one items O0110G2C through O0110G3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -001a		
-4001c	Inconsistent Item: If O0110G1C is dashed [-], then all items O0110G2C through A0110G3C must be dashed [-].	Fatal	Consistency	See error number -4001a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4002a	Inconsistent Item: If O0110J1C is not checked [0], then all items O0110J2C through O0110J3C must not be checked [0].	Fatal	Consistency	The value submitted for Other: Dialysis (Discharge) must be consistent with other Other: Dialysis (Discharge) item responses	<ul style="list-style-type: none"> <li>If O0110J1C= [0], then O0110J2C and O0110J3C must equal [0].</li> <li>If O0110J1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.</li> <li>If O0110J1C = [-], then O0110J2C and O0110J3C must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4002b	Inconsistent Item: If O0110J1C is checked [1], then at least one items O0110J2C through O0110J3C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4002a		
-4002c	Inconsistent Item: If O0110J1C is dashed [-], then all items O0110J2C through O0110J3C must be dashed [-].	Fatal	Consistency	See error number -4002a		



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4003a	Inconsistent Item: If O0110H1C is not checked [0], then all items O0110H2C through O0110H10C must not be checked [0].	Fatal	Consistency	The value submitted for Other: IV Medications (Discharge) must be consistent with other Other: IV (Discharge) item responses	<ul style="list-style-type: none"> <li>If O0110H1C= [0], then O0110HC2 through O0110H10C must equal [0].</li> <li>If O0110H1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10.</li> <li>If O0110H1C = [-], then O0110H2C through O0110H10C must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4003b	Inconsistent Item: If O0110H1C is checked [1], then at least one items O0110H2C through O0110H10C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4003a		
-4003c	Inconsistent Item: If O0110H1C is dashed [-], then all items O0110H2C through O0110H10C must be dashed [-].	Fatal	Consistency	See error number -4003a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4004a	Inconsistent Item: If O0110J1A is not checked [0], then all items O0110J2A through O0110J3A must not be checked [0].	Fatal	Consistency	The value submitted for Other: Dialysis (Admission) must be consistent with other Other: (Admission) item responses	<ul style="list-style-type: none"> <li>If O0110J1A= [0], then O0110J2A and O0110J3A must equal [0].</li> <li>If O0110J1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.</li> <li>If O0110J1A = [-], then O0110J2A and O0110J3A must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4004b	Inconsistent Item: If O0110J1A is checked [1], then at least one items O0110J2A through O0110J3A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4004a		
-4004c	Inconsistent Item: If O0110J1A is dashed [-], then all items O0110J2A through O0110J3A must be dashed [-].	Fatal	Consistency	See error number -4004a		
-4005a	Inconsistent Item: If O0110O1A is not checked [0], then all items O0110O2A	Fatal	Consistency	The value submitted for Other: IV Access (Admission) must be consistent with other	<ul style="list-style-type: none"> <li>If O0110O1A= [0], then O0110O2A through O0110O4A must equal [0].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
	through O011004A must not be checked [0].			Other: IV Access (Admission) item responses	<ul style="list-style-type: none"> <li>If O011001A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O011002A, O011003A and O011004A.</li> <li>If O011001A = [-], then O011002A through O011004A must equal [-].</li> </ul>	<ul style="list-style-type: none"> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4005b	Inconsistent Item: If O01100A1 is checked [1], then at least one items O011002A through O011004A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4005a		
-4005c	Inconsistent Item: If O011001A is dashed [-], then all items O011002A through O011004A must be dashed [-].	Fatal	Consistency	See error number -4005a		
-4006a	Inconsistent Item: If O011001C is not checked [0], then all items O011002C through O011004C	Fatal	Consistency	The value submitted for Other: IV Access (Discharge) must be consistent with other Other: IV Access	<ul style="list-style-type: none"> <li>If O011001C= [0], then O011002C through O011004C must equal [0].</li> <li>If O011001C= [1], then at least one of the</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
	must not be checked [0].			(Discharge) item responses	<p>following items must equal [1], and the remaining item must equal [0,1]: O011002C, O011003C and O011004C.</p> <ul style="list-style-type: none"> <li>If O01100A1C = [-], then O011002C through O011004C must equal [-].</li> </ul>	the acceptable values for this item
-4006b	Inconsistent Item: If O011001C is checked [1], then at least one items O011002C through O011004C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See error number -4006a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4006c	Inconsistent Item: If O011001C is dashed [-], then all items O011002C through O011004C must be dashed [-].	Fatal	Consistency	See error number -4006a		
-4007a	Inconsistent Item: If O0110Z1A is checked [1], then all items O0110A1A through O11001A must be unchecked [0].	Fatal	Consistency	The value submitted for Other: None of the above (Admission) must be consistent with other admission item responses	<ul style="list-style-type: none"> <li>If O0110Z1A= [0], then O0110A1A through O011001A must equal [0].</li> <li>If O0110Z1A= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, and O0110O1A.</li> <li>If O0110OZ1A = [-], then O0110A1A through</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					O011001A must equal [-].	
-4007b	Inconsistent Item: If O0110Z1A is not checked [0], then at least one item O0110A1A through O011001A must be checked [1] and all remaining items must be checked or unchecked [0,1].	Fatal	Consistency	See error number -4007a		
-4007c	Inconsistent Item: If O0110Z1A is dashed [-], then all items O0110A1A through O011001A must be dashed [-].	Fatal	Consistency	See error number -4007a		
-4008a	Inconsistent Item: If O0110Z1C is checked [1], then all items O0110A1C through O11001C must be unchecked [0].	Fatal	Consistency	The value submitted for Other: None of the above (Discharge) must be consistent with other discharge item responses	<ul style="list-style-type: none"> <li>If O0110Z1C = [0], then O0110A1C through O011001C must equal [0].</li> <li>If O0110Z1C= [1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110A1C,</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, and O0110O1C. <ul style="list-style-type: none"> <li>If O0110OZ1C = [-], then                O0110A1C through                O0110O1C must                equal [-].</li> </ul>	
-4008b	Inconsistent Item: If O0110Z1C is not checked [0], then at least one item O0110A1C through O0110O1C must be checked [1] and all remaining items must be checked or unchecked [0,1].	Fatal	Consistency	See error number -4008a		
-4008c	Inconsistent Item: If O0110Z1C is dashed [-], then all items O0110A1C through O0110O1C must be dashed [-].	Fatal	Consistency	See error number -4008a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4009a	Inconsistent Item: If O0150A is No [0], then all active items O0150A2 through O0150E must be skipped [^].	Fatal	Consistency	The value submitted for SBT: Invasive Mechanical Ventilation Support must be consistent with other Spontaneous Breathing Trial (SBT) item responses	<ul style="list-style-type: none"> <li>If O0150A = [0], then all active items from O0150A2 through O0150E must be skipped [^].</li> <li>If O0150A = [1], then O0150A2 must not be skipped [^]</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4009b	Inconsistent Item: If O0150A is Yes [1], then O0150A2 must not be skipped [^].	Fatal	Consistency	See error number -4009a		
-4011a	Invalid Skip Pattern: If GG0170Q1 is No [0], then all active items from GG0170R1 through GG0170SS1 must be skipped (^).	Fatal	Skip	If the response for Admission Performance using a wheelchair and/or scooter is No, then all remaining Functional Abilities and Goals at Admission items must be skipped.	<ul style="list-style-type: none"> <li>If GG0170Q1 is not checked [0], then the following items must be skipped [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1</li> <li>If GG0170Q1 is checked [1], then the following items must not be skipped [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4011b	Invalid Skip Pattern: If GG0170Q1 is Yes [1], then all active items from GG0170R1 through GG0170SS1 must not be skipped (^).	Fatal	Skip	See error number -4011a		
-4012a	Invalid Skip Pattern: If GG0170F3 is not attempted [07,09,10,88], then GG0170G3 must be skipped [^].	Fatal	Skip	If the response for Discharge Performance toilet transfer is Not attempted, then skip Car Transfer question.	<ul style="list-style-type: none"> <li>• If GG0170F3 is [07, 09, 10, 88], then GG0170G3 must be skipped [^].</li> <li>• If GG0170F3 is [01, 02, 03, 04, 05, 06], then GG0170G3 must not be skipped [^].</li> <li>• If GG0170F3 is dashed [-], then GG0170G3 must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4012b	Invalid Skip Pattern: If GG0170F3 is attempted [01,02,03,04,05,06], then GG0170G3 must not be skipped [^].	Fatal	Skip	See error number -4012a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4012c	Invalid Skip Pattern: If GG0170F3 is dashed [-], then GG0170G3 must be dashed [-].	Fatal	Skip	See error number -4012a		
-4013a	Inconsistent Item: If GG0170Q3 is No [0], then all active items GG0170R3 through GG0170SS3 must be skipped [^].	Fatal	Skip	If the response for Discharge Performance using a wheelchair and/or scooter is No, then all remaining Functional Abilities and Goals at Discharge items must be skipped.	<ul style="list-style-type: none"> <li>If GG0170Q3 is No [0], then all active items from GG0170R3 through GG0170SS3 must be skipped [^].</li> <li>If GG0170Q3 is Yes [1], then all active items from GG0170R3 through GG0170SS3 must not be skipped [^].</li> <li>If GG0170Q3 is dashed [-], then all active items from GG0170R3 through GG0170SS3 must also be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4013b	Inconsistent Item: If GG0170Q3 is Yes [1], then GG0170R3 through GG0170SS3 must not be skipped [^].	Fatal	Skip	See error number -4013a		

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4013c	Inconsistent Item: If GG0170Q3 is dashed [-], then all active items GG0170R3 through GG0170SS3 must be dashed [-].	Fatal	Skip	See error number -4013a		
-4014	Inconsistent Item: A least one Self-Care or Mobility Discharge Goal items were dashed [-]. Entering a dash [-] as a response to a discharge goal may results in a payment reduction for your facility of two percentage points for the affected payment determination.	Warning	Consistency	Entering a dash [-] as a response to a discharge goal may results in a payment reduction for your facility of two percentage points for the affected payment determination period.	<ul style="list-style-type: none"> <li>Self-Care and Mobility Discharge Goals: At least one of the following Discharge Goal items should be equal to [01,02,03,04,05,06,07,09,10,88]:</li> <li>GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4015a	If A2105 = [01,99], then all active items from A2121 through A2122E must equal [^]	Fatal	Skip	The value submitted for A2105 Discharge Location must be consistent with Current Reconciled medication list items.	Confirm if A2105 Discharge Location is home [1] or not listed [99] then Current reconciled medication list items A2121 through A2122E were skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4015b	If A2105 = [02,03,04,05,06,07,08,09,10,11,12], then A2121 must not equal [^]	Fatal	Skip	The value submitted for A2105 Discharge Location must be consistent with Current Reconciled medication list item	Confirm if A2105 Discharge Location is NOT home [1] or not listed [99] then Current reconciled medication list to subsequent provider must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4015c	If A2105 = [02,03,04,05,06,07,08,10,11], then all active items from A2123 through A2124E must equal [^]	Fatal	Skip	The value submitted for Discharge Location must be consistent with Current Reconciled medication list item	Confirm if A2105 Discharge Location response means current reconciled medication list does not go to patient, if true then skip these items A2123 through A2124E [^]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4015d	If A2105 = [01,09,12,99], then A2123 must not equal [^]	Fatal	Skip	The value submitted for Discharge Location must be consistent with Current Reconciled medication list item	Confirm if A2105 Discharge Location response means current reconciled medication list does go to patient, if true then do not skip A2123	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4016a	Invalid Skip Pattern: If O0150A2 is No [0], then all active items O0150B through O0150E must be skipped [^].	Fatal	Skip	If the response for SBT: Ventilator Weaning Status is No, then all remaining Special Treatments, Procedures, and Program items must be skipped.	<ul style="list-style-type: none"> <li>If O0150A2 is No [0], then all active items from O0150B through O0150E must be skipped [^].</li> <li>If O0150A2 is Yes [1], then O0150B must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>
-4016b	Invalid Skip Pattern: If O0150A2 is Yes [1], then item O0150B must not be skipped [^].	Fatal	Skip	See error number -4016a		
-4017a	Inconsistent Item: If items C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C have numeric values [not dashed] and if three or fewer items are equal to zero [0], then C0500 must equal the sum of the values.	Fatal	Consistency	If the Brief Interview for Mental Status is conducted and three or fewer of the questions have a response of None, then The BIMS Summary Score must equal the sum of the values entered.	<p>BIMS Interview Summary Score: The following rules refer to <b>BIMS component items</b> (C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C).</p> <ul style="list-style-type: none"> <li>If all BIMS component items have numeric values (not dash) and if 3 or fewer of the BIMS component items have a None response [0], then C0500 must equal the sum of the values of the component items.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit</li> <li>Refer to the current data specifications to identify the acceptable values for this item</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
					<ul style="list-style-type: none"><li>• If all BIMS component items have numeric values (not dash) and if 4 or more of the BIMS component items have a response of None [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].</li><li>• If some, but not all, of the BIMS component items have a value of dash [-], then C0500 must equal [99].</li><li>• If all BIMS component items have a value of dash [-], then C0500 must equal dash [-].</li></ul>	

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4017b	Inconsistent Item: If items C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C have numeric values [not dashed] and if four or more items are equal to zero [0], then C0500 must equal the sum of the values or it must equal [99].	Fatal	Consistency		See error number -4017a	
-4017c	Inconsistent Item: If one or more items C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C are dashed [-] but not all of them, then C0500 must equal [99].	Fatal	Consistency		See error number -4017a	

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4017d	Inconsistent Item: If all items C0200, C0300A, C0300B, C0300C, C0400A, C0400B and C0400C are dashed [-], then C0500 must be dashed [-].	Fatal	Consistency	See error number -4017a		
-4018a	Inconsistent I Items: If I7900 "None of the above," is checked [1], then active items from I0103 through I7104 should not be checked [0].	Fatal	Consistency	The value submitted in this item is not consistent with other values submitted in Section I (Active Diagnosis).	<ul style="list-style-type: none"> <li>• If I7900 is checked [1], then all active items from I0103 through I7104 must not be checked [0].</li> <li>• If I7900 is not checked [0], then at least one active item from I0103 through I7104 must not be unchecked [0].</li> <li>• If I7900 is dashed [-], then at least one active item from I0103 through I7104 must be dashed [-], and the other active items must be checked or unchecked [0,-].</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit</li> <li>• Refer to the current data specifications to identify the acceptable values for this item</li> </ul>



Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4018b	Inconsistent I Items: If I7900, "None of the above," is not checked [0], then at least one item from I0103 through I7104 must be checked [1].	Fatal	Consistency	See error number -4018a		
-4018c	Inconsistent I Items: If I7900, "None of the above," is dashed [-], then at least one item from I0103 through I7104 must be dashed [-] and other items must be not checked or dashed [0, -].	Fatal	Consistency	See error number -4018a		
-4019	If A2105 = [02,03,04,05,06,07,08,09,10,11,12], then A2121 must not equal [^].	Warning	Consistency	The value submitted for Discharge Location must be consistent with Current Reconciled medication list item	Confirm if A2105 Discharge Location response means current reconciled medication list does go to subsequent provider, if true then do not skip A2121	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4020	If A2105 = [02,03,04,05,06,07,08,10,11], then all active items from A2123 through A2124E must equal [^]	Warning	Consistency	The value submitted for Discharge Location must be consistent with Current Reconciled medication list item	Confirm if A2105 Discharge Location response means current reconciled medication list does not go to patient, if true then skip these items A2123 through A2124E [^]	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4021	If A2105 = [01,09,12,99], then A2123 must not equal [^].	Warning	Consistency	The value submitted for Discharge Location must be consistent with Current Reconciled medication list item.	Confirm if A2105 Discharge Location response means current reconciled medication list does go to patient, if true then do not skip A2123.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4022a	Inconsistent Item: At least one active item A1005A through A1005Y must be checked [1].	Fatal	Consistency	At least one active Ethnicity item must be checked (A1005A through A1005Y).	Provide a valid response for A1005A through A1005Y by ensuring at least one of these items is checked.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4022b	Inconsistent Item: If A1005A is checked [1], then all active items from A1005B through A1005E and A1005Y must not be checked [0]	Fatal	Consistency	The value submitted in A1005B through A1005E or A1005Y is not consistent with the value submitted in item A1005A (No, not of Hispanic, Latino/a, or Spanish origin).	Review if response to A1005A (No, not of Hispanic, Latino/a, or Spanish origin) is checked, if so, then ensure all items A1005B through A1005E or A1005Y are not checked.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4022c	Inconsistent Item: If A1005B through A1005E is checked [1], then A1005A and A1005Y must not be checked [0].	Fatal	Consistency	The values submitted in A1005B through A1005E are not consistent with the value submitted in items A1005A or A1005Y.	Review if responses to A1005B (Yes, Mexican, Mexican American, Chicano/a) and A1005E (Yes, another Hispanic, Latino, or Spanish origin), if either are checked, then ensure A1005A (No, not of Hispanic, Latino/a, or Spanish origin) and A1005Y (Patient declines to respond) are not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4022d	Inconsistent Item: If A1005X is checked [1], then A1005Y must not be checked [0].	Fatal	Consistency	The value submitted in A1005X is not consistent with the value submitted in item A1005Y.	Review response to A1005X (Patient unable to respond) and if it is checked, then ensure A1005Y (Patient declines to respond) is not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
-4022e	Inconsistent Item: If A1005Y is checked [1], then all active items A1005A through A1005X must not be checked [0].	Fatal	Consistency	The values submitted in A1005A through A1005X are not consistent with the value submitted in items A1005Y.	Review response to A1005Y (Patient declines to respond) and if it is checked, then ensure A1005A through A1005X are not checked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4023	Inconsistent Item: At least one active items A1400A through A1400Y must be checked [1].	Fatal	Consistency	At least one active Payer Information items must be checked (A1400A through A1400Y)	Provide a valid response for A1400A through A1400Y by ensuring at least one of these items is checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4024	Invalid Skip Pattern: If B0100 is No [0], then items D0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700 when active must not be skipped [^].	Fatal	Skip Pattern	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	If patient is NOT Comatose B0100 equals no, then active items B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0700 must NOT be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4025	If B0100 is equal to dash (-), then the following active fields: B0200, B1000, BB0700, BB0800,	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	Confirm if Comatose item B0100 is a dash, if so then all active items B0200 through D0700 must also equal a dash [-].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify</li> </ul>

Error ID	Error Message	Sev	Type	Potential Cause	Tips	Action
	C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 and D0160 must equal dash (-).					the acceptable values for this item.
-4026a	Invalid Skip Pattern: If A2105 Discharge Location is equal to Home/Community [01] or Not Listed [99], then Reconciled Medication list items A2121 must be skipped [^] and A2123 must not be skipped [^]	Fatal	Skip	The value submitted for A2105 Discharge Location must be consistent with Reconciled medication list items	Confirm if A2105 Discharge Location is equal to Home/Community or Not Listed [01, 99], if so, then A2121 must be skipped and A2123 must not be skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>
-4026b	Invalid Skip Pattern: If A2105 Discharge Location is equal to [02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12], then Reconciled Medication list items A2121 must not be skipped [^] and A2123 must be skipped [^]	Fatal	Skip	The value submitted for A2105 Discharge Location must be consistent with Reconciled medication list items	Confirm if A2105 Discharge Location is equal to [02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12], if so, then A2121 must not be skipped and A2123 must be skipped	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

