



Centers for Medicare & Medicaid Services

## Internet Quality Improvement & Evaluation System (iQIES)

---

# Minimum Data Set (MDS) Error Message Reference Guide

**Version 1.1**  
**January 3, 2024**

# Table of Contents

<b>1. Introduction</b>	<b>1</b>
<b>2. Troubleshooting – iQIES Service Center</b>	<b>1</b>
<b>3. Submission ERROR Messages for MDS Data</b>	<b>2</b>
<b>4. File Processing Error Messages for MDS Data</b>	<b>3</b>
<b>5. Error Messages</b>	<b>4</b>

# 1. Introduction

---

This user guide addresses Minimum Data Set (MDS) error messages and troubleshooting.

## 2. Troubleshooting – iQIES Service Center

---

The iQIES Service Center supports users working within the various iQIES components: Survey and Certification (S&C), Patient Assessment, and Reporting.

Always attempt to determine the nature or source of a particular problem in order to contact the appropriate department for assistance and give detailed information about the issue.

**For assistance accessing iQIES:** Contact the iQIES Security Officer (SO) for your organization.

**For technical support:** Contact the iQIES Service Center:

**Phone:** 800-339-9313

**email:** [iQIES@cms.hhs.gov](mailto:iQIES@cms.hhs.gov)

**For more information on iQIES:** Refer to the [QIES Technical Support Office](#) (QTSO) and the [Quality, Safety, & Education Portal](#) (QSEP).

iQIES reference materials include:

- Links to Training Videos for Providers
- Quick Reference Guides
- Onboarding Guide
- Managing User Information
- State Assessment Management User Manual (for state users)

### 3. Submission Error Messages for MDS Data

---

During the file submission process, iQIES displays a limited number of error messages. iQIES errors are detailed in [Step 5, Error Messages](#).

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with iQIES. For those situations you should refer to the appropriate vendor-provided documentation.

## 4. File Processing Error Messages for MDS Data

---

The **MDS 3.0 Final Validation Report** is automatically generated within 24 hours of successful submission of a file. A file may include one or more records. The report details the errors, if any, in the submitted records within the file. Go to the **Reports** section in iQIES to view this report.

Each error is noted on the report by its numeric identifier and severity (**Fatal** or **Warning**). The report also includes a brief description of the error and notes the submitted item values that triggered the error.

### Notes:

- Review the [iQIES Reports Guide](#) for more details on these reports.
- The **MDS 3.0 Submitter Final Validation Report** must be requested by the user who submitted the file.
- Records with fatal errors will be rejected. All fatal errors in a record must be corrected and resubmitted.
- All warning errors should be reviewed and corrected if appropriate, to ensure the data uploaded is accurate and complete.
- Providers who submit files for multiple providers receive one **MDS 3.0 Final Validation Report** for each provider for which records were submitted in a file.
- Certain fatal errors in the submitted file or one of its records can prevent the system from creating and placing the automatically-generated **MDS 3.0 Final Validation Report** in the Provider's folder. To view these errors, the submitter can request the **MDS 3.0 Submitter Final Validation Report** in iQIES.

## 5. Error Messages

---

This section lists the error messages in order by **Error ID** followed by **Error Message**. The severity and type of error message are shown. A type of error can help determine the solution.

The first four explanatory columns are followed by three columns explaining the potential cause, tips to correcting the error, and any actions to take.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1001	Invalid Zip File: Unable to unzip submitted file.	Fatal	System	<ul style="list-style-type: none"> <li>• The submitted file is not formatted properly. The contents of the file could not be extracted.</li> <li>• The submitted .zip file is not compressed.</li> <li>• The submitted file is a .zipx file.</li> <li>• The submitted file is empty.</li> <li>• The submitted file is encrypted.</li> </ul>	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• Contact your software vendor for technical assistance.</li> <li>• Refer your vendor to the MDS 3.0 Data Specifications for details of file submission requirements.</li> <li>• The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.</li> <li>• The .zip file should not contain subfolders.</li> <li>• The name of the .zip file must not exceed 260 characters, including the extension (.zip).</li> <li>• The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.</li> <li>• The name of an XML file must not include special characters.</li> </ul> <p><b>Action:</b></p> <ul style="list-style-type: none"> <li>• Recreate and/or rename the .zip file and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1002	Invalid Zip File: Zip file contained no files.	Fatal	System	<ul style="list-style-type: none"> <li>• The submitted .zip file is not compressed.</li> <li>• The submitted file is a .zipx file.</li> <li>• The submitted file contains no .xml files.</li> <li>• The submitted file is empty.</li> <li>• The submitted file is encrypted.</li> </ul>	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• Contact your software vendor for technical assistance.</li> <li>• Refer your vendor to the MDS 3.0 Data Specifications for details of file submission requirements.</li> <li>• The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.</li> <li>• The .zip file should not contain subfolders.</li> <li>• The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.</li> <li>• The name of an XML file must not include special characters.</li> </ul> <p><b>Action:</b></p> <ul style="list-style-type: none"> <li>• Recreate and/or rename the .zip file and resubmit.</li> </ul>
-1003	Required Field Missing or Invalid: Information required to process the submitted file is missing or invalid.	Fatal	System	<ul style="list-style-type: none"> <li>• A valid value was not submitted for this item. Based upon the MDS 3.0 Data Submission Specifications in effect for this record, this item is required.</li> <li>• The length of the value submitted for this item exceeds the maximum length allowed.</li> </ul>	<p><b>Action:</b></p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1004	Invalid XML File Format: The submitted file is not structured properly or contains tags longer than 30 characters and cannot be processed.	Fatal	System	The submitted record is not a properly structured XML file and cannot be processed.	<b>Tips:</b> <ul style="list-style-type: none"> <li>• The XML file name must include an “.xml” file extension.</li> <li>• Beginning and ending tags must enclose the entire assessment record. Beginning and ending tags must enclose each item of the assessment record. Tags must not exceed 30 characters.</li> </ul> <b>Action:</b> <ul style="list-style-type: none"> <li>• Contact your software vendor.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-1005	Invalid Test/Production Flag: Unable to process record	Fatal	System	The value submitted in PRODN TEST CD is invalid.	<b>Action:</b> <ul style="list-style-type: none"> <li>• Contact your software vendor.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-1006	Unable to Process Record: An error occurred in the iQIES System. Please contact the iQIES Help Desk.	Fatal	System	An error occurred while inserting the record into the database.	<b>Action:</b> Please notify the iQIES Help Desk and resubmit at a later time.

-1007	Duplicate Assessment: The submitted record is a duplicate of a previously accepted record.	Fatal	<b>System</b>	The submitted MDS record is a duplicate of a previously accepted record for this resident.	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• Duplicate records match on the following items: <ul style="list-style-type: none"> <li>○ A0200 (Provider Type)</li> <li>○ A0500A (First name)</li> <li>○ A0500C (Last name)</li> <li>○ A0800 (Gender)</li> <li>○ A0900 (Birth Date)</li> <li>○ A0600A (Social Security Number)</li> <li>○ A0300A (State Payment Assessment Purpose)</li> <li>○ A0310A (Federal OBRA Reason For Assessment)</li> <li>○ A0310B (PPS Assessment)</li> <li>○ A0310C (PPS Other Medicare Required Assessment)</li> <li>○ A0310D (Is this a Swing Bed clinical change assessment?) [If Swing Bed Assessment]</li> <li>○ A0310F (Entry/discharge reporting)</li> <li>○ A0310H (Is this a SNF Part A PPS Discharge Assessment?)</li> <li>○ A2300 (Assessment Reference Date)</li> <li>○ A2000 (Discharge Date)</li> <li>○ A1600 (Entry Date)</li> </ul> </li> </ul>
-------	---	-------	---------------	--	--

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
					<b>Action:</b> <ul style="list-style-type: none"> <li>Determine why this record was submitted multiple times.</li> <li>DO NOT resubmit this record as it is already in the database. If the modification was in error, you must submit another modification to correct the error.</li> <li>Compare the record in your software to the record previously accepted by the iQIES system; if the data changed, submit a modification record.</li> </ul>
-1008	Invalid State Code: Unable to process record.	Fatal	System	The value submitted in STATE CD is invalid.	<b>Action:</b> <ul style="list-style-type: none"> <li>Contact your software vendor.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-1009	Invalid Type of Record (A0050): Unable to process record.	Fatal	System	The value submitted in A0050 (Type of Record) is invalid.	<b>Action:</b> Make appropriate corrections to the record and resubmit.
-1010	Invalid Type of Provider (A0200 or X0150): Unable to process record.	Fatal	System	The value submitted in A0200 (Type of Provider) or X0150 (Type of Provider) is invalid.	<b>Action:</b> Make appropriate corrections to the record and resubmit.
-1014	New Software Vendor: The submitted software vendor ID number was not found in the iQIES System. A new vendor record was added.	Warning	System	The value submitted in SFTWR VNDR ID does not match an existing SFTWR VNDR ID in the iQIES System. A new software vendor record was added for this vendor.	<b>Action:</b> <ul style="list-style-type: none"> <li>If this is a new vendor, no action is needed.</li> <li>If this is not a new vendor, contact your vendor to verify the vendor's tax ID number.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1015	Invalid Format: The value submitted for this item contains one or more nonprintable or control characters.	Fatal	System	The value submitted for this item is invalid; it contains nonprintable or control characters.	<b>Action:</b> Make appropriate corrections to the record and resubmit.
-1016	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the iQIES Help Desk.	Fatal	System	The submitted record matches multiple records in the iQIES database.	<b>Action:</b> <ul style="list-style-type: none"><li>• Contact the iQIES Help Desk for assistance.</li><li>• DO NOT resubmit this record as it is already in the database.</li></ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1018	Inconsistent Record Sequence: Under CMS sequencing guidelines, the type of assessment in this record does not logically follow the type of assessment in the record received prior to this one.	Warning	System	<ul style="list-style-type: none"> <li>The submitted record does not satisfy CMS sequencing guidelines when compared to the record that was submitted to the iQIES System prior to this one for this resident.</li> <li>The reasons for assessment in this record indicate that it was submitted out of order. The record that should have preceded this record may not have been submitted successfully.</li> <li>The resident's identifying information in this record may differ from the resident-identifying information submitted for this resident in a prior record. The current and prior MDS records may have matched to different resident records causing what appears to be a failure in the sequencing order.</li> </ul>	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>The initial record for a resident in a facility should be an Entry Tracking record (A0310F = 01)</li> <li>Sequencing edits are not performed on records where A0410=2 nor on Swing Bed records (A0200 = 2).</li> <li>For records where A0410 is 3, the previous record for sequencing edits must have A0410=3.</li> </ul> <p><b>Action:</b></p> <ul style="list-style-type: none"> <li>There are a limited number of exceptions to the sequencing guidelines. If you are certain this record is correct due to an exception, no action is necessary.</li> <li>If this message occurred because a record was completed and not submitted, submit the missing record now.</li> <li>Review activity reports and/or roster reports to assure that all records are submitted timely.</li> <li>If after reviewing activity reports and/or roster reports you believe a new resident may have been created in error, contact your State MDS Coordinator.</li> <li>Refer to the MDS 3.0 RAI Manual, Chapter 2, for additional information.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1020	Invalid Target Date: Unable to calculate the target date because the date in active items A1600, X0700C, A2000, X0700B, A2300, or X0700A is missing or invalid when A0300A equals 0.	Fatal	System	The iQIES System is unable to verify the target date of this record because the value submitted in item A2000/X0700B (Discharge Date), A1600/X0700C (Entry Date), or A2300/X0700A (Assessment Reference Date) is missing or invalid.	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• Target Date – The target date identifies when the assessment event occurred for the resident.</li> <li>• For a non-Optional State Assessment [A0300A is 0] the Target Date is based upon the value of A0310F/X0600F (Entry/discharge reporting) and is defined as follows: <ul style="list-style-type: none"> <li>○ A2000/X0700B (Discharge Date) when A0310F/X0600F is 10, 11, or 12</li> <li>○ A1600/X0700C (Entry Date) when A0310F/X0600F is 01</li> <li>○ A2300/X0700A (Assessment Reference Date) when A0310F/X0600F is 99.</li> <li>○ For an Optional State Assessment [A0300A is 1]), the Target Date is A2300/X0700A.</li> </ul> </li> </ul> <p><b>Action:</b></p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1021	Invalid Target Date: If item A0300A or X0570A equals 1, then item A2300 or X0700A must be a valid date greater than or equal to 10/1/2019.	Fatal	System	The earliest Target Date of an Optional State Assessment (OSA) record is 10/1/2019. The date submitted in A2300 or X0700A (Assessment Reference Date) is invalid.	<p><b>Tips:</b></p> <p>The target date identifies when the assessment event occurred for the resident. For an-Optional State Assessment (A0300A is 1) record, the Target Date is A2300/X0700A (Assessment Reference Date).</p> <p><b>Action:</b></p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1027	New Resident: A new resident record was created in the iQIES System with the information submitted in this MDS record. Verify that the new information is correct.	Warning	System	The values submitted in A0310F and A1700 or in this IPA or OSA record indicate that this is not an Entry record for this resident, but the resident's identifying information in this MDS record did not match a resident already known to the iQIES System. A new resident record was added to the system with the identifying information submitted in this MDS record.	<p><b>Tips:</b></p> <p>An MDS record of this type should not be the first MDS record submitted for a resident. The resident identifying information in this type of MDS record should have matched a resident already in the iQIES System, but did not. An Entry record is one where A0310F (Entry/discharge reporting) is 01 and A1700 (Type of Entry) is 1.</p> <p><b>Action:</b></p> <ul style="list-style-type: none"> <li>• Verify that the submitted resident information is correct.</li> <li>• If you are certain no record was submitted previously for this resident, no action is necessary.</li> <li>• If this message occurred because an earlier record was completed but not submitted, submit the missing record now.</li> <li>• Review activity reports and/or roster reports to assure that all records are submitted sequentially and timely.</li> <li>• If after reviewing activity reports and/or roster reports you believe a new resident was created in error, contact your State MDS Coordinator.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1028	Invalid Target Date: Unable to calculate the target date due to missing or invalid values in items A0300A, X0570A, A0310F, and/or X0600F.	Fatal	System	The iQIES System is unable to verify the target date of this record because the value submitted in A0300A/X0570A (State payment purpose) and/or A0310F/X0600F (Entry/discharge reporting) is missing or invalid.	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• Target Date – The target date identifies when the assessment event occurred for the resident.</li> <li>• For a non-Optional State Assessment [A0300A is 0] the Target Date is based upon the value of A0310F/X0600F (Entry/discharge reporting) and is defined as follows: <ul style="list-style-type: none"> <li>○ A2000/X0700B (Discharge Date) when A0310F/X0600F is 10, 11, or 12</li> <li>○ A1600/X0700C (Entry Date) when A0310F/X0600F is 01</li> <li>○ A2300/X0700A (Assessment Reference Date) when A0310F/X0600F is 99.</li> <li>○ For an Optional State Assessment [A0300A is 1]), the Target Date is A2300/X0700A.</li> </ul> </li> </ul> <p><b>Action:</b></p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1029	Invalid Target Date: The target date (A1600, A2000, or A2300) of this record is prior to the MDS 3.0 iQIES System implementation date of 10/01/2010.	Fatal	System	The submitted target date of this record precedes 10/01/2010, the implementation date of the MDS System.	<b>Tips:</b> <ul style="list-style-type: none"> <li>Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>A2000 (Discharge Date) when A0310F is 10, 11, or 12.</li> <li>A1600 (Entry Date) when A0310F is 01</li> <li>A2300 (Assessment Reference Date) when A0310F is 99.</li> </ul> </li> </ul> <p>A2300 for Optional State Assessment (A0300A is 1) records.</p> <b>Action:</b> Make appropriate corrections to the record and resubmit.
-1030	Missing Item: Based upon the Item Subset Code (ISC) submitted in this record, this item is required.	Fatal	System	A value was not submitted for this item. Based upon the submitted Item Subset Code (ISC), this item is required.	<b>Action:</b> Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1031	Resident Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the iQIES database. If the record was accepted, the resident information in the database was updated. Verify that the new information is correct.	Warning	System	<p>Based on resident matching criteria, resident information in this MDS record, though not identical, is similar enough to resident information in the iQIES System that a match was identified. If the record was accepted, one or more fields in the iQIES System were updated with the new or previously missing information.</p> <p>Example:</p> <p>The resident's first name was spelled differently, the birth date was entered incorrectly, or the facility is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p>Definition:</p> <p>Resident matching criteria: Criteria used to match key resident-identifying information in an MDS record with an existing resident known to the iQIES System.</p>	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>• The resident match process may update the following resident information: <ul style="list-style-type: none"> <li>○ last name</li> <li>○ first name</li> <li>○ middle initial</li> <li>○ birth date</li> <li>○ death date</li> <li>○ social security number (Social Security Number)</li> <li>○ Medicare number</li> <li>○ Medicaid number</li> <li>○ gender</li> <li>○ race/ethnicity</li> <li>○ current Facility Internal ID</li> </ul> </li> </ul> <p><b>Action:</b></p> <ul style="list-style-type: none"> <li>• Verify the old and new information.</li> <li>• If the new information is correct, no action is required.</li> <li>• If the new information is not correct, make appropriate modifications to the record and resubmit.</li> <li>• Refer to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual as necessary.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1032	Resident Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident was updated. Please verify.	Warning	System	A different provider submitted the previous record for this resident. The iQIES System was updated to reflect the resident's new provider of care changed. No action is required.	<b>Action:</b> Please verify that the provider of the resident's care
-1038	Assessment Completed Late: An OBRA comprehensive assessment with the Care Area Assessment (Section V) is due every year unless the resident is no longer in the facility. A prior record with an ARD (A2300) within 366 days of the submitted record could not be found.	Warning	System	<ul style="list-style-type: none"> <li>The submitted assessment was not completed according to CMS timing guidelines.</li> <li>There should be no more than 366 days between OBRA comprehensive assessments with Care Area Assessment (Section V) completed. The 366 days is calculated from A2300 (Assessment Reference Date) to A2300.</li> </ul>	<b>Tips:</b> <ul style="list-style-type: none"> <li>Timing edits are not performed on records where A0410 = 2 or on any two records where the value of A0410 is not the same.</li> <li>Medicare PPS only assessments (A0310A = 99 and A0310B = 01, 02, 03, 04, 05, 06, or 07) are excluded from CMS timing guideline edits.</li> </ul> <b>Action:</b> To avoid this Warning in the future, review the assessment schedule and verify that all assessments are completed in a timely manner.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1040	Assessment Completed Late: An OBRA assessment (comprehensive or quarterly) is due every quarter unless the resident is no longer in the facility. A prior record with an ARD (A2300) within 92 days of the submitted record could not be found.	Warning	System	<ul style="list-style-type: none"> <li>The submitted assessment was not completed according to CMS timing guidelines.</li> <li>There should be no more than 92 days between OBRA assessments. The 92 days is calculated from A2300 (Assessment Reference Date) to A2300 for OBRA assessments.</li> </ul>	<p><b>Tips:</b></p> <ul style="list-style-type: none"> <li>Medicare PPS only assessments (A0310A = 99 and A0310B = 01, 02, 03, 04, 05, 06, or 07) are excluded from CMS timing guideline edits.</li> <li>Timing Edits are not performed on records where A0410 = 2 or on any two records where the value of A0410 is not the same.</li> </ul> <p><b>Action:</b></p> <p>To avoid this Warning in the future, review the assessment schedule and verify that all assessments are completed in a timely manner.</p>
-1049	RUG/PDPM Value Not Calculated: Fatal system problem in calculating RUG/PDPM value. Please contact the iQIES Help Desk. Please resubmit this record when the system has been corrected.	Fatal	System	An error was encountered with the iQIES system RUG grouper. No RUG/PDPM value was calculated.	<p><b>Action:</b></p> <ul style="list-style-type: none"> <li>Please notify the iQIES Help Desk.</li> <li>Resubmit this record when the iQIES system error is resolved.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1050	No RUG Value Calculated: A RUG value was not calculated due to an invalid rehabilitation parameter passed to the RUG.dll. Please contact the iQIES Help Desk. Please resubmit this record when the system has been corrected.	Fatal	System	An error was encountered with the iQIES system RUG rehabilitation parameter. No RUG value was calculated.	Action: <ul style="list-style-type: none"> <li>• Please notify the iQIES Help Desk.</li> <li>• Resubmit this record when the iQIES system error is resolved.</li> </ul>
-1051	No RUG Value Calculated: A RUG value was not calculated due to an invalid model parameter passed to the RUG.dll. Please contact the iQIES Help Desk. Please resubmit this record when the system has been corrected.	Fatal	System	An error was encountered with the iQIES system RUG model parameter. No RUG value was calculated.	Action: <ul style="list-style-type: none"> <li>• Please notify the iQIES Help Desk.</li> <li>• Resubmit this record once the iQIES system error is resolved.</li> </ul>
-1052	No RUG Value Calculated: A RUG value cannot be calculated for an MDS record submitted with this Item Subset Code (ISC). No action needs to be taken by provider.	Warning	System	A RUG value cannot be calculated for a record submitted with this Item Subset Code (ISC).	Action: No action is necessary.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1053	No RUG Value Calculated: A RUG value was not calculated due to an invalid CMI value parameter passed to the RUG.dll. Please contact the iQIES Help Desk. Please resubmit this record when the system has been corrected.	Fatal	System	An error was encountered with the iQIES system RUG CMI parameter. No RUG value was calculated.	Action: <ul style="list-style-type: none"> <li>• Please notify the iQIES Help Desk.</li> <li>• Resubmit this record when the iQIES system error is resolved.</li> </ul>
-1054	Rural RUG Calculated: A current CBSA code is not on file for this Provider. The iQIES System used the rural code to calculate the RUG for this record. Contact your State Coordinator.	Warning	System	A CBSA code was not found or is not current for this provider. The iQIES System used the rural code to calculate the RUG for this record.	Action: <ul style="list-style-type: none"> <li>• Providers: You must contact your MDS State Coordinator.</li> <li>• States: Contact the iQIES Help Desk to determine if the Facility CBSA code is incorrect.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1055	No Medicaid RUG Value Calculated: The submitted Assessment Reference Date (ARD) is not within the date parameters set up by the state in the RUG options table. Verify the A2300 date is accurate; otherwise contact your State Coordinator.	Warning	System	If the Value in Error is for Z0250A, ignore this message. No action is required. If the Value in Error is for Z0200A, the value submitted in A2300 (Assessment Reference Date) does not fall within the date parameters in the RUG options table on the iQIES System for the RUG submitted in this record.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The last day of the MDS observation period, item A2300 (Assessment Reference Date) is compared to the Beginning and End dates on the RUG options table.</li> <li>• If the submitted date in items A2300 does not occur within this date range, this error is generated.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>• Facility staff should verify that the A2300 date is accurate. If it is correct, contact your MDS State Coordinator to verify the entry in Medicaid RUG option table on the iQIES system.</li> <li>• If necessary, correct the record according to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1056	HIPPS/RUG Value Calculated: The submitted value of the Medicare Part A HIPPS code is blank. The iQIES system calculated the HIPPS code and the value displayed. If the assessment is to be used for Part A payment, please use this code for billing. If the assessment is not to be used for Part A billing, please ignore this Warning.	Warning	<b>System</b>	The value submitted in Z0100A (Medicare Part A HIPPS code) is blank. The HIPPS code value calculated by the iQIES system is noted on the validation report.	Action: <ul style="list-style-type: none"> <li>• If the assessment is used for Medicare Part A payment, use the system- calculated HIPPS code provided for billing.</li> <li>• If the assessment is not used for Medicare Part A payment, no action is required.</li> </ul>
-1057	Medicare RUG III Transition RUG Calculated: A Medicare Transition RUG III was calculated for this assessment.	Warning	<b>System</b>	Following the implementation of the iQIES MDS 3.0 system, a RUG-III value is provided on the Final Validation Report for records submitted.	Action: No action is necessary.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1058	Unable to Modify Data: The submitted value for the Facility ID or Submission Requirement (A0410) item in the corrected record does not match the values previously submitted for the matching record. The Facility ID and Submission Required items cannot be changed with a modification request.	Fatal	System	The value submitted in FAC ID and/or A0410 of this modification request record differ from the values previously submitted in the matching erroneous record. For a modification request, the values submitted in FAC ID and A0410 must be identical to the values submitted in FAC ID and A0410 in the matching erroneous record.	Action: <ul style="list-style-type: none"> <li>• If the value in FAC ID and/or A0410 in the previously submitted record is correct, correct the value in FAC ID and/or A0410 in the modification request record and resubmit.</li> <li>• If the value in FAC ID and/or A0410 in a previously submitted record is incorrect, a special manual record correction request must be completed and submitted to your MDS State Coordinator.</li> <li>• Refer to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual for more information.</li> </ul>
-1059	Medicare FY2012 RUG IV Transition RUG Calculated: A Medicare FY2012 Transition RUG IV was calculated for this assessment.	Warning	System	A Medicare FY2012 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 08/22/2011 and 09/30/2011, inclusively.	Action: No action is necessary.
-1060	Medicare FY2010 RUG IV Transition RUG Calculated: A Medicare FY2010 Transition RUG IV was calculated for this assessment.	Warning	System	A Medicare FY2010 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 10/01/2011 and 10/31/2011, inclusively.	Action: No action is necessary.

-1061	A change in the target date and/or RFA in combination with a change in the clinical item listed may indicate improper coding. Other clinical items may also have changed.	Warning	System	<ul style="list-style-type: none"> <li>The following values submitted in this modification record (A0050 is 2) differ from the corresponding values in the record being modified: <ul style="list-style-type: none"> <li>Target date and/or RFA value AND</li> <li>The listed (and possibly other) clinical items</li> </ul> </li> <li>NOTE: The iQIES system-recalculated Medicare RUG/PDPM items of this record match the recalculated Medicare RUG/PDPM items of the record being modified.</li> <li>NOTE: Item Z0150A was retired for assessments with a target date after 10/1/2019.</li> </ul>	<p>Tips:</p> <ul style="list-style-type: none"> <li>Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>A2000 (Discharge Date) when A0310F is 10, 11, or 12</li> <li>A1600 (Entry Date) when A0310F is 01</li> <li>A2300 (Assessment Reference Date) when A0310F is 99.</li> <li>A2300 for Optional State Assessment (A0300A is 1) records.</li> </ul> </li> <li>RFA Items – The Reason for Assessment values are contained in items A0310A (Federal OBRA Reason For Assessment), A01310B (PPS Assessment), A0310C (PPS Other Medicare Required Assessment), A0310D (Is this a Swing Bed clinical change assessment?), A0310F, and A0310H (Is this a SNF Part A PPS Discharge Assessment?).</li> <li>Clinical Items – The clinical items are those in Section B through Section V, excluding items in Section S.</li> <li>Recalculated Medicare RUG/PDPM Items – Z0100A (Medicare Part A HIPPS code) and Z0150A (Medicare nontherapy Part A HIPPS code).</li> </ul> <p>Action:</p> <p>Please verify that the changes submitted in this modification record are as intended.</p>
-------	---	---------	--------	--	---

-1062	A change in the target date and/or RFA in combination with a change in the clinical item listed and Medicare RUG/PDPM may indicate improper coding. Other clinical items may also have changed.	Warning	System	<ul style="list-style-type: none"> <li>• The following values submitted in this modification record (A0050 is 2) differ from the corresponding values in the record being modified:</li> <li>• Target date and/or RFA value AND</li> <li>• The listed (and possibly other) clinical items AND</li> <li>• NOTE: The iQIES system-recalculated Medicare RUG/PDPM items of this record do not match the recalculated Medicare RUG/PDPM items of the record being modified.</li> </ul>	<p>Tips:</p> <ul style="list-style-type: none"> <li>• Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>○ A2000 (Discharge Date) when A0310F is 10, 11, or 12.</li> <li>○ A1600 (Entry Date) when A0310F is 01</li> <li>○ A2300 (Assessment Reference Date) when A0310F is 99.</li> <li>○ A2300 for Optional State Assessment (A0300A is 1) records.</li> </ul> </li> <li>• RFA Items – The Reason for Assessment values are contained in items A0310A (Federal OBRA Reason For Assessment), A01310B (PPS Assessment), A0310C (PPS Other Medicare Required Assessment), A0310D (Is this a Swing Bed clinical change assessment?), A0310F, and A0310H (Is this a SNF Part A PPS Discharge Assessment?).</li> <li>• Clinical Items – The clinical items are those in Section B through Section V, excluding items in Section S.</li> <li>• Recalculated Medicare RUG/PDPM Items – Z0100A (Medicare Part A HIPPS code) and Z0150A (Medicare nontherapy Part A HIPPS code).</li> </ul> <p>Action:</p> <p>Please verify that the changes submitted in this modification record are as intended.</p>
-------	---	---------	--------	--	--

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1063	Invalid Submission: This record was submitted more than 24 months after the provider's closed date.	Fatal	System	The submission date of this record is more than 24 months after the date the provider closed.	<p>Action:</p> <ul style="list-style-type: none"> <li>• No action is necessary.</li> <li>• If you believe this error is invalid, contact your State MDS Coordinator.</li> </ul>
-1064	Invalid Submission: The target date (A1600, A2000, or A2300) of this record is after the provider's closed date.	Fatal	System	The target date value submitted in this record is after the provider's closed date.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>○ A2000 (Discharge Date) when A0310F is 10, 11, or 12</li> <li>○ A1600 (Entry Date) when A0310F is 01</li> <li>○ A2300 (Assessment Reference Date) when A0310F is 99.</li> <li>○ A2300 for Optional State Assessment (A0300A is 1) records.</li> </ul> </li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>• No action is necessary.</li> <li>• If you believe this error is invalid, contact your State MDS Coordinator.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1065	Invalid Submission: The target date (A1600, A2000, or A2300) of this record is more than 24 months prior to the submission date.	Fatal	System	The target date value submitted in this record is more than 24 months prior to the date the record was submitted.	<p>Tips:</p> <ul style="list-style-type: none"> <li>Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>A2000 (Discharge Date) when A0310F is 10, 11, or 12</li> <li>A1600 (Entry Date) when A0310F is 01.</li> <li>A2300 (Assessment Reference Date) when A0310F is 99.</li> <li>A2300 for Optional State Assessment (A0300A is 1) records.</li> </ul> </li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>Verify the target date for this record. If submitted incorrectly, make appropriate corrections to the record and resubmit.</li> <li>Otherwise, no action is necessary. You cannot submit this record.</li> </ul>
-1067	Medicare FY2013 RUG IV Transition RUG Calculated: A Medicare FY2013 Transition RUG IV was calculated for this assessment.	Warning	System	A Medicare FY2013 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 10/1/2013 and 10/13/2013, inclusively.	<p>Action:</p> <p>No action is necessary.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-1068	Invalid Target Date: The calculated target date is greater than the submission date.	Fatal	System	The calculated target date of this record is later than the date the record was submitted.	<p>Tips:</p> <ul style="list-style-type: none"> <li>Target Date – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> <li>A2000 (Discharge Date) when A0310F is 10, 11, or 12.</li> <li>A1600 (Entry Date) when A0310F is 01</li> <li>A2300 (Assessment Reference Date) when A0310F is 99.</li> <li>A2300 for Optional State Assessment (A0300A is 1) records.</li> </ul> </li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3502a	Inconsistent None of the Above Value: If C0900Z equals 0, then at least one item from C0900A through C0900D must equal 1.	Fatal	None of above	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A through C0900D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF C0900Z is unchecked (0), THEN one or more active items C0900A through C0900D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3502b	Inconsistent None of the Above Value: If C0900Z equals 1, then all items from C0900A through C0900D must equal 0.	Fatal	None of above	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A through C0900D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF C0900Z is checked (1), THEN all items C0900A through C0900D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3502c	Inconsistent None of the Above Value: If C0900Z equals dash (-), then at least one item from C0900A through C0900D must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A through C0900D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF C0900Z is a dash (-), THEN one or more active items C0900A through C0900D must be a dash (-) and the remaining items C0900A through C0900D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3503a	Inconsistent None of the Above Value: If E0100Z equals 0, then at least one item from E0100A through E0100B must equal 1.	Fatal	None of above	The value submitted in item E0100Z (Psychosis: None of the above) is not consistent with one or more values submitted in related items E0100A - E0100B.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF E0100Z is unchecked (0), THEN one or more items E0100A through E0100B must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3503b	Inconsistent None of the Above Value: If E0100Z equals 1, then all items from E0100A through E0100B must equal 0.	Fatal	None of above	The value submitted in item E0100Z (Psychosis: None of the above) is not consistent with one or more values submitted in related items E0100A - E0100B.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF E0100Z is checked (1), THEN items E0100A through E0100B must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3503c	Inconsistent None of the Above Value: If E0100Z equals dash (-), then at least one item from E0100A through E0100B must equal dash (-) and all remaining items must equal 0 or dash (-)	Fatal	None of above	The value submitted in item E0100Z (Psychosis: None of the above) is not consistent with one or more values submitted in related items E0100A - E0100B.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF E0100Z is a dash (-), THEN one or more items E0100A through E0100B must be a dash (-) and the remaining items E0100A through E0100B must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3504a	Inconsistent None of the Above Value: If F0800Z equals 0, then at least one item from F0800A through F0800T must equal 1.	Fatal	None of above	The value submitted in item F0800Z (Staff Assessment of Daily and Activity Preferences: None of the above) is not consistent with one or more values submitted in related items F0800A - F0800T.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF F0800Z is unchecked (0), THEN one or more items F0800A through F0800T must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3504b	Inconsistent None of the Above Value: If F0800Z equals 1, then all items from F0800A through F0800T must equal 0.	Fatal	None of above	The value submitted in item F0800Z (Staff Assessment of Daily and Activity Preferences: None of the above) is not consistent with one or more values submitted in related items F0800A - F0800T.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF F0800Z is checked (1), THEN items F0800A through F0800T must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3504c	Inconsistent None of the Above Value: If F0800Z equals dash (-), then at least one item from F0800A through F0800T must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item F0800Z (Staff Assessment of Daily and Activity Preferences: None of the above) is not consistent with one or more values submitted in related items F0800A - F0800T.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF F0800Z is a dash (-), THEN one or more items F0800A through F0800T must be a dash (-) and the remaining items F0800A through F0800T must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3505a	Inconsistent None of the Above Value: If G0600Z equals 0, then at least one item from G0600A through G0600D must equal 1.	Fatal	None of above	The value submitted in item G0600Z (Mobility Devices: None of the above were used) is not consistent with one or more values submitted in related items G0600A - G0600D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF G0600Z is unchecked (0), THEN one or more items G0600A through G0600D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3505b	Inconsistent None of the Above Value: If G0600Z equals 1, then all items from G0600A through G0600D must equal 0.	Fatal	None of above	The value submitted in item G0600Z (Mobility Devices: None of the above were used) is not consistent with one or more values submitted in related items G0600A - G0600D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF G0600Z is checked (1), THEN items G0600A through G0600D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3505c	Inconsistent None of the Above Value: If G0600Z equals dash (-), then at least one item from G0600A through G0600D must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item G0600Z (Mobility Devices: None of the above were used) is not consistent with one or more values submitted in related items G0600A - G0600D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF G0600Z is a dash (-), THEN one or more items G0600A through G0600D must be a dash (-) and the remaining items G0600A through G0600D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3506a	Inconsistent None of the Above Value: If H0100Z equals 0, then at least one active item from H0100A through H0100D must equal 1.	Fatal	None of above	The value submitted in item H0100Z (Appliances: None of the above) is not consistent with one or more values submitted in related items H0100A - H0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF H0100Z is unchecked (0), THEN one or more active items H0100A through H0100D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3506b	Inconsistent None of the Above Value: If H0100Z equals 1, then all active items from H0100A through H0100D must equal 0.	Fatal	None of above	The value submitted in item H0100Z (Appliances: None of the above) is not consistent with one or more values submitted in related items H0100A - H0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF H0100Z is checked (1), THEN all active items H0100A through H0100D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3506c	Inconsistent None of the Above Value: If H0100Z equals dash (-), then at least one active item from H0100A through H0100D must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item H0100Z (Appliances: None of the above) is not consistent with one or more values submitted in related items H0100A - H0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF H0100Z is a dash (-), THEN one or more active items H0100A through H0100D must be a dash (-) and the remaining active items H0100A through H0100D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3507a	Inconsistent None of the Above Value: If I7900 equals 0, then at least one active item from I0100 through I6500 must equal 1.	Fatal	None of above	The value submitted in item I7900 (Active Diagnoses in the last 7 days: None of the above active diagnoses) is not consistent with one or more values submitted in related items I0100 - I6500.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF I7900 is unchecked (0), THEN one or more active items I0100 through I6500 must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3507b	Inconsistent None of the Above Value: If I7900 equals 1, then all active items from I0100 through I6500 must equal 0.	Fatal	None of above	The value submitted in item I7900 (Active Diagnoses in the last 7 days: None of the above active diagnoses) is not consistent with one or more values submitted in related items I0100 - I6500.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF I7900 is checked (1), THEN all active items I0100 through I6500 must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3507c	Inconsistent None of the Above Value: If I7900 equals dash (-), then at least one active item from I0100 through I6500 must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item I7900 (Active Diagnoses in the last 7 days: None of the above active diagnoses) is not consistent with one or more values submitted in related items I0100 - I6500.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF I7900 is a dash (-), THEN one or more active items I0100 through I6500 must be a dash (-) and the remaining active items I0100 through I6500 must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3508a	Inconsistent None of the Above Value: If J0800Z equals 0, then at least one item from J0800A through J0800D must equal 1.	Fatal	None of above	The value submitted in item J0800Z (Indicators of Pain or Possible Pain: None of these signs observed or documented) is not consistent with one or more values submitted in related items J0800A - J0800D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF J0800Z is unchecked (0), THEN one or more items J0800A through J0800D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3508b	Inconsistent None of the Above Value: If J0800Z equals 1, then all items from J0800A through J0800D must equal 0.	Fatal	None of above	The value submitted in item J0800Z (Indicators of Pain or Possible Pain: None of these signs observed or documented) is not consistent with one or more values submitted in related items J0800A - J0800D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J0800Z is checked (1), THEN items J0800A through J0800D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3508c	Inconsistent None of the Above Value: If J0800Z equals dash (-), then at least one item from J0800A through J0800D must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item J0800Z (Indicators of Pain or Possible Pain: None of these signs observed or documented) is not consistent with one or more values submitted in related items J0800A - J0800D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J0800Z is a dash (-), THEN one or more items J0800A through J0800D must be a dash (-) and the remaining items J0800A through J0800D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3509a	Inconsistent None of the Above Value: If J1100Z equals 0, then at least one active item from J1100A through J1100C must equal 1.	Fatal	None of above	The value submitted in item J1100Z (Shortness of Breath [dyspnea]: None of the above) is not consistent with one or more values submitted in related items J1100A - J1100C.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1100Z is unchecked (0), THEN one or more active items J1100A through J1100C must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3509b	Inconsistent None of the Above Value: If J1100Z equals 1, then all active items from J1100A through J1100C must equal 0.	Fatal	None of above	The value submitted in item J1100Z (Shortness of Breath [dyspnea]: None of the above) is not consistent with one or more values submitted in related items J1100A - J1100C.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1100Z is checked (1), THEN all active items J1100A through J1100C must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3509c	Inconsistent None of the Above Value: If J1100Z equals dash (-), then at least one active item from J1100A through J1100C must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item J1100Z (Shortness of Breath [dyspnea]: None of the above) is not consistent with one or more values submitted in related items J1100A - J1100C.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1100Z is a dash (-), THEN one or more active items J1100A through J1100C must be a dash (-) and the remaining active items J1100A through J1100C must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3510a	Inconsistent None of the Above Value: If J1550Z equals 0, then at least one active item from J1550A through J1550D must equal 1.	Fatal	None of above	The value submitted in item J1500Z (Problem Conditions: None of the above) is not consistent with one or more values submitted in related items J1500A - J1500D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1550Z is unchecked (0), THEN one or more active items J1550A through J1550D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3510b	Inconsistent None of the Above Value: If J1550Z equals 1, then all active items from J1550A through J1550D must equal 0.	Fatal	None of above	The value submitted in item J1500Z (Problem Conditions: None of the above) is not consistent with one or more values submitted in related items J1500A - J1500D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1550Z is checked (1), THEN all active items J1550A through J1550D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3510c	Inconsistent None of the Above Value: If J1550Z equals dash (-), then at least one active item from J1550A through J1550D must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item J1500Z (Problem Conditions: None of the above) is not consistent with one or more values submitted in related items J1500A - J1500D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF J1550Z is a dash (-), THEN one or more active items J1550A through J1550D must be a dash (-) and the remaining active items J1550A through J1550D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3511a	Inconsistent None of the Above Value: If K0100Z equals 0, then at least one item from K0100A through K0100D must equal 1.	Fatal	None of above	The value submitted in item K0100Z (Swallowing Disorder: None of the above) is not consistent with one or more values submitted in related items K0100A - K0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF K0100Z is unchecked (0), THEN one or more items K0100A through K0100D must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3511b	Inconsistent None of the Above Value: If K0100Z equals 1, then all items from K0100A through K0100D must equal 0.	Fatal	None of above	The value submitted in item K0100Z (Swallowing Disorder: None of the above) is not consistent with one or more values submitted in related items K0100A - K0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF K0100Z is checked (1), THEN items K0100A through K0100D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3511c	Inconsistent None of the Above Value: If K0100Z equals dash (-), then at least one item from K0100A through K0100D must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item K0100Z (Swallowing Disorder: None of the above) is not consistent with one or more values submitted in related items K0100A - K0100D.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF K0100Z is a dash (-), THEN one or more items K0100A through K0100D must be a dash (-) and the remaining items K0100A through K0100D must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3513a	Inconsistent None of the Above Value: If L0200Z is active and equals 0, then at least one active item from L0200A through L0200G must equal 1.	Fatal	None of above	The value submitted in active item L0200Z (Dental: None of the above were present) is not consistent with one or more values submitted in related items L0200A through L0200G.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF L0200Z is unchecked (0), THEN one or more active items L0200A through L0200G must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3513b	Inconsistent None of the Above Value: If L0200Z is active and equals 1, then all active items from L0200A through L0200G must equal 0.	Fatal	None of above	The value submitted in active item L0200Z (Dental: None of the above were present) is not consistent with one or more values submitted in related items L0200A through L0200G.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF L0200Z is checked (1), THEN all active items L0200A through L0200G must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3513c	Inconsistent None of the Above Value: If L0200Z is active and equals dash (-), then at least one active item from L0200A through L0200G must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in active item L0200Z (Dental: None of the above were present) is not consistent with one or more values submitted in related items L0200A through L0200G.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF L0200Z is a dash (-), THEN one or more active items L0200A through L0200G must be a dash (-) and the remaining active items L0200A through L0200G must be unchecked (0) or a dash (-).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3515a	Inconsistent None of the Above Value: If M1200Z equals 0, then at least one item from M1200A through M1200I must equal 1.	Fatal	None of above	The value submitted in item M1200Z (Skin and Ulcer Treatments: None of the above were provided) is not consistent with one or more values submitted in related items M1200A - M1200I.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M1200Z is unchecked (0), THEN one or more items M1200A through M1200I must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3515b	Inconsistent None of the Above Value: If M1200Z equals 1, then all items from M1200A through M1200I must equal 0.	Fatal	None of above	The value submitted in item M1200Z (Skin and Ulcer Treatments: None of the above were provided) is not consistent with one or more values submitted in related items M1200A - M1200I.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M1200Z is checked (1), THEN items M1200A through M1200I must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3515c	Inconsistent None of the Above Value: If M1200Z equals dash (-), then at least one item from M1200A through M1200I must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item M1200Z (Skin and Ulcer Treatments: None of the above were provided) is not consistent with one or more values submitted in related items M1200A - M1200I.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF M1200Z is a dash (-), THEN one or more items M1200A through M1200I must be a dash (-) and the remaining items M1200A through M1200I must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3517a	Invalid Skip Pattern: If A2400A equals 0, then all active items from A2400B through A2400C must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A2400A (Has the resident had a Medicare-covered stay since the most recent entry?).	<p>Tips:</p> <p>IF A2400A is 0, THEN items A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3517b	Invalid Skip Pattern: If A2400A equals 1, then all active items from A2400B through A2400C must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A2400A (Has the resident had a Medicare-covered stay since the most recent entry?).	<p>Tips:</p> <p>IF A2400A is 1, THEN items A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3518a	Invalid Skip Pattern: If A0310A equals 05 or 06, then A2200 must not equal blank (^).	Fatal	Skip	The value submitted in item A2200 (Previous Assessment Reference Date for Significant Correction) is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment/Tracking).	<p>Tips:</p> <p>IF A0310A is 05 or 06, THEN A2200 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3518b	Invalid Skip Pattern: If A0310A equals 01, 02, 03, 04, or 99, then A2200 must equal blank (^).	Fatal	Skip	The value submitted in item A2200 (Previous Assessment Reference Date for Significant Correction) is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment/Tracking).	<p>Tips:</p> <p>IF A0310A is 01, 02, 03, 04, or 99, THEN A2200 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3523a	Invalid Skip Pattern: If B0100 equals 0, then all active items from E0100A through E0300 must not equal blank (^).	Fatal	Skip	This item must not be blank when the value submitted in item B0100 (Comatose) is zero.	<p>Tips:</p> <p>IF B0100 is 0, THEN active items E0100A through E0300 must not be blank (^).</p> <p>Action:</p> <ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-3523b	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E0100A through E0300 must equal dash (-).	Fatal	Skip	This item must be dash (-) when the value submitted in item B0100 (Comatose) is a dash (-).	<p>Tips:</p> <p>IF B0100 is dash (-), THEN all active items E0100A through E0300 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3524a	Invalid Skip Pattern: If B0100 equals 0, then all active items from E0800 through E0900 must not equal blank (^).	Fatal	Skip	This item must not be blank when the value submitted in item B0100 (Comatose) is zero.	<p>Tips:</p> <p>IF B0100 is 0, THEN active items E0800 through E0900 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3524b	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E0800 through E0900 must equal dash (-).	Fatal	Skip	This item must be dash (-) when the value submitted in item B0100 (Comatose) is a dash (-).	<p>Tips:</p> <p>IF B0100 is dash (-), THEN all active items E0800 through E0900 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3525a	Invalid Skip Pattern: If B0100 equals 0, then all active items from E1100 through F0300 must not equal blank (^).	Fatal	Skip	This item must not be blank when the value submitted in item B0100 (Comatose) is zero.	<p>Tips:</p> <p>IF B0100 is 0, THEN active items E1100 through F0300 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3525b	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E1100 through F0300 must equal dash (-).	Fatal	Skip	This item must be dash (-) when the value submitted in item B0100 (Comatose) is a dash (-).	<p>Tips:</p> <p>IF B0100 is dash (-), THEN all active items E1100 through F0300 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3527a	Invalid Skip Pattern: If C0100 equals 0 or blank (^), then all active items from C0200 through C0600 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0100 is 0 or blank (^), THEN active items C0200 through C0600 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3527b	Invalid Skip Pattern: If C0100 equals 1, then all active items from C0200 through C0600 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0100 is 1, THEN all active items C0200 through C0600 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3527c	Invalid Skip Pattern: If C0100 equals dash (-), then all active items from C0200 through C0500 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0100 is a dash (-), THEN all active items C0200 through C0500 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3527d	Invalid Skip Pattern: If C0100 equals dash (-), then C0600 must equal 1 or dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0100 is a dash (-), THEN C0600, if active, must be 1 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3528a	Invalid Skip Pattern: If C0600 equals 0, then all active items from C0700 through C1000 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0600 is 0, THEN active items C0700 through C1000 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3528b	Invalid Skip Pattern: If C0600 equals 1, then all active items from C0700 through C1000 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0600 is 1, THEN all active items C0700 through C1000 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3528c	Invalid Skip Pattern: If C0600 equals dash (-), then all active items from C0700 through C1000 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0600 is a dash (-), THEN all active items C0700 through C1000 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3528d	Invalid Skip Pattern: If C0600 equals blank (^) and C0100 equals 0, then all active items from C0700 through C1000 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).	<p>Tips:</p> <p>IF C0600 is blank (^) and C0100 is 0, THEN all active items C0700 through C1000 must not equal blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3529	Invalid Skip Pattern: If D0100 equals 1, then D0200A1 must not equal blank (^).	Fatal	Skip	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>IF D0100 is 1, THEN the following items, if active, must not be blank (^):</p> <ul style="list-style-type: none"> <li>○ D0200A1 (Little interest in doing things: Presence)</li> <li>○ D0200B1 (Feeling down, depressed, hopeless: Presence)</li> <li>○ D0200C1 (Trouble sleeping: Presence)</li> <li>○ D0200D1 (Feeling tired or having little energy: Presence)</li> <li>○ D0200E1 (Poor appetite or overeating: Presence)</li> <li>○ D0200F1 (Feeling bad about self: Presence)</li> <li>○ D0200G1 (Trouble concentrating: Presence)</li> <li>○ D0200H1 (Moving or speaking slowly or being restless: Presence)</li> <li>○ D0200I1 (Thoughts about being better off dead or harming self: Presence)</li> <li>○ D0300 (Total Severity Score)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3531a	Invalid Skip Pattern: If E0300 equals 0 or blank (^), then all active items from E0500A through E0600C must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item E0300 (Overall Presence of Behavioral Symptoms).	<p>Tips:</p> <p>IF E0300 is 0 or blank (^), THEN active items E0500A through E0600C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3531b	Invalid Skip Pattern: If E0300 equals 1, then all active items from E0500A through E0600C must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item E0300 (Overall Presence of Behavioral Symptoms).	<p>Tips:</p> <p>IF E0300 is 1, THEN active items E0500A through E0600C must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3531c	Invalid Skip Pattern: If E0300 equals dash (-), then all active items from E0500A through E0600C must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item E0300 (Overall Presence of Behavioral Symptoms).	<p>Tips:</p> <p>IF E0300 is a dash (-), THEN active items E0500A through E0600C must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3532a	Invalid Skip Pattern: If E0900 equals 0 or blank (^), then all active items from E1000A through E1000B must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item E0900 (Has the resident wandered?).	<p>Tips:</p> <p>IF E0900 is 0 or blank (^), THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3532b	Invalid Skip Pattern: If E0900 equals 1, 2, or 3, then all active items from E1000A through E1000B must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item E0900 (Has the resident wandered?).	<p>Tips:</p> <p>IF E0900 is 1, 2, or 3, THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3532c	Invalid Skip Pattern: If E0900 equals dash (-), then all active items from E1000A through E1000B must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item E0900 (Has the resident wandered?).	<p>Tips:</p> <p>IF E0900 is a dash (-), THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3533a	Invalid Skip Pattern: If F0300 equals 0, then all active items from F0400A through F0700 must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0300 is 0, THEN all active items F0400A through F0700 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3533b	Invalid Skip Pattern: If F0300 equals 1, then all active items from F0400A through F0700 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0300 is 1, THEN active items F0400A through F0700 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3533c	Invalid Skip Pattern: If F0300 equals dash (-), then all active items from F0400A through F0600 must equal dash (-) and F0700 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0300 is a dash (-), THEN all active items F0400A through F0600 must be a dash (-) and F0700 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3534a	Invalid Skip Pattern: If F0700 equals 0, then all active items from F0800A through F0800Z must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0700 is 0, THEN all active items F0800A through F0800Z must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3534b	Invalid Skip Pattern: If F0700 equals 1, then all active items from F0800A through F0800Z must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0700 is 1, THEN all active items F0800A through F0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3534c	Invalid Skip Pattern: If F0700 equals dash (-), then all active items from F0800A through F0800Z must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0700 is a dash (-), THEN all active items F0800A through F0800Z must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3535a	Invalid Skip Pattern: If A0310A equals 02, 03, 04, 05, 06, or 99, then all active items from G0900A through G0900B must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF A0310A is 02, 03, 04, 05, 06, or 99, THEN items G0900A (Resident believes s/he capable of increased independence) and G0900B (Staff believes resident capable of increased independence), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3535b	Invalid Skip Pattern: If A0310A equals 01, then all active items from G0900A through G0900B must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF A0310A is 01, THEN items G0900A (Resident believes s/he capable of increased independence) and G0900B (Staff believes resident capable of increased independence), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3536a	Invalid Skip Pattern: If H0200A equals 0 or 9, then H0200B must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item H0200B (Response) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is 0 or 9, THEN H0200B must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3536b	Invalid Skip Pattern: If H0200A equals 1, then H0200B must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item H0200B (Response) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is 1, THEN H0200B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3536c	Invalid Skip Pattern: If H0200A equals dash (-), then H0200B must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item H0200B (Response) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is a dash (-), THEN H0200B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3537a	Invalid Skip Pattern: If H0200A equals 0, then H0200C must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item H0200C (Current toileting program or trial) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is 0, THEN H0200C, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3537b	Invalid Skip Pattern: If H0200A equals 1 or 9, then H0200C must not equal blank (^).	Fatal	Skip	The value submitted in item H0200C (Current toileting program or trial) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is 1 or 9, THEN H0200C, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3537c	Invalid Skip Pattern: If H0200A equals dash (-), then H0200C must equal dash (-).	Fatal	Skip	The value submitted in item H0200C (Current toileting program or trial) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).	<p>Tips:</p> <p>IF H0200A is a dash (-), THEN H0200C, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3542	Invalid Skip Pattern: If M0210 equals 1, then M0300A and M0300B1 must not equal blank (^).	Fatal	Skip	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN items M0300A (Number of Stage 1 pressure ulcers) and M0300B1 (Number of stage 2 pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3543	Invalid Skip Pattern: If M0210 equals 1, then M0300C1 must not equal blank (^).	Fatal	Skip	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN M0300C1 (Number of Stage 3 pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3544	Invalid Skip Pattern: If M0210 equals 1, then M0300D1 must not equal blank (^).	Fatal	Skip	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN M0300D1 (Number of Stage 4 pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3545	Invalid Skip Pattern: If M0210 equals 1, then M0300E1 must not equal blank (^).	Fatal	Skip	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN M0300E1 (Number of unstageable nonremovable dressing pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3546	Invalid Skip Pattern: If M0210 equals 1, then M0300F1 must not equal blank (^).	Fatal	Skip	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN M0300F1 (Number of unstageable slough/eschar pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3547	Invalid Skip Pattern: If M0210 equals 1, then M0300G1 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.	<p>Tips:</p> <p>IF M0210 is 1, THEN M0300G1 (Number of unstageable deep tissue pressure ulcers), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3549a	Invalid Skip Pattern: If M0300C1 equals 1-9, then M0300C2 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).	<p>Tips:</p> <p>IF M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2 (Number present at admission), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3549b	Invalid Skip Pattern: If M0300C1 equals 0 or blank (^), then M0300C2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).	<p>Tips:</p> <p>IF M0300C1 is 0 or blank (^), THEN M0300C2 (Number present at admission), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3549c	Invalid Skip Pattern: If M0300C1 equals dash (-), then M0300C2 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).	<p>Tips:</p> <p>IF M0300C1 is a dash (-), THEN M0300C2 (Number present at admission) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3550a	Invalid Skip Pattern: If M0300D1 equals 1-9, then M0300D2 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).	<p>Tips:</p> <p>IF M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2 (Number present at admission), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3550b	Invalid Skip Pattern: If M0300D1 equals 0 or blank (^), then M0300D2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).	<p>Tips:</p> <p>IF M0300D1 is 0 or blank (^), THEN M0300D2 (Number present at admission), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3550c	Invalid Skip Pattern: If M0300D1 equals dash (-), then M0300D2 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).	<p>Tips:</p> <p>IF M0300D1 is a dash (-), THEN M0300D2 (Number present at admission) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3551a	Invalid Skip Pattern: If M0300E1 equals 1-9, then M0300E2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 (Number present at admission), if active, must not be blank (^).</li> <li>• This is a skip pattern. If M0300E1 is 0, then skip to M0300F (Unstageable – Slough and/or eschar) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3551b	Invalid Skip Pattern: If M0300E1 equals 0 or blank (^), then M0300E2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	<p>Tips:</p> <p>IF M0300E1 is 0 or blank (^), THEN M0300E2 (Number present at admission), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3551c	Invalid Skip Pattern: If M0300E1 equals dash (-), then M0300E2 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300E1 (Number of unstageable pressure ulcers due to nonremovable dressing/device).	<p>Tips:</p> <p>IF M0300E1 is a dash (-), THEN M0300E2 (Number present at admission) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3552a	Invalid Skip Pattern: If M0300F1 equals 1-9, then M0300F2 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	<p>Tips:</p> <p>IF M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2 (Number present at admission), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3552b	Invalid Skip Pattern: If M0300F1 equals 0 or blank (^), then M0300F2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	<p>Tips:</p> <p>IF M0300F1 is 0 or blank (^), THEN M0300F2 (Number present at admission), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3552c	Invalid Skip Pattern: If M0300F1 equals dash (-), then M0300F2 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).	<p>Tips:</p> <p>IF M0300F1 is a dash (-), THEN M0300F2 (Number present at admission) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3553a	Invalid Skip Pattern: If M0300G1 equals 1-9, then M0300G2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	<p>Tips:</p> <p>IF M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 (Number present at admission), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3553b	Invalid Skip Pattern: If M0300G1 equals 0 or blank (^), then M0300G2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	<p>Tips:</p> <p>IF M0300G1 is 0 or blank (^), THEN M0300G2 (Number present at admission), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3553c	Invalid Skip Pattern: If M0300G1 equals dash (-), then M0300G2 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).	<p>Tips:</p> <p>IF M0300G1 is a dash (-), THEN M0300G2 (Number present at admission) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3555a	Invalid Skip Pattern: If O0250A equals 1, then O0250B must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item O0250B (Date vaccine received) is not consistent with the value submitted in item O0250A (Did resident receive the influenza vaccine?).	<p>Tips:</p> <p>IF O0250A is 1, THEN O0250B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3555b	Invalid Skip Pattern: If O0250A equals 0, then O0250B must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item O0250B (Date vaccine received) is not consistent with the value submitted in item O0250A (Did resident receive the influenza vaccine?).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF O0250A is 0, THEN O0250B must be blank (^).</li> <li>• This is a skip pattern. If O0250A is 0, then skip to O0250C (If Influenza vaccine not received, state reason) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3555c	Invalid Skip Pattern: If O0250A equals dash (-), then O0250B must equal dash (-).	Fatal	Skip	The value submitted in item O0250B (Date vaccine received) is not consistent with the value submitted in item O0250A (Did resident receive the influenza vaccine?).	<p>Tips:</p> <p>IF O0250A is a dash (-), THEN O0250B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3556a	Invalid Skip Pattern: If O0300A equals 0, then O0300B must not equal blank (^).	Fatal	Skip	The value submitted in item O0300B (Reason pneumococcal vaccine not received) is not consistent with the value submitted in item O0300A (Is resident's pneumococcal vaccination up to date?).	<p>Tips:</p> <p>IF O0300A is 0, THEN O0300B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3556b	Invalid Skip Pattern: If O0300A equals 1, then O0300B must equal blank (^).	Fatal	Skip	The value submitted in item O0300B (Reason pneumococcal vaccine not received) is not consistent with the value submitted in item O0300A (Is resident's pneumococcal vaccination up to date?).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF O0300A is 1, THEN O0300B must be blank (^).</li> <li>• This is a skip pattern. If O0300A is 1, then skip to O0400 (Therapies) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3556c	Invalid Skip Pattern: If O0300A equals dash (-), then O0300B must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item O0300B (Reason pneumococcal vaccine not received) is not consistent with the value submitted in item O0300A (Is resident's pneumococcal vaccination up to date?).	<p>Tips:</p> <p>IF O0300A is a dash (-), THEN O0300B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3557a	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 equals 0 and at least one of these items does not equal dash (-), then O0400A3A and O0400A4 must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400A1, O0400A2, and O0400A3 is 0 and one or more of these items is not a dash (-), THEN O0400A3A (Co- treatment minutes) and O0400A4 (Days) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3557b	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, THEN O0400A3A, O0400A4, O0400A5 (Therapy start date), and O0400A6 (Therapy end date) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3557c	Inconsistent O0400A Items: If O0400A1, O0400A2, and O0400A3 all equal dash (-), then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).	<p>Tips:</p> <p>IF O0400A1, O0400A2, and O0400A3 are a dash (-), THEN O0400A3A, O0400A4, O0400A5, and O0400A6 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3558a	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 equals 0 and at least one of these items does not equal dash (-), then O0400B3A and O0400B4 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400B1, O0400B2, and O0400B3 is 0 and one or more of these items is not a dash (-), THEN O0400B3A (Co- treatment minutes) and O0400B4 (Days) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3558b	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, THEN O0400B3A, O0400B4, O0400B5 (Therapy start date), and O0400B6 (Therapy end date) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3558c	Inconsistent O0400B Items: If O0400B1, O0400B2, and O0400B3 all equal dash (-), then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).	<p>Tips:</p> <p>IF items O0400B1, O0400B2, and O0400B3 are a dash (-), THEN O0400B3A, O0400B4, O0400B5, and O0400B6 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3559a	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 equals 0 and at least one of these items does not equal dash (-), then O0400C3A and O0400C4 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400C1, O0400C2, and O0400C3 is 0 and one or more of these items is not a dash (-), THEN O0400C3A (Co- treatment minutes) and O0400C4 (Days) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3559b	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, THEN O0400C3A, O0400C4, O0400C5 (Therapy start date), and O0400C6 (Therapy end date) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3559c	Inconsistent O0400C Items: If O0400C1, O0400C2, and O0400C3 all equal dash (-), then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).	<p>Tips:</p> <p>IF items O0400C1, O0400C2, and O0400C3 are a dash (-), THEN O0400C3A, O0400C4, O0400C5, and O0400C6 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3560a	Invalid Skip Pattern: If O0400D1 is greater than 0, then O0400D2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400D1 (Total minutes).	<p>Tips:</p> <p>IF O0400D1 is greater than 0000, THEN O0400D2 (Days) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3560b	Invalid Skip Pattern: If O0400D1 equals 0, then O0400D2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400D1 (Total minutes).	<p>Tips:</p> <p>IF O0400D1 is 0000, THEN O0400D2 (Days) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3560c	Invalid Skip Pattern: If O0400D1 equals dash (-), then O0400D2 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400D1 (Total minutes).	<p>Tips:</p> <p>IF O0400D1 is a dash (-), THEN O0400D2 (Days) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3561a	Invalid Skip Pattern: If O0400E1 is greater than 0, then O0400E2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400E1 (Total minutes).	<p>Tips:</p> <p>IF O0400E1 is greater than 0000, THEN O0400E2 (Days) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3561b	Invalid Skip Pattern: If O0400E1 equals 0, then O0400E2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400E1 (Total minutes).	<p>Tips:</p> <p>IF O0400E1 is 0000, THEN O0400E2 (Days) must be blank (^).</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-3561c	Invalid Skip Pattern: If O0400E1 equals dash (-), then O0400E2 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400E1 (Total minutes).	<p>Tips:</p> <p>IF O0400E1 is a dash (-), THEN O0400E2 (Days) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3562a	Invalid Skip Pattern: If O0400F1 is greater than 0, then O0400F2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item O0400F1 (Total minutes).	<p>Tips:</p> <p>IF O0400F1 is greater than 0000, THEN O0400F2 (Days) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3562b	Invalid Skip Pattern: If O0400F1 equals 0, then O0400F2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item O0400F1 (Total minutes).	<p>Tips:</p> <p>IF O0400F1 is 0000, THEN O0400F2 (Days) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3562c	Invalid Skip Pattern: If O0400F1 equals dash (-), then O0400F2 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item O0400F1 (Total minutes).	<p>Tips:</p> <p>IF O0400F1 is a dash (-), THEN O0400F2 (Days) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3563a	Invalid Skip Pattern: If A0310E equals 0, then all active items from Q0300A through Q0300B must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since most recent admission?).	<p>Tips:</p> <p>IF A0310E is 0, THEN items Q0300A (Resident's overall goal) and Q0300B (Information source), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3563b	Invalid Skip Pattern: If A0310E equals 1, then all active items from Q0300A through Q0300B must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since most recent admission?).	<p>Tips:</p> <p>IF A0310E is 1, THEN items Q0300A (Resident's overall goal) and Q0300B (Information source), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3565	Incorrect Format: If the value does not equal blank (^), it must be 9 characters long.	Fatal	<b>Format</b>	The submitted SSN must be 9 characters in length.	<p>Tips:</p> <p>IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN it must contain 9 characters.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3566	Incorrect Format: If the value does not equal blank (^), the first three characters must not equal 000.	Fatal	<b>Format</b>	The submitted SSN is an invalid format.	<p>Tips:</p> <p>IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN the first three characters must not be 000.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3567	Incorrect Format: Social Security Number must not equal any of the following: 111111111, 333333333, 123456789, or 999999999.	Fatal	Format	The submitted SSN is an invalid format.	<p>Tips:</p> <p>IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3568	Incorrect Format: If A0100A does not equal blank (^), then it must contain 10 numeric characters.	Fatal	Format	The submitted National Provider Identifier (NPI) is invalid.	<p>Tips:</p> <p>IF A0100A (NPI) is not blank (^), THEN it must be 10 characters in length.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3572a	Invalid Skip Pattern: If A1100A equals 0 or 9, then A1100B must equal blank (^).	Fatal	Skip	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the resident need/want an interpreter?).	<p>Tips:</p> <p>IF A1100A is 0 or 9, THEN A1100B must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3572b	Invalid Skip Pattern: If A1100A equals 1, then A1100B must not equal blank (^).	Fatal	Skip	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the resident need/want an interpreter?).	<p>Tips:</p> <p>IF A1100A is 1, THEN A1100B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3572c	Invalid Skip Pattern: If A1100A equals dash (-), then A1100B must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the resident need/want an interpreter?).	<p>Tips:</p> <p>IF A1100A is a dash (-), THEN A1100B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3586a	Invalid Skip Pattern: If C0500 equals dash (-) or 99, then C0600 must equal 1 or dash (-).	Fatal	<b>Skip</b>	The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF C0500 is a dash (-) or 99, THEN C0600 must be 1 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3586b	Invalid Skip Pattern: If C0500 equals 00-15, then C0600 must equal 0.	Fatal	<b>Skip</b>	The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF C0500 is 00-15 (inclusive), THEN C0600 must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3587a	Inconsistent D0300 Value: If D0200A2 through D0200I2 in Column 2 all equal 0, 1, 2, or 3, then D0300 must equal the sum of those values.	Fatal	Consistency	The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF each item D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of items D0200A2 through D0200I2.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3587c	Inconsistent D0300 Value: If one of the nine items D0200A2 through D0200I2 in Column 2 equals dash (-) or blank (^) and the other eight items equal 0, 1, 2, or 3, then D0300 must equal the sum of the other eight items multiplied by 9/8 (1.125) rounded to the nearest whole number.	Fatal	Consistency	The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF one of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is a dash (-) or blank (^) AND the values of the other eight items is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of the other eight items multiplied by 1.125 rounded to the nearest whole number.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3587d	Inconsistent D0300 Value: If two of the nine items D0200A2 through D0200I2 in Column 2 equal dash (-) or blank (^) and the other seven items equal 0, 1, 2, or 3, then D0300 must equal the sum of the other seven items multiplied by 9/7 (1.286) rounded to the nearest whole number.	Fatal	Consistency	The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF two of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is a dash (-) or blank (^) AND the values of the other seven items is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of the other seven items multiplied by 1.286 rounded to the nearest whole number.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3587e	Inconsistent D0300 Value: If three or more of the items D0200A2 through D0200I2 in Column 2 equal dash (-) or blank (^) but at least one of these items is not equal to (-), then D0300 must equal 99.	Fatal	Consistency	The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF 3 or more of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) are a dash (-) or blank (^) but at least one of these items is not a dash (-), THEN D0300 must be 99.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3587f	Inconsistent D0300 Value: If D0200A2 through D0200I2 in Column 2 all equal dash (-), then D0300 must equal dash (-).	Fatal	Consistency	The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF all items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) are a dash (-), THEN D0300 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3588a	Inconsistent D0600 Value: If D0500A2 through D0500J2 in Column 2 all equal 0, 1, 2, or 3, then D0600 must equal the sum of those values.	Fatal	Consistency	The score submitted in item D0600 (Total Severity Score) does not match the Staff Assessment of Mood Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF each item D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is 0, 1, 2, or 3, THEN D0600 must be the sum of the values of items D0500A2 through D0500J2.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3588c	Inconsistent D0600 Value: If one of the ten items D0500A2 through D0500J2 in Column 2 equals dash (-) and the other nine items equal 0, 1, 2, or 3, then D0600 must equal the sum of the other nine items multiplied by 10/9 (1.111) rounded to the nearest whole number.	Fatal	Consistency	The score submitted in item D0600 (Total Severity Score) does not match the Staff Assessment of Mood Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF one of the items D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is a dash (-) and the values of the other nine items is 0, 1, 2, or 3, THEN D0600 must be the sum of the values of the other nine items multiplied by 1.111 rounded to the nearest whole number.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3588d	Inconsistent D0600 Value: If two of the ten items D0500A2 through D0500J2 in Column 2 equal dash (-) and the other eight items equal 0, 1, 2, or 3, then D0600 must equal the sum of the other eight items multiplied by 10/8 (1.250) rounded to the nearest whole number.	Fatal	Consistency	The score submitted in item D0600 (Total Severity Score) does not match the Staff Assessment of Mood Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF two of the items D05200A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is a dash (-) and the values of the other eight items are 0, 1, 2, or 3, THEN D0600 must be the sum of the values of the other eight items multiplied by 1.250 rounded to the nearest whole number.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3588e	Inconsistent D0600 Value: If three or more of the ten items D0500A2 through D0500J2 in Column 2 equal dash (-), then D0600 must equal dash (-).	Fatal	Consistency	The score submitted in item D0600 (Total Severity Score) does not match the Staff Assessment of Mood Total Severity Score calculated by the iQIES System.	<p>Tips:</p> <p>IF three or more items D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) are a dash (-), THEN D0600 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3590a	Inconsistent F Items: If F0300 equals 1, then if 3 or more items from F0400A through F0500H equal 9 or dash (-), then F0600 must equal 9 or dash (-) and F0700 must equal 1 or dash (-).	Fatal	Consistency	The values submitted in items F0300 (Should Interview for Daily and Activity Preferences be Conducted?), F0600 (Daily and Activity Preferences Primary Respondent) and/or F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?) are not consistent with the responses submitted in items F0400A – F0500H (Interviews for Daily and Activity Preferences).	<p>Tips:</p> <p>IF F0300 is 1 and three or more items F0400A through F0500H are 9 or a dash (-), THEN F0600 must be 9 or a dash (-) and F0700 must be 1 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3590b	Inconsistent F Items: If F0300 equals 1, then if 2 or fewer items from F0400A through F0500H equal 9 or dash (-), then F0600 must equal 1, 2, or dash (-) and F0700 must equal 0 or dash (-).	Fatal	Consistency	The values submitted in items F0300 (Should Interview for Daily and Activity Preferences be Conducted?), F0600 (Daily and Activity Preferences Primary Respondent) and/or F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?) are not consistent with the responses submitted in items F0400A – F0500H (Interviews for Daily and Activity Preferences).	<p>Tips:</p> <p>IF F0300 is 1 and two or fewer items F0400A through F0500H are 9 or a dash (-), THEN F0600 must be 1, 2, or a dash (-) and F0700 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3590c	Inconsistent F Items: If F0300 equals 1, and all items from F0400A through F0500H equal dash (-), then F0600 must equal dash (-) and F0700 must equal 1 or dash (-).	Fatal	Consistency	The values submitted in items F0300 (Should Interview for Daily and Activity Preferences be Conducted?), F0600 (Daily and Activity Preferences Primary Respondent) and/or F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?) are not consistent with the responses submitted in items F0400A – F0500H (Interviews for Daily and Activity Preferences).	<p>Tips:</p> <p>IF F0300 is 1 and all items F0400A through F0500H are a dash (-), THEN F0600 must be a dash (-) and F0700 must be 1 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3595a	Inconsistent None of the Above Value: If M0100Z equals 0, then at least one item from M0100A through M0100C must equal 1.	Fatal	None of above	The value submitted in item M0100Z (Determination of Pressure Ulcer Risk: None of the above) is not consistent with one or more values submitted in related items M0100A – M0100C.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M0100Z is unchecked (0), THEN one or more items M0100A through M0100C must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3595b	Inconsistent None of the Above Value: If M0100Z equals 1, then all items from M0100A through M0100C must equal 0.	Fatal	None of above	The value submitted in item M0100Z (Determination of Pressure Ulcer Risk: None of the above) is not consistent with one or more values submitted in related items M0100A – M0100C.	<p>Tips:</p> <p>IF M0100Z is checked, THEN items M0100A through M0100C must be unchecked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3595c	Inconsistent None of the Above Value: If M0100Z equals dash (-), then at least one item from M0100A through M0100C must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item M0100Z (Determination of Pressure Ulcer Risk: None of the above) is not consistent with one or more values submitted in related items M0100A – M0100C.	<p>Tips:</p> <p>IF M0100Z is a dash (-), THEN one or more items M0100A through M0100C must be a dash (-) and the remaining items M0100A through M0100C must be unchecked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3605a	Invalid Skip Pattern: If J1800 equals 0, then all active items from J1900A through J1900C must equal blank (^).	Fatal	Consistency	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	<p>Tips:</p> <p>IF J1800 is 0, THEN all active items J1900A through J1900C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3605b	Invalid Skip Pattern: If J1800 equals 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	Fatal	Consistency	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	<p>Tips:</p> <p>IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^) and at least one of these items must be (-), 1, or 2.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3605c	Invalid Skip Pattern: If J1800 equals dash (-), then all active items from J1900A through J1900C must equal dash (-).	Fatal	Consistency	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	<p>Tips:</p> <p>IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3609	Invalid Skip Pattern: If B0100 equals 1, then all active items from B0200 through F0800Z must equal blank (^).	Fatal	Skip	The value submitted in this item must be blank (^) when the value submitted in item B0100 (Comatose) is 1.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF B0100 (Comatose) is 1, THEN all active items B0200 through F0800Z must be blank (^).</li> <li>• This is a skip pattern. If B0100 is 1, then skip to G0110 (activities of daily living assistance).</li> </ul>
-3610	Invalid Skip Pattern: If B0100 equals 1, then all active items from J0200 through J0850 must equal blank (^).	Fatal	Skip	The value submitted in this item must be blank (^) when the value submitted in item B0100 (Comatose) is 1.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF B0100 (Comatose) is 1, THEN all active items J0200 through J0850 must be blank (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3619	Invalid Skip Pattern: If D0100 equals 1, then D0200B1 must not equal blank (^).	Fatal	Skip	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200B1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3620	Invalid Skip Pattern: If D0100 equals 1, then D0200C1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200C1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3621	Invalid Skip Pattern: If D0100 equals 1, then D0200D1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200D1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3622	Invalid Skip Pattern: If D0100 equals 1, then D0200E1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200E1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3623	Invalid Skip Pattern: If D0100 equals 1, then D0200F1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200F1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3624	Invalid Skip Pattern: If D0100 equals 1, then D0200G1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200G1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3625	Invalid Skip Pattern: If D0100 equals 1, then D0200H1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200H1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3626	Invalid Skip Pattern: If D0100 equals 1, then D0200I1 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0200I1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>
-3627	Invalid Skip Pattern: If D0100 equals 1, then D0300 must not equal blank (^).	Fatal	<b>Skip</b>	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.	<p>Tips:</p> <p>If D0100 is 1, THEN D0300 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to this record and resubmit.</p>

-3658	No Authority to Collect Data: Privacy rights require federal and/or state authority to collect MDS data. There is no authority to collect the data submitted. Data was not accepted.	Fatal	<b>Consistency</b>	The value submitted in item A0410 (Submission Requirement) is not consistent with the resident's status on the assessment target date.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF A0410 is 2 or 3, THEN the assessment MUST be submitted to the iQIES System.</li> <li>• IF A0410 is 1, THEN the assessment MUST NOT be submitted to the iQIES System.</li> <li>• Given the target date, the following rules apply: <ul style="list-style-type: none"> <li>• IF the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, THEN A0410 must be 3 (federal required submission).</li> <li>• IF the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, THEN A0410 must be 2 (state but not federal required submission).</li> <li>• IF the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), THEN A0410 must be 1 (neither federal nor state required submission).</li> </ul> </li> </ul> <p>NOTE: A provider cannot release resident information without appropriate authority. There must be federal and/or State authority in order for a facility to submit MDS information to the iQIES System. The authority exists is based on certified versus noncertified units and whether the state has legislation to collect data for residents.</p>
-------	--	-------	--------------------	--	--

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
					<p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate correction to the record and resubmit.</li> <li>• Refer to Chapter 5 of the MDS 3.0 RAI Manual for additional information.</li> </ul>
-3659	Invalid Date: A0900 (birth date) cannot be more than 140 years earlier than the current date (submission date)	Fatal	Consistency	The submitted birth date is invalid.	<p>Action:</p> <ul style="list-style-type: none"> <li>• A0900 (birth Date) must not be more than 140 years earlier than the submission date.</li> <li>• Make appropriate correction to the record and resubmit.</li> </ul>
-3660a	Inconsistent C0500 Value: If none of the items C0200 through C0400C equal dash (-) and 3 or fewer of the items C0200 through C0400C equal 0, then C0500 must equal the sum of items C0200 through C0400C.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 3 or fewer of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3660b	Inconsistent C0500 Value: If none of the items C0200 through C0400C equal dash (-) and 4 or more of the items C0200 through C0400C equal 0, then C0500 must equal the sum of items C0200 through C0400C or 99.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 4 or more of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C or 99.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3660c	Inconsistent C0500 Value: If some, but not all, of the items C0200 through C0400C equal dash (-), then C0500 must equal 99.	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF some, but not all, of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be 99.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3660d	Inconsistent C0500 Value: If all of the items C0200 through C0400C equal dash (-), then C0500 must equal dash (-).	Fatal	Consistency	The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the iQIES System.	<p>Definition:</p> <p>BIMS – Brief Interview for Mental Status</p> <p>Tips:</p> <p>IF all of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3662	Inconsistent M Items: If M0300B1 equals 1-9 and M0300B2 is active, then M0300B2 must equal dash (-) OR M0300B2 must equal 0-9 and must be less than or equal to M0300B1.	Fatal	Consistency	The value submitted in item M0300B2 (Number of Stage 2 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	<p>Tips:</p> <p>IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300B2, if active, must be a dash (-) OR M0300B2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300B1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3663	Inconsistent M Items: If M0300C1 equals 1-9 and M0300C2 is active, then M0300C2 must equal dash (-) OR M0300C2 must equal 0-9 and must be less than or equal to M0300C1.	Fatal	Consistency	The value submitted in item M0300C2 (Number of Stage 3 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).	<p>Tips:</p> <p>IF M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2, if active, must be a dash (-) OR M0300C2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300C1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3664	Inconsistent M Items: If M0300D1 equals 1-9 and M0300D2 is active, then M0300D2 must equal dash (-) OR M0300D2 must equal 0-9 and must be less than or equal to M0300D1.	Fatal	Consistency	The value submitted in item M0300D2 (Number of Stage 4 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).	<p>Tips:</p> <p>IF M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2, if active, must be a dash (-) OR M0300D2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300D1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3665	Inconsistent M Items: If M0300E1 equals 1-9, then M0300E2 must equal dash (-) OR M0300E2 must equal 0-9 and must be less than or equal to M0300E1.	Fatal	Consistency	The value submitted in item M0300E2 (Number of unstageable [nonremovable dressing] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300E1 (Number of unstageable [nonremovable dressing] pressure ulcers).	<p>Tips:</p> <p>IF M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 must be a dash (-) OR M0300E2 must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300E1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3666	Inconsistent M Items: If M0300F1 equals 1-9 and M0300F2 is active, then M0300F2 must equal dash (-), OR M0300F2 must equal 0-9 and must be less than or equal to M0300F1.	Fatal	Consistency	The value submitted in item M0300F2 (Number of unstageable [slough/eschar] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300F1 (Number of unstageable [slough/eschar] pressure ulcers).	<p>Tips:</p> <p>IF M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2, if active, must be a dash (-) OR M0300F2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300F1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3667	Inconsistent M Items: If M0300G1 equals 1-9, then M0300G2 must equal dash (-) OR M0300G2 must equal 0-9 and must be less than or equal to M0300G1.	Fatal	Consistency	The value submitted in item M0300G2 (Number of unstageable [deep tissue] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300G1 (Number of unstageable [deep tissue] pressure ulcers).	<p>Tips:</p> <p>IF M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 must be a dash (-) OR M0300G2 must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300G1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3668a	Inconsistent O Items: If A2300 minus A1600 is greater than or equal to 14 days, then active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, and O0100Z1 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A2300 (Assessment Reference Date) and A1600 (Entry Date).	<p>Tips:</p> <p>IF A2300 minus A1600 is 14 or greater, THEN active items O0100A1 through O0100Z1 (Special treatments while NOT a resident) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3668b	Inconsistent O Items: If A2300 minus A1600 is less than or equal to 13 days, then active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, and O0100Z1 must equal 0, 1, or dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A2300 (Assessment Reference Date) and A1600 (Entry Date).	<p>Tips:</p> <p>IF A2300 minus A1600 is 13 or less, THEN active items O0100A1 through O0100Z1 must be 0, 1, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3669a	Inconsistent None of the Above Value: If A1550Z equals 0, then at least one item from A1550A through A1550E must equal 1.	Fatal	None of above	The value submitted in item A1550Z (Conditions Related to MR/DD Status: None of the above) is not consistent with one or more values submitted in related items A1550A - A1550E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF A1550Z is unchecked (0), THEN one or more items A1550A through A1550E must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3669b	Inconsistent None of the Above Value: If A1550Z equals 1, then all items from A1550A through A1550E must equal 0.	Fatal	None of above	The value submitted in item A1550Z (Conditions Related to MR/DD Status: None of the above) is not consistent with one or more values submitted in related items A1550A - A1550E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF A1550Z is checked (1), THEN items A1550A through A1550E must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3669c	Inconsistent None of the Above Value: If A1550Z equals dash (-), then at least one item from A1550A through A1550E must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item A1550Z (Conditions Related to MR/DD Status: None of the above) is not consistent with one or more values submitted in related items A1550A - A1550E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF A1550Z is a dash (-), THEN one or more items A1550A through A1550E must be a dash (-) and the remaining items A1550A through A1550E must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3675a	Inconsistent E0300 Value: If E0200A or E0200B or E0200C equals 1, 2, or 3, then E0300 must equal 1.	Fatal	Consistency	The value submitted in item E0300 (Overall Presence of Behavior Symptoms) is not consistent with one or more values submitted in items E0200A (Physical behavior directed at others), E0200B (Verbal behavior directed at others), or E0200C (Other behavior not directed at others).	<p>Tips:</p> <p>IF E0200A, E0200B, or E0200C is 1, 2, or 3, THEN E0300 must be 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3675b	Inconsistent E0300 Value: If E0200A and E0200B and E0200C all equal 0, then E0300 must equal 0.	Fatal	Consistency	The value submitted in item E0300 (Overall Presence of Behavior Symptoms) is not consistent with one or more values submitted in items E0200A (Physical behavior directed at others), E0200B (Verbal behavior directed at others), or E0200C (Other behavior not directed at others).	<p>Tips:</p> <p>IF E0200A, E0200B, and E0200C are 0, THEN E0300 must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3675c	Inconsistent E0300 Value: If one of the items E0200A, E0200B or E0200C equals dash (-) and the remaining two items equal 0 or dash (-), then E0300 must equal 0 or dash (-).	Fatal	<b>Consistency</b>	The value submitted in item E0300 (Overall Presence of Behavior Symptoms) is not consistent with one or more values submitted in items E0200A (Physical behavior directed at others), E0200B (Verbal behavior directed at others), or E0200C (Other behavior not directed at others).	<p>Tips:</p> <p>IF one of the items E0200A, E0200B, or E0200C is a dash (-) and the remaining two items are 0 or a dash (-), THEN E0300 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3676	Invalid Value: The value submitted for this item is not an acceptable value.	Fatal	<b>Format</b>	The submitted value is not one of the options allowed for this item.	<p>Tips</p> <p>Only the coded values listed in the “Item Values” table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3677	Invalid Date: This item must contain a valid date in YYYYMMDD format or allowable special character(s).	Fatal	Format	The date submitted in this item is invalid or formatted improperly.	<p>Tips:</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Contact the vendor of your encoding software if the date format is incorrect.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-3678	Invalid Birth Date: A0900 or X0400 must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format or one of the applicable special values.	Fatal	Format	The birth date submitted in this item is invalid or formatted improperly.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</li> <li>• A0900 (Birth Date) or X0400 (Birth Date) must be submitted in YYYYMMDD, YYYYMM, or YYYY format or as one of the allowable special values.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>• Contact the vendor of your encoding software to correct the formatting of dates.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3679	Invalid Value: Only unsigned numeric values that fall within the range of acceptable values and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	<p>Tips:</p> <p>An unsigned numeric value is a number without a leading plus or minus sign. Negative (signed) numbers are not allowed.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3680	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	Fatal	Format	The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.	<p>Tips:</p> <p>Numbers with a decimal point and one or more decimal places are not allowed for this item.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3686a	Inconsistent Software Vendor Information: If the Software Vendor ID does not equal blank (^), then Software Vendor Name and Software Email Address must not equal blank (^).	Fatal	Consistency	The value submitted in SFTWR VNDR ID is not consistent with the values submitted in SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR.	<p>Tips:</p> <p>IF SFTWR VNDR ID is not blank (^), THEN SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR must not be blank (^).</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Verify that the software vendor information in the encoding software is correct.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3686b	Inconsistent Software Vendor Information: If the Software Vendor ID equals blank (^), then Software Vendor Name and Software Vendor Email Address must equal blank (^).	Fatal	Consistency	The value submitted in SFTWR VNDR ID is not consistent with the values submitted in SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR.	<p>Tips:</p> <p>IF SFTWR VNDR ID is blank (^), THEN SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR must be blank (^).</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Verify that the software vendor information in the encoding software is correct.</li> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>
-3687	Invalid Format: Only numeric characters 0-9 and specified special characters are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A0100A (NPI), A0600A (Social Security Number), X0500 (modification SSN), and SFTWR VNDR ID may only contain numeric characters or be blank (^).</li> <li>• No spaces are allowed in this item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3688	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• This item may only contain alphanumeric characters, or the special character(s) identified in the data specifications for the item, or be blank (^).</li> <li>• No spaces are allowed in this item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3690	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item. Embedded spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, a dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</li> <li>Embedded spaces are allowed.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3691	Invalid Value: Only numeric characters 0-9, letters A-Z, letters a-z, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <p>This item may only contain alphanumeric characters, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3692	Invalid Email Address: The submitted email address contains invalid characters.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <p>An email address may not contain the following characters: single quote (') double-quote (") comma (,) semi-colon (;) colon (:) back slash (\) right and left parentheses (( and )) right and left brackets ([ and ]) right and left braces ({ and }) less than (&lt;) greater than (&gt;) space ( )</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3693a	Invalid FAC_ID: The FAC ID submitted in this file does not identify a valid provider in the iQIES System.	Fatal	Format	The Facility ID (FAC_ID) in the submitted record is not associated with a valid provider in the iQIES system	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The FAC_ID must be a system-assigned FAC_ID.</li> <li>• The value of the submitted FAC_ID must match the FAC_ID in the iQIES system for the facility or provider.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3693b	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC ID in this file.	Fatal	Format	The submitter's User ID does not have authority to submit for the provider associated with the FAC_ID submitted in this record.	<p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Contact the iQIES Help Desk for additional assistance.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3695	Incorrect CCN: A0100B does not match the CMS Certification Number (CCN) in the iQIES System database for the provider identified by the FAC ID in the file.	Warning	Consistency	The CMS Certification Number in this record differs from the CCN that is in the iQIES System database for this provider.	<p>Tips:</p> <p>The value submitted in A0100B (CMS Certification Number (CCN)) does not match the CCN on file in the iQIES System for the provider identified by the FAC ID in this MDS record.</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Verify that the CCN in the encoding software is correct.</li> <li>• Contact your State to obtain the correct CCN for your provider.</li> </ul>
-3696a	Inconsistent O0400A Items: If the sum of O0400A1, O0400A2, and O0400A3 is greater than zero, then this sum must also be greater than or equal to O0400A4 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes) are not consistent with the value submitted in item O0400A4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400A1, O0400A2, or O0400A3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF the sum of O0400A1, O0400A2, and O0400A3 is greater than 0, THEN this sum must be greater than or equal to O0400A4 multiplied by 15.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3696b	Inconsistent O0400A Items: If O0400A4 is greater than 0, then the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to O0400A4 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes) are not consistent with the value submitted in item O0400A4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400A1, O0400A2, or O0400A3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF O0400A4 is greater than 0, THEN the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to O0400A4 multiplied by 1440.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3696c	Inconsistent O0400A Items: If the sum of O0400A1, O0400A2, and O0400A3 is greater than zero AND O0400A4 equals 0, then the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to 0098.	Fatal	Consistency	The therapy minutes submitted in item O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes) are not consistent with the value submitted in item O0400A4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400A1, O0400A2, or O0400A3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF the sum of O0400A1, O0400A2, and O0400A3 is greater than 0 and O0400A4 is 0, THEN the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to 0098.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3697a	Inconsistent O0400B Items: If the sum of O0400B1, O0400B2, and O0400B3 is greater than zero, then this sum must also be greater than or equal to O0400B4 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes) are not consistent with the value submitted in item O0400B4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF the sum of O0400B1, O0400B2, and O0400B3 is greater than 0, THEN this sum must be greater than or equal to O0400B4 multiplied by 15.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3697b	Inconsistent O0400B Items: If O0400B4 is greater than 0, then the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to O0400B4 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes) are not consistent with the value submitted in item O0400B4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF O0400B4 is greater than 0, THEN the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to O0400B4 multiplied by 1440.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3697c	Inconsistent O0400B Items: If the sum of O0400B1, O0400B2, and O0400B3 is greater than zero AND O0400B4 equals 0, then the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to 0098. If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero to calculate the sum.	Fatal	Consistency	The therapy minutes submitted in item O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes) are not consistent with the value submitted in item O0400B4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF the sum of O0400B1, O0400B2, and O0400B3 is greater than 0 and O0400B4 is 0, THEN the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to 0098.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3698a	Inconsistent O0400C Items: If the sum of O0400C1, O0400C2, and O0400C3 is greater than zero, then this sum must also be greater than or equal to O0400C4 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes) are not consistent with the value submitted in item O0400C4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0400C1, O0400C2, or O0400C3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>• IF the sum of O0400C1, O0400C2, and O0400C3 is greater than 0, THEN this sum must be greater than or equal to O0400C4 multiplied by 15.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3698b	Inconsistent O0400C Items: If O0400C4 is greater than 0, then the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to O0400C4 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes) are not consistent with the value submitted in item O0400C4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>If O0400C1, O0400C2, or O0400C3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>If O0400C4 is greater than 0, THEN the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to O0400C4 multiplied by 1440.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3698c	Inconsistent O0400C Items: If the sum of O0400C1, O0400C2, and O0400C3 is greater than zero AND O0400C4 equals 0, then the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to 0098.	Fatal	Consistency	The therapy minutes submitted in item O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes) are not consistent with the value submitted in item O0400C4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>If O0400C1, O0400C2, or O0400C3 is a dash (-), use zero for that item when calculating the sum of the three items.</li> <li>If the sum of O0400C1, O0400C2, and O0400C3 is greater than 0 and O0400C4 is 0, THEN the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to 0098.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3699a	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D1 does not equal 0000 or dash (-) and O0400D2 does not equal dash (-), then O0400D1 must be greater than or equal to O0400D2 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400D1 (Individual minutes) are not consistent with the value submitted in item O0400D2 (Days).	<p>Tips:</p> <p>IF O0400D1 and O0400D2 are active and O0400D1 is not 0000 or a dash (-) and if O0400D2 is not a dash (-), THEN O0400D1 must be greater than or equal to O0400D2 multiplied by 15.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3699b	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D2 is greater than 0, then O0400D1 must be less than or equal to O0400D2 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400D1 (Individual minutes) are not consistent with the value submitted in item O0400D2 (Days).	<p>Tips:</p> <p>IF O0400D1 and O0400D2 are active and O0400D2 is greater than 0, THEN O0400D1 must be less than or equal to O0400D2 multiplied by 1440.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3699c	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D2 equals 0, then O0400D1 must be less than or equal to 0098.	Fatal	Consistency	The therapy minutes submitted in item O0400D1 (Individual minutes) are not consistent with the value submitted in item O0400D2 (Days).	<p>Tips:</p> <p>IF O0400D1 and O0400D2 are active and O0400D2 is 0, THEN O0400D1 must be less than or equal to 0098.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3700a	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E1 does not equal 0000 or dash (-) and if O0400E2 does not equal dash (-), then O0400E1 must be greater than or equal to O0400E2 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400E1 (Individual minutes) are not consistent with the value submitted in item O0400E2 (Days).	<p>Tips:</p> <p>IF O0400E1 and O0400E2 are active and O0400E1 is not 0000 or a dash (-) and if O0400E2 is not a dash (-), THEN O0400E1 must be greater than or equal to O0400E2 multiplied by 15.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3700b	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E2 is greater than 0, then O0400E1 must be less than or equal to O0400E2 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400E1 (Individual minutes) are not consistent with the value submitted in item O0400E2 (Days).	<p>Tips:</p> <p>IF O0400E1 and O0400E2 are active and O0400E2 is greater than 0, THEN O0400E1 must be less than or equal to O0400E2 multiplied by 1440.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3700c	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E2 equals 0, then O0400E1 must be less than or equal to 0098.	Fatal	Consistency	The therapy minutes submitted in item O0400E1 (Individual minutes) are not consistent with the value submitted in item O0400E2 (Days).	<p>Tips:</p> <p>IF O0400E1 and O0400E2 are active and O0400E2 is 0, THEN O0400E1 must be less than or equal to 0098.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3701a	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F1 does not equal 0000 or dash (-) and if O0400F2 does not equal dash (-), then O0400F1 must be greater than or equal to O0400F2 multiplied by 15.	Fatal	Consistency	The therapy minutes submitted in item O0400F1 (Individual minutes) are not consistent with the value submitted in item O0400F2 (Days).	<p>Tips:</p> <p>IF O0400F1 and O0400F2 are active and O0400F1 is not 0000 or a dash (-) and if O0400F2 is not a dash (-), THEN O0400F1 must be greater than or equal to O0400F2 multiplied by 15.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3701b	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F2 is greater than 0, then O0400F1 must be less than or equal to O0400F2 multiplied by 1440.	Fatal	Consistency	The therapy minutes submitted in item O0400F1 (Individual minutes) are not consistent with the value submitted in item O0400F2 (Days).	<p>Tips:</p> <p>IF O0400F1 and O0400F2 are active and O0400F2 greater than 0, THEN O0400F1 must be less than or equal to O0400F2 multiplied by 1440.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3701c	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F2 equals 0, then O0400F1 must be less than or equal to 0098.	Fatal	Consistency	The therapy minutes submitted in item O0400F1 (Individual minutes) are not consistent with the value submitted in item O0400F2 (Days).	<p>Tips:</p> <p>IF O0400F1 and O0400F2 are active and O0400F2 is 0, THEN O0400F1 must be less than or equal to 0098.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3702	Invalid Value: This item is required and must not equal blank (^).	Fatal	Format	The value submitted in this item is not valid.	<p>Tips:</p> <p>A valid non-blank value must be submitted.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3703a	Invalid Skip Pattern: If D0100 equals 0 or blank (^), then all active items from D0200A1 through D0300 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item D0100 (Should Resident Mood Interview be Conducted?).	<p>Tips:</p> <p>IF D0100 is 0 or blank (^), THEN all active items D0200A1 through D0300 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3703b	Invalid Skip Pattern: If D0100 equals dash (-), then all active items from D0200A1 through D0300 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item D0100 (Should Resident Mood Interview be Conducted?).	<p>Tips:</p> <p>IF D0100 is a dash (-), THEN all active items D0200A1 through D0300 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3704a	Invalid Skip Pattern: If D0300 equals 00-27, then all active items from D0500A1 through D0600 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item D0300 (Total Severity Score).	<p>Tips:</p> <p>IF D0300 is 00-27 (inclusive), THEN all active items D0500A1 through D0600 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3704b	Invalid Skip Pattern: If D0300 equals 99 or dash (-), then all active items from D0500A1 through D0600 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item D0300 (Total Severity Score).	<p>Tips:</p> <p>IF D0300 is 99 or a dash (-), THEN all active items D0500A1 through D0600 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3706	Inconsistent Type of Provider: The submitted value of A0200 is inconsistent with information stored in the iQIES System for the provider identified by the FAC ID submitted in this file.	Fatal	<b>Consistency</b>	The value submitted in item A0200 (Type of Provider) does not match the provider type associated with this provider on the iQIES System.	<p>Tips:</p> <p>For nursing homes, A0200 must equal 1. For swing-bed providers, A0200 must equal 2.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3707a	Inconsistent A0410 value. If A0200 equals 2, then A0410 must equal 3.	Fatal	<b>Consistency</b>	The value submitted in A0410 (Submission Requirement) is not consistent with the value submitted in A0200 (Type of Provider).	<p>Tips:</p> <p>IF A0200 is 2, THEN A0410 must be a 3</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3707b	Inconsistent A0410 value. If A0200 equals 1, then A0410 must equal [2,3].	Fatal	<b>Consistency</b>	The value submitted in A0410 (Submission Requirement) is not consistent with the value submitted in A0200 (Type of Provider).	<p>Tips:</p> <p>IF A0200 is 1, THEN A0410 must be a 2 or 3</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3707c	Inconsistent A0410 value. For both nursing homes and swing bed providers, A0410 must not equal 1.	Fatal	Consistency	The value submitted in A0410 (Submission Requirement) is not consistent with the value submitted in A0200 (Type of Provider).	<p>Tips:</p> <p>For both nursing homes and swing bed providers, A0410 must not equal 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3708a	Inconsistent D0200A Items: If D0200A1 equals 0, then D0200A2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0200A1 (Little interest in doing things: Presence).	<p>Tips:</p> <p>IF D0200A1 is 0, THEN D0200A2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3708b	Inconsistent D0200A Items: If D0200A1 equals 1, then D0200A2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0200A1 (Little interest in doing things: Presence).	<p>Tips:</p> <p>IF D0200A1 is 1, THEN D0200A2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3708c	Inconsistent D0200A Items: If D0200A1 equals 9, then D0200A2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0200A1 (Little interest in doing things: Presence).	<p>Tips:</p> <p>IF D0200A1 is 9, THEN D0200A2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3708d	Inconsistent D0200A Items: If D0200A1 equals dash (-), then D0200A2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0200A1 (Little interest in doing things: Presence).	<p>Tips:</p> <p>IF D0200A1 is a dash (-), THEN D0200A2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3709a	Inconsistent D0200B Items: If D0200B1 equals 0, then D0200B2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0200B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0200B1 is 0, THEN D0200B2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3709b	Inconsistent D0200B Items: If D0200B1 equals 1, then D0200B2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0200B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0200B1 is 1, THEN D0200B2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3709c	Inconsistent D0200B Items: If D0200B1 equals 9, then D0200B2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0200B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0200B1 is 9, THEN D0200B2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3709d	Inconsistent D0200B Items: If D0200B1 equals dash (-), then D0200B2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0200B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0200B1 is a dash (-), THEN D0200B2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3710a	Inconsistent D0200C Items: If D0200C1 equals 0, then D0200C2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0200C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0200C1 is 0, THEN D0200C2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3710b	Inconsistent D0200C Items: If D0200C1 equals 1, then D0200C2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0200C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0200C1 is 1, THEN D0200C2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3710c	Inconsistent D0200C Items: If D0200C1 equals 9, then D0200C2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0200C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0200C1 is 9, THEN D0200C2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3710d	Inconsistent D0200C Items: If D0200C1 equals dash (-), then D0200C2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0200C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0200C1 is a dash (-), THEN D0200C2 (frequency of trouble sleeping) must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3711a	Inconsistent D0200D Items: If D0200D1 equals 0, then D0200D2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0200D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0200D1 is 0, THEN D0200D2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3711b	Inconsistent D0200D Items: If D0200D1 equals 1, then D0200D2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0200D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0200D1 is 1, THEN D0200D2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3711c	Inconsistent D0200D Items: If D0200D1 equals 9, then D0200D2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0200D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0200D1 is 9, THEN D0200D2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3711d	Inconsistent D0200D Items: If D0200D1 equals dash (-), then D0200D2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0200D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0200D1 is a dash (-), THEN D0200D2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3712a	Inconsistent D0200E Items: If D0200E1 equals 0, then D0200E2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0200E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0200E1 is 0, THEN D0200E2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3712b	Inconsistent D0200E Items: If D0200E1 equals 1, then D0200E2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0200E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0200E1 is 1, THEN D0200E2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3712c	Inconsistent D0200E Items: If D0200E1 equals 9, then D0200E2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0200E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0200E1 is 9, THEN D0200E2 must be blank (^)</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3712d	Inconsistent D0200E Items: If D0200E1 equals dash (-), then D0200E2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0200E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0200E1 is a dash (-), THEN D0200E2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3713a	Inconsistent D0200F Items: If D0200F1 equals 0, then D0200F2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0200F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0200F1 is 0, THEN D0200F2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3713b	Inconsistent D0200F Items: If D0200F1 equals 1, then D0200F2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0200F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0200F1 is 1, THEN D0200F2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3713c	Inconsistent D0200F Items: If D0200F1 equals 9, then D0200F2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0200F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0200F1 is 9, THEN D0200F2 must be blank (^)</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3713d	Inconsistent D0200F Items: If D0200F1 equals dash (-), then D0200F2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0200F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0200F1 is a dash (-), THEN D0200F2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3714a	Inconsistent D0200G Items: If D0200G1 equals 0, then D0200G2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0200G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0200G1 is 0, THEN D0200G2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3714b	Inconsistent D0200G Items: If D0200G1 equals 1, then D0200G2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0200G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0200G1 is 1, THEN D0200G2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3714c	Inconsistent D0200G Items: If D0200G1 equals 9, then D0200G2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0200G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0200G1 is 9, THEN D0200G2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3714d	Inconsistent D0200G Items: If D0200G1 equals dash (-), then D0200G2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0200G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0200G1 is a dash (-), THEN D0200G2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3715a	Inconsistent D0200H Items: If D0200H1 equals 0, then D0200H2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0200H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0200H1 is 0, THEN D0200H2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3715b	Inconsistent D0200H Items: If D0200H1 equals 1, then D0200H2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0200H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0200H1 is 1, THEN D0200H2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3715c	Inconsistent D0200H Items: If D0200H1 equals 9, then D0200H2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0200H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0200H1 is 9, THEN D0200H2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3715d	Inconsistent D0200H Items: If D0200H1 equals dash (-), then D0200H2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0200H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0200H1 is a dash (-), THEN D0200H2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3716a	Inconsistent D0200I Items: If D0200I1 equals 0, then D0200I2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0200I2 (Thoughts of self-harm: Frequency) is not consistent with the value submitted in item D0200I1 (Thoughts about being better off dead or harming self: Presence).	<p>Tips:</p> <p>IF D0200I1 is 0, THEN D0200I2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3716b	Inconsistent D0200I Items: If D0200I1 equals 1, then D0200I2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0200I2 (Thoughts of self-harm: Frequency) is not consistent with the value submitted in item D0200I1 (Thoughts about being better off dead or harming self: Presence).	<p>Tips:</p> <p>IF D0200I1 is 1, THEN D0200I2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3716c	Inconsistent D0200I Items: If D0200I1 equals 9, then D0200I2 must equal blank (^).	Fatal	Consistency	The value submitted in item D0200I2 (Thoughts of self-harm: Frequency) is not consistent with the value submitted in item D0200I1 (Thoughts about being better off dead or harming self: Presence).	<p>Tips:</p> <p>IF D0200I1 is 9, THEN D0200I2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3716d	Inconsistent D0200I Items: If D0200I1 equals dash (-), then D0200I2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0200I2 (Thoughts of self-harm: Frequency) is not consistent with the value submitted in item D0200I1 (Thoughts about being better off dead or harming self: Presence).	Tips: IF D0200I1 is a dash (-), THEN D0200I2 must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.
-3717a	Inconsistent D0500A Items: If D0500A1 equals 0, then D0500A2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0500A1 (Little interest in doing things: Presence).	Tips: IF D0500A1 is 0, THEN D0500A2 must be 0 or a dash (-).  Action: Make appropriate corrections to the record and resubmit.
-3717b	Inconsistent D0500A Items: If D0500A1 equals 1, then D0500A2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0500A1 (Little interest in doing things: Presence).	Tips: IF D0500A1 is 1, THEN D0500A2 must be equal 0, 1, 2, 3, or a dash (-).  Action: Make appropriate corrections to the record and resubmit.
-3717c	Inconsistent D0500A Items: If D0500A1 equals dash (-), then D0500A2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0500A1 (Little interest in doing things: Presence).	Tips: IF D0500A1 is a dash (-), THEN D0500A2 must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3718a	Inconsistent D0500B Items: If D0500B1 equals 0, then D0500B2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0500B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0500B1 is 0, THEN D0500B2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3718b	Inconsistent D0500B Items: If D0500B1 equals 1, then D0500B2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0500B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0500B1 is 1, THEN D0500B2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3718c	Inconsistent D0500B Items: If D0500B1 equals dash (-), then D0500B2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0500B1 (Feeling down, depressed, hopeless: Presence).	<p>Tips:</p> <p>IF D0500B1 is a dash (-), THEN D0500B2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3719a	Inconsistent D0500C Items: If D0500C1 equals 0, then must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0500C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0500C1 is 0, THEN D0500C2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3719b	Inconsistent D0500C Items: If D0500C1 equals 1, then D0500C2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0500C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0500C1 is 1, THEN D0500C2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3719c	Inconsistent D0500C Items: If D0500C1 equals dash (-), then D0500C2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0500C1 (Trouble sleeping: Presence).	<p>Tips:</p> <p>IF D0500C1 is a dash (-), THEN D0500C2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3720a	Inconsistent D0500D Items: If D0500D1 equals 0, then D0500D2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0500D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0500D1 is 0, THEN D0500D2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3720b	Inconsistent D0500D Items: If D0500D1 equals 1, then D0500D2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0500D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0500D1 is 1, THEN D0500D2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3720c	Inconsistent D0500D Items: If D0500D1 equals dash (-), then D0500D2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0500D1 (Feeling tired or having little energy: Presence).	<p>Tips:</p> <p>IF D0500D1 is a dash (-), THEN D0500D2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3721a	Inconsistent D0500E Items: If D0500E1 equals 0, then D0500E2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0500E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0500E1 is 0, THEN D0500E2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3721b	Inconsistent D0500E Items: If D0500E1 equals 1, then D0500E2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0500E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0500E1 is 1, THEN D0500E2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3721c	Inconsistent D0500E Items: If D0500E1 equals dash (-), then D0500E2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0500E1 (Poor appetite or overeating: Presence).	<p>Tips:</p> <p>IF D0500E1 is a dash (-), THEN D0500E2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3722a	Inconsistent D0500F Items: If D0500F1 equals 0, then D0500F2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0500F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0500F1 is 0, THEN D0500F2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3722b	Inconsistent D0500F Items: If D0500F1 equals 1, then D0500F2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0500F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0500F1 is 1, THEN D0500F2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3722c	Inconsistent D0500F Items: If D0500F1 equals dash (-), then D0500F2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0500F1 (Feeling bad about self: Presence).	<p>Tips:</p> <p>IF D0500F1 is a dash (-), THEN D0500F2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3723a	Inconsistent D0500G Items: If D0500G1 equals 0, then D0500G2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0500G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0500G1 is 0, THEN D0500G2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3723b	Inconsistent D0500G Items: If D0500G1 equals 1, then D0500G2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0500G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0500G1 is 1, THEN D0500G2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3723c	Inconsistent D0500G Items: If D0500G1 equals dash (-), then D0500G2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0500G1 (Trouble concentrating: Presence).	<p>Tips:</p> <p>IF D0500G1 is a dash (-), THEN D0500G2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3724a	Inconsistent D0500H Items: If D0500H1 equals 0, then D0500H2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0500H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0500H1 is 0, THEN D0500H2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3724b	Inconsistent D0500H Items: If D0500H1 equals 1, then D0500H2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0500H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0500H1 is 1, THEN D0500H2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3724c	Inconsistent D0500H Items: If D0500H1 equals dash (-), then D0500H2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0500H1 (Moving or speaking slowly or being restless: Presence).	<p>Tips:</p> <p>IF D0500H1 is a dash (-), THEN D0500H2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3725a	Inconsistent D0500I Items: If D0500I1 equals 0, then D0500I2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500I2 (Statements that life isn't worth living, wishes for death or attempts to harm self: Frequency) is not consistent with the value submitted in item D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence).	<p>Tips:</p> <p>IF D0500I1 is 0, THEN D0500I2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3725b	Inconsistent D0500I Items: If D0500I1 equals 1, then D0500I2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500I2 (Statements that life isn't worth living, wishes for death or attempts to harm self: Frequency) is not consistent with the value submitted in item D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence).	<p>Tips:</p> <p>IF D0500I1 is 1, THEN D0500I2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3725c	Inconsistent D0500I Items: If D0500I1 equals dash (-), then D0500I2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500I2 (Statements that life isn't worth living, wishes for death or attempts to harm self: Frequency) is not consistent with the value submitted in item D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence).	<p>Tips:</p> <p>IF D0500I1 is a dash (-), THEN D0500I2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3726a	Inconsistent D0500J Items: If D0500J1 equals 0, then D0500J2 must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item D0500J2 (Short temper, easily annoyed: Frequency) is not consistent with the value submitted in item D0500J1 (Short temper, easily annoyed: Presence).	<p>Tips:</p> <p>IF D0500J1 is 0, THEN D0500J2 must be 0 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3726b	Inconsistent D0500J Items: If D0500J1 equals 1, then D0500J2 must equal 0, 1, 2, 3, or dash (-).	Fatal	Consistency	The value submitted in item D0500J2 (Short temper, easily annoyed: Frequency) is not consistent with the value submitted in item D0500J1 (Short temper, easily annoyed: Presence).	<p>Tips:</p> <p>IF D0500J1 is 1, THEN D0500J2 must be equal 0, 1, 2, 3, or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3726c	Inconsistent D0500J Items: If D0500J1 equals dash (-), then D0500J2 must equal dash (-).	Fatal	Consistency	The value submitted in item D0500J2 (Short temper, easily annoyed: Frequency) is not consistent with the value submitted in item D0500J1 (Short temper, easily annoyed: Presence).	<p>Tips:</p> <p>IF D0500J1 is a dash (-), THEN D0500J2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3729a	Inconsistent None of the Above Value: If O0100Z1 equals 0, then at least one active item O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, or O0100M1 must equal 1.	Fatal	Consistency	The value submitted in item O0100Z1 (Special Treatments and Programs: None of the above-While NOT a resident) is not consistent with one or more values submitted in related items O0100A1 through O0100M1 (Special treatments while NOT a resident).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF O0100Z1 is unchecked (0), THEN one or more active items O0100A1 through O0100M1 in column 1 must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3729b	Inconsistent None of the Above Value: If O0100Z1 equals 1, then all active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, and O0100M1 must equal 0.	Fatal	Consistency	The value submitted in item O0100Z1 (Special Treatments and Programs: None of the above-While NOT a resident) is not consistent with one or more values submitted in related items O0100A1 through O0100M1 (Special treatments while NOT a resident).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF O0100Z1 is checked (1), THEN all items O0100A1 through O0100M1 in column 1 must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3729c	Inconsistent O0100Z1 Item: If O0100Z1 equals dash (-), then at least one active item from O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, or O0100M1 must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item O0100Z1 (Special Treatments and Programs: None of the above-While NOT a resident) is not consistent with one or more values submitted in related items O0100A1 through O0100M1 (Special treatments while NOT a resident).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF O0100Z1 is a dash (-), THEN one or more active items O0100A1 through O0100M1 must be a dash (-) and the remaining active items O0100A1 through O0100M1 must be unchecked (0) or a dash (-).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3730a	Inconsistent None of the Above Value: If O0100Z2 equals 0, then at least one active item O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, or O0100M2 must equal 1.	Fatal	Consistency	The value submitted in item O0100Z2 (Special Treatments and Programs: None of the above-While a Resident) is not consistent with one or more values submitted in related items O0100A2 through O0100M2 (Special treatments while a resident).	<p>Tips:</p> <p>IF O0100Z2 is unchecked, THEN one or more active items O0100A2 through O0100M2 must be checked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3730b	Inconsistent None of the Above Value: If O0100Z2 equals 1, then all active items O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, and O0100M2 must equal 0.	Fatal	Consistency	The value submitted in item O0100Z2 (Special Treatments and Programs: None of the above-While a Resident) is not consistent with one or more values submitted in related items O0100A2 through O0100M2 (Special treatments while a resident).	<p>Tips:</p> <p>IF O0100Z2 is checked, THEN all items O0100A2 through O0100M2 must be unchecked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3730c	Inconsistent O0100Z2 Item: If O0100Z2 equals dash (-), then at least one active item O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, or O0100M2 must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item O0100Z2 (Special Treatments and Programs: None of the above-While a Resident) is not consistent with one or more values submitted in related items O0100A2 through O0100M2 (Special treatments while a resident).	<p>Tips:</p> <p>IF O0100Z2 is a dash (-), THEN one or more active items O0100A2 through O0100M2 must be a dash (-) and the remaining items O0100A2 through O0100M2 must be unchecked or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3735a	Invalid Skip Pattern: If N0300 equals 0, then all active items from N0350A through N0350B must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in N0300 (Injections).	<p>Tips:</p> <p>IF N0300 is 0, THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3735b	Invalid Skip Pattern: If N0300 equals 1-7, then all active items from N0350A through N0350B must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in N0300 (Injections).	<p>Tips:</p> <p>IF N0300 is 1-7 (inclusive), THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3735c	Invalid Skip Pattern: If N0300 equals dash (-), then all active items from N0350A through N0350B must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in N0300 (Injections).	<p>Tips:</p> <p>IF N0300 (injections) is a dash (-), THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3736a	Invalid Skip Pattern: If O0250A equals 0, then O0250C must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item O0250C (If Influenza vaccine not received, state reason) is not consistent with the value submitted in item O0250A (Did the resident receive the Influenza vaccine in this facility?).	<p>Tips:</p> <p>IF O0250A is 0, THEN O0250C must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3736b	Invalid Skip Pattern: If O0250A equals 1, then O0250C must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item O0250C (If Influenza vaccine not received, state reason) is not consistent with the value submitted in item O0250A (Did the resident receive the Influenza vaccine in this facility?).	<p>Tips:</p> <p>IF O0250A is 1, THEN O0250C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3736c	Invalid Skip Pattern: If O0250A equals dash (-), then O0250C must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item O0250C (If Influenza vaccine not received, state reason) is not consistent with the value submitted in item O0250A (Did the resident receive the Influenza vaccine in this facility?).	<p>Tips:</p> <p>IF O0250A is a dash (-), THEN O0250C must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3744	Invalid Skip Pattern: If A0310E equals 1, then all active items from V0100A through V0100F must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since most recent admission?).	<p>Tips:</p> <p>IF A0310E is 1, THEN items V0100A through V0100F, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3746	Invalid Skip Pattern: If A0050 equals 1, then all active items from X0150 through X1100E must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 1, THEN items X0150 through X1100E, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3748	Missing Reason for Inactivation: If A0050 equals 3, then at least one item from X1050A through X1050Z must equal 1.	Fatal	Consistency	The value submitted in this item is not consistent with one or more values submitted in related items X1050A (Event did not occur) and/or X1050Z (Other error requiring inactivation).	<p>Tips:</p> <p>IF A0050 (type of record) is 3, THEN X1050A or X1050Z must be 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3749a	Assessment Completed Late: Z0500B (assessment completion date) is more than 14 days after A2300 (assessment reference date).	Warning	Consistency	The date submitted in item Z0500B (Date RN signed assessment as complete) is more than 14 days after the date submitted in item A2300 (Assessment Reference Date).	<p>Tips:</p> <p>The assessment was not completed within CMS timing guidelines.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3749b	Care Plan Completed Late: V0200B2 (CAA process signature date) is more than 14 days after A2300 (assessment reference date).	Warning	Consistency	The date submitted in item V0200B2 (CAA process signature date) is more than 14 days after the date submitted in item A2300 (Assessment Reference Date). The CAA process was not completed within CMS timing guidelines.	<p>Tips:</p> <p>The assessment was not completed within CMS timing guidelines.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3749c	Care Plan Completed Late: V0200C2 (CAA care plan signature date) is more than 7 days after V0200B2 (CAA process signature date).	Warning	Consistency	The date submitted in item V0200C2 (Care plan signature date) is more than 7 days after the date submitted in item V0200B2 (CAA process signature date).	<p>Tips:</p> <p>The care plan was not completed within CMS timing guidelines.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3749d	Assessment Completed Late: For this Admission assessment (A0310A equals 01), Z0500B (completion date) is more than 13 days after A1600 (entry date).	Warning	Consistency	The date submitted in item Z0500B (Date RN signed assessment as complete) is more than 13 days after the date submitted in item A1600 (Entry Date) for this Admission assessment.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason for Assessment) is 01 and Z0500B is more than 13 days after A1600, this admission assessment was not completed within CMS timing guidelines.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3749e	Care Plan Completed Late: For this Admission assessment (A0310A equals 01), V0200B2 (CAA process signature date) is more than 13 days after A1600 (entry date).	Warning	Consistency	The date submitted in item V0200B2 (CAA process signature date) is more than 13 days after the date submitted in item A1600 (Entry Date) for this Admission assessment. The CAA process was not completed within CMS timing guidelines.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason for Assessment) is 01 and V0200B2 is more than 13 days after A1600, this admission assessment CAA process was not completed within CMS timing guidelines.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3751	Inconsistent J0600A: J0300 equals 1 (indicating pain is present) and J0600A equals 00 (indicating a pain scale rating of "no pain").	Warning	Consistency	The value submitted in item J0600A (Numeric Rating Scale) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is equal to 1, THEN J0600A must equal 00.</p> <p>Action:</p> <p>Make appropriate corrections to the record, if needed, and submit a modification record.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3752	Inconsistent CAT Value: The submitted CAT value does not match the CAT value calculated by the iQIES System.	Fatal	Consistency	The value submitted in this item is not consistent with the value(s) of the related assessed item(s) that support whether or not this care area is triggered.	<p>Tips:</p> <p>A checked response displays as a “1” on the validation report and indicates that the care area was triggered. An unchecked response displays as a “0” on the validation report and indicates that the care area was not triggered.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3753	Inconsistent N0300 Value: If N0300 equals 1- 7, then N0350A must equal dash (-) OR N0350A must equal 0-7 and must be less than or equal to N0300.	Fatal	Consistency	The value submitted in item N0350A (Insulin injections) is not consistent with the value submitted in item N0300 (Injections).	<p>Tips:</p> <p>IF N0300 is 1-7 (inclusive), THEN N0350A must be a dash (-) or 0-7 (inclusive) but not greater than the value of N0300.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3761	Inconsistent A1000 Items: If any item A1000A through A1000F equals dash (-), then all items from A1000A through A1000F must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with one or more values submitted in related items A1000A – A1000F (Race/Ethnicity).	<p>Tips:</p> <p>IF one or more items A1000A through A1000F are a dash (-), THEN all items A1000A through A1000F must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3764a	Inconsistent G0110 Items: For this pair of G0110 items when both are active, if the value of either Column 1 or Column 2 equals 8, then the values of both Column 1 and Column 2 must equal 8.	Fatal	Consistency	The values submitted in this pair of related G0110 (ADL Assistance) Column 1 (Self-Performance) and Column 2 (Support) items are not consistent.	<p>Tips:</p> <p>IF the value of an item in Column 1 or Column 2 of G0110 is 8, THEN the value of the corresponding item in Column 1 or Column 2, when both are active, must also be 8.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3764b	Inconsistent G0110 Items: For this pair of G0110 items when both are active, if the value of Column 1 equals 2, 3, or 4, then the value of Column 2 must equal 2 or 3.	Fatal	Consistency	The values submitted in this pair of related G0110 (ADL Assistance) Column 1 (Self-Performance) and Column 2 (Support) items are not consistent.	<p>Tips:</p> <p>IF the value of an item in Column 1 of G0110 is 2, 3, or 4, THEN the value of the corresponding item in Column 2, when both are active, must be 2 or 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3774a	Inconsistent G0120A and G0120B Items: If G0120A and G0120B are active and either G0120A or G0120B equals 8, then both items must equal 8.	Fatal	Consistency	The values submitted in items G0120A (Bathing: Self-performance) and G0120B (Bathing: Support provided) are not consistent.	<p>Tips:</p> <p>IF G0120A and G0120B are active and either G0120A or G0120B is 8, THEN both G0120A and G0120B must be 8.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3774b	Inconsistent G0120A and G0120B Items: If G0120A and G0120B are active and G0120A equals 2, 3, or 4, then G0120B must equal 2 or 3.	Fatal	Consistency	The values submitted in items G0120A (Bathing: Self-performance) and G0120B (Bathing: Support provided) are not consistent.	<p>Tips:</p> <p>IF G0120A and G0120B are active and G0120A is 2, 3, or 4, THEN G0120B must be 2 or 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3775a	Inconsistent X0600F: If X0600F equals 99, then X0700A must contain a valid date and X0700B and X0700C must equal blank (^).	Fatal	Consistency	The values submitted in item X0600F (Entry/discharge reporting) and the values submitted in items X0700A (Assessment Reference Date), X0700B (Discharge Date), and/or X0700C (Entry Date) are inconsistent.	<p>Tips:</p> <p>IF X0600F is 99, THEN X0700A must be a valid date and X0700B and X0700C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3775b	Inconsistent X0600F: If X0600F equals 10, 11, or 12, then X0700B must contain a valid date and X0700A and X0700C must equal blank (^).	Fatal	Consistency	The values submitted in item X0600F (Entry/discharge reporting) and the values submitted in items X0700A (Assessment Reference Date), X0700B (Discharge Date), and/or X0700C (Entry Date) are inconsistent.	<p>Tips:</p> <p>IF X0600F is 10, 11, or 12, THEN X0700B must be a valid date and X0700A and X0700C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3775c	Inconsistent X0600F: If X0600F equals 01, then X0700C must contain a valid date and X0700A and X0700B must equal blank (^).	Fatal	Consistency	The values submitted in item X0600F (Entry/discharge reporting) and the values submitted in items X0700A (Assessment Reference Date), X0700B (Discharge Date), and/or X0700C (Entry Date) are inconsistent.	<p>Tips:</p> <p>IF X0600F is 10, 11, or 12, THEN X0700B must be a valid date and X0700A and X0700C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3778a	Inconsistent A1550 Items: If A0310A equals 02, 06, or 99, then active items A1550A through A1550Z must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF A0310A is 02, 06, or 99, THEN active items A1550A through A1550Z must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3778b	Inconsistent A1550 Items: If the resident's age is 22 years or older and A0310A equals 01, then active items A1550A through A1550Z must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF the resident's age is 22 years or older and A0310A is 01, THEN one or more active items A1550A through A1550Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3778c	Inconsistent A1550 Items: If the resident's age is 22 years or older and A0310A does not equal 01, then active items A1550A through A1550Z must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF the resident's age is 22 years or older and A0310A is not 01, THEN active items A1550A through A1550Z must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3778d	Inconsistent A1550 Items: If the resident's age is 21 years or younger and A0310A equals 01, 03, 04, or 05, then active items A1550A through A1550Z must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF the resident's age is 21 years or younger and A0310A is 01, 03, 04, or 05, THEN one or more active items A1550A through A1550Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3779a	Invalid Skip Pattern: If A0050 equals 2, then all active items from X0900A through X0900Z must not equal blank (^).	Fatal	Consistency	One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2, THEN one or more items X0900A through X0900Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3779b	Invalid Skip Pattern: If A0050 equals 3, then all active items from X0900A through X0900Z must equal blank (^).	Fatal	Consistency	One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 3, THEN items X0900A through X0900Z must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3780a	Invalid Skip Pattern: If A0050 equals 2, then all active items from X1050A through X1050Z must equal blank (^).	Fatal	Consistency	One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2, THEN items X1050A through X1050Z must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3780b	Invalid Skip Pattern: If A0050 equals 3, then all active items from X1050A through X1050Z must not equal blank (^).	Fatal	Consistency	One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 3, THEN items X1050A through X1050E must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3781	Invalid Skip Pattern: If A0050 equals 2 or 3, then all active items from X1100A through X1100E must not equal blank (^).	Fatal	Consistency	One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2 or 3, THEN items X1100A through X1100E must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3782	Inconsistent V0100A and V0100B Value: V0100A and V0100B cannot both equal 99.	Fatal	Consistency	The values submitted in items V0100A (Prior Assessment Federal OBRA Reason for Assessment) and V0100B (Prior Assessment PPS Reason for Assessment) cannot both be 99.	<p>Tips:</p> <p>IF V0100A is 99, THEN V0100B must not be 99.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3783	Inconsistent X0800 Value: The submitted modification value submitted in X0800 is not incremented by one 1 from the previously submitted modification value for this record.	Fatal	Consistency	The value submitted in X0800 (Correction Number) is inconsistent with the value of X0800 (Correction Number) submitted in the previous modification record.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The value of X0800 in this record must be the value of X0800 submitted in the previous, if any, modification record plus 1.</li> <li>• In the first modification record, the value of X0800 must be 01. The value of X0800 in the second modification record must be 02, and so on.</li> <li>• The value of X0800 minus 1 must equal the value of X0800 that was previously submitted successfully for this record.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3784a1	Invalid Skip Pattern: If J0200 equals 0, then all active items from J0300 through J0700 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item J0200 (Should Pain Assessment Interview be Conducted?).	<p>Tips:</p> <p>IF J0200 is 0, THEN active items J0300 through J0700 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3784a2	Invalid Skip Pattern: If J0200 equals 0, then - all active items from J0800A through J0800Z must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item J0200 (Should Pain Assessment Interview be Conducted?).	<p>Tips:</p> <p>IF J0200 is 0, THEN active items J0800A through J0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3784b	Invalid Skip Pattern: If J0200 equals 1, then J0300, if active, must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item J0200 (Should Pain Assessment Interview be Conducted?).	<p>Tips:</p> <p>IF J0200 is 1, THEN J0300, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3784c	Invalid Skip Pattern: If J0200 equals dash (-), then J0300, if active, must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item J0200 (Should Pain Assessment Interview be Conducted?).	<p>Tips:</p> <p>IF J0200 is a dash (-), THEN J0300, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785a	Invalid Skip Pattern: If J0300 equals 0, then all active items from J0400 through J0850 must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 0, THEN active items J0400 through J0850 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3785b1	Invalid Skip Pattern: If J0300 equals 1, then all active items from J0400 through J0500B must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 1, THEN active items J0400 through J0500B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785b2	Invalid Skip Pattern: If J0300 equals 1, then at least one of the items J0600A and/or J0600B, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 1, THEN active items J0600A and/or J0600B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785b3	Invalid Skip Pattern: If J0300 equals 1, then J0700, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 1, THEN J0700, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785c1	Invalid Skip Pattern: If J0300 equals 9, then all active items from J0400 through J0700 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 9, THEN active items J0400 through J0700 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3785c2	Invalid Skip Pattern: If J0300 equals 9, then all active items from J0800A through J0800Z must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 9, THEN active items J0800A through J0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785d1	Invalid Skip Pattern: If J0300 equals dash (-), then all active items from J0400 through J0600B must equal dash (-).	Fatal	Consistency	<p>The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).</p> <p>See error number -3785a</p>	<p>Tips:</p> <p>IF J0300 is a dash (-), THEN active items J0400 through J0600B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3785d2	Invalid Skip Pattern: If J0300 equals dash (-), then J0700, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is a dash (-), THEN J0700, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3786a	Invalid Skip Pattern: If J0700 equals 0, then all active items from J0800A through J0850 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?).	<p>Tips:</p> <p>IF J0700 is 0, THEN active items J0800A through J0850 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3786b	Invalid Skip Pattern: If J0700 equals 1, then all active items from J0800A through J0800Z must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?).	<p>Tips:</p> <p>IF J0700 is 1, THEN active items J0800A through J0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3786c	Invalid Skip Pattern: If J0700 equals dash (-), then all active items from J0800A through J0800Z must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?).	<p>Tips:</p> <p>IF J0700 is a dash (-), THEN active items J0800A through J0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3787a	Invalid Skip Pattern: If J0800Z equals 0, then J0850 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item J0800Z (Indicators of Pain: None of these signs observed or documented).	<p>Tips:</p> <p>IF J0800Z is 0, THEN J0850, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3787b	Invalid Skip Pattern: If J0800Z equals 1 or blank (^), then J0850 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item J0800Z (Indicators of Pain: None of these signs observed or documented).	<p>Tips:</p> <p>IF J0800Z is 1, THEN J0850, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3787c	Invalid Skip Pattern: If J0800Z equals dash (-), then J0850 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item J0800Z (Indicators of Pain: None of these signs observed or documented).	<p>Tips:</p> <p>IF J0800Z is a dash (-), THEN J0850, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3788a	Inconsistent J0700 Value: If J0400 equals 1, 2, 3, 4, or dash (-), then J0700, if active, must equal 0.	Fatal	<b>Consistency</b>	The value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?) is not consistent with the value submitted in item J0400 (Pain Frequency).	<p>Tips:</p> <p>IF J0400 is 1, 2, 3, 4, or a dash (-), THEN J0700, if active, must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3788b	Inconsistent J0700 Value: If J0400 equals 9, then J0700, if active, must equal 1 or dash (-).	Fatal	<b>Consistency</b>	The value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?) is not consistent with the value submitted in item J0400 (Pain Frequency).	<p>Tips:</p> <p>IF J0400 is 9, THEN J0700, if active, must be 1 or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3790a	Inconsistent A2000 and A2100 Items: If A2000 and A2100 are active and A0310F equals 10, 11, or 12, then A2000 and A2100 must not equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the value submitted in item A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is 10, 11, or 12 and A2000 and A2100 are active, THEN A2000 (Discharge Date) and A2100 (Discharge Status) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3790b	Inconsistent A2000 and A2100 Items: If A2000 and A2100 are active and A0310F does not equal 10, 11, or 12, then A2000 and A2100 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is not 10, 11, or 12 and A2000 and A2100 are active, THEN A2000 (Discharge Date) and A2100 (Discharge Status) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3792	Invalid Skip Pattern: If A0050 equals 2 or 3, then X0800 must not equal blank (^).	Fatal	Consistency	The value submitted in item X0800 (Correction Number) is not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2 or 3, THEN X0800 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3793	Text Too Long: The length of the text submitted for this item exceeds the maximum length allowed.	Fatal	Format	The text submitted exceeds the maximum length allowed for this item.	<p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3794a	Inconsistent Software Information: If Software Product Name equals blank (^), then Software Product Version Code must equal blank (^).	Fatal	Consistency	The SFTWR PROD VRSN CD value submitted is not consistent with the SFTWR PROD NAME value submitted.	<p>Tips:</p> <p>IF SFTWR PROD NAME is blank (^), THEN SFTWR PROD VRSN CD must be blank (^).</p> <p>Action:</p> <p>Verify that the software information in the encoding software is correct. Make appropriate corrections to the record and resubmit.</p>
-3794b	Inconsistent Software Vendor Information: If Software Product Name does not equal blank (^), then Software Product Version Code must not equal blank (^).	Fatal	Consistency	The SFTWR PROD VRSN CD value submitted is not consistent with the SFTWR PROD NAME value submitted.	<p>Tips:</p> <p>IF SFTWR PROD NAME is not blank (^), THEN SFTWR PROD VRSN CD must not be blank (^).</p> <p>Action:</p> <p>Verify that the software information in the encoding software is correct. Make appropriate corrections to the record and resubmit.</p>
-3795	Inconsistent X0900 Items: If A0050 equals 2, then at least one item from X0900A through X0900Z must equal 1.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2, THEN one or more active items X0900A through X0900Z must be 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3796	Invalid ISC: The submitted ISC (item subset code) does not match the ISC calculated by the iQIES System.	Fatal	Consistency	The submitted Item Subset Code (ISC) does not match the ISC calculated by the iQIES System.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The values of the following items determine which subset of items (ISC) is appropriate for this record:</li> <li>• A0050 (Type of Record)</li> <li>• A0200 (Type of Provider)</li> <li>• A0310A (Federal OBRA Reason for Assessment)</li> <li>• A0310B (PPS Assessment)</li> <li>• A0310C (PPS Other Medicare Required Assessment)</li> <li>• A0310D (Is this a Swing Bed clinical change assessment?)</li> <li>• A0310F (Entry/discharge reporting).</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3797a	Inconsistent J1700 Items: If A0310A equals 01 OR A0310E equals 1, then J1700A through J1700C must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items A0310A (Federal OBRA Reason for Assessment) and/or A0310E (First assessment since the most recent admission).F	<p>Tips:</p> <p>IF A0310A is 01 or A0310E is 1, THEN items J1700A through J1700C must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3797b	Inconsistent J1700 Items: If A0310A does not equal 01 AND A0310E does not equal 1, then J1700A through J1700C must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items A0310A (Federal OBRA Reason for Assessment) and/or A0310E (First assessment since the most recent admission).	<p>Tips:</p> <p>IF A0310A is not 01 and A0310E is not 1, THEN items J1700A through J1700C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3802	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item. Embedded spaces are allowed.	Fatal	Format	The value submitted for this item is invalid.	<p>Tips:</p> <ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, a dash (-), at sign (@), ampersand (&amp;), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</li> <li>Embedded spaces are allowed.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3805	Invalid Skip Pattern: If F0300 equals 0, then all active items from F0800A through F0800Z must not equal (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).	<p>Tips:</p> <p>IF F0300 is 0, THEN all active items F0800A through F0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3807	Invalid Version Code: The value submitted for this item is not an acceptable value.	Warning	Format	A valid value was not submitted for this item. The value for this item is either missing or invalid.	<p>Action:</p> <p>Verify that the version code in the encoding software is correct. Contact your software vendor.</p>
-3808	Missing/Invalid Data: This required Section S item is either missing or contains invalid data. Number fields must be unsigned.	Warning	Format	A valid value was not submitted for this required Section S item. The value for this item is either missing or invalid. For numeric items, signed values are not allowed.	<p>Tips:</p> <p>A signed numeric value is a number with a leading plus or minus sign.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3809a	Invalid Skip Pattern: If D0100 equals 0, then all active items from D0500A1 through D0600 must not equal (^).	Fatal	Skip	This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 0.	<p>Tips:</p> <p>IF D0100 is 0, THEN the following items, if active, must not be blank (^):</p> <ul style="list-style-type: none"> <li>○ D0500A1 (Little interest in doing things: Presence)</li> <li>○ D0500B1 (Feeling down, depressed, hopeless: Presence)</li> <li>○ D0500C1 (Trouble sleeping: Presence)</li> <li>○ D0500D1 (Feeling tired or having little energy: Presence)</li> <li>○ D0500E1 (Poor appetite or overeating: Presence)</li> <li>○ D0500F1 (Feeling bad about self: Presence)</li> <li>○ D0500G1 (Trouble concentrating: Presence)</li> <li>○ D0500H1 (Moving or speaking slowly or being restless: Presence)</li> <li>○ D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence)</li> <li>○ D0500J1 (Short-tempered, easily annoyed: Presence)</li> <li>○ D0600 (Total Severity Score)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3809b	Invalid Skip Pattern: If D0100 equals Yes [1], then all active items from D0500A1 through D0600 must be skipped [^].	Skip	<b>Fatal</b>	This mood item or items must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is Yes.	<p>Tips:</p> <p>If D0100 = 1, then all active items from D0500A1 through D0600 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3810a	Record Submitted Late: The submission date is more than 14 days after A1600 on this new (A0050 equals 1) entry tracking record (A0310F equals 01).	Warning	<b>Consistency</b>	Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.	<p>Tips:</p> <p>IF A0310F is 01 and A0050 is 1 and the submission date is more than 14 days after A1600 (Entry Date), THEN this record was submitted late.</p>
-3810b	Record Submitted Late: The submission date is more than 14 days after A2000 on this new (A0050 equals 1) death in facility tracking record (A0310F equals 12).	Warning	<b>Consistency</b>	Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.	<p>Tips:</p> <p>IF A0310F is 12 and A0050 is 1 and the submission date is more than 14 days after A2000 (Discharge Date), THEN this record was submitted late.</p>
-3810c	Record Submitted Late: The submission date is more than 14 days after V0200C2 on this new (A0050 equals 1) comprehensive assessment (A0310A equals 01, 03, 04, or 05).	Warning	<b>Consistency</b>	Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.	<p>Tips:</p> <p>IF A0310A is 01, 03, 04, or 05 and A0050 is 1 and the submission date is more than 14 days after V0200C2 (Care plan signature date), THEN this record was submitted late.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3810d	Record Submitted Late: The submission date is more than 14 days after Z0500B on this new (A0050 equals 1) assessment.	Warning	Consistency	Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.	Tips:  IF A0050 is 1 and the submission date is more than 14 days after Z0500B (Date RN signed assessment as complete), THEN this record was submitted late.
-3810e	Record Submitted Late: The submission date is more than 14 days after X1100E (attestation date) on this modification/inactivation record (A0050 equals 2 or 3).	Warning	Consistency	Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.	Tips:  IF A0050 is 2 or 3 and the submission date is more than 14 days after X1100E (Attestation date), THEN this record was submitted late.
-3816a	Inconsistent None of the Above Value: If K0510Z2 equals 0, then at least one active item K0510A2, K0510B2, K0510C2, or K0510D2 must equal 1.	Fatal	Consistency	The value submitted in item K0510Z2 (Nutritional Approaches: None of the above-While a Resident) is not consistent with one or more values submitted in related items K0510A2 through K0510D2 (Nutritional approaches while a resident) in Column 2.	Tips:  <ul style="list-style-type: none"> <li>A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</li> <li>IF K0510Z2 is unchecked, THEN one or more active items K0510A2 through K0510D2 in Column 2 must be checked.</li> </ul> Action:  Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3816b	Inconsistent None of the Above Value: If K0510Z2 equals 1, then all active items K0510A2, K0510B2, K0510C2, and K0510D2 must equal 0.	Fatal	Consistency	The value submitted in item K0510Z2 (Nutritional Approaches: None of the above-While a Resident) is not consistent with one or more values submitted in related items K0510A2 through K0510D2 (Nutritional approaches while a resident) in Column 2.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF K0510Z2 is checked, THEN all active items K0510A2 through K0510D2 must be unchecked.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3816c	Inconsistent None of the Above Value: If K0510Z2 equals dash (-), then at least one active item K0510A2, K0510B2, K0510C2, or K0510D2 must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item K0510Z2 (Nutritional Approaches: None of the above-While a Resident) is not consistent with one or more values submitted in related items K0510A2 through K0510D2 (Nutritional approaches while a resident) in Column 2.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF K0510Z2 is a dash (-), THEN one or more active items K0510A2 through K0510D2 in Column 2 must be a dash (-) and the remaining items K0510A2 through K0510D2 must be unchecked or a dash.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3818a	Invalid Skip Pattern: If A1500 equals 1, then all items from A1510A through A1510C must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A1500 (Preadmission Screening and Resident Review).	<p>Tips:</p> <p>IF A1500 is 1, THEN all active items A1510A through A1510C must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3818b	Invalid Skip Pattern: If A1500 equals 0, 9, or blank (^), then all items from A1510A through A1510C must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A1500 (Preadmission Screening and Resident Review).	<p>Tips:</p> <p>IF A1500 is 0, 9, or blank (^), THEN all active items A1510A through A1510C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3818c	Invalid Skip Pattern: If A1500 equals dash (-), then all items from A1510A through A1510C must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A1500 (Preadmission Screening and Resident Review).	<p>Tips:</p> <p>IF A1500 is a dash (-), THEN all active items A1510A through A1510C must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3820a	Invalid Skip Pattern: If Q0490 equals 1, then all items from Q0500B through Q0550B must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B).	<p>Tips:</p> <p>IF Q0490 is 1, THEN all active items Q0500B through Q0550B must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3820b	Invalid Skip Pattern: If Q0490 equals 0, 8, or dash (-), then all items from Q0500B through Q0550B must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B).	<p>Tips:</p> <p>IF Q0490 is 0, 8 or a dash (-), THEN active items Q0500B through Q0550B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3826	Inconsistent C Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from C0100 through C0600 must equal blank (^) and all items from C0700 through C1000 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose) and A0310G (Type of discharge).	<p>Tips:</p> <p>IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items C0100 (Should Brief Interview for Mental Status be Conducted?) through C0600 (Should the Staff Assessment for Mental Status be Conducted?) must be blank (^) AND all active items C0700 (Short-term Memory OK) through C1000 (Staff assessment for Mental Status) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3828a	Inconsistent None of the Above Value: If M1040Z equals 0, then at least one active item from M1040A through M1040H must equal 1.	Fatal	None of above	The value submitted in item M1040Z (Other Ulcers, Wounds and Skin Problems: None of the above) is not consistent with one or more values submitted in related items M1040A through M1040H (Other Ulcers, Wounds and Skin Problems).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M1040Z is unchecked (0), THEN one or more active items M1040A through M1040H must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3828b	Inconsistent None of the Above Value: If M1040Z equals 1, then all active items from M1040A through M1040H must equal 0.	Fatal	None of above	The value submitted in item M1040Z (Other Ulcers, Wounds and Skin Problems: None of the above) is not consistent with one or more values submitted in related items M1040A through M1040H (Other Ulcers, Wounds and Skin Problems).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M1040Z is checked (1), THEN all active items M1040A through M1040H must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3828c	Inconsistent None of the Above Value: If M1040Z equals dash (-), then at least one active item from M1040A through M1040H must equal dash (-) and all remaining active items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item M1040Z (Other Ulcers, Wounds and Skin Problems: None of the above) is not consistent with one or more values submitted in related items M1040A through M1040H (Other Ulcers, Wounds and Skin Problems)	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF M1040Z is a dash (-), THEN one or more active items M1040A through M1040H must be a dash (-) and the remaining active items M1040A through M1040H must be unchecked (0) or a dash (-).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3829a	Invalid Skip Pattern: If B0100 equals 0, then all active items from B0200 through B1300 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	<p>Tips:</p> <p>IF B0100 is 0, THEN active items B0200 (Hearing) through B1300 (Health Literacy) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3829b	Invalid Skip Pattern: If B0100 equals dash (-), then all items from B0200 through B1300 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	<p>Tips:</p> <p>IF B0100 is a dash (-), THEN all active items B0200 through B1300 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3833a	Inconsistent Q0490 Value: If Q0400A equals 0 or dash (-) and A0310A equals 01, 03, 04 or 05, then Q0490 must equal blank (^) and all active items Q0500B through Q0550B must not equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A is 0 or a dash (-) and A0310A is 01, 03, 04, or 05, THEN item Q0490, if active, must be blank (^) and all active items Q0500B through Q0550B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3833b	Inconsistent Q0490 Value: If Q0400A equals 0 or dash (-) and A0310A equals 02, 06 or 99, then Q0490 must not equal blank (^).	Fatal	Consistency	The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A is 0 or a dash (-) and A0310A is 02, 06, or 99, THEN item Q0490, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3833c	Inconsistent Q Items: If Q0400A equals 1, all items from Q0490 through Q0550B must equal blank (^).	Fatal	Consistency	The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A is 1, THEN all active items Q0490 through Q0550B (Indicate information source for Q0550A) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3834a	Invalid Skip Pattern: If A0310A equals 01, 03, 04 or 05, then A1500 must not equal blank (^).	Fatal	Skip	The value submitted in item A1500 (Preadmission Screening and Resident Review) is not consistent with the value submitted in A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF A0310A is 01, 03, 04, or 05, THEN item A1500, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3834b	Invalid Skip Pattern: If A0310A equals 02, 06 or 99, then A1500 must equal blank (^).	Fatal	Skip	The value submitted in item A1500 (Preadmission Screening and Resident Review) is not consistent with the value submitted in A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF A0310A is 02, 06, or 99, THEN item A1500, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3837	Inconsistent Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from J0200 through J0850 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose), A0310A (Federal OBRA Reason for Assessment), A0310B (PPS Assessment) and A0310G (Type of discharge).	<p>Tips:</p> <p>IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN active items J0200 (Should Pain Assessment Interview be Conducted) through J0850 (Frequency of Indicator of Pain) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3838a	Invalid Skip Pattern: If A0310F equals 01, 12 or 99, then A0310G must equal blank (^).	Fatal	Skip	The value submitted in item A0310G (Type of discharge) is not consistent with the value submitted in A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is 01, 12, or 99 THEN item A0310G, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3838b	Invalid Skip Pattern: If A0310F equals 10 or 11, then A0310G must not equal blank (^).	Fatal	Skip	The value submitted in item A0310G (Type of discharge) is not consistent with the value submitted in A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is 10 or 11, THEN item A0310G, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3839	Nonmatching ISC: The ISC of the modification record does not match the ISC of the record to be modified.	Fatal	Consistency	The Item Subset Code (ISC) submitted in this modification (A0050 is 2) record is not consistent with the ISC of the record it was intended to modify.	<p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3841a	Inconsistent K Items: If K0510A2 or K0510B2 equals 1, then if K0710A2 or K0710B2 are active they must not equal blank (^).	Fatal	Consistency	The values submitted in items K0510A2 (Parenteral/IV feeding while a resident) and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A2 (Proportion of total calories received parenteral while a resident) and/or K0710B2 (Average fluid intake by IV or tube feeding while a resident).	<p>Tips:</p> <p>IF K0510A2 or K0510B2 is 1, THEN items K0710A2 or K0710B2, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3841b	Inconsistent K Items: If K0510A2 and K0510B2 equal 0, then if K0710A2 or K0710B2 are active they must equal blank (^).	Fatal	Consistency	The values submitted in items K0510A2 (Parenteral/IV feeding while a resident) and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A2 (Proportion of total calories received parenteral while a resident) and/or K0710B2 (Average fluid intake by IV or tube feeding while a resident).	<p>Tips:</p> <p>IF K0510A2 and K0510B2 are 0, THEN items K0710A2 or K0710B2, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3841c	Inconsistent K Items: If either K0510A2 or K0510B2 equals dash (-) and the other item equals 0 or dash (-), then if K0710A2 or K0710B2 are active they must equal dash (-).	Fatal	Consistency	The values submitted in items K0510A2 (Parenteral/IV feeding while a resident) and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A2 (Proportion of total calories received parenteral while a resident) and/or K0710B2 (Average fluid intake by IV or tube feeding while a resident).	<p>Tips:</p> <p>IF either K0510A2 or K0510B2 is a dash (-) and the other item is 0 or a dash (-), THEN items K0710A2 or K0710B2, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3841d	Inconsistent K Items: If K0510A2 and K0510B2 both equal dash (-), then if K0710A2 or K0710B2 are active they must equal dash (-).	Fatal	Consistency	The values submitted in items K0510A2 (Parenteral/IV feeding while a resident) and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A2 (Proportion of total calories received parenteral while a resident) and/or K0710B2 (Average fluid intake by IV or tube feeding while a resident).	<p>Tips:</p> <p>IF K0510A2 and K0510B2 both are a dash (-), THEN items K0710A2 or K0710B2, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3842a	Inconsistent K Items: If K0710A3 and K0710B3 are active and one or more of the items K0510A1, K0510A2, K0510B1, or K0510B2 equal 1, then K0710A3 and K0710B3 must not equal blank (^).	Fatal	Consistency	The values submitted in items K0510A1 (Parenteral/IV feeding while not a resident), K0510A2 (Parenteral/IV feeding while a resident), K0510B1 (Feeding tube while not a resident), and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A3 (Proportion of total calories received parenteral or tube during entire 7 days) and/or K0710B3 (Average fluid intake by IV or tube feeding during entire 7 days).	<p>Tips:</p> <p>IF K0510A1, K0510A2, K0510B1, or K0510B2 is 1, THEN items K0710A3 and K0710B3, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3842b	Inconsistent K Items: If K0710A3 and K0710B3 are active and K0510A1, K0510A2, K0510B1, and K0510B2 equal 0 or blank (^), then K0710A3 and K0710B3 must equal blank (^).	Fatal	Consistency	The values submitted in items K0510A1 (Parenteral/IV feeding while not a resident), K0510A2 (Parenteral/IV feeding while a resident), K0510B1 (Feeding tube while not a resident), and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A3 (Proportion of total calories received parenteral or tube during entire 7 days) and/or K0710B3 (Average fluid intake by IV or tube feeding during entire 7 days).	<p>Tips:</p> <p>IF K0510A1, K0510A2, K0510B1, and K0510B2 are 0 or blank (^), THEN items K0710A3 and K0710B3, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3842c	Inconsistent K Items: If K0710A3 and K0710B3 are active and at least one of the items K0510A1, K0510A2, K0510B1, or K0510B2 equal dash (-) and the remaining items equal 0, dash (-), or blank (^), then K0710A3 and K0710B3 must equal dash (-).	Fatal	Consistency	The values submitted in items K0510A1 (Parenteral/IV feeding while not a resident), K0510A2 (Parenteral/IV feeding while a resident), K0510B1 (Feeding tube while not a resident), and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A3 (Proportion of total calories received parenteral or tube during entire 7 days) and/or K0710B3 (Average fluid intake by IV or tube feeding during entire 7 days).	<p>Tips:</p> <p>IF K0510A1, K0510A2, K0510B1, or K0510B2 is a dash (-) and the other items are 0, a dash (-) or blank (^), THEN items K0710A3 and K0710B3, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3843	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, then O0400A3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400A1, O0400A2, and O0400A3.	Fatal	Consistency	The value submitted in item O0400A3A (Co-treatment minutes) is not consistent with the values submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes submitted in O0400A1, O0400A2, and O0400A3 is greater than 0, THEN O0400A3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400A1, O0400A2, and O0400A3.</li> <li>• NOTE: When computing the sum of the minutes in O0400A1, O0400A2, and O0400A3, if any of these items is a dash (-), count the number of minutes for that item as 0.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3844	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, then O0400B3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400B1, O0400B2, and O0400B3.	Fatal	Consistency	The value submitted in item O0400B3A (Co-treatment minutes) is not consistent with the values submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes submitted in O0400B1, O0400B2, and O0400B3 is greater than 0, THEN O0400B3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400B1, O0400B2, and O0400B3.</li> <li>• NOTE: When computing the sum of the minutes in O0400B1, O0400B2, and O0400B3, if any of these items is a dash (-), count the number of minutes for that item as 0.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3845	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, then O0400C3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400C1, O0400C2, and O0400C3.	Fatal	Consistency	The value submitted in item O0400C3A (Co-treatment minutes) is not consistent with the values submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes submitted in O0400C1, O0400C2, and O0400C3 is greater than 0, THEN O0400C3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400C1, O0400C2, and O0400C3.</li> <li>• NOTE: When computing the sum of the minutes in O0400C1, O0400C2, and O0400C3, if any of these items is a dash (-), count the number of minutes for that item as 0.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3846a	Inconsistent O Items: If O0400A4, O0400B4, and O0400C4 are all equal to dash (-) and O0420 is active, then O0420 must equal dash (-).	Fatal	Consistency	The value submitted in item O0420 (Distinct Calendar Days of Therapy) is not consistent with the values submitted in items O0400A4 (Days), O0400B4 (Days), and O0400C4 (Days).	<p>Tips:</p> <p>IF the values submitted in O0400A4, O0400B4, and O0400C4 are dashes (-), THEN O0420, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3846b1	Inconsistent O Items: If O0420 is active and is not equal to dash (-), then O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4.	Fatal	Consistency	The value submitted in item O0420 (Distinct Calendar Days of Therapy) is not consistent with the values submitted in items O0400A4 (Days), O0400B4 (Days), and O0400C4 (Days).	<p>Tips:</p> <p>If O0420 is active and is not a dash (-), THEN the value submitted in O0420 must be greater than or equal to the largest value submitted in O0400A4, O0400B4, and O0400C4.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3846b2	Inconsistent O Items: If O0420 is active and is not equal to dash (-), then O0420 must be a value less than or equal to the sum of O0400A4, O0400B4, and O0400C4.	Fatal	Consistency	The value submitted in item O0420 (Distinct Calendar Days of Therapy) is not consistent with the values submitted in items O0400A4 (Days), O0400B4 (Days), and O0400C4 (Days).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• If O0420 is active and is not a dash (-), THEN the value submitted in O0420 must be a value less than or equal to the sum of O0400A4, O0400B4, and O0400C4.</li> <li>• When computing the sum of the days in O0400A4, O0400B4, and O0400C4, if any of these items is a dash (-) or blank (^), count the number of days for that item as 0.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3850a	Inconsistent A Items: If A0310F equals 12 and A2100 is active, A2100 must equal 08.	Fatal	<b>Consistency</b>	The value submitted in item A0310F (Entry/discharge reporting) is not consistent with the value submitted in item A2100 (Discharge Status).	<p>Tips:</p> <p>IF the value submitted in A0310F is 12, THEN the value submitted in A2100, if active, must be 08.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3850b	Inconsistent A Items: If A2100 is active and equals 08, A0310F must equal 12.	Fatal	<b>Consistency</b>	The value submitted in item A0310F (Entry/discharge reporting) is not consistent with the value submitted in item A2100 (Discharge Status).	<p>Tips:</p> <p>IF A2100 is active and the value submitted in A2100 is 08, THEN the value submitted in A0310F must be 12.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3852	Incorrect Format: Invalid ICD-10 item format.	Fatal	<b>Format</b>	The ICD-10 code submitted in this item is not formatted properly.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF an item I0020A or I8000A through I8000J (ICD Code) is not blank (^), THEN it must be an 8-character, fixed-format string with all blanks replaced with the caret symbol (^), and with a decimal point as the 4th character.</li> <li>• An entirely blank ICD-10 item must be submitted as a single ^.</li> <li>• Other formatting rules are as follows: <ul style="list-style-type: none"> <li>○ Character 1 must be a letter A-Z or a-z.</li> <li>○ Character 2 must be a number 0-9.</li> <li>○ Character 3 can be a number 0-9 or a letter A-Z or a-z.</li> <li>○ Character 4 must be a decimal point.</li> <li>○ Characters 5 through 8 each must be a number 0-9, a letter A-Z or a-z, or a ^.</li> <li>○ If any character 5 through 8 is ^, then all subsequent characters must be ^.</li> </ul> </li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3853	Inconsistent A0100B Value: If A0410 equals 3, A0100B must not equal blank (^).	Fatal	Consistency	The value submitted in item A0100B (CMS Certification Number (CCN)) is not consistent with the value submitted in item A0410 (Unit Certification or Licensure).	<p>Tips:</p> <p>IF A0410 is 3, THEN the value submitted in A0100B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3854	Invalid A0100B Value: If A0100B does not equal blank (^), it must be exactly 6 characters in length.	Fatal	Format	The value submitted in item A0100B (CMS Certification Number (CCN)) is not valid.	<p>Tips:</p> <p>IF A0100B is not blank (^), THEN the value submitted in A0100B must be exactly 6 characters in length.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3860	Inconsistent A1600 Value: If A1700 equals 1, A1600 must equal A1900.	Fatal	Consistency	The value submitted in item A1600 (Entry Date) is not consistent with the values submitted in items A1700 (Type of Entry) and A1900 (Admission Date).	<p>Tips:</p> <p>IF A1700 is 1, THEN A1600 must be the same as A1900.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3861	Inconsistent A1600 Value: If A1700 equals 2, A1600 must be greater than A1900.	Fatal	Consistency	The value submitted in item A1600 (Entry Date) is not consistent with the values submitted in items A1700 (Type of Entry) and A1900 (Admission Date).	<p>Tips:</p> <p>IF A1700 is 2, THEN A1600 must be greater than A1900.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3862a	Invalid Skip Pattern: If B0100 equals 0, then all items from C1310A through C1310D must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	<p>Tips:</p> <p>IF B0100 is 0, THEN active items C1310A (Is there evidence of an acute change in mental status?) through C1310D (Altered level of consciousness) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3862b	Invalid Skip Pattern: If B0100 equals dash (-), then all items from C1310A through C1310D must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).	<p>Tips:</p> <p>IF B0100 is a dash (-), THEN all active items C1310A through C1310D must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3866a	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	Fatal	<b>Consistency</b>	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is a dash (-) and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN all items GG0170R1 through GG0170SS1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3866b	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is a dash (-) and A0310B is 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN all items GG0170R1 through GG0170SS1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3866c	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1, if active, must equal dash (-).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is a dash (-) and A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3866d	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, then items GG0170R2 and GG0170S2, if active, must equal blank (^).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is a dash (-) and A0310B is 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, THEN items GG0170R2 and GG0170S2 must be a blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3866e	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and the target date for this assessment is before 10/1/2020, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is a dash (-) and the target date of this assessment is before 10/1/2020, THEN all items GG0170R1 through GG0170SS1, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3867a	Inconsistent GG0170 Items: If GG0170Q3 equals 0 or blank (^), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q3 is 0 or blank (^), THEN items GG0170R3 through GG0170SS3 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3867b	Inconsistent GG0170 Items: If GG0170Q3 equals 1, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q3 is 1, THEN all items GG0170R3 through GG0170SS3 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3867c	Inconsistent GG0170 Items: If GG0170Q3 equals dash (-), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q3 is a dash (-), THEN items GG0170R3 through GG0170SS3 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3869a	Inconsistent GG0170 Items: If GG0170Q1 equals 0 or blank (^), then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal blank (^).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 0 or blank (^), THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3869b1	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	Fatal	Consistency	The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 1 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3869b2	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	Fatal		The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 1 and A0310B is 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3869b3	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1, if active, must not equal blank (^).	Fatal		The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 1 and A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3869b4	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R2 and GG0170S2, if active, must equal blank (^).	Fatal		The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 1 and A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R2 and GG0170S2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3869b5	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and the target date for this assessment is before 10/1/2020, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	Fatal		The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).	<p>Tips:</p> <p>IF GG0170Q1 is 1 and the target date of this assessment is before 10/1/2020, THEN all items GG0170R1 through GG0170SS1, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3875	Inconsistent A0310H/A2400C Values: If A0310H equals 1, then A2400C must not equal dashes (-) or blank (^).	Fatal	Consistency	The values submitted in items A0310H (Is this a SNF Part A PPS Discharge Assessment and A2400C (End date of most recent Medicare stay) are not consistent.	<p>Tips:</p> <p>IF A0310H is 1, THEN A2400C must not be a dash (-) or blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3877	Inconsistent A0310H Value: If A0310F equals 10 or 11 AND A2400C equals A2000 or A2000 minus A2400C equals 1, then A0310H, if active, must equal 1.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items A2000 (Discharge Date) and A2400C (End date of most recent Medicare stay).	<p>Tips:</p> <p>IF A0310F (Entry/discharge reporting) is 10 or 11 AND A2400C is the same as A2000 or A2000 minus A2400C is 1, THEN A0310H (Is this a SNF Part A PPS Discharge Assessment?), if active, must be 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3879a	Invalid Skip Pattern: If N0450A equals 0, then all active items from N0450B through N0450E must equal blank (^).	Fatal	Skip	The value submitted in item N0450A (Antipsychotic medications received) is not consistent with one or more values submitted in related items N0450B - N0450E.	<p>Tips:</p> <p>IF N0450A is 0, THEN all active items N0400B through N0400E must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3879b	Invalid Skip Pattern: If N0450A equals 1, 2, or 3, then items N0450B and N0450D must not equal blank (^).	Fatal	Skip	The value submitted in item N0450A (Antipsychotic medications received) is not consistent with one or more values submitted in related items N0450B - N0450E.	<p>Tips:</p> <p>IF N0450A is 1, 2, or 3, THEN items N0450B through N0450D must be not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3880a	Invalid Skip Pattern: If N0450B equals 0, then N0450C must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item N0450B (GDR attempted) is not consistent with the value submitted in item N0450C (Date of last attempted GDR).	<p>Tips:</p> <p>IF N0450B is 0, THEN N0450C must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3880b	Invalid Skip Pattern: If N0450B equals 1, then N0450C must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item N0450B (GDR attempted) is not consistent with the value submitted in item N0450C (Date of last attempted GDR).	<p>Tips:</p> <p>IF N0450B is 1, THEN N0450C must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3881a	Invalid Skip Pattern: If N0450D equals 0, then N0450E must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item N0450D (GDR contraindication documented) is not consistent with the value submitted in item N0450E (Date GDR contraindication documented).	<p>Tips:</p> <p>IF N0450D is 0, THEN N0450E must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3881b	Invalid Skip Pattern: If N0450D equals 1, then N0450E must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item N0450D (GDR contraindication documented) is not consistent with the value submitted in item N0450E (Date GDR contraindication documented).	<p>Tips:</p> <p>IF N0450D is 1, THEN N0450E must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3882a	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals 0, then at least one item from GG0110A through GG0110E must equal 1.	Fatal	None of above	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF GG0110Z is unchecked (0), THEN one or more active items GG0110A through GG0110E must be checked (1).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3882b	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals 1, then all items from GG0110A through GG0110E must equal 0.	Fatal	None of above	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>• IF GG0110Z is checked (1), THEN all items GG0110A through GG0110E must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3882c	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals dash (-), then at least one item from GG0110A through GG0110E must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	None of above	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	<p>Tips:</p> <ul style="list-style-type: none"> <li>A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</li> <li>IF GG0110Z is a dash (-), THEN one or more active items GG0110A through GG0110E must be a dash (-) and the remaining items GG0110A through GG0110E must be unchecked (0).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3884a	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <p>IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99 or blank (^), THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3884b	Invalid Skip Pattern: If A0310G equals 2 or A0310H equals 0 or A2400C minus A2400B is 2 or less or A2100 equals 03, then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be blank (^).</li> <li>This is a skip pattern. If A0310G is 2 or A0310H is 0 or A2400C minus A2400B is 2 or less or A2100 is 03, then all items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be skipped (blank).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3884c	Invalid Skip Pattern: If A0310G equals blank (^) and A0310H equals 0, then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <p>IF A0310G is blank (^) and A0310H is 0, THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3885a	Invalid Skip Pattern: If M0300B1 equals 1-9 and M0300B2 is active, then M0300B2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	<p>Tips:</p> <p>IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN item M0300B2 (Number present at admission), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3885b	Invalid Skip Pattern: If M0300B1 equals 0 or blank (^) and M0300B2 is active, then M0300B2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF M0300B1 is 0 or blank (^), THEN item M0300B2, if active, must be blank (^).</li> <li>• This is a skip pattern. If M0300B1 is 0, then skip to M0300C (Stage 3) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3885c	Invalid Skip Pattern: If M0300B1 equals dash (-) and M0300B2 is active, then M0300B2 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).	<p>Tips:</p> <p>IF M0300B1 is a dash (-), THEN item M0300B2, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886a	Inconsistent Dates: The first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <ul style="list-style-type: none"> <li>The following dates must occur chronologically: <ul style="list-style-type: none"> <li>A0900 (Birth Date) must precede or be the same as A1900 (Admission Date)</li> <li>A1900 must precede or be the same as A1600 (Entry Date)</li> <li>A1600 must precede or be the same as A2300 (Assessment Reference Date)</li> <li>A2300 must be the same as A2000 (Discharge Date)</li> <li>Z0500B must precede or be the same as V0200B2 (CAA process signature date)</li> <li>V0200B2 must precede or be the same as V0200C2 (Care plan signature date)</li> <li>V0200C2 must precede or be the same as X1100E (Attestation Date)</li> <li>X1100E must precede or be the same as the current date</li> </ul> </li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886b1	Inconsistent Dates: This date must follow or be the same as A0900.	Fatal	Consistency	The date submitted in this item must be greater than or equal to the birth date submitted in A0900.	<p>Tips:</p> <p>The following dates must not precede A0900 (Birth Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886b2	Inconsistent Dates: This date must precede or be the same as A2300 if A2300 is active.	Fatal	Consistency	The date submitted in this item must be less than or equal to the Assessment Reference Date submitted in A2300, if active.	<p>Tips:</p> <p>The following dates must not follow A2300 (Assessment Reference Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886b3	Inconsistent Dates: This date must precede or be the same as A2000 if A0310F equals 10, 11, or 12.	Fatal	Consistency	The date submitted in this item must be less than or equal to the Discharge Date submitted in A2000, if A0310F is 10, 11, or 12.	<p>Tips:</p> <p>The following dates must not follow A2000 (Discharge Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date) acceptable values for this item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886b4	Inconsistent Dates: The start date must precede or be the same as the end date.	Fatal	Consistency	For a start/end date pair, the start date must be less than or equal to the end date.	<p>Tips:</p> <p>In the following date pairs, the end date must not precede the associated start date:</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date) and O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date) and O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date) and O0400C6 (Physical Therapy: Therapy end date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886c1	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 1, the first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 1, THEN the following dates must occur chronologically:</p> <ul style="list-style-type: none"> <li>• A1600 (Entry Date) must precede or be the same as A2200 (Previous ARD for Significant Correction)</li> <li>• A2200 must precede or be the same as A2300 (Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3886c2	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 2, the first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 2, THEN the following dates must occur chronologically:</p> <ul style="list-style-type: none"> <li>• A0900 (Birth Date) must precede or be the same as A2200 (Previous ARD for Significant Correction)</li> <li>• A2200 must precede or be the same as A2300 (Assessment Reference Date)</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3886d	Inconsistent Dates: If O0400A5, O0400B5, O0400C5, O0400A6, O0400B6, or O0400C6 is not equal to dash (-), blank (^), or ongoing (--), it must be greater than or equal to A1600.	Fatal		The date submitted in this item must be greater than or equal to the Entry Date submitted in A1600.	<p>Tips:</p> <p>The following dates must follow or be the same as A1600 (Entry Date):</p> <ul style="list-style-type: none"> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3887a	Invalid Skip Pattern: If M0210 equals 0, then all active items from M0300A through M0300G2 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF M0210 is 0, THEN all active items M0300A through M0300G2 must be blank (^).</li> <li>• This is a skip pattern. If M0210 is 0, then skip to M1030 (Number of Venous and Arterial Ulcers).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3887b	Invalid Skip Pattern: If M0210 equals dash (-), then all active items from M0300A through M0300G2 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).	<p>Tips:</p> <p>IF M0210 is a dash (-), THEN all active items M0300A through M0300G2 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3890a	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <p>IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), THEN Self-Care Discharge Performance items GG0130A3 (Eating), GG0130B3 (Oral hygiene), GG0130C3 (Toileting hygiene), GG0130E3 (Shower/bathe self), GG0130F3 (Upper body dressing), G0130G3 (Lower body dressing), and GG0130H3 (Put on/take off footwear) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3890b	Invalid Skip Pattern: If A0310G equals 2 or A0310H equals 0 or A2400C minus A2400B is 2 or less or A2100 equals 03, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be blank (^).</li> <li>This is a skip pattern. If A0310G is 2, or A0310H is 0, or A2400C minus A2400B is 2 or less, or A2100 is 03, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be skipped (blank).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3890c	Invalid Skip Pattern: If A0310G equals blank (^) and A0310H equals 0, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).	<p>Tips:</p> <p>IF A0310B is blank (^) and A0310H is 0, THEN items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

-3891	<p>Discharge Goal Not Identified: If A0310B equals 01, then at least one of the items GG0130A2 through GG0130C2, GG0130E2 through GG0130H2, GG0170A2 through GG0170G2, GG0170I2 through GG0170P2, GG0170R2, or GG0170S2 should equal 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88.</p> <p>Submitting dash (-) in the Discharge Goal items may result in a payment reduction of two percentage points for the affected payment determination.</p>	Warning	Consistency	<p>If A0310B is 01, a value of 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88 should be submitted for at least one of the Self-care and Mobility Discharge Goals.</p>	<p>Tips:</p> <p>The Self-care and Mobility Discharge Goals are the following items:</p> <ul style="list-style-type: none"> <li>○ GG0130A2 (Self-Care: Eating)</li> <li>○ GG0130B2 (Self-Care: Oral hygiene)</li> <li>○ GG0130C2 (Self-Care: Toileting hygiene)</li> <li>○ GG0130E2 (Self-Care: Shower/bathe self)</li> <li>○ GG0130F2 (Self Care: Upper body dressing)</li> <li>○ GG0130G2 (Self Care: Lower body dressing)</li> <li>○ GG0130H2 (Self-Care: Put on/take off footwear)</li> <li>○ GG0170A2 (Mobility: Roll left and right)</li> <li>○ GG0170B2 (Mobility: Sit to lying)</li> <li>○ GG0170C2 (Mobility: Lying to sitting on side of bed)</li> <li>○ GG0170D2 (Mobility: Sit to stand)</li> <li>○ GG0170E2 (Mobility: Chair/bed-to-chair transfer)</li> <li>○ GG0170F2 (Mobility: Toilet transfer)</li> <li>○ GG0170G2 (Mobility: Car transfer)</li> <li>○ GG0170I2 (Mobility: Walk 10 feet)</li> <li>○ GG0170J2 (Mobility: Walk 50 feet with two turns)</li> <li>○ GG0170K2 (Mobility: Walk 150 feet)</li> </ul>
-------	---	---------	-------------	--	--



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
					<ul style="list-style-type: none"> <li>○ GG0170L2 (Mobility: Walking 10 feet on uneven surfaces)</li> <li>○ GG0170M2 (Mobility: 1 step (curb))</li> <li>○ GG0170N2 (Mobility: 4 steps)</li> <li>○ GG0170O2 (Mobility: 12 steps)</li> <li>○ GG0170P2 (Mobility: Picking up object)</li> <li>○ GG0170R2 (Mobility: Wheel 50 feet with two turns)</li> <li>○ GG0170S2 (Mobility: Wheel 150 feet)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3892a	Invalid Skip Pattern: If GG0170I1 equals 07, 09, 10, 88, or blank (^), then items GG0170J1, GG0170K1, and GG0170L1 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I1 is 07, 09, 10, 88, or blank (^), THEN GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) must be blank (^).</p> <ul style="list-style-type: none"> <li>• This is a skip pattern. If GG0170I1 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3892b	Invalid Skip Pattern: If GG0170I1 equals 06, 05, 04, 03, 02, or 01, then items GG0170J1, GG0170K1, and GG0170L1 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I1 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J1, GG0170K1, and GG0170L1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3892c	Invalid Skip Pattern: If GG0170I1 equals dash (-), then items GG0170J1, GG0170K1, and GG0170L1 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I1 is a dash (-), THEN items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3893a	Invalid Skip Pattern: If GG0170I3 equals 07, 09, 10, 88, or blank (^), then items GG0170J3, GG0170K3, and GG0170L3 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF GG0170I3 is 07, 09, 10, 88, or blank (^), THEN GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) must be blank (^).</li> <li>This is a skip pattern. If GG0170I3 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3893b	Invalid Skip Pattern: If GG0170I3 equals 06, 05, 04, 03, 02, or 01, then items GG0170J3, GG0170K3, and GG0170L3 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I3 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J3, GG0170K3, and GG0170L3 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3893c	Invalid Skip Pattern: If GG0170I3 equals dash (-), then items GG0170J3, GG0170K3, and GG0170L3 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I3 is a dash (-), THEN items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3896a	Invalid Skip Pattern: If N2001 equals 0 or 9, then N2003 must equal blank (^).	Fatal	Skip	The value submitted in item N2003 (Medication Follow-up) is not consistent with the value submitted in item N2001 (Drug Regimen Review).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF N2001 is 0 or 9, THEN item N2003 must be blank (^).</li> <li>• This is a skip pattern. If N2001 is 0 or 9, then N2003 must be blank (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3896b	Invalid Skip Pattern: If N2001 equals 1, then N2003 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item N2003 (Medication Follow-up) is not consistent with the value submitted in item N2001 (Drug Regimen Review).	<p>Tips:</p> <p>IF N2001 is 1, THEN item N2003 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3896c	Invalid Skip Pattern: If N2001 equals dash (-), then N2003 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item N2003 (Medication Follow-up) is not consistent with the value submitted in item N2001 (Drug Regimen Review).	<p>Tips:</p> <p>IF N2001 is a dash (-), THEN item N2003 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3897	Payment Reduction Warning: If A0310B equals 01 or 08, then a dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.	Warning	<b>Consistency</b>	The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed, or information was not available.	<p>Tips:</p> <p>If A0310B is 01 or 08, not assessing a quality measure item may result in a payment reduction for your facility of 2% for the affected fiscal year payment determination.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3898a	Invalid Skip Pattern: If GG0170M1 equals 07, 09, 10, 88, or blank (^), then GG0170N1 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF GG0170M1 is 07, 09, 10, 88, or blank (^), THEN item GG0170N1 must be blank (^).</li> <li>• This is a skip pattern. If GG0170M1 is 07, 09, 10, 88, or blank (^), then GG0170N1 must be blank (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3898b	Invalid Skip Pattern: If GG0170M1 equals 06, 05, 04, 03, 02, or 01, then GG0170N1 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	<p>Tips:</p> <p>IF GG0170M1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3898c	Invalid Skip Pattern: If GG0170M1 equals dash (-), then GG0170N1 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	<p>Tips:</p> <p>IF GG0170M1 is a dash (-), THEN item GG0170N1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3899a	Invalid Skip Pattern: If GG0170N1 equals 07, 09, 10, 88, or blank (^), then GG0170O1 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF GG0170N1 is 07, 09, 10, 88, or blank (^), THEN item GG0170O1 must be blank (^).</li> </ul> <p>This is a skip pattern. If GG0170N1 is 07, 09, 10, 88, or blank (^), then GG0170O1 must be skipped (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3899b	Invalid Skip Pattern: If GG0170N1 equals 06, 05, 04, 03, 02, or 01, then GG0170O1 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	<p>Tips:</p> <p>IF GG0170N1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3899c	Invalid Skip Pattern: If GG0170N1 equals dash (-), then GG0170O1 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	<p>Tips:</p> <p>IF GG0170N1 is a dash (-), THEN item GG0170O1 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3900a	Invalid Skip Pattern: If GG0170M3 equals 07, 09, 10, 88, or blank (^), then GG0170N3 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF GG0170M3 is 07, 09, 10, 88, or blank (^), THEN item GG0170N3 must be blank (^).</li> <li>• This is a skip pattern. If GG0170M3 is 07, 09, 10, 88, or blank (^), then GG0170N3 must be skipped (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3900b	Invalid Skip Pattern: If GG0170M3 equals 06, 05, 04, 03, 02, or 01, then GG0170N3 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	<p>Tips:</p> <p>IF GG0170M3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N3 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3900c	Invalid Skip Pattern: If GG0170M3 equals dash (-), then GG0170N3 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	<p>Tips:</p> <p>IF GG0170M3 is a dash (-), THEN item GG0170N3 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3901a	Invalid Skip Pattern: If GG0170N3 equals 07, 09, 10, 88, or blank (^), then GG0170O3 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF GG0170N3 is 07, 09, 10, 88, or blank (^), THEN item GG0170O3 must be blank (^).</li> <li>• This is a skip pattern. If GG0170N3 is 07, 09, 10, 88, or blank (^), then GG0170O3 must be skipped (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3901b	Invalid Skip Pattern: If GG0170N3 equals 06, 05, 04, 03, 02, or 01, then GG0170O3 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	<p>Tips:</p> <p>IF GG0170N3 is a dash (-), THEN item GG0170O3 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3901c	Invalid Skip Pattern: If GG0170N3 equals dash (-), then GG0170O3 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	<p>Tips:</p> <p>IF GG0170N3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O3 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3906a	Invalid Skip Pattern: If A0310H equals 1, then N2005, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item N2005 (Medication Intervention) is not consistent with the value submitted in item A0310H (SNF Part A PPS Discharge Assessment).	<p>Tips:</p> <p>IF A0310H is 1, THEN item N2005, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3906b	Invalid Skip Pattern: If A0310H equals 0, then N2005, if active, must equal blank (^).	Fatal	Consistency	The value submitted in item N2005 (Medication Intervention) is not consistent with the value submitted in item A0310H (SNF Part A PPS Discharge Assessment).	<p>Tips:</p> <p>IF A0310H is 0, THEN item N2005, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3908	Payment Reduction Warning: If A0310H equals 1, a dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.	Warning	Consistency	The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed, or information was not available.	<p>Tips:</p> <p>If A0310H (Is this a SNF Part A PPS Discharge Assessment?) is a 1, not assessing this quality measure item may result in a payment reduction for your facility of 2% for the affected fiscal year payment determination.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3909	Invalid K0200A Value: The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.	Warning	Format	The value submitted in K0200A (Height) is less than 10 inches, which may be in error.	<p>Tips:</p> <p>Please verify that the submitted value is correct.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3910	Invalid K0200B Value: The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.	Warning	Format	The value submitted in K0200B (Weight) is less than 10 pounds, which may be in error.	<p>Tips:</p> <p>Please verify that the submitted value is correct.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3912	Inconsistent Dates: This date must be greater than or equal to A0900 and less than or equal to the current date.	Fatal	Consistency	The date submitted in this item must be greater than or equal to the birth date submitted in A0900 and less than or equal to the current date.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The following dates must not precede A0900 (Birth Date):</li> <li>• N0450C (Date of last attempted GDR)</li> <li>• N0450E (Date GDR contraindication documented)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3913	Incorrect Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	Fatal	Format	The Medicare Beneficiary Identifier (MBI) submitted in A0600B (Medicare number) is invalid.	<p>Tips:</p> <p>A0600B must be 11 characters as follows:</p> <ul style="list-style-type: none"> <li>○ The 1st character must be a number 1-9.</li> <li>○ The 2nd, 5th, 8th, and 9th characters must be letters, excluding S, L, O, I, B, and Z.</li> <li>○ The 4th, 7th, 10th, and 11th characters must be numbers.</li> <li>○ The 3rd and 6th characters must be letters, excluding S, L, O, I, B, and Z.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3914	Inconsistent Reasons for Assessment: A0200 (type of provider) and A0310A, A0310B, A0310F, and/or A0310H (reasons for assessment) are not a valid combination for the submitted Item Subset Code (ISC).	Fatal	Consistency	The Item Subset Code (ISC) submitted is not consistent with one or more values submitted in A0200 (Type of Provider), A0310A (Federal OBRA Reason for Assessment/Tracking), A0310B (PPS Assessments), A0310F (Entry/discharge reporting), and/or A0310H (Is this a SNF Part A PPS Discharge Assessment?).	<p>Tips:</p> <p>A special ISC is used for inactivations. When the record is an inactivation (A0050 is 3), then the ISC is XX. When the ISC is XX, only control items and the items in Section X are active, so the normal relationships between the RFA items and the ISC code do not apply.</p> <p>Action:</p> <ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Contact your software vendor.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3915a	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then C0100, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 and A0310G is 1 or blank (^), THEN item C0100, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3915b	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then C0100, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item C0100, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3915c	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then C0100, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item C0100, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
3915d	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then C0100, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	Tips: IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item C0100, if active, must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.
-3916a	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then D0100, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	Tips: IF B0100 is 0 and A0310G is 1 or blank (^), THEN item D0100, if active, must not be blank (^).  Action: Make appropriate corrections to the record and resubmit.
-3916b	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then D0100, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	Tips: IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item D0100, if active, must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3916c	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then D0100, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item D0100, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3916d	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then D0100, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item D0100, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3917	Medicare Number Missing: For a PPS assessment (A0310B equals 01 or 08) A0600B (Medicare number) must not equal blank (^).	Fatal	Consistency	A Medicare Number is required for a PPS Assessment.	<p>Tips:</p> <p>IF A0310B (PPS assessment) is 01 or 08, THEN A0600B (Medicare number) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3918a	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then J0200, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 and A0310G is 1 or blank (^), THEN item J0200, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3918b	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then J0200, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item J0200, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3918c	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then J0200, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05 or 06) OR A0310B is 01, THEN item J0200, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3918d	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then J0200, if active, must equal dash (-).	Fatal	Consistency	The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item J0200, if active, must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3919	Invalid Skip Pattern: If A0310B equals 01 or 08, then I0020 and I0020B must not equal blank (^).	Fatal	Skip	The value submitted in item I0020 (Resident's primary medical condition category) and/or I0020B (ICD Code) is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 01 or 08, THEN items I0020 and I0020B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3920a	Inconsistent A0310 Items: If A0200 equals 1 and A0310E equals 1, then A0310A must equal [01, 02, 03, 04, 05, or 06] OR A0310B must equal 01 OR A0310F must equal 10 or 11.	Fatal	Consistency	The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 1 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.	<p>Tips:</p> <p>IF A0200 is 1 and A0310E is 1, THEN: A0310A must be 01, 02, 03, 04, 05, or 06 OR A0310B must be 01 OR A0310F must be 10 or 11</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3920b	Inconsistent A0310 Items: If A0200 equals 2 and A0310E equals 1, then A0310B must equal 01 OR A0310F must equal 10 or 11.	Fatal	Consistency	The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 2 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.	<p>Tips:</p> <p>IF A0200 is 2 and A0310E is 1, THEN: A0310B must be 01 OR A0310F must be 10 or 11</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3921a	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1 and GG0130H2 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 01, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3921b1	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1, and GG0130H2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3921b2	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, and GG0130H1, and must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Self-Care Admission Performance items GG0130A1 through GG0130H1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3921b3	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments and STATE_PDPV_OBRA_CD is 1, THEN Self-Care Discharge Performance items GG0130A2 through GG0130H2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3921b4	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1, and GG0130H2 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and the target date for this assessment is before 10/1/2020, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3922a	Inconsistent K0510 Items: If A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the values submitted in items A0310G (Type of discharge) and A0310A (Federal OBRA Reason For Assessment) and A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items K0510C2 through K0510Z2 (Nutritional approaches while a resident) in Column 2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3922b	Inconsistent K0510 Items: If A0310G equals 2 and either A0310A equals [01, 02, 03, 04, 05, or 06] or A0310B equals 01, then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must not equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in this item is not consistent with the values submitted in items A0310G (Type of discharge) and A0310A (Federal OBRA Reason For Assessment) and A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN active items K0510C2 through K0510Z2 in Column 2 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3922c	Inconsistent K0510 Items: If A0310G equals 1 or blank (^), then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310G (Type of discharge) and A0310A (Federal OBRA Reason For Assessment) and A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310G is 1 or blank (^), THEN active items K0510C2 through K0510Z2 in Column 2 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3923	Inconsistent K0510 Items: If A0310B equals 08, then items K0510A1, K0510B1, and K0510Z1 in Column 1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A0310B is 08, THEN items K0510A1 through K0510Z1 (Nutritional approaches while NOT a resident) in Column 1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3923a	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is greater than or equal to 7 days, then items K0510A1, K0510B1, and K0510Z1 in Column 1 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A0310B is not 08 and A2300 minus A1600 is 7 or greater, THEN active items K0510A1 through K0510Z1 in Column 1 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3923b1	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days, then K0510A1 and K0510B1 in Column 1, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A0310B is not 08 and A2300 minus A1600 is 6 or less, THEN active items K0510A1 and K0510B1 in Column 1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3923b2	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then K0510Z1, if active, in Column 1 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A2300 minus A1600 is 6 or less and A0310G (Type of discharge) is 2 and A0310A (Federal OBRA Reason for Assessment) is 99 and A0310B (PPS Assessment) is 99, THEN K0510Z1, if active, in Column 1 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3923b3	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then K0510Z1, if active, in Column 1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A0310B is not 08 and A2300 minus A1600 is 6 or less AND A0310G is 2 AND EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item K0510Z1, if active, in Column 1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3923b4	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 1 or blank (^), then K0510Z1, if active, in Column 1 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).	<p>Tips:</p> <p>IF A0310B is not 08 and A2300 minus A1600 is 6 or less and A0310G is 1 or blank (^), THEN K0510Z1, if active, in Column 1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3924a	Inconsistent Dates: If A0200 equals 1 AND A0310A equals 01, 02, 03, 04, 05 or 06 or A0310B equals 01, AND A0310F equals 99 AND A0310H equals 1, then if A2300 and A2400C are active, A2300 must equal A2400C.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A2400C (End date of most recent Medicare stay).	<p>Tips:</p> <p>IF A0200 (Type of Provider) is 1 AND A0310A is 01, 02, 03, 04, 05, or 06 or A0310B equals 01, AND A0310F (Entry/discharge reporting) is 99 AND A0310H (Is this a SNF Part A PPS Discharge Assessment?) is 1, THEN if A2300 and A2400C are active, A2300 (Assessment Reference Date) must be the same as A2400C.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3924b	Inconsistent Dates: If A0200 equals 2 and A0310B equals 01 and A0310F equals 99 and A0310H equals 1, then if A2300 and A2400C are active, A2300 must equal A2400C.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A2400C (End date of most recent Medicare stay).	<p>Tips:</p> <p>IF A0200 is 2 and A0310B is 01 and A0310F is 99 and A0301H is 1, THEN if A2300 and A2400C are active, A2300 must be the same as A2400C.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3924c	Inconsistent Dates: If A0310F equals 10 or 11 AND A0310H equals 1, then if A2000 and A2400C are active, A2000 must equal A2400C or A2400C plus 1.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item A2400C (End date of most recent Medicare stay).	<p>Tips:</p> <p>IF A0310F is 10 or 11 AND A0310H is 1, THEN if A2000 and A2400C are active, A2000 (Discharge Date) must be the same as A2400C or A2400C plus 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3925a	Invalid Skip Pattern: If A0310B equals 01 and J2000 is active, then J2000 must not equal blank (^).	Fatal	Skip	The value submitted in item J2000 (Surgery 100 days prior to admission) is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 01, THEN item J0200, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3925b	Invalid Skip Pattern: If A0310B equals 99 and J2000 is active, then J2000 must equal blank (^).	Fatal	Skip	The value submitted in item J2000 (Surgery 100 days prior to admission) is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 99, THEN item J0200, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3926a	Invalid Skip Pattern: If A0310B equals 01 and N2001 is active, then N2001 must not equal blank (^).	Fatal	Skip	The value submitted in items N2001 (Drug Regimen Review) is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 01, THEN item N2001, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3926b	Invalid Skip Pattern: If A0310B equals 99 and N2001 and N2003 are active, then N2001 and N2003 must equal blank (^).	Fatal	Skip	The value submitted in items N2001 (Drug Regimen Review) is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 99, THEN items N2001 and N2003, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3927a	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1, if active, must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 01, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3927b1	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170A1, GG0170A2, GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170G1, GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3927b2	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Admission Performance items GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not equal blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3927b3	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, and GG0170P2 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>GG0170Q1 must not be blank (^).IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Discharge Goal items GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2,GG0170N2, GG0170O2, and GG0170P2 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3927b4	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then items GG0170A1, GG0170A2, GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170G1, GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and the target date for this assessment is before 10/1/2020, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3928a	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0100A through GG0100D must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 01, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3928b	If A0310B equals 99, then all active items from GG0100A through GG0100D must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 99, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must be blank (^).</p> <p>Action:</p> <ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-3929a	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0110A through GG0110Z must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <p>IF A0310B is 01, THEN all active Prior Device Use items GG0110A through GG0110Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3929b	Invalid Skip Pattern: If A0310B equals 99, then all active items from GG0110A through GG0110Z must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF A0310B is 99, THEN all active Prior Device Use items GG0110A through GG0110Z must be blank (^).</li> <li>This is a skip pattern. If A0310B is 99, then Prior Device Use items GG0110A through GG0110Z must be blank (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3930	Inconsistent D Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from D0100 through D0600 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose) and A0310G (Type of discharge) and A0310A (Federal OBRA Reason for Assessment) and A0310B (PPS Assessment).	<p>Tips:</p> <p>IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items D0100 (Should Resident Mood Interview be Conducted?) through D0600 (Total Severity Score) must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3931a	Inconsistent None of the Above Value: If K0510Z1 equals 0, then at least one active item K0510A1 or K0510B1 must equal 1.	Fatal	Consistency	The value submitted in item K0510Z1 (Nutritional Approaches: None of the above-While NOT a Resident) is not consistent with one or more values submitted in related active items K0510A1 through K0510B1 (Nutritional approaches while NOT a resident) in Column 1.	<p>Tips:</p> <p>IF K0510Z1 is unchecked, THEN one or more active items K0510A1 through K0510B1 in Column 1 must be checked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3931b	Inconsistent None of the Above Value: If K0510Z1 equals 1, then active items K0510A1 and K0510B1 must equal 0.	Fatal	Consistency	The value submitted in item K0510Z1 (Nutritional Approaches: None of the above-While NOT a Resident) is not consistent with one or more values submitted in related active items K0510A1 through K0510B1 (Nutritional approaches while NOT a resident) in Column 1.	<p>Tips:</p> <p>IF K0510Z1 is checked, THEN all items K0510A1 through K0510B1 in Column 1 must be unchecked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3931c	Inconsistent None of the Above Value: If K0510Z1 equals dash (-), then at least one item K0510A1 or K0510B1 must equal dash (-) and the remaining item must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item K0510Z1 (Nutritional Approaches: None of the above-While NOT a Resident) is not consistent with one or more values submitted in related active items K0510A1 through K0510B1 (Nutritional approaches while NOT a resident) in Column 1.	<p>Tips:</p> <p>IF K0510Z1 is a dash (-), THEN one or more active items K0510A1 through K0510B1 in Column 1 must be a dash (-) and the remaining items K0510A1 through K0510B1 in Column 1 must be unchecked or a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3933	No Match Found: This modification/inactivation record does not match a previously accepted record in the iQIES System. One or more of the items submitted in Section X of this record did not match the corresponding items of an existing record in the database.	Fatal	Consistency	<ul style="list-style-type: none"> <li>The values submitted in this modification or inactivation record does not match the values submitted in a previously accepted record in the iQIES System.</li> </ul>	<p>Tips:</p> <p>To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record:</p> <ul style="list-style-type: none"> <li>X0150 (Type of Provider)</li> <li>X0200A (First name)</li> <li>X0200C (Last name)</li> <li>X0300 (Gender)</li> <li>X0400 (Birth Date)</li> <li>X0500 (Social Security Number)</li> <li>X0570A (OSA Purpose)</li> <li>X0600A (Federal OBRA Reason for Assessment)</li> <li>X0600B (PPS Assessment)</li> <li>X0600F (Entry/discharge reporting)</li> <li>X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)</li> <li>X0700A (Assessment Reference Date)</li> <li>X0700B (Discharge Date)</li> <li>X0700C (Entry Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3934a	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A is active, then items X0150, X0200A, X0200C, X0300, and X0400, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2 or 3 and X0570A (OSA Purpose) is active, THEN active items X0150 (Type of Provider), X0200A (First name), X0200C (Last name), X0300 (Gender), X0400 (Birth Date), and X0570A must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3934b	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A is not active, then items X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 2 or 3 and X0570A is not active, THEN active items X0150, X0200A, X0200C, X0300, X0400, X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), X0600F (Entry/discharge reporting), and X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3935a	Incorrect RUG/PDPM Value: The submitted value of the HIPPS/PDPM code does not match the value calculated by the iQIES System.	Warning	Consistency	The value submitted in this item should be consistent with all of the MDS items used in the PDPM classification (i.e., the RUG (HIPPS) calculation should be correct).	<p>Tips:</p> <p>For items Z0100A (Medicare Part A HIPPS code) and Z0100B (HIPPS version code), the iQIES system recalculates the HIPPS code and the version code. A Warning is issued if the recalculated values do not match the submitted values.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3935b	Incorrect RUG/PDPM Version: The submitted value of the RUG/PDPM version code does not match the value calculated by the iQIES System.	Warning	Consistency	The value submitted in this item should be consistent with all of the MDS items used in the PDPM classification (i.e., the RUG (HIPPS) calculation should be correct).	<p>Tips:</p> <p>For items Z0100A (Medicare Part A HIPPS code) and Z0100B (HIPPS version code), the iQIES system recalculates the HIPPS code and the version code. A Warning is issued if the recalculated values do not match the submitted values.</p>
-3935c	Inconsistent Z0200C: Z0200C does not match the value calculated by the iQIES System.	Warning	Consistency	The value submitted in this item should be consistent with all of the MDS items used in the PDPM classification (i.e., the RUG (HIPPS) calculation should be correct).	<p>Tips:</p> <p>For items Z0200A (State Medicaid RUG Case Mix group), Z0200B (State Medicaid RUG version code), Z0250A (Alternate State Medicaid RUG Case Mix group), and Z0250B (Alternate State Medicaid RUG version code), the iQIES system recalculates the submitted RUGs group and RUG version code if the State is using a CMS-supported RUG model. Z0200C (Short Stay Assessment) is also recalculated. A Warning is issued if the recalculated codes do not match the submitted codes.</p>
-3937a	Invalid Item Subset Code: If A0300A equals 0, then ITM_SBST_CD must not equal OSA.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in A0300A (State payment purpose).	<p>Tips:</p> <p>IF A0300A is 0, THEN ITM_SBST_CD must not be OSA.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3937b	Invalid Item Subset Code: If A0300A equals 1, then ITM_SBST_CD must equal OSA.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in A0300A (State payment purpose).	<p>Tips:</p> <p>IF A0300A is 1, THEN ITM_SBST_CD must be OSA.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3939a	Inconsistent A0310G1 Value: If A0310F equals 01, 12, or 99 and A0310G1 is active, then A0310G1 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is 01, 12, or 99, THEN A0310G1 (SNF Part A Interrupted Stay), if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3939b	Inconsistent A0310G1 Value: If A0310F equals 10 or 11 and A0310G1 is active, then A0310G1 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0310F is 10 or 11, THEN A0310G1 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3940a	Inconsistent A0310G1/A0310H Values: If A0310G1 equals 1 and A0310H is active, A0310H must equal 0.	Fatal	Consistency	The values submitted in items A0310G1 (SNF Part A Interrupted Stay) and A0310H (SNF Part A PPS Discharge Assessment) are not consistent.	<p>Tips:</p> <p>IF A0310G1 is 1 and A0310H is active, THEN A0310H must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3940b	Inconsistent A0310H/A0310G1 Values: If A0310H equals 1 and A0310G1 is active, A0310G1 must equal 0 or blank (^).	Fatal	Consistency	The values submitted in items A0310G1 (SNF Part A Interrupted Stay) and A0310H (SNF Part A PPS Discharge Assessment) are not consistent.	<p>Tips:</p> <p>IF A0310H is 1 and A0310G1 is active, THEN A0310G1 must be 0 or blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3941	Inconsistent A2400A Value: If A0310G1 equals 1 and A2400A is active, then A2400A must equal 0.	Fatal	Consistency	The value submitted in item A2400A (Has resident had Medicare-covered stay) is not consistent with the value submitted in A0310G1 (SNF Part A Interrupted Stay)	<p>Tips:</p> <p>IF A0310G1 is 1 and A2400A is active is active, THEN A2400A must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3942a	Invalid Skip Pattern: If A0310B equals 01 or 08 and J2100 is active, then J2100 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's practice of collecting PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 01 or 08, THEN J2100 (Recent Surgery Requiring Active SNF Care), if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3942b1	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then J2100, if active, must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's practice of collecting PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <p>IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN J2100, if active, must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3942b2	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then J2100, if active, must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's practice of collecting PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN J2100, if active, must not be blank (^).</li> <li>• NOTE: The submission system will use the iQIES value instead of STATE_PDPM_OBRA_CD in order to determine whether to enforce the b1 and b2 edits.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3942b3	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then J2100, if active, must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's practice of collecting PDPM HIPPS codes for OBRA assessments.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF A0310B is 99 and the target date for this assessment is before 10/1/2020, then J2100, THEN J2100, if active, must be blank (^).</li> <li>• NOTE: The submission system will use the iQIES value instead of STATE_PDPM_OBRA_CD in order to determine whether to enforce the b1 and b2 edits.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3943a	Inconsistent Surgical Procedures Items: If J2100 equals 0, 8, or blank (^), then all active items from J2300 through J5000 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J2100 (Recent Surgery Requiring Active SNF Care).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF J2100 is 0, 8, or blank (^), THEN all active Surgical Procedures items J2300 through J5000 must be unchecked.</li> <li>A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3943b	Inconsistent Surgical Procedures Items: If J2100 equals 1, then at least one of the active items from J2300 through J5000- must equal 1.	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in item J2100 (Recent Surgery Requiring Active SNF Care).	<p>Tips:</p> <p>IF A0310B is 1, THEN at least one of the active Surgical Procedures items J2300 through J5000 must be checked.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3944a	Invalid Skip Pattern: If A0310H equals 0, then all active items from O0425A1 through O0430 must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item A0310H (SNF PPS Part A Discharge Assessment).	<p>Tips:</p> <ul style="list-style-type: none"> <li>IF A0310H is 0, THEN all active Part A Therapies/Days items O0425A1 through O0430 must be blank (^).</li> <li>This is a skip pattern. If A0310H is 1, then items O0425A1 through O0430 must be blank (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3944b	Invalid Skip Pattern: If A0310H equals 1, then active items O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3 and O0430 must not equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item A0310H (SNF PPS Part A Discharge Assessment).	<p>Tips:</p> <p>IF A0310H is 1, THEN active items O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3 and O0430 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3945	Invalid ICD Code: If A0310B equals 01 or 08, then the ICD code submitted in I0020B must be a valid code as defined in the MDS 3.0 Data Submission Specifications so that a HIPPS code may be generated.	Fatal	<b>Consistency</b>	When A0310B is 01 or 08, the value submitted in item I0020B (Primary Medical Condition ICD) must be one of the codes defined in the pdpm_icd_codes table in the MDS 3.0 Data Submission Specifications dictionary so that the PDPM grouper can generate a valid HIPPS code.	<p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3946a	Invalid Skip Pattern: If GG0170I5 equals 07, 09, 10, or 88, then GG0170J5 and GG0170K5 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item GG0170I5 (Mobility: Walk 10 feet).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF GG0170I5 is 07, 09, 10, or 88, THEN item GG0170J5 (Mobility: Walk 50 feet with turns) and GG0170K5 (Mobility: Walk 150 feet) must be blank (^).</li> <li>• This is a skip pattern. If GG0170I5 is 07, 09, 10, or 88, then GG0170J5 and GG0170K5 must be skipped (^).</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3946b	Invalid Skip Pattern: If GG0170I5 equals 06, 05, 04, 03, 02, or 01, then GG0170J5 and GG0170K5 must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I5 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I5 is 06, 05, 04, 03, 02, or 01, THEN item GG0170J5 and GG0170K5 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3946c	Invalid Skip Pattern: If GG0170I5 equals dash (-), then GG0170J5 and GG0170K5 must equal dash (-).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item GG0170I5 (Mobility: Walk 10 feet).	<p>Tips:</p> <p>IF GG0170I5 is a dash (-), THEN items GG0170J5 and GG0170K5 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3947	Invalid Interrupted Stay: If A0200 equals 2 and A0310A equals 99 and A0310B equals 99 and A0310F equals 10 or 11, then A0310G1 must not equal 1.	Fatal	Consistency	The value submitted in A0310G1 (Interrupted Stay) is not consistent with the values submitted in items A0200 (Type of Provider), A0310A (Federal OBRA Reason for Assessment), A0310B (PPS Assessment), and A0310F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0200 is 2 AND A0310A is 99 AND A0310B is 99 AND A0310F is 10 or 11, THEN A0310G1 must not be 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3948a	Inconsistent O0425A Items: If the sum of minutes in O0425A1, O0425A2, and O0425A3 equals 0 and at least one of these items does not equal dash (-), then O0425A4 and O0425A5 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425A1 (Individual minutes), O0425A2 (Concurrent minutes), and O0425A3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes in O0425A1, O0425A2, and O0425A3 is 0 and one or more of these items is not a dash (-), THEN O0425A4 (Co- treatment minutes) and O0425A5 (Days) must be blank (^).</li> <li>• This is a skip pattern. If the sum of the minutes in O0425A1, O0425A2, and O0425A3 is 0, then skip to O0425B (Occupational Therapy) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3948b	Inconsistent O0425A Items: If the sum of minutes in O0425A1, O0425A2, and O0425A3 is greater than 0, then O0425A4 and O0425A5 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425A1 (Individual minutes), O0425A2 (Concurrent minutes), and O0425A3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0425A1, O0425A2, and O0425A3 is greater than 0, THEN O0425A4 and O0425A5 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3948c	Inconsistent O0425A Items: If O0425A1, O0425A2, and O0425A3 all equal dash (-), then O0425A4 and O0425A5 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425A1 (Individual minutes), O0425A2 (Concurrent minutes), and O0425A3 (Group minutes).	<p>Tips:</p> <p>IF O0425A1, O0425A2, and O0425A3 are a dash (-), THEN O0425A4 and O0425A5 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3949a	Inconsistent O0425B Items: If the sum of minutes in O0425B1, O0425B2, and O0425B3 equals 0 and at least one of these items does not equal dash (-), then O0425B4 and O0425B5 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425B1 (Individual minutes), O0425B2 (Concurrent minutes), and O0425B3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes in O0425B1, O0425B2, and O0425B3 is 0 and one or more of these items is not a dash (-), THEN O0425B4 (Co- treatment minutes) and O0425B5 (Days) must be blank (^).</li> <li>• This is a skip pattern. If the sum of the minutes in O0425B1, O0425B2, and O0425B3 is 0, then skip to O0425C (Physical Therapy) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3949b	Inconsistent O0425B Items: If the sum of minutes in O0425B1, O0425B2, and O0425B3 is greater than 0, then O0425B4 and O0425B5 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425B1 (Individual minutes), O0425B2 (Concurrent minutes), and O0425B3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0425B1, O0425B2, and O0425B3 is greater than 0, THEN O0425B4 and O0425B5 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3949c	Inconsistent O0425B Items: If O0425B1, O0425B2, and O0425B3 all equal dash (-), then O0425B4 and O0425B5 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425B1 (Individual minutes), O0425B2 (Concurrent minutes), and O0425B3 (Group minutes).	<p>Tips:</p> <p>IF O0425B1, O0425B2, and O0425B3 are a dash (-), THEN O0425B4 and O0425B5 must be a dash (-).</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3950a	Inconsistent O0425C Items: If the sum of minutes in O0425C1, O0425C2, and O0425C3 equals 0 and at least one of these items does not equal dash (-), then O0425C4 and O0425C5 must equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425C1 (Individual minutes), O0425C2 (Concurrent minutes), and O0425C3 (Group minutes).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF the sum of the minutes in O0425C1, O0425C2, and O0425C3 is 0 and one or more of these items is not a dash (-), THEN O0425C4 (Co- treatment minutes) and O0425C5 (Days) must be blank (^).</li> <li>• This is a skip pattern. If the sum of the minutes in O0425C1, O0425C2, and O0425C3 is 0, then skip to O0430 (Distinct Calendar Days of Part A Therapy) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3950b	Inconsistent O0425C Items: If the sum of minutes in O0425C1, O0425C2, and O0425C3 is greater than 0, then O0425C4 and O0425C5 must not equal blank (^).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425C1 (Individual minutes), O0425C2 (Concurrent minutes), and O0425C3 (Group minutes).	<p>Tips:</p> <p>IF the sum of the minutes in O0425C1, O0425C2, and O0425C3 is greater than 0, THEN O0425C4 and O0425C5 must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3950c	Inconsistent O0425C Items: If O0425C1, O0425C2, and O0425C3 all equal dash (-), then O0425C4 and O0425C5 must equal dash (-).	Fatal	Consistency	The value submitted in this item is not consistent with the value submitted in items O0425C1 (Individual minutes), O0425C2 (Concurrent minutes), and O0425C3 (Group minutes).	<p>Tips:</p> <p>IF O0425C1, O0425C2, and O0425C3 are a dash (-), THEN O0425C4 and O0425C5 must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3951	Invalid Entry/Discharge Reporting: If A0310B equals 08, then A0310F must equal 99.	Fatal	Consistency	The value submitted in item A0310F (Entry/discharge reporting) is not consistent with the value submitted in item A0310B (Type of Assessment).	<p>Tips:</p> <p>IF A0310B is 8, THEN A0310F must be 99.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3952a	Inconsistent A0300A Value: If A0200 equals 2, then A0300A must equal 0.	Fatal	Consistency	The values submitted in items A0300A (State payment purpose) and A0200 (Type of Provider) are not consistent.	<p>Tips:</p> <p>IF A0200 is 2, THEN A0300A must be 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3952b	Inconsistent A0200 Value: If A0300A equals 1, then A0200 must equal 1.	Fatal	<b>Consistency</b>	The values submitted in items A0300A (State payment purpose) and A0200 (Type of Provider) are not consistent.	Tips: IF A0300A is 1, THEN A0200 must be 1.  Action: Make appropriate corrections to the record and resubmit.
-3953	Inconsistent A0310E Value: If A0310B equals 08, then A0310E must equal 0.	Fatal	<b>Consistency</b>	The value submitted in item A0310E (First assessment since most recent admission?) is not consistent with the value submitted in item A0310B (PPS Assessment).	Tips: IF A0310B is 08, THEN A0310E must be 0.  Action: Make appropriate corrections to the record and resubmit.
-3954	Inconsistent A0410 Value: If A0310B equals 08, then A0410 must equal 3.	Fatal	<b>Consistency</b>	The value submitted in item A0410 (Unit Certification or Licensure) is not consistent with the value submitted in item A0310B (PPS Assessment).	Tips: IF A0310B is 08, THEN A0410 must be 3.  Action: Make appropriate corrections to the record and resubmit.
-3955	Inconsistent A2400 Values: If A0300B equals 1, 2, 3, or 4, then A2400B and A2400C, if active, must not equal blank (^).	Fatal	<b>Consistency</b>	The value submitted in items A2400B (Start date of most recent Medicare stay) and/or A2400C (End date of most recent Medicare stay) is not consistent with the value submitted in item A0300B (State Payment Assessment Type).	Tips: IF A0300B is 1, 2, 3, or 4, THEN A2400B and A2400C, if active, must not be blank (^).  Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3956a	Inconsistent D0100 Value: If A0300A equals 1 and B0100 equals 0, then D0100, if active, must not equal blank (^).	Fatal	Skip	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).	Tips: IF A0300A is 1 and B0100 is 0, THEN D0100, if active, must not be blank (^).  Action: Make appropriate corrections to the record and resubmit.
-3956b	Inconsistent D0100 Value: If A0300A equals 1 and B0100 equals dash (-), then D0100, if active, must equal dash (-).	Fatal	Skip	The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).	Tips: IF A0300A is 1 and B0100 is a dash (-), THEN D0100, if active, must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.
-3957a	Inconsistent C0100 Value: If A0300A equals 1 and B0100 equals 0, then C0100, if active, must not equal blank (^).	Fatal	Skip	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).	Tips: IF A0300A is 1 and B0100 is 0, THEN C0100, if active, must not be blank (^).  Action: Make appropriate corrections to the record and resubmit.
-3957b	Inconsistent C0100 Value: If A0300A equals 1 and B0100 equals dash (-), then C0100, if active, must equal dash (-).	Fatal	Skip	The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).	Tips: IF A0300A is 1 and B0100 is a dash (-), THEN C0100, if active, must be a dash (-).  Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3958	Duplicate I8000 Items: If any item I8000A through I8000J does not equal blank (^), then it must not equal (duplicate) any value submitted in the remaining I8000A through I8000J items.	Fatal	Consistency	The value submitted in this I8000 (ICD Code) item is a duplicate of another I8000 item.	<p>Tips:</p> <p>IF any item I8000A through I8000J is not blank (^), then it must duplicate any value submitted in the remaining I8000A through I8000J items.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3959	Inconsistent X0570B Value: If A0050 equals 3, then X0570B must equal blank (^).	Fatal	Skip	The value submitted in item X0570B (State Payment Assessment Type) is not consistent with the value submitted in item A0050 (Type of Record).	<p>Tips:</p> <p>IF A0050 is 3, THEN X0570B must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3960	SLP and Audiology Services Concurrent (O0425A1) and Group (O0425A2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	Warning	Consistency	The sum of values submitted in items O0425A2 (Concurrent minutes) and O0425A3 (Group minutes) divided by total therapy minutes [O0425A1 (Individual minutes) plus O0425A2 plus O0425A3] is greater than 0.25.	<p>Tips:</p> <p>IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is noncompliant.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3961	Occupational Therapy Concurrent (O0425B1) and Group (O0425B2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	Warning	Consistency	The sum of values submitted in items O0425B2 (Concurrent minutes) and O0425B3 (Group minutes) divided by total therapy minutes [O0425B1 (Individual minutes) plus O0425B2 plus O0425B3] is greater than 0.25.	<p>Tips:</p> <p>IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is noncompliant.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3962	Physical Therapy Concurrent (O0425C1) and Group (O0425C2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	Warning	Consistency	The sum of values submitted in items O0425C2 (Concurrent minutes) and O0425C3 (Group minutes) divided by total therapy minutes [O0425C1 (Individual minutes) plus O0425C2 plus O0425C3] is greater than 0.25.	<p>Tips:</p> <p>IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is noncompliant.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3963a	Invalid Skip Pattern: If A0050 equals 2 and X0570A equals 0 and A0310B equals 01 or 99, then items X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the values submitted in items A0050 (Type of Record) and X0570A (OSA Purpose).	<p>Tips:</p> <p>IF A0050 is 2 and X0570A is 0 and A0310B (PPS Assessment) is 01 or 99, THEN active items X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), X0600F (Entry/discharge reporting), and X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3963b	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A equals 1, then items X0600A, X0600B, X0600F, and X0600H, if active, must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the values submitted in items A0050 (Type of Record) and X0570A (OSA Purpose).	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF A0050 is 2 or 3 and X0570A is 1, THEN active items X0600A, X0600B, X0600F, and X0600H must be blank (^).</li> <li>• This is a skip pattern. If A0050 is 2 or 3 and X0570A is 1, then skip to X0700 (Date) or the next active item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3963c	Invalid Skip Pattern: If A0050 equals 2 and X0570A equals 0 and A0310B equals 08, then items X0600A, X0600B, and X0600F, if active, must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the values submitted in items A0050 (Type of Record) and X0570A (OSA Purpose).	<p>Tips:</p> <p>IF A0050 is 2 and X0570A is 0 and A0310B is 08, THEN active items X0600A, X0600B, and X0600F must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3963d	Invalid Skip Pattern: If A0050 equals 3 and X0570A equals 0, then items X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the values submitted in items A0050 (Type of Record) and X0570A (OSA Purpose).	<p>Tips:</p> <p>IF A0050 is 3 and X0570A is 0, THEN active items X0600A, X0600B, X0600F, and X0600H must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3964	Inconsistent X0570A Value: If A0050 equals 3 and X0150 equals 2 and X0600A equals 99 and X0600B equals 99 and X0600F equals 10 or 11 OR If A0050 equals 3 and X0150 equals 2 and X0600A equals 99 and X0600B equals 01 and X0600F equals 10, 11, or 99, then X0570A must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item X0570A (OSA Purpose) is not consistent with the values submitted in items A0050 (Type of Record), X0150 (Type of Provider), X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), and X0600F (Entry/discharge reporting).	<p>Tips:</p> <p>IF A0050 is 3 and X0150 is 2 and X0600A is 99 AND X0600B is 99 and X0600F is 10 or 11 OR X0600B is 01 and X0600F is 10, 11 or 99 THEN X0570A must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3965	Inconsistent A0310G1/A2400C Values: If A0310G1 equals 1, then A2400C must equal dash (-).	Fatal	<b>Consistency</b>	The values submitted in items A0310G1 (SNF Part A Interrupted Stay) and A2400C (End date of most recent Medicare stay) are not consistent.	<p>Tips:</p> <p>IF A0310G1 is 1, THEN A2400C must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3966	Invalid STATE_PDPM_OBRA_CD: The STATE_PDPM_OBRA_CD value submitted for this OBRA assessment does not match the value established in iQIES for the state where the assessment was performed.	Warning	Consistency	The iQIES system recalculated the PDPM values using the configuration established in iQIES.	<p>Tips:</p> <ul style="list-style-type: none"> <li>The STATE_PDPM_OBRA_CD value submitted for this OBRA assessment does not match value established in the DMS for the state.</li> <li>For an OBRA assessment A0310A is 01, 02, 03, 04, 05, or 05 and A0310B is 99.</li> </ul> <p>Action:</p> <p>Please contact your state RAI coordinator to confirm if calculating and PDPM on your OBRA assessment is necessary.</p>
-3967	Invalid ICD Code: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then the ICD code submitted in I0020B must be a valid code defined in the MDS 3.0 Data Submission Specifications. The iQIES system cannot calculate a HIPPS code to validate the submitted Z0100A value.	Warning	Consistency	The PDPM cannot be determined for this assessment. If A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments (as noted in the DMS), the value submitted in item I0020B (Primary Medical Condition ICD) must be one of the codes in either the pdpm_icd_codes table or the pdpm_icd_codes_2 table in the version of the MDS 3.0 Data Submission Specifications dictionary that is valid for the target date of the assessment.	<p>Tips:</p> <p>NOTE: The iQIES system-could not calculate a HIPPS code in order to validate the submitted Z0100A value.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3970a	Inconsistent J items: If J0300 equals No [0], then all active items from J0410 through J0850 must equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 = 0, THEN active items J0410 through J0850 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970b1	Inconsistent J items: If J0300 equals Yes [1], then all active items from J0410 through J0530 must not equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 = 1, THEN active items J0410 through J0500B must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970b2	Inconsistent J items: If J0300 equals Yes [1], then at least one of the items J0600A and/or J0600B, if active, must not equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 1, THEN active items J0600A and/or J0600B must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970b3	Inconsistent J items: If J0300 equals Yes [1], then J0700, if active, must not equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 1, THEN J0700, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3970c1	Inconsistent J items: If J0300 equals Unable to answer [9], then all active items from J0410 through J0700 must equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 9, THEN active items J0410 through J0700 must be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970c2	Inconsistent J items: If J0300 equals Unable to answer [9], then all active items from J0800A through J0800Z must not equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is 9, THEN active items J0800A through J0800Z must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970d1	Inconsistent J items: If J0300 equals dash [-], then all active items from J0410 through J0600B must equal dash [-].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is a dash (-), THEN active items J0410 through J0600B must be a dash (-).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3970d2	Inconsistent J items: If J0300 equals dash [-], then J0700, if active, must not equal blank [^].	Fatal	Consistency	The value submitted in the pain item(s) is not consistent with the value submitted in item J0300 (Pain Presence).	<p>Tips:</p> <p>IF J0300 is a dash (-), THEN J0700, if active, must not be blank (^).</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3971a	Inconsistent J0700 Value: If J0410 equals 1, 2, 3, 4, or dash [-], then J0700, if active, must equal No [0].	Fatal	Consistency	The value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?) is not consistent with the value submitted in item J0410 (Pain Frequency).	Tips: IF J0410 = 1, 2, 3, 4, or a -, THEN J0700, if active, must = 0.  Action: Make appropriate corrections to the record and resubmit.
-3971b	Inconsistent J0700 Value: If J0410 equals Unable to answer [9], then J0700, if active, must equal 1 or dash [1, -].	Fatal	Consistency	The value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?) is not consistent with the value submitted in item J0410 (Pain Frequency).	Tips: IF J0410 = 9, THEN J0700, if active, must = 1 or -.  Action: Make appropriate corrections to the record and resubmit.
-3972a	Inconsistent A2000 Items: If A0310F equals 10, 11, or 12, then A2000, if active, must not equal blank [^].	Fatal	Consistency	The value submitted in Discharge Date item A2000 is not consistent with the value submitted in item A0310F (Entry/discharge reporting).	Tips: IF A0310F = 10, 11, or 12 and A2000 is active, THEN A2000 (Discharge Date) must not = ^.  Action: Make appropriate corrections to the record and resubmit.
-3972b	Inconsistent A2000 Items: If A0310F does not equal 10, 11, or 12, then A2000, if active, must equal blank [^].	Fatal	Consistency	The value submitted in Discharge Date item A2000 is not consistent with the value submitted in item A0310F (Entry/discharge reporting).	Tips: IF A0310F is not = 10, 11, or 12 and A2000 is active, THEN A2000 (Discharge Date) must = ^.  Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3973a	Invalid Skip Pattern: If Q0490 equals Yes [1], then all active items from Q0500B through Q0550C must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in the Return to Community item(s) is not consistent with the value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B).	<p>Tips:</p> <p>IF Q0490 = 1, THEN all active items Q0500B through Q0550C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3973b	Invalid Skip Pattern: If Q0490 equals No [0] or dash [-], then all active items from Q0500B through Q0550C must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in this item is not consistent with the value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B).	<p>Tips:</p> <p>IF Q0490 = 0 or -, THEN active items Q0500B through Q0550C must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3974a1	Inconsistent Q0490 Value: If Q0400A equals No [0] or dash [-] and A0310A equals 01, 03, 04 or 05, then Q0490, if active, must equal blank [^].	Fatal	<b>Consistency</b>	The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A = 0 or - and A0310A = 01, 03, 04, or 05, THEN item Q0490, if active, must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3974a2	Inconsistent Q0490 Value: If Q0400A equals No [0] or dash [-] and A0310A equals 01, 03, 04 or 05, then all active items Q0500B through Q0550C must not equal blank [^].	Fatal	<b>Consistency</b>	The value submitted in the Return to Community item(s) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A = 0 or - and A0310A = 01, 03, 04, or 05, THEN items Q0500C through Q0550C, if active, must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3974b	Inconsistent Q0490 Value: If Q0400A equals No [0] or dash [-] and A0310A equals 02, 06 or 99, then Q0490, if active, must not equal blank [^].	Fatal	Consistency	The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A = 0 or - and A0310A = 02, 06, or 99, THEN item Q0490, if active, must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3974c	Inconsistent Q Items: If Q0400A equals Yes [1], all active items from Q0490 through Q0550C must equal blank [^].	Fatal	Consistency	The value submitted in items Q0490 through Q0550C is not consistent with the values submitted in items Q0400A and A0310A (Federal OBRA Reason for Assessment).	<p>Tips:</p> <p>IF Q0400A = 1, THEN all active items Q0490 through Q0550C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3977	No Match Found: This modification/inactivation record does not match a previously accepted record in the iQIES System. One or more of the items submitted in Section X of this record did not match the corresponding items of an existing record in the database.	Fatal	Consistency	The values submitted in this modification or inactivation record does not match the values submitted in a previously accepted record in the iQIES System.	<p>Tips:</p> <p>To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record:</p> <ul style="list-style-type: none"> <li>○ X0150 (Type of Provider)</li> <li>○ X0200A (First name)</li> <li>○ X0200C (Last name)</li> <li>○ X0300 (Gender)</li> <li>○ X0400 (Birth Date)</li> <li>○ X0500 (Social Security Number)</li> <li>○ X0600A (Federal OBRA Reason for Assessment)</li> <li>○ X0600B (PPS Assessment)</li> <li>○ X0600F (Entry/discharge reporting)</li> <li>○ X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)</li> <li>○ X0700A (Assessment Reference Date)</li> <li>○ X0700B (Discharge Date)</li> <li>○ X0700C (Entry Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3978	Inconsistent X items: If A0050 equals 2 or 3 then items X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, and X0600F, if active, must not equal blank (^).	Fatal	Consistency	The value(s) submitted in the modification items in this assessment are not consistent with the value submitted in item A0050.	<p>Tips:</p> <p>If A0050 = 2 or 3 then items X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, and X0600F, if active, must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3981a	Invalid Skip Pattern: If A0050 equals Modify [2] and A0310B equals 01 or 99, then items X0600A, X0600B, X0600F, and X0600H, if active, must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Modification X items is not consistent with the values submitted in items A0050 (Type of Record) and item A0310B.	<p>Tips:</p> <p>IF A0050 = 2 and A0310B = 01 or 99, THEN active items X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), X0600F (Entry/discharge reporting), and X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3981b	Invalid Skip Pattern: If A0050 equals Modify [2] and A0310B equals 08, then items X0600A, X0600B, and X0600F, if active, must not be skipped (^).	Fatal	Skip	The value(s) submitted in the Modification X items is not consistent with the values submitted in items A0050 (Type of Record) and item A0310B.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• IF A0050 = 2 and A0310B = 08, THEN active items X0600A, X0600B, and X0600F must not = ^.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3982a	Inconsistent A1005 Item: At least one active item A1005A through A1005Y must equal checked [1].	Fatal	Consistency	At least one active Ethnicity item must be checked (A1005A through A1005Y)	<p>Tips:</p> <p>Provide a valid response for A1005A through A1005E and ensure that at least one of these items is checked [1].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3982b	Inconsistent A1005 Item: If A1005A equals checked [1], then all active items from A1005B through A1005E and A1005Y must equal not checked [0].	Fatal	Consistency	The value(s) submitted in A1005B through A1005Y is not consistent with the value submitted in item A1005A (No, not of Hispanic, Latino/a, or Spanish origin).	<p>Tips:</p> <p>If A1005A = 1, then all active items from A1005B through A1005E and A1005Y must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3982c	Inconsistent A1005 Item: If any item A1005B through A1005E equals checked [1], then A1005A and A1005Y must equal not checked [0].	Fatal	Consistency	The value(s) submitted in A1005A and A1005Y is not consistent with the value(s) submitted in item A1005B through A1005E	<p>Tips:</p> <p>If any item A1005B through A1005E = 1, then A1005A and A1005Y must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3982d	Inconsistent A1005 Item: If A1005X equals checked [1], then A1005Y must equal not checked [0].	Fatal	Consistency	The value submitted in A1005Y (Resident declines to respond) is not consistent with the value submitted in A1005X (Resident unable to respond).	<p>Tips:</p> <p>If A1005X = 1, then A1005Y must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3982e	Inconsistent A1005 Item: If A1005Y equals checked [1], then all active items A1005A through A1005X must equal not checked [0].	Fatal	Consistency	The value(s) submitted in A1005A through A1005X is not consistent with the value submitted in A1005Y (Resident declines to respond).	<p>Tips:</p> <p>If A1005Y = 1, then all active items A1005A through A1005X must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3983a	Inconsistent A1010 Item: At least one active item A1010A through A1010Z must equal checked [1].	Fatal	Consistency	At least one Race item must be checked (A1010A through A1010Z),	<p>Tips:</p> <p>Confirm at least one item A1010A through A1010Z has been checked [1].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3983b	Inconsistent A1010 Item: If any item A1010A through A1010N equal checked [1], then A1010Y and A1010Z must equal not checked [0].	Fatal	Consistency	If at least one Race item is selected (A1010A through A1010N) then A1010Y Patient declines to respond and A1010Z None of the above must not be checked	<p>Tips:</p> <p>Confirm if at least one item A1010A through A1010N has been checked [1], then confirm that A1010Y and A1010Z are not checked [0].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3983c	Inconsistent A1010 Item: If A1010X equals checked [1], then A1010Y must equal not checked [0].	Fatal	Consistency	If the Race: Patient unable to Respond item is checked (A1010X), then the Race: Patient declines to respond item must not be checked (A1010Y)	<p>Tips:</p> <p>Confirm that item A1010X is checked [1], then confirm that item A1010Y is not checked [0].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3983d	Inconsistent A1010 Item: A1010Y equals checked [1], then all active items from A1010A through A1010X and A1010Z must equal not checked [0].	Fatal	Consistency	If the Race: Patient declines to response item is checked (A1010Y), then all other Race items must not be checked.	<p>Tips:</p> <p>Confirm that A1010Y is checked [1], then confirm that all other race items are not checked [0].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3983e	Inconsistent A1010 Item: If A1010Z equals checked [1], then all active items A1010A through A1010N and A1010Y must equal not checked [0].	Fatal	Consistency	If the Race: None of the above item is checked, then all other Race items must not be checked	<p>Tips:</p> <p>If A1010Z is checked [1], confirm all other race items A1010A through A1010Y are not checked [0].</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3984a	Inconsistent A1250 Item: If all items A1250A through A1250Y do not equal blank [^], then at least one active item A1250A through A1250Y must equal checked [1].	Fatal	Consistency	At least one value submitted in the Transportation items must be checked if they are not skipped.	<p>Tips:</p> <p>Confirm the values in A1250A through A1250Y are valid when not skipped</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3984b	Inconsistent A1250 Item: If A1250A or A1250B equal checked [1], then A1250C and A1250Y must equal not checked [0].	Fatal	Consistency	The value submitted in the Transportation items is not consistent with the other Transportation items.	<p>Tips:</p> <p>If A1250A or A1250B = 1, then A1250C and A1250Y must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3984c	Inconsistent A1250 Item: If A1250C equals checked [1], then A1250A and A1250B must equal not checked [0].	Fatal	Consistency	The value submitted in the Transportation items is not consistent with the other Transportation items.	<p>Tips:</p> <p>If A1250C = 1, then A1250A and A1250B must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3984d	Inconsistent A1250 Item: If A1250X equals checked [1], then A1250Y must equal not checked [0].	Fatal	Consistency	The value submitted in the Transportation items is not consistent with the other Transportation items.	<p>Tips:</p> <p>Confirm the responses in A1250X and A1250Y are consistent to the data specifications.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3984e	Inconsistent A1250 Item: If A1250Y equals checked [1], then A1250A through A1250X must equal not checked [0].	Fatal	Consistency	The value submitted in the Transportation items is not consistent with the other Transportation items.	<p>Tips:</p> <p>If A1250Y = 1, then A1250A through A1250X must = 0.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3985a	Invalid Skip Pattern: If A0200 equals Swing bed [2] and A0310A equals 99 and A0310B equals 99 and A0310F equals 10 or 11, then if (A0310G equals 1 and A0310H equals 1), then A1250A through A1250Y must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Transportation items is not consistent with the Type of Provider, A0310A, A0310B, A0310F, A0310G, and/or A0310H items.	<p>Tips:</p> <p>If A0200 = 2 and A0310A = 99 and A0310B = 99 and A0310F = 10 or 11, then if (A0310G = 1 and A0310H = 1), then A1250A through A1250Y must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3985b	Invalid Skip Pattern: If A0200 equals Swing bed [2] and A0310A equals 99 and A0310B equals 99 and A0310F equals 10 or 11, then if (A0310G equals 2 or A0310H equals 0), then A1250A through A1250Y must be skipped [^].	Fatal	Skip	The value(s) submitted in the Transportation items is not consistent with the Type of Provider, A0310A, A0310B, A0310F, A0310G, and/or A0310H items.	<p>Tips:</p> <p>If A0200 = 2 and A0310A = 99 and A0310B = 99 and A0310F = 10 or 11, then if (A0310G = 2 and A0310H = 0), then A1250A through A1250Y must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3986a	Invalid Skip Pattern: If A0200 equals Nursing home [1] and A0310A equals 01, 02, 03, 04, 05, or 06 and A0310B equals 01 or 99 and A0310F equals 10, 11, or 99, then if A0310B equals 01 or (A0310G equals 1 or A0310H equals 1), then A1250A through A1250Y must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Transportation items is not consistent with the Type of Provider, A0310A, A0310B, A0310F, A0310G, and/or A0310H items.	<p>Tips:</p> <p>If A0200 = 1 and A0310A = 01, 02, 03, 04, 05, or 06 and A0310B = 01 or 99 and A0310F = 10, 11, or 99, then if A0310B = 01 or (A0310G = 1 or A0310H = 1), then A1250A through A1250Y must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3986b	Invalid Skip Pattern: If A0200 equals Nursing home [1] and A0310A equals 01, 02, 03, 04, 05, or 06 and A0310B equals 01 or 99 and A0310F equals 10, 11, or 99, then if A0310B equals 99 and (A0310G equals 2 or A0310H equals 0), then A1250A through A1250Y must be skipped [^].	Fatal	Skip	The value(s) submitted in the Transportation items is not consistent with the Type of Provider, A0310A, A0310B, A0310F, A0310G, and/or A0310H items.	<p>Tips:</p> <p>If A0200 = 1 and A0310A = 01, 02, 03, 04, 05, or 06 and A0310B = 01 or 99 and A0310F = 10, 11, or 99, then if A0310B = 99 and (A0310G = 2 or A0310H = 0), then A1250A through A1250Y must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3987	Invalid Skip Pattern: If (A0310A equals 99 and A0310B equals 99 and A0310F equals 99) or (A0310A equals 99 and A0310B equals 01 and A0310F equals 10, 11, or 99), then A1250A, A1250B, A1250C A1250X, and A1250Y must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Transportation items is not consistent with the A0310A, A0310B, and/or A0310F items.	<p>Tips:</p> <p>If (A0310A = 99 and A0310B = 99 and A0310F = 99) or (A0310A = 99 and A0310B = 01 and A0310F = 10, 11, or 99), then A1250A, A1250B, A1250C A1250X, and A1250Y must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3988a	Invalid Skip Pattern: If A0310F equals 10, 11, or 12, then A2105, if active, must not be skipped [^].	Fatal	Skip	The Discharge Location item is not consistent with the Entry/discharge Reporting item.	<p>Tips:</p> <p>If A0310F = 10, 11, or 12, then A2105 must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3988b	Invalid Skip Pattern: If A0310F equals 01 or 99, then A2105 must be skipped [^].	Fatal	Skip	The Discharge Location item is not consistent with the Entry/discharge Reporting item.	<p>Tips:</p> <p>If A0310F = 01 or 99, then A2105 must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3989a	Invalid Skip Pattern: If A0310A equals 99 and A0310B equals 99 and A0310F equals 99, then A2121, if active, must not be skipped [^].	Fatal	Skip	The Reconciled Medication item value is not consistent with the value submitted in the Type of Assessment items A0310A, A0310B, and/or A0310F.	<p>Tips:</p> <p>If A0310A = 99 and A0310B = 99 and A0310F = 99, then A2121, must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3989b	Invalid Skip Pattern: If A0310H equals 1 and A2105 equals 01 or 99, then A2121, if active, must be skipped [^] and A2123, if active, must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Reconciled Medication items is not consistent with the value submitted in the Type of Assessment item A0310H or Discharge Location item A2105	<p>Tips:</p> <p>If A0310H = 1 and A2105 = 01 or 99, then A2121 must = ^ and A2123 must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3989c	Invalid Skip Pattern: If A0310H equals 1 and A2105 equals 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, or 12, then A2121, if active, must not be skipped [^] and A2123 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Reconciled Medication items is not consistent with the value submitted in the Type of Assessment item A0310H or Discharge Location item A2105	<p>Tips:</p> <p>If A0310H = 1 and A2105 = 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, or 12, then A2121 must not = ^ and A2123 must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3989d	Invalid Skip Pattern: If A0310H equals 0, then A2121 and A2123, if active, must be skipped [^].	Fatal	Skip	The value(s) submitted in the Reconciled Medication items is not consistent with the value submitted in the Type of Assessment item A0310H.	<p>Tips:</p> <p>If A0310H = 0, then A2121 and A2123 must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3991a	Invalid Skip Pattern: If A2121 equals No [0], then all of the following active items A2122A through A2122E must be skipped [^].	Fatal	Skip	The value(s) submitted in the Route of Reconciled Medication list items is not consistent with the value submitted in other Reconciled Medication item A2121.	<p>Tips:</p> <p>If A2121 = 0, then all of the following active items A2122A through A2122E must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3991b	Invalid Skip Pattern: If A2121 equals Yes [1], then all of the following active items A2122A through A2122E must not equal skipped [^].	Fatal	Skip	The value(s) submitted in the Route of Reconciled Medication list items is not consistent with the value submitted in other Reconciled Medication item A2121.	<p>Tips:</p> <p>If A2121 = 1, then all of the following active items A2122A through A2122E must not = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3991c	Invalid Skip Pattern: If A2121 equals Yes [1], then at least one of the following active items A2122A through A2122E must equal checked [1].	Fatal	Skip	The value(s) submitted in the Route of Reconciled Medication list items is not consistent with the value submitted in other Reconciled Medication item A2121.	<p>Tips:</p> <p>If A2121 = 1, then at least one of the following active items A2122A through A2122E must = 1.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3991d	Invalid Skip Pattern: If A2121 equals Skipped [^], then all of the following active items A2122A through A2122E must be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in the Route of Reconciled Medication list items is not consistent with the value submitted in other Reconciled Medication item A2121.	<p>Tips:</p> <p>If A2121 = ^, then all of the following active items A2122A through A2122E must = ^.</p> <p>Actions:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3993a	Invalid Skip Pattern: If A2123 equals No [0], then all of the following active items A2124A through A2124E must be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in the Reconciled Medication List items is not in alignment with the response in the Provision of Current Reconciled Medication List item (A2123)	<p>Tips:</p> <p>If A2123 = 0, then all of the following active items A2124A through A2124E must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3993b	Invalid Skip Pattern: If A2123 equals Yes [1], then all of the following active items A2124A through A2124E must not be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in the Reconciled Medication List items is not in alignment with the response in the Provision of Current Reconciled Medication List item (A2123)	<p>Tips:</p> <p>If A2123 = 1, then all of the following active items A2124A through A2124E must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3993c	Invalid Skip Pattern: If A2123 equals Yes [1], then at least one of the following active items A2124A through A2124E must equal checked [1].	Fatal	<b>Skip</b>	The value(s) submitted in the Reconciled Medication List items is not in alignment with the response in the Provision of Current Reconciled Medication List item (A2123)	<p>Tips:</p> <p>If A2123 = 1, then at least one of the following active items A2124A through A2124E must = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3993d	Invalid Skip Pattern: If A2123 equals Skipped [^], then all of the following active items A2124A through A2124E must be skipped [^].	Fatal	Skip	The value(s) submitted in the Reconciled Medication List items is not in alignment with the response in the Provision of Current Reconciled Medication List item (A2123)	<p>Tips:</p> <p>If A2123 = ^, then all of the following active items A2124A through A2124E must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3993e	Invalid Skip Pattern: If A2123 equals Yes [1], then at least one of the following active items A2124A through A2124E must equal checked [1].	Fatal	Skip	The value(s) submitted in the Reconciled Medication List items is not in alignment with the response in the Provision of Current Reconciled Medication List item (A2123)	<p>Tips:</p> <p>If A2123 = 1, then all of the following active items A2124A through A2124E must = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3994a	Invalid Skip Pattern: If A0310A equals 99 and A0310B equals 99 and A0310F equals 99, then B1300, if active, must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Health Literacy item is not consistent with items A0310A, A0310B, and/or A0301F	<p>Tips:</p> <p>A0310A = 99 and A0310B = 99 and A0310F = 99, then B1300, if active, must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3994b	Invalid Skip Pattern: If B0100 equals No [0] AND [A0310B equals 01 OR (A0310G equals 1 and A0310H equals 1)], then B1300, if active, must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Health Literacy item is not consistent with A0310B, A0301G, A0301H, and/or Comatose items	<p>Tips:</p> <p>If B0100 = 0 AND [A0310B = 01 OR (A0310G = 1 and A0310H = 1)], then B1300, if active, must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3994c	Invalid Skip Pattern: If A0310B equals 99 and (A0310G equals 2 or is skipped OR A0310H equals 0) and B0100 equals No [0], then B1300, if active, must be skipped [^].	Fatal	Skip	The value(s) submitted in the Health Literacy item is not consistent with A0310B, A0301G, A0301H, and/or Comatose items	<p>Tips:</p> <p>A0310B = 99 and (A0310G = 2 or ^ OR A0310H=0) and B0100 = 0, then B1300, if active, must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3995a	Inconsistent N0415 items: If N0415Z1 equals Checked [1], then N0415A1 through N0415J1 must equal not checked [0].	Fatal	Consistency	The value(s) submitted in some High-risk Medication items is not consistent with the value submitted in the None of the Above item N0415Z1.	<p>Tips:</p> <p>If N0415Z1 = 1, then N0415A1 through N0415J1 must = 0</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3995b	Inconsistent N0415 items: If N0415Z1 equals Not checked [0], then at least one item N0415A1 through N0415J1 must equal checked [1].	Fatal	Consistency	The value(s) submitted in some High-risk Medication items is not consistent with the value submitted in the None of the Above item N0415Z1.	<p>Tips:</p> <p>If N0415Z1 = 0, then N0415A1 through N0415J1 must = 1</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3995c	Inconsistent N0415 items: If N0415Z1 equals a dash [-], then at least one item N0415A1 through N0415J1 must equal dash [-] and the rest be unchecked or dash [0, -].	Fatal	Consistency	The value(s) submitted in some High-risk Medication items is not consistent with the value submitted in the None of the Above item N0415Z1.	<p>Tips:</p> <p>If N0415Z1 = -, then at least one item N0415A1 through N0415J1 must = - and the rest = 0 or -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3996a	Invalid Skip Pattern: If N0415A1 equals Not checked [0], then N0415A2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415A1 = 0, then N0415A2 must = ^ Action: Make appropriate corrections to the record and resubmit.
-3996b	Invalid Skip Pattern: If N0415A1 equals Checked [1], then N0415A2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415A1 = 1, then N0415A2 must not = ^ Action: Make appropriate corrections to the record and resubmit.
-3996c	Invalid Skip Pattern: If N0415A1 equals dash [-], then N0415A2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415A1 = -, then N0415A2 must = - Action: Make appropriate corrections to the record and resubmit.
-3997a	Invalid Skip Pattern: If N0415B1 equals Not checked [0], then N0415B2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415B1 = 0, then N0415B2 must = ^ Action: Make appropriate corrections to the record and resubmit.
-3997b	Invalid Skip Pattern: If N0415B1 equals Checked [1], then N0415B2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415B1 = 1, then N0415B2 must not = ^ Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3997c	Invalid Skip Pattern: If N0415B1 equals dash [-], then N0415B2 antianxiety indication must equal dash [-].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415B1 = -, then N0415B2 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3998a	Invalid Skip Pattern: If N0415C1 equals Not checked [0], then N0415C2 must be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415C1 = 0, then N0415C2 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3998b	Invalid Skip Pattern: If N0415C1 equals Checked [1], then N0415C2 must not be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415C1 = 1, then N0415C2 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3998c	Invalid Skip Pattern: If N0415C1 equals dash [-], then N0415C2 must equal dash [-].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415C1 = -, then N0415C2 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-3999a	Invalid Skip Pattern: If N0415D1 equals Not checked [0], then N0415D2 must be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415D1 = 0, then N0415D2 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-3999b	Invalid Skip Pattern: If N0415D1 equals Checked [1], then N0415D2 must not be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415D1 = 1, then N0415D2 must not = ^ Action: Make appropriate corrections to the record and resubmit.
-3999c	Invalid Skip Pattern: If N0415D1 equals dash [-], then N0415D2 must equal dash [-].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415D1 = -, then N0415D2 must = - Action: Make appropriate corrections to the record and resubmit.
-4000a	Invalid Skip Pattern: If N0415E1 equals Not checked [0], then N0415E2 must be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415E1 = 0, then N0415E2 must = ^ Action: Make appropriate corrections to the record and resubmit.
-4000b	Invalid Skip Pattern: If N0415E1 equals Checked [1], then N0415E2 must not be skipped [^].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415E1 = 1, then N0415E2 must not = ^ Action: Make appropriate corrections to the record and resubmit.
-4000c	Invalid Skip Pattern: If N0415E1 equals dash [-], then N0415E2 must equal dash [-].	Fatal	Skip	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415E1 = -, then N0415E2 must = - Action: Make appropriate corrections to the record and resubmit.



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4001a	Invalid Skip Pattern: If N0415F1 equals Not checked [0], then N0415F2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415F1 = 0, then N0415F2 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4001b	Invalid Skip Pattern: If N0415F1 equals Checked [1], then N0415F2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415F1 = 1, then N0415F2 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4001c	Invalid Skip Pattern: If N0415F1 equals dash [-], then N0415F2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415F1 = -, then N0415F2 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4002a	Invalid Skip Pattern: If N0415G1 equals Not checked [0], then N0415G2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415G1 = 0, then N0415G2 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4002b	Invalid Skip Pattern: If N0415G1 equals Checked [1], then N0415G2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415G1 = 1, then N0415G2 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4002c	Invalid Skip Pattern: If N0415G1 equals dash [-], then N0415G2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415G1 = -, then N0415G2 must = - Action: Make appropriate corrections to the record and resubmit.
-4003a	Invalid Skip Pattern: If N0415H1 equals Not checked [0], then N0415H2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415H1 = 0, then N0415H2 must = ^ Action: Make appropriate corrections to the record and resubmit.
-4003b	Invalid Skip Pattern: If N0415H1 equals Checked [1], then N0415H2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415H1 = 1, then N0415H2 must not = ^ Action: Make appropriate corrections to the record and resubmit.
-4003c	Invalid Skip Pattern: If N0415H1 equals dash [-], then N0415H2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415H1 = -, then N0415H2 must = - Action: Make appropriate corrections to the record and resubmit.
-4004a	Invalid Skip Pattern: If N0415I1 equals Not checked [0], then N0415I2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	Tips: If N0415I1 = 0, then N0415I2 must = ^ Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4004b	Invalid Skip Pattern: If N0415I1 equals Checked [1], then N0415I2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415I1 = 1, then N0415I2 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4004c	Invalid Skip Pattern: If N0415I1 equals dash [-], then N0415I2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415I1 = -, then N0415I2 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4005a	Invalid Skip Pattern: If N0415J1 equals Not checked [0], then N0415J2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415J1 = 0, then N0415J2 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4005b	Invalid Skip Pattern: If N0415J1 equals Checked [1], then N0415J2 must not be skipped [^].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415J1 = 1, then N0415J2 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4005c	Invalid Skip Pattern: If N0415J1 equals dash [-], then N0415J2 must equal dash [-].	Fatal	<b>Skip</b>	The value submitted in High-risk Medication Indication is consistent with the value submitted in the High-risk Medication Use item.	<p>Tips:</p> <p>If N0415J1 = -, then N0415J2 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4006a	Inconsistent O0110A Items: If O0110A1A equals Not checked [0], then all active items O0110A2A through O0110A10A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1A	<p>Tips:</p> <p>If O0110A1A = 0, then all active items O0110A2A through O0110A10A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4006b	Inconsistent O0110A Items: If O0110A1A equals Checked [1], then at least one of the following active items O0110A2A through O0110A10A must equal checked [1] and the remaining items be checked or not checked [0,1].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1A	<p>Tips:</p> <p>If O0110A1A = 1, then at least one of the following active items O0110A2A through O0110A10A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4006c	Inconsistent O0110A Items: If O0110A1A equals dash [-], then all active items O0110A2A through O0110A10A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1A	<p>Tips:</p> <p>If O0110A1A = -, then all active items O0110A2A through O0110A10A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4006d	Inconsistent O0110A Items: If O0110A1A equals blank [^], then all active items O0110A2A through O0110A10A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1A	<p>Tips:</p> <p>If O0110A1A = ^, then all active items O0110A2A through O0110A10A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4007a	Inconsistent O0110C Items: If on O0110C1A equals Not checked [0], then all active items O0110C2A through O0110C4A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1A	<p>Tips:</p> <p>If O0110C1A = 0, then all active items O0110C2A through O0110C4A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4007b	Inconsistent O0110C Items: If O0110C1A equals Checked [1], then at least one of the following active items O0110C2A through O0110C4A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1A	<p>Tips:</p> <p>If O0110C1A = 1, then at least one of the following active items O0110C2A through O0110C4A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4007c	Inconsistent O0110C Items: If O0110C1A equals dash [-], then all active items O0110C2A through O0110C4A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1A	<p>Tips:</p> <p>If O0110C1A = -, then all active items O0110C2A through O0110C4A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4007d	Inconsistent O0110C Items: If O0110C1A equals blank [^], then all active items O0110C2A through O0110C4A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1A	<p>Tips:</p> <p>If O0110C1A = ^, then all active items O0110C2A through O0110C4A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4008a	Inconsistent O0110D Items: If O0110D1A equals Not checked [0], then the following active items O0110D2A and O0110D3A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1A	<p>Tips:</p> <p>If O0110D1A = 0, then all active items O0110D2A through O0110D3A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4008b	Inconsistent O0110D Items: If O0110D1A equals Checked [1], then at least one of the following active items O0110D2A and O0110D3A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1A	<p>Tips:</p> <p>If O0110D1A = 1, then at least one of the following active items O0110D2A through O0110D3A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4008c	Inconsistent O0110D Items: If O0110D1A equals dash [-], then the following active items O0110D2A and O0110D3A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1A	<p>Tips:</p> <p>If O0110D1A = -, then all active items O0110D2A through O0110D3A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4008d	Inconsistent O0110D Items: If O0110D1A equals blank [^], then the following active items O0110D2A and O0110D3A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1A	<p>Tips:</p> <p>If O0110D1A = ^, then all active items O0110D2A through O0110D3A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4009a	Inconsistent O0110G Items: If O0110G1A equals Not checked [0], then all active items O0110G2A and O0110G3A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1A	<p>Tips:</p> <p>If O0110G1A = 0, then all active items O0110G2A through O0110G3A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4009b	Inconsistent O0110G Items: If O0110G1A equals Checked [1], then at least one of the following active items O0110G2A and O0110G3A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1A	<p>Tips:</p> <p>If O0110G1A = 1, then at least one of the following active items O0110G2A through O0110G3A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4009c	Inconsistent O0110G Items: If O0110G1A equals dash [-], then all active items O0110G2A and O0110G3A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1A	<p>Tips:</p> <p>If O0110G1A = -, then all active items O0110G2A through O0110G3A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4009d	Inconsistent O0110G Items: If O0110G1A equals blank [^], then all active items O0110G2A and O0110G3A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1A	<p>Tips:</p> <p>If O0110G1A = ^, then all active items O0110G2A through O0110G3A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4010a	Inconsistent O0110H Items: If O0110H1A equals Not checked [0], then all active items O0110H2A through O0110H10A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1A	<p>Tips:</p> <p>If O0110H1A = 0, then all active items O0110H2A through O0110H10A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4010b	Inconsistent O0110H Items: If O0110H1A equals Checked [1], then at least one of the following active items O0110H2A through O0110H10A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1A	<p>Tips:</p> <p>If O0110H1A = 1, then at least one of the following active items O0110H2A through O0110H10A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4010c	Inconsistent O0110H Items: If O0110H1A equals dash [-], then all active items O0110H2A through O0110H10A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1A	<p>Tips:</p> <p>If O0110H1A = -, then all active items O0110H2A through O0110H10A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4010d	Inconsistent O0110H Items: If O0110H1A equals blank [^], then all active items O0110H2A through O0110H10A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1A	<p>Tips:</p> <p>If O0110H1A = ^, then all active items O0110H2A through O0110H10A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4011a	Inconsistent O0110J Items: If O0110J1A equals Not checked [0], then all active items O0110J2A and O0110J3A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1A	<p>Tips:</p> <p>If O0110J1A = 0, then all active items O0110J2A through O0110J3A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4011b	Inconsistent O0110J Items: If O0110J1A equals Checked [1], then at least one of the following active items O0110J2A and O0110J3A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1A	<p>Tips:</p> <p>If O0110J1A = 1, then at least one of the following active items O0110J2A through O0110J3A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4011c	Inconsistent O0110J Items: If O0110J1A equals dash [-], then all active items O0110J2A and O0110J3A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1A	<p>Tips:</p> <p>If O0110J1A = -, then all active items O0110J2A through O0110J3A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4011d	Inconsistent O0110J Items: If O0110J1A equals blank [^], then all items O0110J2A and O0110J3A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1A	<p>Tips:</p> <p>If O0110J1A = ^, then all active items O0110J2A through O0110J3A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4012a	Inconsistent O01100 Items: If O011001A equals Not checked [0], then all active items O011002A through O011004A must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001A	<p>Tips:</p> <p>If O011001A = 0, then all active items O011002A through O011004A must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4012b	Inconsistent O01100 Items: If O011001A equals Checked [1], then at least one of the following active items O011002A through O011004A must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001A	<p>Tips:</p> <p>If O011001A = 1, then at least one of the following active items O011002A through O011004A must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4012c	Inconsistent O01100 Items: If O011001A equals dash [-], then all active items O011002A through O011004A must equal dash [-].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001A	<p>Tips:</p> <p>If O011001A = -, then all active items O011002A through O011004A must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4012d	Inconsistent O01100 Items: If O011001A equals blank [^], then all active items O011002A through O011004A must equal blank [^].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001A	<p>Tips:</p> <p>If O011001A = ^, then all active items O011002A through O011004A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4013a	Inconsistent O0110A Items: If O0110A1C equals Not checked [0], then all active items O0110A2C through O0110A10C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1C	<p>Tips:</p> <p>If O0110A1C = 0, then all active items O0110A2C through O0110A10C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4013b	Inconsistent O0110A Items: If O0110A1C equals Checked [1], then at least one of the following active items O0110A2C through O0110A10C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1C	<p>Tips:</p> <p>If O0110A1C = 1, then at least one of the following active items O0110A2C through O0110A10C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4013c	Inconsistent O0110A Items: If O0110A1C equals dash [-], then all active items O0110A2C through O0110A10C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1C	<p>Tips:</p> <p>If O0110A1C = -, then all active items O0110A2C through O0110A10C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4013d	Inconsistent O0110A Items: If O0110A1C equals blank [^], then all active items O0110A2C through O0110A10C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Chemotherapy item(s) is not consistent with the value submitted in another Chemotherapy item O0110A1C	<p>Tips:</p> <p>If O0110A1C = ^, then all active items O0110A2C through O0110A10C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4014a	Inconsistent O0110C Items: If O0110C1C equals Not checked [0], then all active items O0110C2C through O0110C4C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1C	<p>Tips:</p> <p>If O0110C1C = 0, then all active items O0110C2C through O0110C4C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4014b	Inconsistent O0110C Items: If O0110C1C equals Checked [1], then at least one of the following active items O0110C2C through O0110C4C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1C	<p>Tips:</p> <p>If O0110C1C = 1, then at least one of the following active items O0110C2C through O0110C4C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4014c	Inconsistent O0110C Items: If O0110C1C equals dash [-], then all active items O0110C2C through O0110C4C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1C	<p>Tips:</p> <p>If O0110C1C = -, then all active items O0110C2C through O0110C4C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4014d	Inconsistent O0110C Items: If O0110C1C equals blank [^], then all active items O0110C2C through O0110C4C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Oxygen Therapy item(s) is not consistent with the value submitted in another Oxygen Therapy item O0110C1C	<p>Tips:</p> <p>If O0110C1C = ^, then all active items O0110C2C through O0110C4C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4015a	Inconsistent O0110D Items: If O0110D1C equals Not checked [0], then the following active items O0110D2C and O0110D3C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1C	<p>Tips:</p> <p>If O0110D1C = 0, then all active items O0110D2C through O0110D3C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4015b	Inconsistent O0110D Items: If O0110D1C equals Checked [1], then at least one of the following active items O0110D2C and O0110D3C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1C	<p>Tips:</p> <p>If O0110D1C = 1, then at least one of the following active items O0110D2C through O0110D3C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4015c	Inconsistent O0110D Items: If O0110D1C equals dash [-], then the following active items O0110D2C and O0110D3C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1C	<p>Tips:</p> <p>If O0110D1C = -, then all active items O0110D2C through O0110D3C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4015d	Inconsistent O0110D Items: If O0110D1C equals blank [^], then the following active items O0110D2C and O0110D3C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Suctioning item(s) is not consistent with the value submitted in another Suctioning item O0110D1C	<p>Tips:</p> <p>If O0110D1C = ^, then all active items O0110D2C through O0110D3C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4016a	Inconsistent O0110G Items: If O0110G1C equals Not checked [0], then the following active items O0110G2C and O0110G3C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1C	<p>Tips:</p> <p>If O0110G1C = 0, then all active items O0110G2C through O0110G3C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4016b	Inconsistent O0110G Items: If O0110G1C equals Checked [1], then at least one of the following active items O0110G2C and O0110G3C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1C	<p>Tips:</p> <p>If O0110G1C = 1, then at least one of the following active items O0110G2C through O0110G3C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4016c	Inconsistent O0110G Items: If O0110G1C equals dash [-], then the following active items O0110G2C and O0110G3C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1C	<p>Tips:</p> <p>If O0110G1C = -, then all active items O0110G2C through O0110G3C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4016d	Inconsistent O0110G Items: If O0110G1C equals blank [^], then the following active items O0110G2C and O0110G3C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Non-invasive Mechanical Ventilator item(s) is not consistent with the value submitted in another Non-invasive Mechanical Ventilator item O0110G1C	<p>Tips:</p> <p>If O0110G1C = ^, then all active items O0110G2C through O0110G3C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4017a	Inconsistent O0110H Items: If O0110H1C equals Not checked [0], then all active items O0110H2C through O0110H10C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1C	<p>Tips:</p> <p>If O0110H1C = 0, then all active items O0110H2C through O0110H10C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4017b	Inconsistent O0110H Items: If O0110H1C equals Checked [1], then at least one of the following active items O0110H2C through O0110H10C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1C	<p>Tips:</p> <p>If O0110H1C = 1, then at least one of the following active items O0110H2C through O0110H10C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4017c	Inconsistent O0110H Items: If O0110H1C equals dash [-], then all active items O0110H2C through O0110H10C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1C	<p>Tips:</p> <p>If O0110H1C = -, then all active items O0110H2C through O0110H10C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4017d	Inconsistent O0110H Items: If O0110H1C equals blank [^], then all active items O0110H2C through O0110H10C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the IV Medications item(s) is not consistent with the value submitted in another IV Medications item O0110H1C	<p>Tips:</p> <p>If O0110H1C = ^, then all active items O0110H2C through O0110H10C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4018a	Inconsistent O0110J Items: If O0110J1C equals Not checked [0], then the following active items O0110J2C and O0110J3C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1C	<p>Tips:</p> <p>If O0110J1C = 0, then all active items O0110J2C through O0110J3C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4018b	Inconsistent O0110J Items: If O0110J1C equals Checked [1], then at least one of the following active items O0110J2C and O0110J3C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1C	<p>Tips:</p> <p>If O0110J1C = 1, then at least one of the following active items O0110J2C through O0110J3C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4018c	Inconsistent O0110J Items: If O0110J1C equals dash [-], then the following active items O0110J2C and O0110J3C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1C	<p>Tips:</p> <p>If O0110J1C = -, then all active items O0110J2C through O0110J3C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4018d	Inconsistent O0110J Items: If O0110J1C equals blank [^], then the following active items O0110J2C and O0110J3C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the Dialysis item(s) is not consistent with the value submitted in another Dialysis item O0110J1C	<p>Tips:</p> <p>If O0110J1C = ^, then all active items O0110J2C through O0110J3C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4019a	Inconsistent O01100 Items: If O011001C equals Not checked [0], then all active items O011002C through O011004C must equal not checked [0].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001C	<p>Tips:</p> <p>If O011001C = 0, then all active items O011002C through O011004C must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4019b	Inconsistent O01100 Items: If O011001C equals Checked [1], then at least one of the following active items O011002C through O011004C must equal checked [1] and the remaining items be checked or not checked [1,0].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001C	<p>Tips:</p> <p>If O011001C = 1, then at least one of the following active items O011002C through O011004C must = 1 and the remaining items = 0 or 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4019c	Inconsistent O01100 Items: If O011001C equals dash [-], then all active items O011002C through O011004C must equal dash [-].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001C	<p>Tips:</p> <p>If O011001C = -, then all active items O011002C through O011004C must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4019d	Inconsistent O01100 Items: If O011001C equals blank [^], then all active items O011002C through O011004C must equal blank [^].	Fatal	Consistency	The value(s) submitted in the IV Access item(s) is not consistent with the value submitted in another IV Access item O011001C	<p>Tips:</p> <p>If O011001C = ^, then all active items O011002C through O011004C must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4020a	Inconsistent O0110Z Item: If O0110Z1A equals Checked [1], then all the following active items O0110A1A through O0110O1A must equal not checked [0].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1A	<p>Tips:</p> <p>If O0110Z1A = 1, then all of the following active items O0110A1A through O0110O1A must = 0</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4020b	Inconsistent O0110Z Item: If O0110Z1A equal Not checked [0], then at least one of the following active items O0110A1A through O0110O1A must equal checked [1].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1A	<p>Tips:</p> <p>If O0110Z1A = 0, then at least one of the following active items O0110A1A through O0110O1A must = 1</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4020c	Inconsistent O0110Z Item: If O0110Z1A equals dash [-], then the following active items O0110A1A through O0110O1A must equal dash [-].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1A	<p>Tips:</p> <p>If O0110Z1A = -, then the following active items O0110A1A through O0110O1A must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4021a	Inconsistent O0110Z Item: If O0110Z1C equals Checked [1], then all of the following active items O0110A1C through O0110O1C must equal not checked [0].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1C	<p>Tips:</p> <p>If O0110Z1C = 1, then all of the following active items O0110A1C through O0110O1C must = 0</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4021b	Inconsistent O0110Z Item: If O0110Z1C equals Not checked [0], then at least one of the following active items O0110A1C through O0110O1C must equal checked [1].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1C	<p>Tips:</p> <p>If O0110Z1C = 0, then at least one of the following active items O0110A1C through O0110O1C must = 1</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4021c	Inconsistent O0110Z Item: If O0110Z1C equals dash [-], then the following active items O0110A1C through O0110O1C must equal dash [-].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1C	<p>Tips:</p> <p>If O0110Z1C = -, then the following active items O0110A1C through O0110O1C must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4022a	Inconsistent O0110Z Item: If O0110Z1B equals Checked [1], then all of the following active items O0110A1B through O0110O1B must equal not checked [0].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1B	<p>Tips:</p> <p>If O0110Z1B = 1, then all of the following active items O0110A1B through O0110O1B must = 0</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4022b	Inconsistent O0110Z Item: If O0110Z1B equals Not checked [0], then at least one of the following active items O0110A1B through O0110O1B must equal checked [1].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1B	<p>Tips:</p> <p>If O0110Z1B = 0, then at least one of the following active items O0110A1B through O0110O1B must = 1</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4022c	Inconsistent O0110Z Item: If O0110Z1B equals dash [-], then the following active items O0110A1B through O0110O1B must equal dash [-].	Fatal	None of the above	The value(s) submitted in one or more of the Special Treatments, Procedures, and Programs item(s) is not consistent with the value submitted in the None of the Above item O0110Z1B	Tips: If O0110Z1B = -, then the following active items O0110A1B through O0110O1B must = - Action: Make appropriate corrections to the record and resubmit.
-4023a	Inconsistent Q0110Z Item: If Q0110Z equals Not checked [0], then at least one of the following active items Q0110A through Q0110E must equal checked [1].	Fatal	None of the above	The value(s) submitted in one or more of the Participation in Assessment and Goal Setting item(s) is not consistent with the value submitted in the None of the Above item Q0110Z	Tips: If Q0110Z = 0, then all of the following active items Q0110A through Q0110E must = 1 Action: Make appropriate corrections to the record and resubmit.
-4023b	Inconsistent Q0110Z Item: If Q0110Z equals Checked [1], then all of the following active items Q0110A through Q0110E must equal not checked [0].	Fatal	None of the above	The value(s) submitted in one or more of the Participation in Assessment and Goal Setting item(s) is not consistent with the value submitted in the None of the Above item Q0110Z	Tips: If Q0110Z = 1, then all of the following active items Q0110A through Q0110E must = 0 Action: Make appropriate corrections to the record and resubmit.
-4024a	Invalid Skip Pattern: If A0310E equals 1, then Q0310A and Q0310B must not be skipped [^].	Fatal	Skip	The value(s) submitted in one of the Resident's Overall Goal items is not consistent with the value submitted in A0310E	Tips: If A0310E = 1, then Q0310A and Q0310B must not = ^ Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4024b	Invalid Skip Pattern: If A0310E equals 0, then Q0310A and Q0310B must be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in one of the Resident's Overall Goal items is not consistent with the value submitted in A0310E	<p>Tips:</p> <p>If A0310E = 0, then Q0310A and Q0310B must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4025a	Invalid Skip Pattern: If Q0610A equals 0, then Q0620 must not be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in one of the Reason Referral item is not consistent with the value submitted in Referral item Q0610A	<p>Tips:</p> <p>If Q0610A = 0, then Q0620 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4025b	Invalid Skip Pattern: If Q0610A equals 1, then Q0620 must be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in one of the Reason Referral item is not consistent with the value submitted in Referral item Q0610A	<p>Tips:</p> <p>If Q0610A = 1, then Q0620 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4026a	Invalid Skip Pattern: If D0100 equals 1, then D0150A1 and D0150B1 must not be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in Total Severity Score and Resident Mood Interview items is inconsistent with initial Mood item.	<p>Tips:</p> <p>If D0100 = 1 then D0150A1 and D0150B1, must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4026b	Invalid Skip Pattern: If D0100 equals 0, then D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 and D0160 must be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in Total Severity Score and Resident Mood Interview items is inconsistent with initial Mood item.	<p>Tips:</p> <p>If D0100 = 0 then D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0160 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4026c	Invalid Skip Pattern: If D0100 equals dash [-] then D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0160 must equal dash [-].	Fatal	<b>Skip</b>	The value(s) submitted in Total Severity Score and Resident Mood Interview items is inconsistent with initial Mood item.	<p>Tips:</p> <p>If D0100 = - then D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0160 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4027a	Inconsistent D0150 items: If D0150A2 and D0150B2 equal 0 or 1, then D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, and D0150I1 must equal blank [^].	Fatal	<b>Consistency</b>	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A2 response is 6 days or less [0,1] and D0150B2 is 6 days or less [0,1], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4027b	Inconsistent D0150 items: If D0150A1 and D0150B1 equal dash [-], then D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, and D0150I1 must not equal blank [^].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A1 is dashed [-] or D0150B1 is dashed [-], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4027c	Inconsistent D0150 items: If D0150A1 and D0150B1 equals No response [9], then D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, and D0150I1 must equal blank [^].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A1 is No Response [9] and D0150B1 is No Response [9], then the following active items must be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4027d	Inconsistent D0150 items: If (D0150A1 equals blank [^] and D0150B2 equals 0 or 1) or (D0150A2 equals 0 or 1 and D0150B2 equals blank [^]), then D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, and D0150I1 must not equal blank [^].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A2 is skipped [^] and D0150B2 less than 6 days [0,1] OR if D0150A2 is less than 6 days [0,1] and D0150B2 is skipped [^], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4027e	Inconsistent D0150 items: If D0150A2 equals 2 or 3 or D0150B2 equals 2 or 3, the D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, and D0150I1 must not equal blank [^].	Fatal	Consistency	The value submitted for Mood: Little interest/pleasure doing things: freq and Mood: Feeling down, depressed, or hopeless: Freq is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A2 more than 6 days [2,3] or D0150B2 is more than 6 days [2,3], then the following active items must not be skipped [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4028a	Inconsistent D0160 Item: If D0150A1 and D0150B1 equal No Response [9], then D0160 must equal blank [^].	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A1 and D0150B1.	<p>Tips:</p> <p>Review your responses to D0150A1 (Little interest or pleasure in doing things Symptom Presence) and D0150B1 (Feeling down, depressed, or hopeless Symptom Presence) and if these are No Response [9], then D0160 (Total Severity Score) should be skipped.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4028b	Inconsistent D0160 Item: If D0150A2 and D0150B2 equals 0 or 1, then D0160 must equal the sum of the values from D0150A and D0150B2.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 and D0150B2.	<p>Tips:</p> <p>Review your responses to D0150A2 and D0150B2 = 0 or 1, then D0160 (Total Severity Score) should equal the sum of the two items.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4028c	Inconsistent D0160 Item: If items D0150A2 through D0150I2 equals 0, 1, 2, or 3, then D0160 must equal the sum of these items.	Fatal	Consistency	If the value submitted for the Mood frequency items is more than 1 day then a total must be entered in the Total severity score item and equal the sum of the items.	<p>Tips:</p> <p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 when these items equal 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4028d	Inconsistent D0160 Item: If one of the items D0150A2 through D0150I2 equals blank [^], then D0160 must equal the sum of the remaining items times 9/8 (1.125), rounded to the nearest integer.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Tips:</p> <p>Total Severity Score Calculation:</p> <p>If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = ^, then D0160 must = the sum of the remaining items times 9/8 (1.125), rounded to the nearest integer.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4028e	Inconsistent D0160 Item: If two of the items D0150A2 through D0150I2 equal blank [^], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Tips:</p> <p>Total Severity Score Calculation:</p> <p>If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = ^, then D0160 must = the sum of the remaining items times 9/7 (1.286), rounded to the nearest integer.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4028f	Inconsistent D0160 Item: If three or more of the items D0150A2 through D0150I2 equal blank [^] and B0100 equals No [0] and D0100 equals Yes [1], then D0160 total severity score must equal 'Unable to complete interview' [99].	Fatal	Consistency	The value submitted in D0160 is inconsistent with the values submitted in D0150A2 through D0150I2.	<p>Tips:</p> <p>Total Severity Score Calculation:</p> <p>If three or more items of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = ^ and B0100 = 0 and D0100 = 1, then D0160 must = 99</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4029a	Inconsistent D0150A Items: If D0150A1 equals No [0], then D0150A2 must equal 0.	Fatal	Skip	The value submitted for Mood: Little interest/pleasure doing things: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A1 is 0, then D0150A2 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4029b	Inconsistent D0150A Items: If D0150A1 equals Yes [1], then D0150A2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Little interest/pleasure doing things: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A1 is 1, then D0150A2 must = 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4029c	Inconsistent D0150A Items: If D0150A1 equals No response, dash, or skipped [9, -, ^], then D0150A2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Little interest/pleasure doing things: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150A1 is 9, -, ^, then D0150A2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4030a	Inconsistent D0150B Items: If D0150B1 equals No [0], then D0150B2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling down, depressed, or hopeless: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150B1 is 0, then D0150B2 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4030b	Inconsistent D0150B Items: If D0150B1 equals Yes [1], then D0150B2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling down, depressed, or hopeless: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150B1 is 1, then D0150B2 must = 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4030c	Inconsistent D0150B Items: If D0150B1 equals No response, dash, or skipped [9, -, ^], then D0150B2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling down, depressed, or hopeless: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150B1 is 9, -, ^, then D0150B2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4031a	Inconsistent D0150C Items: If D0150C1 equals No [0], then D0150C2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble falling or staying asleep: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150C1 is 0, then D0150C2 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4031b	Inconsistent D0150C Items: If D0150C1 equals Yes [1], then D0150C2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble falling or staying asleep: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150C1 is 1, then D0150C2 must = 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4031c	Inconsistent D0150C Items: If D0150C1 equals No response, dash, or skipped [9, -, ^], then D0150C2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble falling or staying asleep: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150C1 is 9, -, ^, then D0150C2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4032a	Inconsistent D0150D Items: If D0150D1 equals No [0], then D0150D2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling tired or having little energy: Pres is not consistent with other Mood item responses.	Tips: If D0150D1 is 0, then D0150D2 must = 0. Action: Make appropriate corrections to the record and resubmit.
-4032b	Inconsistent D0150D Items: If D0150D1 equals Yes [1], then D0150D2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling tired or having little energy: Pres is not consistent with other Mood item responses.	Tips: If D0150D1 is 1, then D0150D2 must = 0, 1, 2, 3. Action: Make appropriate corrections to the record and resubmit.
-4032c	Inconsistent D0150D Items: If D0150D1 equals No response, dash, or skipped [9, -, ^], then D0150D2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling tired or having little energy: Pres is not consistent with other Mood item responses.	Tips: If D0150D1 is 9, -, ^, then D0150D2 must = ^. Action: Make appropriate corrections to the record and resubmit.
-4033a	Inconsistent D0150E Items: If D0150E1 equals No [0], then D0150E2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Poor appetite or overeating: Pres is not consistent with other Mood item responses.	Tips: If D0150E1 is 0, then D0150E2 must = 0. Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4033b	Inconsistent D0150E Items: If D0150E1 equals Yes [1], then D0150E2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Poor appetite or overeating: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150E1 is 1, then D0150E2 must = 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4033c	Inconsistent D0150E Items: If D0150E1 equals No response, dash, or skipped [9, -, ^], then D0150E2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Poor appetite or overeating: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150E1 is 9, -, ^, then D0150E2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4034a	Inconsistent D0150F Items: If D0150F1 equals No [0], then D0150F2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling bad about yourself: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150F1 is 0, then D0150F2 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4034b	Inconsistent D0150F Items: If D0150F1 equals Yes [1], then D0150F2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling bad about yourself: Pres is not consistent with other Mood item responses.	<p>Tips:</p> <p>If D0150F1 is 1, then D0150F2 must = 0, 1, 2, 3.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4034c	Inconsistent D0150F Items: If D0150F1 equals No response, dash, or skipped [9, -, ^], then D0150F2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Feeling bad about yourself: Pres is not consistent with other Mood item responses.	Tips: If D0150F1 is 9, -, ^, then D0150F2 must = ^. Action: Make appropriate corrections to the record and resubmit.
-4035a	Inconsistent D0150G Items: If D0150G1 equals No [0], then D0150G2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble concentrating on things: Pres is not consistent with other Mood item responses.	Tips: If D0150G1 is 0, then D0150G2 must = 0. Action: Make appropriate corrections to the record and resubmit.
-4035b	Inconsistent D0150G Items: If D0150G1 equals Yes [1], then D0150G2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble concentrating on things: Pres is not consistent with other Mood item responses.	Tips: If D0150G1 is 1, then D0150G2 must = 0, 1, 2, 3. Action: Make appropriate corrections to the record and resubmit.
-4035c	Inconsistent D0150G Items: If D0150G1 equals No response, dash, or skipped [9, -, ^], then D0150G2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Trouble concentrating on things: Pres is not consistent with other Mood item responses.	Tips: If D0150G1 is 9, -, ^, then D0150G2 must = ^. Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4036a	Inconsistent D0150H Items: If D0150H1 equals No [0], then D0150H2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Moving or speaking so slowly: Pres is not consistent with other Mood item responses.	Tips: If D0150H1 is 0, then D0150H2 must = 0. Action: Make appropriate corrections to the record and resubmit.
-4036b	Inconsistent D0150H Items: If D0150H1 equals Yes [1], then D0150H2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Moving or speaking so slowly: Pres is not consistent with other Mood item responses.	Tips: If D0150H1 is 1, then D0150H2 must = 0, 1, 2, 3. Action: Make appropriate corrections to the record and resubmit.
-4036c	Inconsistent D0150H Items: If D0150H1 equals No response, dash, or skipped [9, -, ^], then D0150H2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Moving or speaking so slowly: Pres is not consistent with other Mood item responses.	Tips: If D0150H1 is 9, -, ^, then D0150H2 must = ^. Action: Make appropriate corrections to the record and resubmit.
-4037a	Inconsistent D0150I Items: If D0150I1 equals No [0], then D0150I2 must equal 0.	Fatal	<b>Skip</b>	The value submitted for Mood: Thoughts of better off dead: Pres is not consistent with other Mood item responses.	Tips: If D0150I1 is 0, then D0150I2 must = 0. Action: Make appropriate corrections to the record and resubmit.



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4037b	Inconsistent D0150I Items: If D0150I1 equals Yes [1], then D0150I2 must equal 0, 1, 2, or 3.	Fatal	<b>Skip</b>	The value submitted for Mood: Thoughts of better off dead: Pres is not consistent with other Mood item responses.	Tips: If D0150I1 is 1, then D0150I2 must = 0, 1, 2, 3. Action: Make appropriate corrections to the record and resubmit.
-4037c	Inconsistent D0150I Items: If D0150I1 equals No response, dash, or skipped [9, -, ^], then D0150I2 must be skipped [^].	Fatal	<b>Skip</b>	The value submitted for Mood: Thoughts of better off dead: Pres is not consistent with other Mood item responses.	Tips: If D0150I1 is 9, -, ^, then D0150I2 must = ^. Action: Make appropriate corrections to the record and resubmit.
-4039a	Inconsistent K0520Z Item: If K0520Z1 equals Checked [1], then all active items K0520A1 through K0520D1 must equal not checked [0].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	Tips: If K0520Z1=1, then all active items from K0520A1 through K0520D1 must = 0. Action: Make appropriate corrections to the record and resubmit.
-4039b	Inconsistent K0520Z Item: If K0520Z1 equals Not checked [0], then at least one of the active items K0520A1 through K0520D1 must equal checked [1].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	Tips: If K0520Z1=0, then at least one active item from K0520A1 through K0520D1 must = 1. Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4039c	Inconsistent K0520Z Item: If K0520Z1 equals dash [-], then at least one of the active items K0520A1 through K0520D1 must equal dash [-], and all remaining items must equal dash or not checked [-, 0].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (Admission): None is checked, then all other Nutritional Approaches (Admission) items must not be checked.	<p>Tips:</p> <p>If K0520Z1=-, then at least one active item from K0520A1 through K0520D1 must = * and the other items must be a – or 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4040a	Inconsistent K0520Z Item: If K0520Z4 equals Checked [1], then all active items K0520A4 through K0520D4 must equal not checked [0].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	<p>Tips:</p> <p>If K0520Z4= 1, then all active items from K0520A4 through K0520D4 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4040b	Inconsistent K0520Z Item: If K0520Z4 equals Not checked [0], then at least one of the following active items K0520A4 through K0520D4 must equal checked [1].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	<p>Tips:</p> <p>If K0520Z4= 0, then at least one active item from K0520A4 through K0520D4 must = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4040c	Inconsistent K0520Z Item: If K0520Z4 equals dash [-], then at least one of the following active items K0520A4 through K0520D4 must equal dash [-] and all remaining items must equal dash or not checked [-, 0].	Fatal	<b>Skip</b>	If the item Nutritional Approaches (7 days): None is checked, then all other Nutritional Approaches (7 days) items must not be checked.	Tips: If K0520Z4= -, then at least one active item from K0520A4 through K0520D4 must = - and all remaining items must = - or 0.  Action: Make appropriate corrections to the record and resubmit.
-4041a	Inconsistent K0520Z Item: If K0520Z3 equals Checked [1], then all active items K0520A3 through K0520D3 must equal not checked [0].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While a Resident are not consistent with the None of the Above item K0520Z3.	Tips: If K0520Z3= 1, then all active items from K0520A3 through K0520D3 must = 0.  Action: Make appropriate corrections to the record and resubmit.
-4041b	Inconsistent K0520Z Item: If K0520Z3 equals Not checked [0], then at least one of the active items K0520A3 through K0520D3 must equal checked [1].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While a Resident are not consistent with the None of the Above item K0520Z3.	Tips: If K0520Z3= 0, then at least one active item from K0520A3 through K0520D3 must = 1.  Action: Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4041c	Inconsistent K0520Z Item: If K0520Z3 equals dash [-], then at least one of the active items K0520A3 through K0520D3 must equal dash [-], and all remaining items must equal dash or not checked [-, 0].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While a Resident are not consistent with the None of the Above item K0520Z3.	<p>Tips:</p> <p>If K0520Z3= -, then at least one active item from K0520A3 through K0520D3 must = - and all remaining items must = - or 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4042a	Inconsistent K0520Z Items: If K0520Z2 equals Checked [1], then all active items K0520A2 through K0520B2 must equal not checked [0].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While Not a Resident are not consistent with the None of the Above item K0520Z2.	<p>Tips:</p> <p>If K0520Z2= 1, then all active items from K0520A2 through K0520B2 must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4042b	Inconsistent K0520Z Item: If K0520Z2 equals Not checked [0], then at least one of the active items K0520A2 through K0520B2 must equal checked [1].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While Not a Resident are not consistent with the None of the Above item K0520Z2.	<p>Tips:</p> <p>If K0520Z2= 0, then at least one active item from K0520A2 through K0520B2 must = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4042c	Inconsistent K0520Z Item: If K0520Z2 equals dash [-], then at least one of the active items K0520A2 through K0520B2 must equal dash [-], and all remaining items must equal dash or not checked [-, 0].	Fatal	<b>Skip</b>	The value(s) submitted in the the Nutritional Approaches While Not a Resident are not consistent with the None of the Above item K0520Z2.	<p>Tips:</p> <p>If K0520Z2= -, then at least one active item from K0520A2 through K0520B2 must = - and all remaining items must = - or 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4043a	Invalid Skip Pattern: If K0520A2 or K0520B2 or K0520A3 or K0520B3 equals 1, then K0710A2 through K0710B3 must not be skipped [^].	Fatal	<b>Skip</b>	The value(s) submitted in the in Swallowing/Nutritional Status item(s) is not consistent with the values submitted in the Nutritional Approach items.	<p>Tips:</p> <p>If K0520A2 or K0520B2 or K0520A3 or K0520B3 = 1, then K0710A2 through K0710B3 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4043b	Invalid Skip Pattern: If K0520A2 and K0520B2 and K0520A3 and K0520B3 equal 0 or dash [0,-], then K0710A2 through K0710B3 must be skipped (^).	Fatal	<b>Skip</b>	The value(s) submitted in the in Swallowing/Nutritional Status item(s) is not consistent with the values submitted in the Nutritional Approach items.	<p>Tips:</p> <p>If K0520A2 and K0520B2 and K0520A3 and K0520B3 = 0 or -, then K0710A2 through K0710B3 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4045	For Swing Bed discharge assessments where the return is NOT anticipated, then A0310H (SNF PPS Part A Discharge (End of Stay) Assessment) should usually be equal to 1.	Fatal	<b>Skip</b>	The value submitted A0310H is not consistent with the Swing Bed discharge logic for when return is not anticipated.	<p>Tips:</p> <p>If A0200=2 and A0310F=10 and A0310H=0 then the following warning message will apply: For Swing Bed discharge assessments where the return is NOT anticipated, then A0310H should usually = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4046a	Inconsistent GG0120Z item: If GG0120Z equals Not checked [0], then at least one item from GG0120A through GG0120D must equal checked [1].	Fatal	<b>Skip</b>	The values(s) submitted in the Mobility Devices items is not consistent with the None of the Above item GG0120Z.	<p>Tips:</p> <p>If GG0120Z = 0, then at least one item from GG0120A through GG0120D must = 1.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4046b	Inconsistent GG0120Z item: If GG0120Z equals Checked [1], then all items from GG0120A through GG0120D must equal not checked [0].	Fatal	<b>Skip</b>	The values(s) submitted in the Mobility Devices items is not consistent with the None of the Above item GG0120Z.	<p>Tips:</p> <p>If GG0120Z = 1, then all items GG0120A through GG0120D must = 0.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4046c	Inconsistent GG0120Z item: If GG0120Z equals dash (-), then at least one item from GG0120A through GG0120D must equal dash [-] and all remaining items must equal not checked or dash [0, -].	Fatal	Skip	The values(s) submitted in the Mobility Devices items is not consistent with the None of the Above item GG0120Z.	<p>Tips:</p> <p>If GG0120Z = -, then at least one item from GG0120A through GG0120D must = - and all remaining items must = 0 or -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4047a	Invalid Skip Pattern: If A0310A equals 02, 03, 04, 05, 06, or 99 and A0310B equals None of the above [99], then GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, GG0130H1, and GG0130I1 must be skipped [^].	Fatal	Skip	The value(s) submitted in Self-Care items is not in alignment with the value(s) submitted in A0310A and/or A0310B items.	<p>Tips:</p> <p>IF A0310A = 02, 03, 04, 05, 06, or 99 and A0310B = 99, THEN GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, GG0130H1, and GG0130I1 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4047b	Invalid Skip Pattern: If A0310A equals 01 or A0310B equals 01, then GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, GG0130H1, and GG0130I1 must not be skipped [^].	Fatal	Skip	The value(s) submitted in Self-Care items is not in alignment with the value(s) submitted in A0310A and/or A0310B items.	<p>Tips:</p> <p>IF A0310A = 01 or A0310B = 01, THEN GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, GG0130H1, and GG0130I1 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4048a	Invalid Skip Pattern: If A0310B equals None of the above [99], then GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must be skipped [^].	Fatal	Skip	The value(s) submitted in Self-Care items is not in alignment with the value submitted in item A0310B.	<p>Tips:</p> <p>If A0310B =99, then GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4048b	Invalid Skip Pattern: If A0310B equals 01, then GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must not be skipped [^].	Fatal	Skip	The value(s) submitted in Self-Care items is not in alignment with the value submitted in item A0310B.	<p>Tips:</p> <p>If A0310B = 01, then GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4049a	Invalid Skip Pattern: If A0310A equals 02, 03, 04, 05, 06, or 99 and A0310B equals None of the Above [99], then GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170FF1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must be skipped [^].	Fatal	Skip	The value(s) submitted in Mobility items is not in alignment with the value submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If A0310A = 02, 03, 04, 05, 06, or 99 and A0310B = 99, then GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170FF1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4049b	Invalid Skip Pattern: If A0310A equals 01 or A0310B equals 01, then GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170FF1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not be skipped [^].	Fatal	Skip	The value(s) submitted in Mobility items is not in alignment with the value submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If A0310A = 01 or A0310B = 01, then GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170FF1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4050a	Invalid Skip Pattern: If A0310B equals None of the Above [99], then GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, and GG0170S2 must be skipped [^].	Fatal	Skip	The value(s) submitted in Mobility items is not in alignment with the value submitted in item A0310B.	<p>Tips:</p> <p>If A0310B = 99, then GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, and GG0170S2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4050b	Invalid Skip Pattern: If A0310B equals 01, then GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, and GG0170P2 must not be skipped [^].	Fatal	Skip	The value(s) submitted in Mobility items is not in alignment with the value submitted in item A0310B.	<p>Tips:</p> <p>If A0310B = 01, then GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, and GG0170P2 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4051a	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals 10 or 11 AND (A0310G equals Planned or Skipped [1, ^] AND A0310H equals Yes [1] AND A2400C - A2400B >2 AND A2105 equals 01,02,03,05,06,07,08,09,10,11,12,13,99, or ^), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not be skipped [^]	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, Discharge Location and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F = 10 or 11 AND (A0310G =1 or ^ AND A0310H =1 AND A2400C - A2400B &gt;2 AND A2105 = 01,02,03,05,06,07,08,09,10,11,12,13,99, or ^), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4051b	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals 10 or 11 AND (A0310G equals Unplanned [2] OR A0310H equals No [0] OR A2400C - A2400B <=2 OR A2105 equals 04), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must be skipped [^]	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, Discharge Location and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F = 10 or 11 AND (A0310G =2 OR A0310H =0 OR A2400C - A2400B &lt;=2 OR A2105 = 04), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must =^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4051c	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals None of the Above [99] and A0310G equals Planned or Skipped [1, ^] and A0310H equals Yes [1] and A2400C - A2400B >2, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not be skipped [^]	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F =99 and A0310G =1 or ^ and A0310H =1 and A2400C - A2400B &gt;2, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4051d	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals None of the Above [99] and A0310H equals Yes [1] AND (A0310G equals Unplanned [2] OR A2400C - A2400B <=2), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must be skipped [^]	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A031001F =99 and A0310H =1 AND (A0310G = 2 OR A2400C - A2400B &lt;=2), then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must =^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4051e	Invalid Skip Pattern: If A0310F equals 01, 12 or 99 and A0310H equals 0, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310F and/or A0310H.	<p>Tips:</p> <p>If A0310F = 01, 12, or 99 and A0310H = 0, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must =^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4051f	Invalid Skip Pattern: If A0310F equals 10 or 11 or A0310H equals 1, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310F, and/or A0310H.	<p>Tips:</p> <p>If A0310F = 10 or 11 or A0310H = 1, then GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, and GG0130I3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4052a	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals 10 or 11 AND (A0310G equals Planned or Skipped [1, ^] AND A0310H equals Yes [1] AND A2400C - A2400B >2 AND A2105 equals 01,02,03,05,06,07,08,09,10,11,12,13,99, or ^), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must not be skipped [^]	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, Discharge Location and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F = 10 or 11 AND (A0310G =1 or ^ AND A0310H =1 AND A2400C - A2400B &gt;2 AND A2105 = 01,02,03,05,06,07,08,09,10,11,12,13,99, or ^), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4052b	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals 10 or 11 AND (A0310G equals Unplanned [2] OR A0310H equals No [0] OR A2400C - A2400B <=2 OR A2105 equals 04), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must be skipped [^]	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, Discharge Location and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F = 10 or 11 AND (A0310G =2 OR A0310H =0 OR A2400C - A2400B &lt;=2 OR A2105 = 04), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must =^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4052c	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0301F equals None of the Above [99] and A0310G equals Planned or Skipped [1, ^] and A0310H equals Yes [1] and A2400C - A2400B >2, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must not be skipped [^]	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A0301F =99 and A0310G =1 or ^ and A0310H =1 and A2400C - A2400B &gt;2, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4052d	Invalid Skip Pattern: If A0310A equals None of the above [99] and A0310B equals None of the above [99] and A0310F equals None of the Above [99] and A0310H equals Yes [1] AND (A0310G equals Unplanned [2] OR A2400C - A2400B <=2), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must be skipped [^]	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F, A0310G, A0310H, and/or the Medicare stay date items.	<p>Tips:</p> <p>If A0310A =99 and A0310B =99 and A031001F =99 and A0310H =1 AND (A0310G = 2 OR A2400C - A2400B &lt;=2), then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0130I3, GG0170M3, GG0170P3, and GG0170Q3 must =^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4052e	Invalid Skip Pattern: If A0310F equals 01, 12, or 99 and A0310H equals 0, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310F, and/or A0310H.	<p>Tips:</p> <p>If A0310F = 01, 12, or 99 and A0310H = 0, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must =^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4052f	Invalid Skip Pattern: If A0310F equals 10 or 11 or A0310H equals 1, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310F, and/or A0310H.	<p>Tips:</p> <p>If A0310F = 10 or 11 or A0310H = 1, then GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170FF3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4053a	Invalid Skip Pattern: If (A0310A equals 02, 03, 04, 05, or 06 and A0310B equals 01) or (A0310A equals 01 or 99 and A0310B equals 01 or 99), then GG0130A5, GG0130B5, GG0130C5, GG0130E5, GG0130F5, GG0130G5, GG0130H5, and GG0130I5 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If (A0310A = 02, 03, 04, 05, or 06 and A0310B = 01) or (A0310A = 01 or 99 and A0310B = 01 or 99), then GG0130A5, GG0130B5, GG0130C5, GG0130E5, GG0130F5, GG0130G5, GG0130H5, and GG0130I5 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4053b	Invalid Skip Pattern: If (A0310A equals 02, 03, 04, 05, or 06 and A0310B equals 99) or A0310B equals 08, then GG0130A5, GG0130B5, GG0130C5, GG0130E5, GG0130F5, GG0130G5, GG0130H5, and GG0130I5 must not be skipped[^].	Fatal	Skip	The value(s) submitted in the Self-Care items is not in alignment with the value(s) submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If (A0310A = 02, 03, 04, 05, or 06 and A0310B = 99) or (A0310B = 08), then GG0130A5, GG0130B5, GG0130C5, GG0130E5, GG0130F5, GG0130G5, GG0130H5, and GG0130I5 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4054a	Invalid Skip Pattern: If (A0310A equals 02, 03, 04, 05, or 06 and A0310B equals 01) or (A0310A equals 01 or 99 and A0310B equals 01 or 99), then GG0170A5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170FF5, GG0170I5, and GG0170Q5. must be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If (A0310A = 02, 03, 04, 05, or 06 and A0310B = 01) or (A0310A = 01 or 99 and A0310B = 01 or 99), then GG0170A5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170FF5, GG0170I5, and GG0170Q5 must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4054b	Invalid Skip Pattern: If (A0310A equals 02, 03, 04, 05, or 06 and A0310B equals 99) or A0310B equals 08, then GG0170A5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170FF5, GG0170I5, and GG0170Q5 must not be skipped[^].	Fatal	Skip	The value(s) submitted in the Mobility items is not in alignment with the value(s) submitted in items A0310A and/or A0310B.	<p>Tips:</p> <p>If (A0310A = 02, 03, 04, 05, or 06 and A0310B = 99) or (A0310B = 88), then GG0170A5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170FF5, GG0170I5, and GG0170Q5 must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4055a	Inconsistent K0520 items: If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then K0520A2, K020B2, K0520Z2 must equal blank [^].	Fatal	Skip	The value(s) submitted in the Nutritional Approaches item(s) is not consistent with the value(s) submitted in Assessment Reference Date and/or Entry Date.	<p>Tips:</p> <p>If A2300 minus A1600 is &gt; than or = to 7 days, then K0520A2, K020B2, K0520Z2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4055b	Inconsistent K0520 items: If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then K0520A2, K020B2, K0520Z2 must not equal blank [^].	Fatal	Skip	The value(s) submitted in the Nutritional Approaches item(s) is not consistent with the value(s) submitted in Assessment Reference Date and/or Entry Date.	<p>Tips:</p> <p>If A2300 minus A1600 is &lt; than or = to 6 days, then K0520A2, K020B2, K0520Z2 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4056a	Invalid Skip Pattern: If GG0170Q5 equals 0 or skipped [^], then items GG0170R5, GG0170RR5, GG0170S5, and GG0170SS5 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on the OBRA/IPA are not consistent.	<p>Tips:</p> <p>IF GG0170Q5 is 0 or ^, THEN all items GG0170R5 through GG0170SS5 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4056b	Invalid Skip Pattern: If GG0170Q5 equals 1, then items GG0170R5, GG0170RR5, GG0170S5, and GG0170SS5 must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on the OBRA/IPA are not consistent.	<p>Tips:</p> <p>IF GG0170Q5 is 1, THEN all items GG0170R5 through GG0170SS5 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4056c	Invalid Skip Pattern: If GG0170Q5 equals dash [-], then items GG0170R5, GG0170RR5, GG0170S5, and GG0170SS5 must equal dash [-].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on the OBRA/IPA are not consistent.	<p>Tips:</p> <p>IF GG0170Q5 is -, THEN all items GG0170R5 through GG0170SS5 must = -.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4057a	Invalid Skip Pattern: If GG0170Q1 equals 0 or skipped [^], then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on Admission Performance are not consistent.	<p>Tips:</p> <p>IF GG0170Q1 is 0 or ^, THEN all items GG0170R1 through GG0170SS1 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4057b	Invalid Skip Pattern: If GG0170Q1 equals 1 and A0310B equals 01, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on Admission Performance are not consistent with each other and/or A0310B.	<p>Tips:</p> <p>IF GG0170Q1 is 1 and A0310B = 01, THEN all items GG0170R1 through GG0170SS1 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4057c	Invalid Skip Pattern: If GG0170Q1 equals 1 and A0310B equals 99, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on Admission Performance are not consistent with each other and/or A0310B.	<p>Tips:</p> <p>IF GG0170Q1 is 1 and A0310B = 99, THEN all items GG0170R1 through GG0170SS1 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4057d	Invalid Skip Pattern: If GG0170Q1 equals dash [-] and A0310B equals 01, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal dash [-].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on Admission Performance are not consistent with each other and/or A0310B.	<p>Tips:</p> <p>IF GG0170Q1 is - and A0310B = 01, THEN all items GG0170R1 through GG0170SS1 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4057e	Invalid Skip Pattern: If GG0170Q1 equals dash [-] and A0310B equals 99, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal dash [-].	Fatal	Skip	The value(s) submitted in the Mobility items related to wheelchair and/or scooter use on Admission Performance are not consistent with each other and/or A0310B.	<p>Tips:</p> <p>IF GG0170Q1 is - and A0310B = 99, THEN all items GG0170R1 through GG0170SS1 must = -</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4059a	Invalid Skip Pattern: If A0310A equals None of the Above [99] AND A0310B equals None of the Above [99] AND A0310F equals Discharge Assessment [10, 11] AND A0310G equals Planned Discharge [1] and B0100 equals No [0], then D0700 must not be skipped [^].	Fatal	Skip	The value submitted in the Social Isolation item is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F and/or A0310G	<p>Tips:</p> <p>If A0310A =99 AND A0310B = 99 AND A0310F = 10, 11 AND A0310G =1 and B0100 = 0, then D0700 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4059b	Invalid Skip Pattern: If A0310A equals None of the Above [99] AND A0310B equals None of the Above [99] AND A0310F equals Discharge Assessment [10, 11] AND A0310G equals Unplanned Discharge or skipped [2, ^], then D0700 must be skipped [^].	Fatal	Skip	The value submitted in the Social Isolation item is not in alignment with the value(s) submitted in items A0310A, A0310B, A0310F and/or A0310G	<p>Tips:</p> <p>If A0310A = 99 AND A0310B = 99 AND A0310F = 10, 11 AND A0310G = 2 or ^, then D0700 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4060a	Invalid Skip Pattern: If A0310B equals 01, then K0520A1, K0520B1, K0520C1, K0520D1, and K0520Z1 must not be skipped [^].	Fatal	Skip	The values(s) submitted in the Nutritional Approaches items is consistent with the value submitted in A0310B.	<p>Tips:</p> <p>If A0310B = 01, then K0520A1, K0520B1, K0520C1, K0520D1, and K0520Z1 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4060b	Invalid Skip Pattern: If A0310B equals 99, then K0520A1, K0520B1, K0520C1, K0520D1, and K0520Z1 must be skipped [^].	Fatal	Skip	The values(s) submitted in the Nutritional Approaches items is consistent with the value submitted in A0310B.	<p>Tips:</p> <p>If A0310B = 99, then K0520A1, K0520B1, K0520C1, K0520D1, and K0520Z1 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4061a	Invalid Skip Pattern: If A0310H equals 1, then K0520A4, K0520B4, K0520C4, K0520D4, and K0520Z4 must not be skipped [^].	Fatal	Skip	The values(s) submitted in the Nutritional Approaches items is consistent with the value submitted in A0310H.	<p>Tips:</p> <p>If A0310H = 1, then K0520A4, K0520B4, K0520C4, K0520D4, and K0520Z4 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4061b	Invalid Skip Pattern: If A0310H equals 0, then K0520A4, K0520B4, K0520C4, K0520D4, and K0520Z4 must be skipped [^].	Fatal	Skip	The values(s) submitted in the Nutritional Approaches items is consistent with the value submitted in A0310H.	<p>Tips:</p> <p>If A0310H = 0, then K0520A4, K0520B4, K0520C4, K0520D4, and K0520Z4 must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4062a	Invalid Skip Pattern: If A0310B equals 01, then O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, and O0110Z1A must not be skipped [^].	Fatal	Skip	The values(s) submitted in the Special Treatments, Procedures, and Programs items is consistent with the value submitted in A0310B.	<p>Tips:</p> <p>If A0310B = 01, then O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, and O0110Z1A must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4062b	Invalid Skip Pattern: If A0310B equals 99, then O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, and O0110Z1A must be skipped [^].	Fatal	Skip	The values(s) submitted in the Special Treatments, Procedures, and Programs items is consistent with the value submitted in A0310B.	<p>Tips:</p> <p>If A0310B = 99, then O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, and O0110Z1A must = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4063a	Invalid Skip Pattern: If A0310H equals 1, then O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, and O0110Z1C must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Special Treatments, Procedures, and Programs items is not in alignment with item A0310H	<p>Tips:</p> <p>If A0310H = 1, then O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, and O0110Z1C must not = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4063b	Invalid Skip Pattern: If A0310H equals No [0], then O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, and O0110Z1C must be skipped [^].	Fatal	Skip	The value(s) submitted in the Special Treatments, Procedures, and Programs items is not in alignment with item A0310H	<p>Tips:</p> <p>If A0310H = 0, then O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, and O0110Z1C must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4064a	Invalid Skip Pattern: On a Nursing Home Discharge item set, if A0310G equal planned discharge [1] AND A0310H equals yes [1], then A1250A through A1250Y must not be skipped [^]	Fatal	<b>Skip</b>	The value(s) submitted in the Transportation items is not in alignment with the value(s) submitted in items A0310G and/or A0310H.	<p>Tips:</p> <p>If A0310G =1 AND A0310H =1, then A1250A through A1250Y must not =^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4064b	Invalid Skip Pattern: On a Nursing Home Discharge item set, if A0310G equal unplanned discharge [2] OR A0310H equals no [0], then A1250A through A1250Y must be skipped [^]	Fatal	<b>Skip</b>	The value(s) submitted in the Transportation items is not in alignment with the value(s) submitted in items A0310G and/or A0310H.	<p>Tips:</p> <p>If A0310G =2 OR A0310H =0, then A1250A through A1250Y must = ^</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065a	Inconsistent Dates: The first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <ul style="list-style-type: none"> <li>• The following dates must occur chronologically: <ul style="list-style-type: none"> <li>○ A0900 (Birth Date) must precede or be the same as A1900 (Admission Date)</li> <li>○ A1900 must precede or be the same as A1600 (Entry Date)</li> <li>○ A1600 must precede or be the same as A2300 (Assessment Reference Date)</li> <li>○ A2300 must be the same as A2000 (Discharge Date)</li> <li>○ Z0500B must precede or be the same as V0200B2 (CAA process signature date)</li> <li>○ V0200B2 must precede or be the same as V0200C2 (Care plan signature date)</li> <li>○ V0200C2 must precede or be the same as X1100E (Attestation Date)</li> <li>○ X1100E must precede or be the same as the current date</li> </ul> </li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065b1	Inconsistent Dates: This date must follow or be the same as A0900 birth date.	Fatal	Consistency	The date submitted in this item must be greater than or equal to the birth date submitted in A0900.	<p>Tips:</p> <p>The following dates must not precede A0900 (Birth Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065b2	Inconsistent Dates: This date must precede or be the same as A2300 Assessment Reference date, if active.	Fatal	Consistency	The date submitted in this item must be less than or equal to the Assessment Reference Date submitted in A2300, if active.	<p>Tips:</p> <p>The following dates must not follow A2300 (Assessment Reference Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065b3	Inconsistent Dates: This date must precede or be the same as A2000 Discharge Date, if A0310F equals 10, 11, or 12.	Fatal	Consistency	The date submitted in this item must be less than or equal to the Discharge Date submitted in A2000, if A0310F is 10, 11, or 12.	<p>Tips:</p> <p>The following dates must not follow A2000 (Discharge Date):</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay)</li> <li>○ A2400C (End date of most recent Medicare stay)</li> <li>○ O0250B (Date influenza vaccine received)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> <li>○ V0100C (Prior Assessment Reference Date) acceptable values for this item.</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065b4	Inconsistent Dates: The start date must precede or be the same as the end date.	Fatal	Consistency	For a start/end date pair, the start date must be less than or equal to the end date.	<p>Tips:</p> <p>In the following date pairs, the end date must not precede the associated start date:</p> <ul style="list-style-type: none"> <li>○ A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay)</li> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date) and O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date) and O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date) and O0400C6 (Physical Therapy: Therapy end date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065c1	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 1, the first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 1, THEN the following dates must occur chronologically:</p> <ul style="list-style-type: none"> <li>• A1600 (Entry Date) must precede or be the same as A2200 (Previous ARD for Significant Correction)</li> <li>• A2200 must precede or be the same as A2300 (Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4065c2	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 2, the first date listed must be prior to or the same as the second date.	Fatal	Consistency	The submitted dates are out of order or in the future.	<p>Tips:</p> <p>IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 2, THEN the following dates must occur chronologically:</p> <ul style="list-style-type: none"> <li>• A0900 (Birth Date) must precede or be the same as A2200 (Previous ARD for Significant Correction)</li> <li>• A2200 must precede or be the same as A2300 (Assessment Reference Date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>



Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065d1	Inconsistent Dates: If the assessment is for an interrupted stay A0310G1 equals Yes [1] AND [if any of O0400A5, O0400B5, O0400C5, O0400A6, O0400B6, or O0400C6 are not equal to dash (-), blank (^), or ongoing (-----)], then the submitted dates must be greater than or equal to A2400B (Start date of most recent Medicare stay).	Fatal	Consistency	The submitted dates in this item must be greater than or equal to the Start date of most recent Medicare stay submitted in A2400B.	<p>Tips:</p> <p>IF A0310G1 is 1 THEN the following dates must be greater than or equal to A2400B if they are not [-,^,-----]</p> <ul style="list-style-type: none"> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4065d2	Inconsistent Dates: If the assessment is NOT for an interrupted stay A0310G1 equals No or skipped [2,^] AND [if any of O0400A5, O0400B5, O0400C5, O0400A6, O0400B6, or O0400C6 are not equal to dash (-), blank (^), or ongoing (-----)], then the submitted dates must be greater than or equal to A1600 (entry date).	Fatal	Consistency	The submitted dates in this item must be greater than or equal to the Entry Date A1600.	<p>Tips:</p> <p>IF A0310G1 is 2 or ^ THEN the following dates must be greater than or equal to A1600 if they are not [-,^,-----]</p> <ul style="list-style-type: none"> <li>○ O0400A5 (Speech-Language and Audiology: Therapy start date)</li> <li>○ O0400A6 (Speech-Language and Audiology: Therapy end date)</li> <li>○ O0400B5 (Occupational Therapy: Therapy start date)</li> <li>○ O0400B6 (Occupational Therapy: Therapy end date)</li> <li>○ O0400C5 (Physical Therapy: Therapy start date)</li> <li>○ O0400C6 (Physical Therapy: Therapy end date)</li> </ul> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>
-4066	Invalid Skip Pattern: If A0310A equals 02 or 06 OR (A0310A equals 99 and A0310B equals 01) OR A0310B equals 08, then O0400D2 must not equal skipped [^].	Fatal	Skip	The value(s) submitted in Respiratory Therapy Days item is not consistent with A0310A and/or A0310B.	<p>Tips:</p> <p>If A0310A = 02 or 06 OR (A0310A = 99 and A0310B = 01) OR A0310B = 08, then O0400D2 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips /Action
-4067	Invalid Skip Pattern: If A0310A equals 02 or 06 OR (A0200 equals 1 and A0310A equals 99 and A0310B equals 01), then O0400E2 must not equal skipped [^].	Fatal	Skip	The value(s) submitted in Psychological Therapy Days item is not consistent with A0310A and/or A0310B.	<p>Tips:</p> <p>If A0310A = 02 or 06 OR (A0200 = 1 and A0310A = 99 and A0310B = 01), then O0400E2 must not = ^.</p> <p>Action:</p> <p>Make appropriate corrections to the record and resubmit.</p>