



Centers for Medicare & Medicaid Services

## **Internet Quality Improvement Evaluation System (iQIES)**

---

# **Outcome and Assessment Information Set (OASIS) Error Message User Guide**

**Version 2.1**

**June 15, 2023**

# Table of Contents

1.	Introduction _____	1
2.	Troubleshooting – iQIES Service Center _____	1
3.	Submission ERROR Messages for OASIS Data _____	2
4.	File Processing Error Messages for OASIS Data _____	3
5.	Error Messages _____	4

## 1. Introduction

---

This user guide addresses Outcome and Assessment Information Set (OASIS) error messages and troubleshooting.

## 2. Troubleshooting – iQIES Service Center

---

The iQIES Service Center supports users working within the various iQIES components: Survey and Certification (S&C), Patient Assessment, and Reporting.

Always attempt to determine the nature or source of a particular problem in order to contact the appropriate department for assistance and give detailed information about the issue.

**For assistance accessing iQIES:** Contact the iQIES Security Officer (SO) for your organization

**For technical support:** Contact the iQIES Service Center:

**Phone:** 800-339-9313

**email:** [iQIES@cms.hhs.gov](mailto:iQIES@cms.hhs.gov)

**For more information on iQIES:** Refer to the [QIES Technical Support Office](#) (QTSO) and the [Quality, Safety, & Education Portal](#) (QSEP).

iQIES reference materials include:

- Links to Training Videos for Providers
- Assessment Management User Manual
- Quick Reference Guides
- Onboarding Guide
- Managing User Information

### 3. Submission ERROR Messages for OASIS Data

---

During the file submission process, iQIES displays a limited number of error messages. iQIES errors are detailed in [Step 5, Error Messages](#).

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with iQIES. For those situations, refer to the appropriate vendor-provided documentation.

## 4. File Processing Error Messages for OASIS Data

---

An **OASIS Provider Final Validation Report** is automatically generated within 24 hours of successful submission of a file. A file may include one or more records. The Report details the errors, if any, in the submitted records within the file. Go to the **Reports** section in iQIES to view this report.

Each error is noted on the report by its numeric identifier and severity (**Fatal** or **Warning**). The report also includes a brief description of the error and notes the submitted item values that triggered the error.

### Notes:

- The **OASIS Submitter Final Validation Report** must be requested by the user who submitted the file.
- Records with fatal errors will be rejected. All fatal errors in a record must be corrected and resubmitted.
- All warning errors should be reviewed and corrected if appropriate, to ensure the data uploaded is accurate and complete.
- Providers who submit files for multiple providers receive one **OASIS Agency Final Validation Report** for each provider for which records were submitted in a file.
- Certain severe fatal errors in the submitted file or one of its records can prevent the system from creating and placing the automatically generated **OASIS Agency Final Validation Report** in the agency's folder. To view these errors, the submitter can request the **OASIS Submitter Final Validation Report** in iQIES.

## 5. Error Messages

---

This section lists the error messages in order by **Error ID** followed by **Error Message**. The severity and type of error message are shown. A type of error can help determine the solution.

The first four explanatory columns are followed by three columns explaining the potential cause, tips to correcting the error, and actions to take.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-901	Invalid Zip File: Unable to process the submitted file.	Fatal	System	<ul style="list-style-type: none"> <li>The submitted file is not formatted properly. The contents of the file could not be extracted.</li> <li>The submitted .zip file is not compressed.</li> <li>The submitted file is a .zipx file.</li> <li>The submitted file is empty.</li> <li>The submitted file is encrypted.</li> </ul>	<ul style="list-style-type: none"> <li>The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid.</li> <li>The .zip file should not contain subfolders.</li> <li>The name of the .zip file must not exceed 260 characters, including the extension (.zip).</li> <li>The name of each XML file included in the .zip file must not exceed 200 characters, including the extension.</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor for technical assistance.</li> <li>Refer vendor to the OASIS Data Specifications for details of file submission requirements.</li> <li>Recreate and/or rename the .zip file and resubmit.</li> </ul>
-902	Invalid XML File: The submitted file does not have a valid XML file name extension.	Fatal	System	The submitted file name does not end with ".xml".	<ul style="list-style-type: none"> <li>The name of an XML file must not exceed 200 characters, including the extension (.xml).</li> <li>The name of an XML file must not include special characters.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the software vendor for technical assistance.</li> <li>Refer vendor to the OASIS Data Specifications for details of file submission requirements.</li> <li>Recreate and/or rename the assessment file, zip the file, and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-903	Required Item Missing or Invalid: Based on the OASIS Data Specifications in effect on the target date of this record, this item is required.	Fatal	System	<ul style="list-style-type: none"><li>A valid value was not submitted in this item. Based upon the OASIS Data Submission Specifications in effect for this record, this item is required.</li><li>The length of the value submitted for this item exceeds the maximum length allowed.</li></ul>	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-904	Invalid XML File Format: The submitted file is not structured properly.	Fatal	System	The submitted record is not a properly structured XML file and cannot be processed.	<ul style="list-style-type: none"> <li>Beginning and ending tags must enclose the entire assessment record.</li> <li>Beginning and ending tags must enclose each item of the assessment record.</li> <li>Tags must not exceed 30 characters. This does not count the delimiters (&lt; &gt;) in which the tags must be enclosed.</li> <li>Values submitted between the beginning and ending tags for an item must not exceed 100 characters.</li> </ul> <p><b>Note:</b> When error -904 occurs, the file cannot be processed by the system; therefore, a system-generated final validation report cannot be created. This error is identified only on the Submitter Final Validation Report.</p>	<ul style="list-style-type: none"> <li>Contact the software vendor.</li> <li>Make appropriate corrections to the record and resubmit.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-905	Invalid Effective Date: Unable to calculate the effective date due to missing or invalid required field.	Fatal	System	The iQIES System is unable to verify the effective date of this record because the value submitted in item M0090 (Date Assessment Completed) is missing or invalid.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-907	Duplicate Assessment: The submitted record is a duplicate of a previously accepted record.	Fatal	System	The submitted record is a duplicate of a previously accepted record for this patient.	<p>Duplicate records match on the following items:</p> <ul style="list-style-type: none"> <li>• HHA Agency ID</li> <li>• Effective Date</li> <li>• M0040-First (First name)</li> <li>• M0040-Last (Last name)</li> <li>• M0064 (Social Security Number)</li> <li>• M0066 (Birth Date)</li> <li>• M0069 (Gender)</li> <li>• M0100 (Reason For Assessment) <ul style="list-style-type: none"> <li>• DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Determine why this record was submitted multiple times.</li> <li>• DO NOT resubmit this record as it is already in the database.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-907 (Cont)					<ul style="list-style-type: none"><li>• <b>Definition:</b></li><li>• Effective Date is defined as:</li><li>• - M0030 (Start of Care Date) when M0100 (Reason for Assessment) is 01;</li><li>• - M0032 (Resumption of Care Date) when M0100 is 03;</li><li>• - M0090 (Date Assessment Completed) when M0100 is 04 or 05;</li><li>• - M0906 (Discharge/Transfer/Death Date) when M0100 is 06, 07. Or 08.</li></ul>	

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-909	Inconsistent Record Sequence: Under CMS sequencing guidelines, the type of assessment in this record does not logically follow the type of assessment in the record received prior to this one.	Warning	System	The submitted record does not satisfy CMS sequencing guidelines when compared to the record that was submitted to the QIES IQIES System prior to this one for this patient.	<ul style="list-style-type: none"> <li>• The reasons for assessment in this record indicate that it was submitted out of order. The record that should have preceded this record may not have been submitted successfully.</li> <li>• The patient's identifying information in this record may differ from the patient-identifying information submitted for this patient in a prior record. The current and prior records may have matched to different resident records causing what appears to be a failure in the sequencing order.</li> <li>• There are a limited number of exceptions to the sequencing guidelines.</li> </ul>	<ul style="list-style-type: none"> <li>• If this record is correct due to an exception, no action is necessary.</li> <li>• If this message occurred because a record was completed and not submitted, submit the missing record now.</li> <li>• Review activity reports and/or roster reports to ensure that all records are submitted timely.</li> <li>• If after reviewing activity reports and/or roster reports, and a new patient may have been created in error, contact the State OASIS Automation Coordinator.</li> <li>• Refer to the current OASIS Guidance Manual for additional information.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-909 (Cont)					<b>Definition:</b> Resident Table Row: Each person for whom an OASIS record is submitted to the iQIES System is noted in a row on the resident table in the database. This row contains the person's identifying information and is used to link subsequent OASIS records for that person as they are submitted. If identifying information submitted for a patient does not match an existing row, a new row is created, identifying a "new" person in the database. The OASIS record submitted is linked to this "new" person.	
-914	Invalid Format: The value submitted for this item contains one or more non-printable or control characters.	Fatal	System	The value submitted for this item is invalid; it cannot contain non-printable or control characters.	Ensure values submitted are compliant and resubmit	Make appropriate corrections to the record and resubmit.

-915	Patient Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the iQIES database. If the record was accepted, the patient information in the database was updated. Verify that the new information is correct.	Warning	System	Based on patient-matching criteria, patient (patient) information in this OASIS record, though not identical, is similar enough to patient (patient) information in the iQIES System that a match was identified. If the record was accepted, one or more fields in the iQIES System were updated with the new or previously missing information.	<p>The patient-matching process may update the following patient (patient) information:</p> <ul style="list-style-type: none"> <li>• last name</li> <li>• first name</li> <li>• middle initial</li> <li>• birth date</li> <li>• death date</li> <li>• social security number</li> <li>• Medicare number</li> <li>• Medicaid number</li> <li>• gender</li> <li>• race/ethnicity</li> <li>• current Facility Internal ID</li> </ul> <p><b>Example:</b></p> <p>The patient's first name was spelled differently, the birth date was entered incorrectly, or the agency is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p><b>Definition:</b></p> <p><b>Patient-matching criteria:</b> Criteria used to match key patient-identifying information in an assessment record with an existing patient (patient) known to the iQIES System.</p>	<ul style="list-style-type: none"> <li>• Verify the old and new information.</li> <li>• If the new information is correct, no action is required.</li> <li>• If the new information is not correct, make appropriate modifications to the record and resubmit.</li> <li>• Refer to the OASIS Correction policy as necessary.</li> </ul>
------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-916	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the iQIES Help Desk.	Fatal	System	The submitted record matches multiple records in the iQIES database.	<ul style="list-style-type: none"> <li>Confirm this is a new record for submission and not a duplicate.</li> <li>If this is a modification or inactivation, ensure it is marked as such</li> </ul>	<ul style="list-style-type: none"> <li>Contact the iQIES Help Desk for assistance.</li> <li>DO NOT resubmit this record as it is already in the database.</li> </ul>
-921	Assessment Completed Late: The M0090 date was more than 24 months prior to the submission date.	Fatal	System	The submitted assessment was not completed according to CMS timing guidelines that require that an assessment to be submitted within 24 months of M0090 (Date Assessment Completed).	<ul style="list-style-type: none"> <li>The Date Assessment Completed must be less than the Submission Date by at least 24 months.</li> <li>To avoid this error in the future, review the assessment schedule and verify that all assessments are completed in a timely manner.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-922	Submission Period Expired: The assessment was submitted 24 months after the agency's closed date.	Fatal	System	The submission date of this record is more than 24 months after the date the agency closed.	<ul style="list-style-type: none"> <li>Ensure the correct date is submitted.</li> <li>In the future, be more timely with submissions</li> </ul>	<ul style="list-style-type: none"> <li>If you believe this error is invalid, contact the State OASIS Automation Coordinator.</li> <li>Otherwise, no action is necessary.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-923	Inconsistent Dates: M0090 is greater than the agency's termination date.	Fatal	System	The value submitted for M0090 (Date Assessment Completed) is greater than (occurs after) the agency's termination date.	<p>Target Date – The target date identifies when the assessment event occurred. Based upon the value of A0250 (Reason for Assessment), the target date is defined as follows:</p> <ul style="list-style-type: none"> <li>A0220 (Admission Date) when A0250 is 01</li> <li>A0270 (Discharge Date) when A0250 is 10, 11, or 12</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>If you believe this error is invalid, contact your State OASIS Automation Coordinator.</li> </ul>
-924	Test Record Processed: The submitting agency is not identified as being certified at this time; this record was processed as a test record. If you believe this is incorrect, please contact your state OASIS Automation Coordinator.	Warning	System	The agency submitting this record is not identified by the iQIES system as being certified at this time.	This record was processed as a test record	<ul style="list-style-type: none"> <li>If you believe this error is invalid, contact the State OASIS Automation Coordinator.</li> <li>Otherwise, no action is necessary.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-925	Record Timing Invalid: CMS timing guidelines require recertification follow-up records (M0100=4) at least every 60 days, but no earlier than day 56 of the follow-up cycle.	Warning	System	The submitted record does not satisfy CMS timing guidelines.	<ul style="list-style-type: none"> <li>Completion dates for the first and any subsequent follow-up assessments are calculated relative to the start of care date.</li> <li>Follow-up assessments must be completed every 60 days a patient is under care.</li> <li>A follow-up assessment should be completed on or after the 56th day and on or before the 60th day of the cycle.</li> <li>There are a limited number of exceptions to the timing guidelines.</li> </ul>	<ul style="list-style-type: none"> <li>If this record is correct due to an exception, no action is necessary.</li> <li>Refer to the current OASIS Guidance Manual for additional information.</li> </ul>
-926	Invalid CCN: M0010 must not equal blank (^) for a CMS-certified agency.	Fatal	System	The value submitted in M0010 (CMS Certification Number) must match the CCN on file in the iQIES System for the CMS-certified provider identified by the HHA_AGENCY_ID in this record.	<b>Example:</b> The CCN was not entered into the encoding software that created the submission file.	Verify that the CCN in the encoding software is not blank.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-929	Multiple Branch ID Records Found: The Branch ID in the submitted record matches multiple Branch ID records in the database. Please contact your state OASIS Automation Coordinator.	Fatal	System	The value submitted in M0016 (Branch ID Number) matches multiple Branch ID records in the database.	Confirm the value submitted is accurate then complete the Actions recommended	<ul style="list-style-type: none"> <li>Notify the state OASIS Automation Coordinator of this error condition.</li> <li>Once the condition is resolved, make appropriate corrections to the record, if necessary, and resubmit.</li> </ul>
-930	Invalid Target Date: The calculated target date is greater than the submission date.	Fatal	System	The calculated target date of this record is later than the date the record was submitted.	<b>Definition:</b> Target Date = M0090 (Date Assessment Completed)	Make appropriate corrections to the record and resubmit.
-3010	Invalid Format: If this item is not equal to one of the allowed special values (if any), then the length of the submitted value must match exactly the maximum length of the item.	Fatal	Format	The value submitted for this item is invalid.	If the submitted value of this item is not one of the allowed special values, the length must be the maximum length noted in the OASIS Data Specifications.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3020	Invalid Format: If the value does not equal skipped [^], the first three characters must not equal 000.	Fatal	Format	The value submitted in M0064 (Social Security Number) is invalid.	IF M0064 is not blank (^), THEN the first three characters must not be 000.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul> <p>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3030	Invalid Value: The value must not equal any of the following: 111111111, 333333333, 123456789, or 999999999.	Fatal	Format	The value submitted in M0064 (Social Security Number) is invalid.	IF M0064 is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3060	Invalid Value: The value submitted for this item is not an acceptable value.	Fatal	Format	The submitted value is not one of the options allowed for this item.	Make appropriate corrections to the record and resubmit.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3070	Invalid Date: This item must contain a valid date in YYYYMMDD format or allowable special character(s).	Fatal	Format	The date submitted in this item is invalid or formatted improperly.	<ul style="list-style-type: none"> <li>A date must be submitted in YYYYMMDD format or must contain the appropriate allowable special character(s).</li> <li>The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the vendor of the encoding software if the date format is incorrect.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3080	Invalid Birth Date: M0066 must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.	Fatal	Format	The value submitted in M0066 (Birth Date) is invalid or formatted improperly.	<ul style="list-style-type: none"> <li>M0066 must be submitted in YYYYMMDD, YYYYMM, or YYYY format or as one of the allowable special values.</li> <li>The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</li> </ul>	<ul style="list-style-type: none"> <li>Contact the vendor of the encoding software to correct the formatting of dates.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3090	Invalid Value: Only numeric values that are within the range of acceptable values and specified special characters are valid for this item.	Fatal	Format	The value submitted in this item is invalid; it is not one of the numeric values or special characters allowed.	<p>An unsigned numeric value is a number without a leading plus or minus sign.</p> <p>Negative (signed) numbers are not allowed.</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3100	Invalid Numeric Format: Only positive, whole numbers and specified special characters are valid for this item.	Fatal	Format	The value submitted in this item is invalid; it is not one of the numeric values or special characters allowed.	Numbers with a decimal point and one or more decimal places are not allowed for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3110	Invalid Format: Only numeric characters 0-9 and specified special characters are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted in this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain numeric characters, the specified special characters, or be blank (^).</li> <li>No spaces are allowed in this item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3120	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	Fatal	Format	The value submitted in this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, or the special character(s) identified in the data specifications for the item, or be blank (^).</li> <li>No spaces are allowed in this item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3130	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item. Embedded spaces are allowed.	Fatal	Format	The value submitted in this item is invalid.	<ul style="list-style-type: none"> <li>If not blank (^), this item may only contain alphanumeric characters, a dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), and underscore (_).</li> <li>Embedded spaces are allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3140	Invalid Value: Only numeric characters 0-9, letters A-Z, letters a-z, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item.	Fatal	Format	The value submitted in this item is invalid.	If not blank (^), this item may only contain alphanumeric characters, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), or underscore (_).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3150	Invalid E-Mail Address: The submitted e-mail address contains invalid characters.	Fatal	Format	The Software Vendor Email Address (SFW_EMAIL_ADR) in the submitted record is invalid.	<p>An e-mail address may not contain the following characters:</p> <ul style="list-style-type: none"> <li>single quote (')</li> <li>double-quote (")</li> <li>comma (,)</li> <li>semi-colon (;)</li> <li>colon (:)</li> <li>back slash (\)</li> <li>right and left</li> <li>parentheses (( and ))</li> <li>right and left brackets ([ and ])</li> <li>right and left braces ({ and })</li> <li>less than (&lt;)</li> <li>greater than (&gt;)</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3160	Invalid HHA_AGENCY_ID: The HHA_AGENCY_ID submitted in this file does not identify a valid provider in the iQIES System.	Fatal	Consistency	The Agency ID (HHA_AGENCY_ID) and State Code control field in the submitted record does not identify a valid provider in the iQIES system.	<ul style="list-style-type: none"> <li>The HHA_AGENCY_ID must be a system-assigned HHA_AGENCY_ID.</li> <li>The value of the submitted HHA_AGENCY_ID must match the HHA_AGENCY_ID in the iQIES system for the provider.</li> <li>The value submitted in the State Code control field must be the State Code associated with the HHA Agency ID, not the State Code where the branch is located if the two are different. The branch State Code should be submitted in M0014 (Branch State).</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-3162	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the HHA_AGENCY_ID in this file.	Fatal	Consistency	The submitter's User ID does not have authority to submit for the provider identified by the HHA_AGENCY_ID submitted in this record.	Review the user role and ID used for this submission and ensure appropriate permissions have been requested and approved	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Contact the QTSO Help Desk for additional assistance.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3170	Incorrect CCN: M0010 does not match the CMS Certification Number (CCN) in the iQIES System database for the agency identified in the file.	Warning	Consistency	<ul style="list-style-type: none"> <li>The CMS Certification Number in this record differs from the CCN that is currently in the iQIES System database for this provider.</li> <li>The value submitted in M0010 (CMS Certification Number) does not match the CCN on file in the iQIES System for the provider identified by the HHA_AGENCY_ID in this record.</li> </ul>	<b>Example:</b> The CCN was entered incorrectly into the encoding software that created the submission file.	Verify that the CCN in the encoding software is correct.
-3180	Required Field: This is a required text item. A valid non-blank value must be submitted.	Fatal	Consistency	The value submitted in this item must not be blank.	Ensure a valid value is submitted in HHA_AGENCY_ID and it is not left blank	Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3190	No Match Found: This modification/ inactivation record does not match a previously accepted record in the iQIES System. One or more of the items of this record did not match the corresponding items of an existing record in the database.	Fatal	Consistency	One or more of the values submitted in this modification or inactivation record do not match the values submitted in a previously accepted record in the iQIES System.	<p>To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record:</p> <ul style="list-style-type: none"> <li>• M0030 (Start of Care Date)</li> <li>• M0032 (Resumption of Care Date)</li> <li>• M0032 (Resumption of Care N/A)</li> <li>• M0040-First (First name)</li> <li>• M0040-Last (Last name)</li> <li>• M0064 (Social Security Number)</li> <li>• M0064 (Social Security Number UK)</li> <li>• M0066 (Birth Date)</li> <li>• M0069 (Gender)</li> <li>• M0090 (Date Assessment Completed)</li> <li>• M0100 (Reason For Assessment)</li> <li>• M0906 (Discharge/Transfer/Death Date)</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3200	Inconsistent CORRECTION_NUM Value: The Correction Number value submitted in CORRECTION_NUM is not incremented by one (1) from the previously accepted Correction Number for this record.	Fatal	Consistency	The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value of CORRECTION_NUM submitted in the previous record.	<ul style="list-style-type: none"> <li>The value of CORRECTION_NUM in this record must be the value of CORRECTION_NUM submitted in the previous record plus 1.</li> <li>In the first modification/inactivation record, the value of CORRECTION_NUM must be 01. The value of CORRECTION_NUM in the second modification/inactivation record must be 02, and so on.</li> <li>The value of CORRECTION_NUM minus 1 must equal the value of CORRECTION_NUM that was previously submitted successfully for this record.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3210	Invalid Format: The length of the text submitted for this item exceeds the maximum length allowed.	Fatal	Format	The text submitted exceeds the maximum length allowed for this item.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3220	Inconsistent Software Information: If SFW_PROD_NAME equals blank (^), then SFW_PROD_VRSN_CD must equal blank (^).	Fatal	Consistency	The value submitted in SFW_PROD_VRSN_CD (Software Product Version Code) is not consistent with the value submitted in SFW_PROD_NAME (Software Product Name).	IF SFW_PROD_NAME is blank (^), THEN SFW_PROD_VRSN_CD must be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3230	Inconsistent Software Vendor Information: If SFW_PROD_NAME does not equal blank (^), then SFW_PROD_VRSN_CD must not equal blank (^).	Fatal	Consistency	The value submitted in SFW_PROD_VRSN_CD (Software Product Version Code) is not consistent with the value submitted in SFW_PROD_NAME (Software Product Name).	IF SFW_PROD_NAME is not blank (^), THEN SFW_PROD_VRSN_CD must not be blank (^).	<ul style="list-style-type: none"> <li>Verify that the software information in the encoding software is correct.</li> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3240	Invalid ISC: The submitted ITM_SBST_CD does not match the ISC calculated by the iQIES System.	Fatal	Consistency	The value submitted in ITM_SBST_CD (Item Subset Code (ISC)) does not match the ISC calculated by the iQIES System.	<p>The values of the following items determine which subset of items (ISC) is appropriate for this record:</p> <ul style="list-style-type: none"> <li>TRANS_TYPE_CD (Transaction Type Code)</li> <li>M0100 (Reason for Assessment)</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3250	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item. Embedded spaces are allowed.	Fatal	Format	The value submitted in this item is invalid.	<ul style="list-style-type: none"> <li>This item may only contain alphanumeric characters, a dash (-), at sign (@), ampersand (&amp;), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item.</li> <li>Embedded spaces are allowed.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3261	Inconsistent Dates: The dates listed are out of logical order.	Fatal	Consistency	The dates submitted in the noted items are out of order or in the future.	<p>IF M0032 (Resumption of Care Date) is a blank (^), these dates must occur chronologically as follows:</p> <ul style="list-style-type: none"> <li>• M0066 (Birth Date) must precede M1005 (Inpatient Discharge Date)</li> <li>• M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC)</li> <li>• M0102 must precede or be the same as M0030 (Start of Care Date)</li> <li>• M0030 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date)</li> <li>• M1307 must precede or be the same as M0906 (Discharge/Transfer/Death Date)</li> <li>• M0906 must precede or be the same as M0090 (Date Assessment Completed)</li> <li>• M0090 must precede or be the same as the current date.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3261 (Cont.)					<ul style="list-style-type: none"><li>• M0906 must precede or be the same as M0090 (Date Assessment Completed)</li><li>• M0090 must precede or be the same as the current date</li></ul>	

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3271	Inconsistent Dates: The dates listed are out of logical order.	Fatal	Consistency	The dates submitted in the noted items are out of order or in the future.	<p>IF M0032 (Resumption of Care Date) is not a blank (^), these dates must occur chronologically as follows:</p> <ul style="list-style-type: none"> <li>• M0066 (Birth Date) must precede M0030 (Start of Care Date)</li> <li>• M0030 must precede or be the same as M1005 (Inpatient Discharge Date)</li> <li>• M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC)</li> <li>• M0102 must precede or be the same as M0032 (Resumption of Care Date)</li> <li>• M0032 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date)</li> <li>• M1307 must precede or be the same as M0906 (Discharge/Transfer/Death Date)</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3271 (Cont.)					<ul style="list-style-type: none"> <li>M0906 must precede or be the same as M0090 (Date Assessment Completed)</li> <li>M0090 must precede or be the same as the current date</li> </ul>	
-3280	Inconsistent Dates: If M0100 is equal to 01, then M0030 minus M1005 should be greater than or equal to zero and less than or equal to 14 days.	Warning	Consistency	The assessment was not completed within CMS timing guidelines.	<ul style="list-style-type: none"> <li>IF M0100 (Reason for Assessment) is 01 and M0030 (Start of Care Date) and M1005 (Inpatient Discharge Date) are both active and are not blank (^), THEN M0030 minus M1005 should be greater than or equal zero but no more than 14 calendar days.</li> <li>M1005 should only be entered when the patient was discharged from an inpatient facility within the past 14 days prior to admission to a home health agency.</li> </ul>	<ul style="list-style-type: none"> <li>No action is required. Make corrections, if appropriate, to the record and resubmit.</li> <li>To avoid this warning in the future, review the assessment timing schedule in the current OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3290	Inconsistent Dates: If M0100 is equal to 03, then M0032 minus M1005 should be greater than or equal to zero and less than or equal to 14 days.	Warning	Consistency	The assessment was not completed within CMS timing guidelines.	<ul style="list-style-type: none"> <li>IF M0100 (Reason for Assessment) is 03 and M0032 (Resumption of Care Date) and M1005 (Inpatient Discharge Date) are both active and are not blank (^), THEN M0032 minus M1005 should be greater than or equal to zero but no more than 14 calendar days.</li> <li>M1005 should only be entered when the patient was discharged from an inpatient facility within the past 14 days prior to admission to a home health agency.</li> </ul>	<ul style="list-style-type: none"> <li>No action is required. Make corrections, if appropriate, to the record and resubmit.</li> <li>To avoid this warning in the future, review the assessment timing schedule in the current OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3300	Inconsistent Dates: If M0100 is equal to 01, then M0090 minus M0030 should be greater than or equal to zero and less than or equal to 5 days.	Warning	Consistency	The assessment was not completed within CMS timing guidelines.	IF M0100 (Reason for Assessment) is 01 and M0090 (Date Assessment Completed) and M0030 (Start of Care Date) are both active and are not blank (^), THEN M0090 minus M0030 should be greater than or equal to zero but no more than 5 calendar days.	<ul style="list-style-type: none"> <li>No action is required. Make corrections, if appropriate, to the record and resubmit.</li> <li>To avoid this warning in the future, review the assessment timing schedule in the CURRENT OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3310	Inconsistent Dates: If M0100 is equal to 03, then M0090 minus M0032 should be greater than or equal to zero and less than or equal to 2 days.	Warning	Consistency	The assessment was not completed within CMS timing guidelines.	IF M0100 (Reason for Assessment) is 03 and M0090 (Date Assessment Completed) and M0032 (Resumption of Care Date) are both active and are not blank (^), THEN M0090 minus M0032 should be greater than or equal to zero but no more than 2 calendar days.	<ul style="list-style-type: none"> <li>No action is required. Make corrections, if appropriate, to the record and resubmit.</li> <li>To avoid this warning in the future, review the assessment timing schedule in the CURRENT OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3320	Inconsistent Dates: If M0100 is equal to 09, then M0090 minus M0906 should be greater than or equal to zero and less than or equal to 2 days.	Warning	Consistency	The assessment was not completed within CMS timing guidelines.	IF M0100 (Reason for Assessment) is 09 and M0090 (Date Assessment Completed) and M0906 (Discharge/Transfer/Death Date) are both active and are not blank (^), THEN M0090 minus M0906 should be greater than or equal to zero but no more than 2 calendar days.	<ul style="list-style-type: none"> <li>No action is required. Make corrections, if appropriate, to the record and resubmit.</li> <li>To avoid this warning in the future, review the assessment timing schedule in the CURRENT OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3330	Record Submitted Late: The submission date is more than 30 days after M0090 on this new record.	Warning	Consistency	The assessment was not submitted within the CMS timing guidelines.	IF this is a new record (TRANS_TYPE_CD is 1), THEN the submission date minus M0090 (Date Assessment Completed) should be no more than 30 calendar days.	<ul style="list-style-type: none"> <li>No action is required.</li> </ul> <p>To avoid this warning in the future, review the assessment timing schedule in the CURRENT OASIS Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3340	Inconsistent Items: If TRANS_TYPE_CD is equal to 1, then CORRECTION_NUM must equal 00.	Fatal	Consistency	The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value submitted in TRANS_TYPE_CD (Transaction Type Code).	IF TRANS_TYPE_CD is 1, THEN CORRECTION_NUM must be 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3341	Inconsistent Items: If TRANS_TYPE_CD is equal to 2 or 3, then CORRECTION_NUM must not equal 00.	Fatal	Consistency	The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value submitted in TRANS_TYPE_CD (Transaction Type Code).	IF TRANS_TYPE_CD is 2 or 3, THEN CORRECTION_NUM must not be 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3390	Invalid Patient Age: Patient age at the time the assessment was completed cannot be greater than 140 years and must not be less than 18 years.	Fatal	Consistency	The value submitted in item M0066 (Birth Date) is invalid.	<ul style="list-style-type: none"> <li>IF M0090 (Date Assessment Completed) minus M0066 is less than 18 years or greater than 140 years, THEN the birth date is invalid.</li> <li>For purposes of calculating a patient's age: <ul style="list-style-type: none"> <li>If both the month and day of the patient's birth date are unknown, the iQIES system uses 07 for the month and 02 for the day.</li> <li>If only the day of the patient's birth date is unknown, the iQIES system uses 15 for the day.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>If the patient's birth date is correct, no further action is necessary.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3410	Inconsistent Branch Items: If M0016 contains a standard branch ID (not equal to N or P), then M0014 must not equal blank (^).	Fatal	Consistency	The values submitted in items M0014 (Branch State) and M0016 (Branch ID Number) are inconsistent.	IF M0016 is a standard branch ID (i.e., not N or P), THEN M0014 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> <li>Contact the Software vendor for assistance.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3420	Inconsistent Branch Items: If M0016 is equal to N or P, then M0014 must equal blank (^).	Fatal	Consistency	The values submitted items for M0014 (Branch State) and M0016 (Branch ID Number) are inconsistent.	IF M0016 is N or P, THEN M0014 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the current data specifications to determine the valid values.</li> <li>Contact the Software vendor for assistance.</li> </ul>
-3430	Invalid ZIP Code Format: M0060 must be either 5 or 9 bytes in length and not include a dash if a ZIP+4 code is submitted.	Fatal	Format	The value submitted in item M0060 (Patient ZIP Code) is invalid.	A ZIP Code must be either 5 or 9 numeric digits and must not include a dash (-).	Make appropriate corrections to the record and resubmit.
-3450	Inconsistent M1005 Values: If M1005-UK is equal to 0, then M1005 date must not equal blank (^).	Fatal	Consistency	The date submitted in M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1005-UK (Inpatient Discharge Date-Unknown).	IF M1005-UK is 0, THEN M1005 date, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3460	Inconsistent M1005 Values: If M1005-UK is equal to 1, then M1005 date must equal blank (^).	Fatal	Consistency	The date submitted in M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1005-UK (Inpatient Discharge Date-Unknown).	IF M1005-UK is 1, THEN M1005 date, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3470	Inconsistent M0018 Values: If M0018-UK is equal to 0, then M0018 NPI number must not equal blank (^).	Fatal	Consistency	The value submitted in M0018 (National Provider Identifier (NPI)) is not consistent with the value submitted in item M0018-UK (NPI Unknown).	IF M0018-UK is 0, THEN M0018 NPI number, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3480	Inconsistent M0018 Values: If M0018-UK is equal to 1, then M0018 NPI number must equal blank (^).	Fatal	Consistency	The value submitted in M0018 (National Provider Identifier (NPI)) is not consistent with the value submitted in item M0018-UK (NPI Unknown).	IF M0018-UK is 1, THEN M0018 NPI number, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3490	Inconsistent M0032 Values: If M0032-NA is equal to 0, then M0032 date must not equal blank (^).	Fatal	Consistency	The date submitted in M0032 (Resumption of Care Date) is not consistent with the value submitted in item M0032-NA (ROC Date Not Applicable).	IF M0032-NA is 0, THEN M0032 ROC date, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3500	Inconsistent M0032 Values: If M0032-NA is equal to 1, then M0032 date must equal blank (^).	Fatal	Consistency	The date submitted in M0032 (Resumption of Care Date) is not consistent with the value submitted in item M0032-NA (ROC Date Not Applicable).	IF M0032-NA is 1, THEN M0032 ROC date, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3510	Inconsistent M0063 Values: If M0063-NA is equal to 0, then M0063 Medicare Number must not equal blank (^).	Fatal	Consistency	The value submitted in M0063 (Medicare Number) is not consistent with the value submitted in item M0063-NA (No Medicare).	IF M0063-NA is 0, THEN M0063 Medicare number, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3520	Inconsistent M0063 Values: If M0063-NA is equal to 1, then M0063 Medicare Number must equal blank (^).	Fatal	Consistency	The value submitted in M0063 (Medicare Number) is not consistent with the value submitted in item M0063-NA (No Medicare).	IF M0063-NA is 1, THEN M0063 Medicare number, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3530	Inconsistent M0064 Values: If M0064-UK is equal to 0, then M0064 Social Security Number must not equal blank (^).	Fatal	Consistency	The value submitted in M0064 (Social Security Number) is not consistent with the value submitted in item M0064-UK (SSN Unknown).	IF M0064-UK is 0, THEN M0064 SSN, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3540	Inconsistent M0064 Values: If M0064-UK is equal to 1, then M0064 Social Security Number must equal blank (^).	Fatal	Consistency	The value submitted in M0064 (Social Security Number) is not consistent with the value submitted in item M0064-UK (SSN Unknown).	IF M0064-UK is 1, THEN M0064 SSN, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3550	Inconsistent M0065 Values: If M0065-NA is equal to 0, then M0065 Medicaid Number must not equal blank (^).	Fatal	Consistency	The value submitted in M0065 (Medicaid Number) is not consistent with the value submitted in item M0065-NA (No Medicaid).	IF M0065-NA is 0, THEN M0065 Medicaid number, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3560	Inconsistent M0065 Values: If M0065-NA is equal to 1, then M0065 Medicaid Number must equal blank (^).	Fatal	Consistency	The value submitted in M0065 (Medicaid Number) is not consistent with the value submitted in item M0065-NA (No Medicaid).	IF M0065-NA is 1, THEN M0065 Medicaid number, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3570	Inconsistent M0102 Values: If M0102 date is not equal to blank (^), then M0102-NA must equal 0 or blank (^).	Fatal	Consistency	The date submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0102-NA (No specific physician-ordered SOC/ROC).	IF M0102 date is not blank (^), THEN M0102-NA, if active, must be 0 or blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3580	Inconsistent M0102 Values: If M0102 date is equal to blank (^), then M0102-NA must equal 1.	Fatal	Consistency	The value submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0102-NA (No specific physician-ordered SOC/ROC).	IF M0102 date is blank (^), THEN M0102-NA, if active, must be 1.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3590	Inconsistent M0102/M0104 Values: If M0102 date is not equal to blank (^), then M0104 must equal blank (^).	Fatal	Consistency	The date submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0104 (Date of Referral).	IF M0102 date is not blank (^), THEN M0104, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3600	Inconsistent M0102/M0104 Values: If M0102 date is equal to blank (^), then M0104 must not equal blank (^).	Fatal	Consistency	The value submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0104 (Date of Referral).	IF M0102 date is blank (^), THEN M0104, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3620	If all items from M0140_ETHNIC_AI_A N through M0140_ETHNIC_WHIT E are active, then at least one of these items must equal [1].	Fatal	Consistency	The value submitted in M0140 (Race/Ethnicity) is invalid.	<ul style="list-style-type: none"> <li>• IF M0140 is active, THEN at least one item M0140-1 (American Indian or Alaska Native) through M0140-6 (White) must be checked.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3630	Inconsistent M0150 Values: At least one of the items M0150-1 through M0150-4 must equal 1 or the patient's care is not paid by Medicare or Medicaid.	Fatal	Consistency	The value submitted in at least one of the items M0150-1 (Current Payment Source-Medicare FFS) through M0150-4 (Current Payment Source-Medicaid-HMO) must be 1.	<ul style="list-style-type: none"> <li>• IF at least one of the items M0150-1 through M0150-4 is not checked, THEN the patient's care is not paid by Medicare or Medicaid and the record is rejected.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3640	Inconsistent M0150 Values: Both items M0150-0 and M0150-UK must equal 0.	Fatal	Consistency	The value submitted in items M0150-0 (Current Payment Source-None) and M0150-UK (Current Payment Source-Unknown) must be 0.	<ul style="list-style-type: none"> <li>• IF M0150-0 or M0150-UK is checked, THEN the patient's care is not paid by Medicare or Medicaid and the record is rejected.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3650	Inconsistent M1000 Values: If M1000-NA is equal to 0, then at least one item M1000-1 through M1000-7 must equal 1.	Fatal	Consistency	The value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA) is not consistent with one or more values submitted in related items M1000-1 through M1000-7.	<ul style="list-style-type: none"> <li>• IF M1000-NA is unchecked, THEN one or more active items M1000-1 through M1000-7 must be checked.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3660	Inconsistent M1000 Values: If M1000-NA is equal to 1, then all items M1000-1 through M1000-7 must equal 0.	Fatal	Consistency	The value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA) is not consistent with one or more values submitted in related items M1000-1 through M1000-7.	<ul style="list-style-type: none"> <li>• IF M1000-NA is checked, THEN all items M1000-1 through M1000-7 must be unchecked.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-3881	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].	Fatal	Consistency	The value submitted in item M0100 (Reason for assessment) or M1030 (None of the Above-Therapies receives at home) is not consistent with one or more values submitted in related items M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION	<ul style="list-style-type: none"> <li>• M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], THEN at least one active items M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must be checked.</li> <li>• A checked response displays as a "1" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-3891	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].	Fatal	Consistency	The value submitted in item M0100 (Reason for assessment) or M1030 (None of the Above-Therapies receives at home) is not consistent with one or more values submitted in related items M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION	<ul style="list-style-type: none"> <li>M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [1], THEN all active items M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must be unchecked.</li> <li>A checked response displays as a "1" on the validation report. An unchecked response displays as "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4030	Inconsistent M1307 Values: If M1307 is equal to 01 or NA, then M1307 date must equal blank (^).	Fatal	Skip	The value submitted in item M1307 (Oldest Non-epithelialized Stage II PU) is not consistent with the value submitted in item M1307 date.	IF M1307 is 01 or NA, THEN M1307 date, if active, must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4040	Inconsistent M1307 Values: If M1307 is equal to 02, then M1307 date must not equal blank (^).	Fatal	Skip	The value submitted in item M1307 (Oldest Non-epithelialized Stage II PU) is not consistent with the value submitted in item M1307 date.	IF M1307 is 02, THEN M1307 date, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4171	If M0100_ASSMT_REASON=[01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00].	Fatal	Consistency	The value submitted in item M1322 (Current Number of Stage I PUs) is not consistent with the value submitted in items M1324 (Stage of Most Problematic Unhealed Observable PU) and M0100 (Reason for Assessment)	IF M1324 is 01 AND M0100 is 01 or 03 THEN M1322 must be greater than 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4182	If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].	Fatal	Consistency	The value submitted in M1311A1 (Current Number of Unhealed PU at Each Stage: Stage 2) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) and M0100 (Reason for Assessment).	IF M1324 is 02 AND M0100 is 01, 03, or 09, THEN M1311A1 must not be skipped (^) and must be greater than 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4192	If M100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].	Fatal	Consistency	The value submitted in M1311B1 (Current Number of Unhealed PU at Each Stage: Stage 3) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) and M0100 (Reason for Assessment).	IF M1324 is 03 AND M0100 is 01, 03, or 09, THEN M1311B1 must not be skipped (^) and must be greater than 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4202	If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].	Fatal	Consistency	The value submitted in M1311C1 (Current Number of Unhealed PU at Each Stage: Stage 4) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) or M0100 (Reason for Assessment).	IF M1324 is 04 AND M0100 is 01, 03, or 09, THEN M1311C1 must not be skipped (^) and must be greater than 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4221	If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^]	Fatal	Skip	The values submitted in M1332 (Current Number of Observable Stasis Ulcers) through M1334 (Status of Most Problematic Observable Stasis Ulcer) is not consistent with the value submitted in item M1330 (Does patient have a Stasis Ulcer) and M0100 (Reason for Assessment).	IF M1330 is 00 or 03 AND M0100 is 01, 03, or 09, THEN all active items from M1332 through M1334 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4231	If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSENT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].	Fatal	Skip	The values submitted in M1332 (Current Number of Observable Stasis Ulcers) through M1334 (Status of Most Problematic Observable Stasis Ulcer) is not consistent with the value submitted in item M1330 (Does patient have a Stasis Ulcer) and M0100 (Reason for Assessment).	IF M1330 is 01 or 02 AND M0100 is 01, 03, or 09, THEN all active items from M1332 through M1334 must be NOT be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4241	If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGL_WND_PRSENT = [00,02], then if M1342_STUS_PRBLM_SRGL_WND is active it must equal [^].	Fatal	Skip	The value submitted in item M1342 (Status of Most Problematic Observable Surgical Wound) is not consistent with the value submitted in items M1340 (Does this patient have a Surgical Wound) and M0100 (Reason for Assessment).	IF M1340 is 00 or 02 AND M0100 is 01, 03, or 09, THEN M1342 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4251	If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGL_WND_PRSENT = [01], then if M1342_STUS_PRBLM_SRGL_WND is active it must not equal [^].	Fatal	Skip	The value submitted in item M1342 (Status of Most Problematic Observable Surgical Wound) is not consistent with the value submitted in items M1340 (Does this patient have a Surgical Wound) and M0100 (Reason for Assessment).	IF M1340 is 01 AND M0100 is 01, 03, or 09, THEN M1342 must NOT be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4320	Inconsistent M0100/M1600 Values: If M0100 is equal to 09, then M1600 must not equal UK.	Fatal	Consistency	The value submitted in item M1600 (Patient treated for UTI) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 09, THEN M1600 must not be UK.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4351	If M0100_ASSMT_REASON = [09], then if M1620_BWL_INCONT cannot equal [UK].	Fatal	Consistency	The value submitted in item M1620 (Bowel Incontinence Frequency) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 09, THEN M1620 must not be UK.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4361	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [00-05,UK], then if M1630_OSTOMY is active it must equal [00].	Fatal	Consistency	The value submitted in item M1630 (Ostomy for Bowel Elimination) is not consistent with the value submitted in item M1620 (Bowel Incontinence Frequency) and M0100 (Reason for Assessment).	IF M1620 is 00, 01, 02, 03, 04, 05, or UK AND M0100 is 01, 03, or 09, THEN M1630 must be 00.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4371	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [NA], then if M1630_OSTOMY is active it must equal [01,02].	Fatal	Consistency	The value submitted in item M1630 (Ostomy for Bowel Elimination) is not consistent with the value submitted in item M1620 (Bowel Incontinence Frequency) and M0100 (Reason for Assessment).	IF M1620 is NA AND M0100 is 01, 03, or 09, THEN M1630 must be 01 or 02.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4380	If M1730_STDZ_DPRSN_SCRNG=[00,02,03], then all active items from M1730_PHQ2_LACK_I NTRST through M1730_PHQ2_DPRSN must equal [^].	Fatal	Skip	The values submitted in PHQ-2 items M17300-1a and M1730-1b are not consistent with the value submitted in item M1730 (Depression Screening).	IF M1730 is 00, 02, or 03, THEN M1730-1a and M1730-1b must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4390	If M1730_STDZ_DPRSN_SCRNG=[01], then all active items from M1730_PHQ2_LACK_I NTRST through M1730_PHQ2_DPRSN must not equal [^].	Fatal	Skip	The values submitted in PHQ-2 items M17300-1a and M1730-1b are not consistent with the value submitted in item M1730 (Depression Screening).	IF M1730 is 01, THEN M1730-1a and M1730-1b must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4400	Inconsistent M1740 Items: If M1740-7 is equal to 0, then at least one item M1740-1 through M1740-6 must equal 1.	Fatal	Consistency	The values submitted in the M1740 (Cognitive, behavioral, and psychiatric symptoms) items are not consistent.	<ul style="list-style-type: none"> <li>• IF M1740-7 is 0, THEN at least one item M1740-1 through M1740-6 must be checked.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4410	Inconsistent M1740 Items: If M1740-7 is equal to 1, then all items M1740-1 through M1740-6 must equal 0.	Fatal	Consistency	The values submitted in the M1740 (Cognitive, behavioral, and psychiatric symptoms) items are not consistent.	<ul style="list-style-type: none"> <li>• IF M1740-7 is 1, THEN at all items M1740-1 through M1740-6 must be unchecked.</li> <li>• A checked response displays as a "1" on the validation report.</li> <li>• An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4421	If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].	Fatal	Skip	The value submitted in M2003 (Medication Follow-up) is not consistent with the value submitted in item M2003 (Drug Regimen Review).	IF M2001 is 00, THEN M2003 must be skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4431	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLW P through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].	Fatal	Skip	The values submitted in one or more of these items are not consistent with the value submitted in item M2001 (Drug Regimen Review).	IF M2001 is 1, THEN all active items M2003 (Medication Follow-up) through M2030 (Management of Injectable Medications) must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4441	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLW P through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M2001 (Drug Regimen Review).	<ul style="list-style-type: none"> <li>IF M2001 is 9, THEN all active items M2003 (Medication Follow-up) through M2030 (Management of Injectable Medications) must be blank (^).</li> <li>This is a skip pattern. If M2001 is 9, then skip to M2040 (Prior Medication Management) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4480	Inconsistent M0100/M2020 Values: If M0100 is equal to 09 then M2020 must not equal blank (^).	Fatal	Consistency	The value submitted in item M2020 (Management of Oral Medications) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 09, THEN M2020 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4511	If M0100_ASSMT_REASON = [01,03], and M2200_THER_NEED_NA = [0], then if M2200_THER_NEED_NBR is active it must not equal [^]	Fatal	Skip	The values submitted in the M2200 (Therapy Need) items are not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M2200-NA is unchecked, AND M0100 is 01 or 03, THEN M2200 Number of Therapy Visits must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4521	If M00100_ASSMT_REASON = [01,03] and M2200_THER_NEED_NA = [1], then if M2200_THER_NEED_NBR is active it must equal [^].	Fatal	Skip	The values submitted in the M2200 (Therapy Need) items are not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M2200-NA is checked, AND M0100 is 01 or 03, THEN M2200 Number of Therapy Visits must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4531	Invalid Skip Pattern: If M2301 is equal to 00 or UK, then all active items M2310-1 through M2310-UK must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M2301 (Emergent Care).	<ul style="list-style-type: none"> <li>IF M2301 is 00 or UK, THEN all Reason for Emergent Care items M2310-1 through M2310-UK must be blank (^).</li> <li>This is a skip pattern. If M2301 is 00 or UK, then skip to M2401 (Intervention Synopsis) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4541	Inconsistent M2301/M2310 Values: If M2301 is equal to 01 or 02, then all active items M2310-1 through M2310-UK must not equal blank (^).	Fatal	Skip	The values submitted in M2310 (Reason for Emergent Care) items are not consistent with the value submitted in item M2301 (Emergent Care).	IF M2301 is 01 or 02, THEN all items M2310-1 through M2310-UK must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4550	Inconsistent M2310 Values: If M2310-UK is equal to 0, then at least one item M2310-1 through M2310-19 must equal 1.	Fatal	Consistency	The values submitted in Reason for Emergent Care items M2310-1 through M2310-19 are not consistent with the value submitted in item M2310-UK.	<ul style="list-style-type: none"> <li>IF M2310-UK is unchecked, THEN at least one item M2310-1 through M2310-19 must be checked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4560	Inconsistent M2310 Values: If M2310-UK is equal to 1, then all items M2310-1 through M2310-19 must equal 0.	Fatal	Consistency	The values submitted in Reason for Emergent Care items M2310-1 through M2310-19 are not consistent with the value submitted in item M2310-UK.	<ul style="list-style-type: none"> <li>IF M2310-UK is checked, THEN all items M2310-1 through M2310-19 must be unchecked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4570	Inconsistent M0100/M2410 Values: If M0100 is equal to 09, then M2410 must equal NA.	Fatal	Consistency	The value submitted in item M2410 (Inpatient Facility) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 09, THEN M2410 must be NA.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4580	Inconsistent M0100/M2410 Values: If M0100 is equal to 06 or 07, then M2410 must not equal NA.	Fatal	Consistency	The value submitted in item M2410 (Inpatient Facility) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 06 or 07, THEN M2410 must not be NA.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4690	Invalid Branch: If the assessment was performed by an HHA with no branches or by a subunit with no branches, then M0016 must contain N.	Fatal	Consistency	The value submitted in M0016 (Branch ID Number) is inconsistent with the known organization of the agency or subunit submitting this record as identified by the value submitted in HHA_AGENCY_ID.	<ul style="list-style-type: none"> <li>IF the agency or subunit submitting this record has no branches, THEN M0016 must be N.</li> <li>Open branches are evaluated per the certification in effect at the time of the assessment, based on the assessment's Effective Date.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4700	Invalid Branch: If the assessment was performed by the home office of an HHA with branches or by the home office of a subunit with branches, then M0016 must contain P.	Fatal	Consistency	The value submitted in M0016 (Branch ID Number) is inconsistent with the known organization of the agency or subunit submitting this record as identified by the value submitted in HHA_AGENCY_ID.	<ul style="list-style-type: none"> <li>IF the home office of the agency or subunit completed this record, THEN M0016 must be P.</li> <li>Open branches are evaluated per the certification in effect at the time of the assessment, based on the assessment's Effective Date.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4710	Invalid Branch: M0016 must contain a standard branch ID, N, or P.	Fatal	Consistency	The value submitted in M0016 (Branch ID Number) is invalid. M0016 must contain either a standard branch ID, N, or P.	<b>Definition:</b> <ul style="list-style-type: none"> <li>N = Agency or subunit has no branches</li> <li>P = Agency is a parent</li> <li>##Q##### = a standard branch ID assigned by the State Agency</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4730	Inconsistent M0100/M0032 Values: If M0100 is equal to 01, then M0032-NA must equal 1.	Fatal	Consistency	The value submitted in item M0032-NA (Resumption of Care Date-NA) is not consistent with the value submitted in item M0100 (Reason for Assessment).	<ul style="list-style-type: none"> <li>IF M0100 is 01, THEN M0032-NA must be checked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4740	Inconsistent M0100/M0032 Items: If M0100 is equal to 03, then M0032-NA must equal 0.	Fatal	Consistency	The value submitted in item M0032-NA (Resumption of Care Date-NA) is not consistent with the value submitted in item M0100 (Reason for Assessment).	<ul style="list-style-type: none"> <li>IF M0100 is 03, THEN M0032-NA must be unchecked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4850	Inconsistent M0150/M0063 Values: If M0150-1 is equal to 1, then M0063 Medicare Number must not equal blank (^).	Fatal	Consistency	The value submitted in item M0063 (Medicare Number) is not consistent with the value submitted item M0150-1 (Current Payment Sources-Medicare FFS).	<ul style="list-style-type: none"> <li>IF M0150-1 is checked, THEN M0063 must not be blank (^).</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4860	Inconsistent M0150/M0065 Values: If M0150-3 is equal to 1, then M0065 Medicaid Number must not equal blank (^).	Fatal	Consistency	The value submitted in item M0065 (Medicaid Number) is not consistent with the value submitted item M0150-3 (Current Payment Sources-Medicaid FFS).	<ul style="list-style-type: none"> <li>IF M0150-3 is checked, THEN M0065 must not be blank (^).</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4870	Inconsistent Software Vendor Information: If the SFW_ID is not equal blank (^), then SFW_NAME and SFW_EMAIL_ADR must not equal blank (^).	Fatal	Consistency	The values submitted in items SFW_NAME and SFW_EMAIL_ADR are not consistent with the value submitted item SFW_ID.	IF SFW_ID is not blank (^), THEN SFW_NAME and SFW_EMAIL_ADR must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4880	Inconsistent Software Vendor Information: If the SFW_ID is equal to blank (^), then SFW_NAME and SFW_EMAIL_ADR must equal blank (^).	Fatal	Consistency	The values submitted in items SFW_NAME and SFW_EMAIL_ADR are not consistent with the value submitted item SFW_ID.	IF SFW_ID is blank (^), THEN SFW_NAME and SFW_EMAIL_ADR must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4885	Incorrect ICD Format: Invalid ICD-10 diagnosis code.	Fatal	Format	The value submitted in this item is not valid.	<p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <ul style="list-style-type: none"> <li>• Character 1 must be a letter A-Z or a-z.</li> <li>• Character 2 must be a number 0-9.</li> <li>• Character 3 must be a letter or a number.</li> <li>• Character 4 must be a decimal point.</li> <li>• Character 5 through 8 must be a number, a letter, or blank (^).</li> <li>• If any character 5 through 8 is a blank (^), all subsequent characters must be blank (^).</li> <li>• An ICD-9 diagnosis code is not valid for this item.</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4900	Incorrect ICD Format: Invalid ICD-10 format. Character 1 of the ICD code must not equal V, W, X, Y, v, w, x, or y.	Fatal	Format	The ICD-10 code value submitted in this item is not valid.	The first character of the ICD code must not be V, W, X, Y, v, w, x, or y.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-4921	Invalid Skip Pattern: If M1000-NA is equal to 1, then items M1005 and M1005-UK must equal blank (^).	Fatal	Skip	The value submitted in this item is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).	<ul style="list-style-type: none"> <li>IF M1000-NA is checked, THEN items M1005 (Inpatient Discharge Date) and M1005-UK (Inpatient Discharge Date Unknown) must be blank (^).</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> <li>This is a skip pattern. If M1000-NA is 1 then skip to M1021 (Diagnoses and Symptom Control) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-4991	If M0100_ASSMT_REASON=[01,03], and if M1021_PRIMARY_DIAG_SEVERITY should equal [01-04,^]. A warning will be issued if it is equal to [00].	Warning	Consistency	The value submitted in M1021 (Primary Diagnosis Severity) is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 01 or 03, THEN M1021 should be 01,02,03,04, or skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5001	If M100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.	Fatal	Consistency	The value(s) submitted in M1021 (Primary Diagnosis Severity) or M1023 (Other Diagnoses) items is not consistent with the value submitted in item M0100 (Reason for Assessment).	IF M0100 is 01 or 03, THEN the M1021 and M1023 items which are not skipped [^], MUST NOT be the same as a value submitted in other non-skipped items (must not have a duplicate value)	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5050	Inconsistent M1033 Values: If M1033-10 is equal to 0, then at least one item M1033-1 through M1033-9 must equal 1.	Fatal	Consistency	The value submitted in item M1033-10 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1033-1 through M1033-9.	<ul style="list-style-type: none"> <li>IF M1033-10 is unchecked, THEN one or more active items M1033-1 through M1033-9 must be checked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5060	Inconsistent M1033 Values: If M1033-10 is equal to 1, then all items M1033-1 through M1033-9 must equal 0.	Fatal	Consistency	The value submitted in item M1033-10 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1033-1 through M1033-9.	<ul style="list-style-type: none"> <li>IF M1033-10 is checked, THEN all active items M1033-1 through M1033-9 must be unchecked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5070	Inconsistent M1041/M1046 Values: If M1041 is equal to 1, then M1046 must not equal blank (^).	Fatal	Skip	The value submitted in item M1041 (Influenza Vaccine Data Collection Period) is not consistent with the value submitted in item M1046 (Influenza Vaccine Received).	IF M1041 is 1, THEN M1046, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5080	Invalid Skip Pattern: If M1041 is equal to 0, then M1046 must equal blank (^).	Fatal	Skip	The value submitted in item M1046 (Influenza Vaccine Received) is not consistent with the value submitted in item M1041 (Influenza Vaccine Data Collection Period).	<ul style="list-style-type: none"> <li>IF M1041 is 0, THEN M1046 must be blank (^).</li> <li>This is a skip pattern. If M1041 is 0 then skip to M1051 (Pneumococcal Vaccine) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5112	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_T_SUE_SOCROC_F2 must equal [^].	Fatal	Skip	The value(s) submitted in M1307 (Oldest Non-epithelialized Stage II PU) through M1311 (Current Number of Unhealed PU/Injuries) is not consistent with the value(s) submitted in items M1306 (Unhealed PU/Injury Stage II or Higher) and M0100 (Reason for Assessment).	IF M0100 is 01, 03, or 09, AND M1306 is 0, THEN all active items M1307 through M1311 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5123	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then the following items must not equal [^]:</p> <p>M1307_OLDST_STG2_AT_DSCHRG,  M1311_NBR_PRSULC_STG2_A1,  M1311_NBR_PRSULC_STG3_B1,  M1311_NBR_PRSULC_STG4_C1,  M1311_NSTG_DRSG_D1,  M1311_NSTG_CVRG_E1,  M1311_NSTG_DEEP_T  SUE_F1.</p>	Fatal	Skip	The value(s) submitted in M1307 (Oldest Non-epithelialized Stage II PU) through M1311 (Current Number of Unhealed PU/Injuries) is not consistent with the value(s) submitted in items M1306 (Unhealed PU/Injury Stage II or Higher) and M0100 (Reason for Assessment).	<p>IF M0100 is 01, 03, or 09, AND M1306 is 1, THEN all active items M1307 through M1311 must not be skipped [^].</p>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5132	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]:</p> <p>M1311_NBR_PRSULC_STG2_A1,  M1311_NBR_PRSULC_STG3_B1,  M1311_NBR_PRSULC_STG4_C1,  M1311_NSTG_DRSG_D1,  M1311_NSTG_CVRG_E1, and  M1311_NSTG_DEEP_T SUE_F1.</p>	Fatal	Consistency	The value(s) submitted in M1311 (Current Number of Unhealed PU/Injuries) is not consistent with the value(s) submitted in items M1306 (Unhealed PU/Injury Stage II or Higher) and M0100 (Reason for Assessment).	IF M0100 is 01, 03, or 09, AND M1306 is 1, THEN all active M1311 items must be greater than 00	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5201	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].	Fatal	Consistency	The value(s) submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD severity code submitted.	IF M0100 is 01 or 03, AND the first character of an M1021 or M1023 ICD code is V, W, X, Y, Z, v, w, x, y, or z, THEN the corresponding severity code must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5211	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].	Fatal	Consistency	The value(s) submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD severity code submitted.	IF M0100 is 01 or 03, AND the first character of an M1021 or M1023 ICD code is NOT equal to V, W, X, Y, Z, v, w, x, y, or z, THEN the corresponding severity code must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5221	If M0100_ASSMT_REASON = [01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].	Fatal	Consistency	The value(s) submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD severity code submitted.	IF M0100 is 01 or 03, AND the M1021 or M1023 ICD code is skipped [^], THEN the corresponding severity code must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5280	Incorrect Format: The value submitted in M0010 must either equal blank (^) or be exactly 6 characters in length.	Fatal	Format	The value submitted in M0010 (CMS Certification Number) must either be blank (^) or exactly 6 characters in length.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> </ul>
-5290	Inconsistent M0100/M0906 Values: If M0100 is equal to 06, 07, 08, or 09, then M0906 must not equal blank (^).	Fatal	Consistency	The value submitted in item M0906 (Discharge/Transfer/Death Date) is not consistent the value submitted in M0100 (Reason For Assessment).	IF M0100 is 06, 07, 08, or 09, THEN M0906 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5300	Inconsistent M0100/M0906 Values: If M0100 is equal to 01, 03, 04, or 05, then M0906 must equal blank (^) for an inactivation record.	Fatal	Consistency	The value submitted in item M0906 (Discharge/Transfer/Death Date) is not consistent the value submitted in M0100 (Reason For Assessment) for this inactivation record.	IF this is an inactivation record AND M0100 is 01, 03, 04, or 05, THEN M0906 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5320	Inconsistent M1000/M1005 Values: If M1000-NA is equal to 0, then M1005-UK must not equal blank (^).	Fatal	Consistency	The value submitted in item M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).	IF M1000-NA is 0, THEN item M1005, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5340	Inconsistent Dates: The dates listed are out of logical order	Fatal	Consistency	The dates submitted in the noted items are inconsistent.	IF M0104 (Date of Referral) is not a blank (^) and M0100 (Reason for Assessment) is 01, THEN M0104 must be greater than M0066 (Birth Date) AND less than or equal to M0030 (Start of Care Date)	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5350	Inconsistent Dates: The dates listed are out of logical order.	Fatal	Consistency	The dates submitted in the noted items are inconsistent.	IF M0104 (Date of Referral) is not a blank (^) and M0100 (Reason for Assessment) is 03, THEN M0104 must be greater than M0066 (Birth Date) AND less than or equal to M0032 (Resumption of Care Date).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5360	Invalid Version Code: The value submitted for ITM_SET_VRSN_CD is not an acceptable value.	Warning	Format	A valid value was not submitted in this item. The value for this item is either missing or invalid.	N/A	<ul style="list-style-type: none"> <li>Verify that the version code in the encoding software is correct.</li> <li>Contact your software vendor.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5371a	Invalid Skip Pattern: If M1311A1 is equal to 0, then M1311A2, if active, must equal blank (^).	Fatal	<b>Skip</b>	The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.	IF M1311A1 is 0, THEN M1311A2, if active, must be blank (^).  This is a skip pattern. If M1311A1 is 0, then skip to M1311B1 (Current Stage 3) or the next active item.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5371b	Inconsistent M1311 Values: If M1311A1 is greater than 0, then M1311A2, if active, must not be blank (^).	Fatal	<b>Skip</b>	The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.	IF M1311A1 is greater than 0, THEN M1311A2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5372	Inconsistent M1311 Values: If M1311A1 is greater than 0, then M1311A2, if active, must be less than or equal to M1311A1 or equal dash (-).	Fatal	<b>Consistency</b>	The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.	IF M1311A1 is greater than 0, THEN M1311A2, if active, must be less than or the same as M1311A1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5373	Inconsistent M1311 Values: If M1311A1 is equal to dash (-), then M1311A2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.	IF M1311A1 is a dash (-), THEN M1311A2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5381a	Invalid Skip Pattern: If M1311B1 is equal to 0, then M1311B2, if active, must equal blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.	<ul style="list-style-type: none"> <li>IF M1311B1 is 0, THEN M1311B2, if active, must be blank (^).</li> <li>This is a skip pattern. If M1311B1 is 0, then skip to M1311C1 (Current Stage 4) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5381b	Inconsistent M1311 Values: If M1311B1 is greater than 0, then M1311B2, if active, must not be blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.	IF M1311B1 is greater than 0, THEN M1311B2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5382	Inconsistent M1311 Values: If M1311B1 is greater than 0, then M1311B2, if active, must be less than or equal to M1311B1 or equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.	IF M1311B1 is greater than 0, THEN M1311B2, if active, must be less than or the same as M1311B1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5383	Inconsistent M1311 Values: If M1311B1 is equal to dash (-), then M1311B2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.	IF M1311B1 is a dash (-), THEN M1311B2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5391a	Invalid Skip Pattern: If M1311C1 is equal to 0, then M1311C2, if active, must equal blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.	<ul style="list-style-type: none"> <li>IF M1311C1 is 0, THEN M1311C2, if active, must be blank (^).</li> <li>This is a skip pattern. If M1311C1 is 0, then skip to M1311D1 (Current Unstageable: Non-removable dressing) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5391b	Inconsistent M1311 Values: If M1311C1 is greater than 0, then M1311C2, if active, must not be blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.	IF M1311C1 is greater than 0, THEN M1311C2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5392	Inconsistent M1311 Values: If M1311C1 is greater than 0, then M1311C2, if active, must be less than or equal to M1311C1 or equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.	IF M1311C1 is greater than 0, THEN M1311C2, if active, must be less than or the same as M1311C1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5393	Inconsistent M1311 Values: If M1311C1 is equal to dash (-), then M1311C2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.	IF M1311C1 is a dash (-), THEN M1311C2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5401a	Invalid Skip Pattern: If M1311D1 is equal to 0, then M1311D2, if active, must equal blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.	<ul style="list-style-type: none"> <li>IF M1311D1 is 0, THEN M1311D2, if active, must be blank (^).</li> <li>This is a skip pattern. If M1311D1 is 0, then skip to M1311E1 (Current Unstageable: Slough and/or eschar) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5401b	Inconsistent M1311 Values: If M1311D1 is greater than 0, then M1311D2, if active, must not be blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.	IF M1311D1 is greater than 0, THEN M1311D2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5402	Inconsistent M1311 Values: If M1311D1 is greater than 0, then M1311D2, if active, must be less than or equal to M1311D1 or equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.	IF M1311D1 is greater than 0, THEN M1311D2, if active, must be less than or the same as M1311D1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5403	Inconsistent M1311 Values: If M1311D1 is equal to a dash (-), then M1311D2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.	IF M1311D1 is a dash (-), THEN M1311D2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5411a	Invalid Skip Pattern: If M1311E1 is equal to 0, then M1311E2, if active, must equal blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.	<ul style="list-style-type: none"> <li>IF M1311E1 is 0, THEN M1311E2, if active, must be blank (^).</li> <li>This is a skip pattern. If M1311E1 is 0, then skip to M1311F1 (Current Unstageable: Deep tissue injury) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5411b	Inconsistent M1311 Values: If M1311E1 is greater than 0, then M1311E2, if active, must not be blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.	IF M1311E1 is greater than 0, THEN M1311E2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5412	Inconsistent M1311 Values: If M1311E1 is greater than 0, then M1311E2, if active, must be less than or equal to M1311E1 or equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.	IF M1311E1 is greater than 0, THEN M1311E2, if active, must be less than or the same as M1311E1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5413	Inconsistent M1311 Values: If M1311E1 is equal to dash (-), then M1311E2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.	IF M1311E1 is a dash (-), THEN M1311E2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5421a	Invalid Skip Pattern: If M1311F1 is equal to 0, then M1311F2, if active, must equal blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.	<ul style="list-style-type: none"> <li>IF M1311F1 is 0, THEN M1311F2, if active, must be blank (^).</li> <li>This is a skip pattern. If M1311F1 is 0, then skip to M1313a (Worsening in PU Status: Stage 2) or the next active item.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5421b	Inconsistent M1311 Values: If M1311F1 is greater than 0, then M1311F2, if active, must not be blank (^).	Fatal	Skip	The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Unstageable: Deep tissue injury) are not consistent.	IF M1311F1 is greater than 0, THEN M1311F2, if active, must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5422	Inconsistent M1311 Values: If M1311F1 is greater than 0, then M1311F2, if active, must be less than or equal to M1311F1 or equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.	IF M1311F1 is greater than 0, THEN M1311F2, if active, must be less than or the same as M1311F1 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5423	Inconsistent M1311 Values: If M1311F1 is equal to a dash (-), then M1311F2, if active, must equal dash (-).	Fatal	Consistency	The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.	IF M1311F1 is a dash (-), THEN M1311F2, if active, must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5460	Inconsistent Dates: M0090 must be within the allowable date range specified for the SPEC_VRSN_CD.	Fatal	Consistency	The value submitted for M0090 (Date Assessment Completed) must fall within the allowable date range associated with the submitted SPEC_VRSN_CD (Data Specifications Version).	Refer to Section 2 of the OASIS Data Submission Specifications Overview document for the effective dates associated with each version of the OASIS Data Submission Specifications.	<ul style="list-style-type: none"> <li>Verify that the specification version code in the encoding software is correct for the submitted M0090 date.</li> <li>Contact your software vendor.</li> </ul>
-5470	Inconsistent M2001/M2003 Values: If M2001 is equal to dash (-), then M2003 must equal dash (-).	Fatal	Consistency	The value submitted in item M2003 (Medication Follow-up) is not consistent with the value submitted in item M2001 (Drug Regimen Review).	IF M2001 is a dash (-), THEN M2003 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5490	Invalid Skip Pattern: If M2001 is equal to 0, then M2010 must not equal blank (^).	Fatal	Skip	The value submitted in item M2010 (High-risk Drug Education) is not consistent with the value submitted in item M2001 (Drug Regimen Review).	IF M2001 is 0, THEN M2010 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5500a	Inconsistent None of the Above Value: If GG0110Z equals 1, then all items from GG0110A through GG0110E must equal 0.	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	<ul style="list-style-type: none"> <li>IF GG0110Z is checked, THEN all items GG0110A through GG0110E must be unchecked.</li> <li>A checked response displays as a "1" on the validation report.</li> <li>An unchecked response displays as a "0" on the validation report.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5500b	Inconsistent None of the Above Value: If GG0110Z equals 0, then at least one item from GG0110A through GG0110E must equal 1.	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	IF GG0110Z is unchecked, THEN one or more active items GG0110A through GG0110E must be checked.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5500c	Inconsistent None of the Above Value: If GG0110Z equals dash (-), then at least one item from GG0110A through GG0110E must equal dash (-) and all remaining items must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.	IF GG0110Z is a dash (-), THEN one or more active items GG0110A through GG0110E must be a dash (-) and the remaining items GG0110A through GG0110E must be unchecked or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5510	Discharge Goal Not Identified: At least one of the Discharge Goal items GG0130A2 through GG0130C2, GG0170B2 through GG0170F2, GG0170J2, GG0170K2, G0170R2, and GG0170S2 should equal 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88.	Fatal	Consistency	Discharge goal not identified for Self-care and Mobility Discharge Goal items <ul style="list-style-type: none"> <li>• GG0130A2</li> <li>• GG0130B2</li> <li>• GG0130C2</li> <li>• GG0170B2</li> <li>• GG0170C2</li> <li>• GG0170D2</li> <li>• GG0170E2</li> <li>• GG0170F2</li> <li>• GG0170J2</li> <li>• GG0170K2</li> <li>• GG0170R2</li> <li>• GG0170S2</li> </ul>	AT LEAST one value in GG0130A2 through GG0130C2, GG0170B2 through GG0170F2, GG0170J2, GG0170K2, G0170R2, and GG0170S2 should equal 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88.	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5520a	Invalid Skip Pattern: If GG0170I1 equals 07, 09, 10, or 88, then items GG0170J1, GG0170K1, and GG0170L1 must equal blank (^).	Fatal	Skip	The value(s) submitted in items GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	IF GG0170I1 is 07, 09, 10, or 88, THEN GG0170J1, GG0170K1, and GG0170L1 must be skipped (^).	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5520b	Invalid Skip Pattern: If GG0170I1 equals 06, 05, 04, 03, 02, or 01, then items GG0170J1, GG0170K1, and GG0170L1 must not equal blank (^).	Fatal	Skip	The value(s) submitted in items GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	IF GG0170I1 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J1, GG0170K1, and GG0170L1 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5520c	Invalid Skip Pattern: If GG0170I1 equals dash (-), then items GG0170J1, GG0170K1, and GG0170L1 must equal dash (-).	Fatal	Skip	The value(s) submitted in items GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).	IF GG0170I1 is a dash (-), THEN items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5530a	Invalid Skip Pattern: If GG0170I3 equals 07, 09, 10, or 88, then items GG0170J3, GG0170K3, and GG0170L3 must equal blank (^).	Fatal	Skip	The value(s) submitted in items GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	IF GG0170I3 is 07, 09, 10, or 88, THEN GG0170J3, GG0170K3, and GG0170L3 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5530b	Invalid Skip Pattern: If GG0170I3 equals 06, 05, 04, 03, 02, or 01, then items GG0170J3, GG0170K3, and GG0170L3 must not equal blank (^).	Fatal	Skip	The value(s) submitted in items GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	IF GG0170I3 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J3, GG0170K3, and GG0170L3 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5530c	Invalid Skip Pattern: If GG0170I3 equals dash (-), then items GG0170J3, GG0170K3, and GG0170L3 must equal dash (-).	Fatal	Skip	The value(s) submitted in items GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).	IF GG0170I3 is a dash (-), THEN items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5540a	Invalid Skip Pattern: If GG0170I4 equals 07, 09, 10, or 88, then items GG0170J4 and GG0170L4 must equal blank (^).	Fatal	Skip	The value submitted in GG0170J4 (Mobility: Walk 50 feet with two turns) and GG0170L4 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in Follow-up item GG0170I4 (Mobility: Walk 10 feet).	IF GG0170I4 is 07, 09, 10, or 88, THEN GG0170J4 and GG0170L4 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5540b	Invalid Skip Pattern: If GG0170I4 equals 06, 05, 04, 03, 02, or 01, then items GG0170J4 and GG0170L4 must not equal blank (^).	Fatal	Skip	The value submitted in GG0170J4 (Mobility: Walk 50 feet with two turns) and GG0170L4 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in Follow-up item GG0170I4 (Mobility: Walk 10 feet).	IF GG0170I4 is 06, 05, 04, 03, 02, or 01, THEN GG0170J4 and GG0170L4 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5540c	Invalid Skip Pattern: If GG0170I4 equals dash (-), then items GG0170J4 and GG0170L4 must equal dash (-).	Fatal	Skip	The value submitted in GG0170J4 (Mobility: Walk 50 feet with two turns) and GG0170L4 (Walking 10 feet on uneven surfaces) is not consistent with the value submitted in Follow-up item GG0170I4 (Mobility: Walk 10 feet).	IF GG0170I4 is a dash (-), THEN items GG0170J4 and GG0170L3 must be a dash (-). This is a skip pattern. If GG0170M1 is 07, 09, 10, or 88, then GG0170N1 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5550a	Invalid Skip Pattern: If GG0170M1 equals 07, 09, 10, or 88, then GG0170N1 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	IF GG0170M1 is 07, 09, 10, or 88, THEN GG0170N1 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5550b	Invalid Skip Pattern: If GG0170M1 equals 06, 05, 04, 03, 02, or 01, then GG0170N1 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	IF GG0170M1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N1 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5550c	Invalid Skip Pattern: If GG0170M1 equals dash (-), then GG0170N1 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).	IF GG0170M1 is a dash (-), THEN item GG0170N1 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5560a	Invalid Skip Pattern: If GG0170M3 equals 07, 09, 10, or 88, then GG0170N3 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	IF GG0170M3 is 07, 09, 10, or 88, THEN item GG0170N3 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5560b	Invalid Skip Pattern: If GG0170M3 equals 06, 05, 04, 03, 02, or 01, then GG0170N3 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	IF GG0170M3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N3 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5560c	Invalid Skip Pattern: If GG0170M3 equals dash (-), then GG0170N3 must equal dash ( ).	Fatal	Skip	The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).	IF GG0170M3 is a dash (-), THEN item GG0170N3 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5570a	Invalid Skip Pattern: If GG0170M4 equals 07, 09, 10, or 88, then GG0170N4 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170N4 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M4 (Mobility: 1 step).	IF GG0170M4 is 07, 09, 10, or 88, THEN item GG0170N4 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5570b	Invalid Skip Pattern: If GG0170M4 equals 06, 05, 04, 03, 02, or 01, then GG0170N4 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170N4 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M4 (Mobility: 1 step).	IF GG0170M4 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N4 must not be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5570c	Invalid Skip Pattern: If GG0170M4 equals dash (-), then GG0170N4 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170N4 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M4 (Mobility: 1 step).	IF GG0170M4 is a dash (-), THEN item GG0170N4 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5580a	Invalid Skip Pattern: If GG0170N1 equals 07, 09, 10, 88, or blank (^), then GG0170O1 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	IF GG0170N1 is 07, 09, 10, 88, or blank (^), THEN item GG0170O1 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5580b	Invalid Skip Pattern: If GG0170N1 equals 06, 05, 04, 03, 02, or 01, then GG0170O1 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	IF GG0170N1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O1 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5580c	Invalid Skip Pattern: If GG0170N1 equals dash (-), then GG0170O1 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).	IF GG0170N1 is a dash (-), THEN item GG0170O1 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5590a	Invalid Skip Pattern: If GG0170N3 equals 07, 09, 10, 88, or blank (^), then GG0170O3 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	IF GG0170N3 is 07, 09, 10, 88, or blank (^), THEN item GG0170O3 must be blank (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5590b	Invalid Skip Pattern: If GG0170N3 equals 06, 05, 04, 03, 02, or 01, then GG0170O3 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	IF GG0170N3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O3 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5590c	Invalid Skip Pattern: If GG0170N3 equals dash (-), then GG0170O3 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).	IF GG0170N3 is a dash (-), THEN item GG0170O3 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5600a	Inconsistent GG0170 Items: If GG0170Q1 equals 0, then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) through GG0170SS1 (Indicate the type of wheelchair/scooter used).	IF GG0170Q1 is 0, THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5600b	Inconsistent GG0170 Items: If GG0170Q1 equals 1, then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) through GG0170SS1 (Indicate the type of wheelchair/scooter used).	IF GG0170Q1 is 1, THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5600c	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-), then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) through GG0170SS1 (Indicate the type of wheelchair/scooter used).	IF GG0170Q1 is a dash (-), THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5610a	Inconsistent GG0170 Items: If GG0170Q3 equals 0, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	IF GG0170Q3 is 0, THEN all items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5610b	Inconsistent GG0170 Items: If GG0170Q3 equals 1, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	IF GG0170Q3 is 1, THEN all items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5610c	Inconsistent GG0170 Items: If GG0170Q3 equals dash (-), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal dash (-).	Fatal	<b>Skip</b>	The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).	IF GG0170Q3 is a dash (-), THEN all items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5620a	Invalid Skip Pattern: If GG0170Q4 equals 0, then GG0170R4 must equal blank (^).	Fatal	<b>Skip</b>	The value submitted in item GG0170Q4 (Mobility: Use wheelchair and/or scooter) is not consistent with the value submitted in item GG0170R4 (Mobility: Wheel 50 feet with two turns).	IF GG0170Q4 is 0, THEN item GG0170R4 must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5620b	Invalid Skip Pattern: If GG0170Q4 equals 1, then GG0170R4 must not equal blank (^).	Fatal	Skip	The value submitted in item GG0170Q4 (Mobility: Use wheelchair and/or scooter) is not consistent with the value submitted in item GG0170R4 (Mobility: Wheel 50 feet with two turns).	IF GG0170Q4 is 1, THEN item GG0170R4 must not be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5620c	Invalid Skip Pattern: If GG0170Q4 equals dash (-), then GG0170R4 must equal dash (-).	Fatal	Skip	The value submitted in item GG0170Q4 (Mobility: Use wheelchair and/or scooter) is not consistent with the value submitted in item GG0170R4 (Mobility: Wheel 50 feet with two turns).	IF GG0170Q4 is a dash (-), THEN item GG0170R4 must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5630a	Invalid Skip Pattern: If J1800 equals 0, then all active items from J1900A through J1900C must equal blank (^).	Fatal	Skip	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	IF J1800 is 0, THEN all active items J1900A through J1900C must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5630b	Invalid Skip Pattern: If J1800 equals 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	Fatal	Skip	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	IF J1800 is 1, THEN all active items J1900A through J1900C must not be skipped (^) and at least one of these items must be a dash (-), 1, or 2.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5630c	Invalid Skip Pattern: If J1800 equals dash (-), then all active items from J1900A through J1900C must equal dash (-).	Fatal	Skip	The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).	IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5661	If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_T_SUE_F1.	Fatal	Consistency	The value submitted in M1311 (Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage) items is not consistent with the value submitted in item M0100 (Reason for assessment).	IF M0100 is 01 or 03, THEN all items M1311A1 through M1311F1 must not be a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5670a	Inconsistent M1028 Values: If M1028-3 is equal to 0, then at least one item M1028-1 through M1028-2 must equal 1.	Fatal	Consistency	The value submitted in item M1028-3 (Active Diagnoses – Comorbidities and Co-existing Conditions: None of the above) is not consistent with one or more values submitted in related items M1028-1 through M1028-2.	IF M1028-3 is not checked [0], THEN at least one active items M1028-1 through M1028-2 must be checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5670b	Inconsistent M1028 Values: If M1028-3 is equal to 1, then M1028-1 and M1028-2 must equal 0.	Fatal	Consistency	The value submitted in item M1028-3 (Active Diagnoses – Comorbidities and Co-existing Conditions: None of the above) is not consistent with one or more values submitted in related items M1028-1 through M1028-2.	IF M1028-3 is checked [1], THEN items M1028-1 and M1028-2 must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5670c	Inconsistent M1028 Values: If M1028-3 is equal to dash (-), then at least one item M1028-1 or M1028-2 must equal dash (-) and the other must equal 0 or dash (-).	Fatal	Consistency	The value submitted in item M1028-3 (Active Diagnoses – Comorbidities and Co-existing Conditions: None of the above) is not consistent with one or more values submitted in related items M1028-1 through M1028-2.	IF M1028-3 is a dash (-), THEN at least one item M1028-1 or M1028-2 must be a dash (-) and the other must be 0 or a dash (-).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5681a	If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA].	Fatal	Consistency	The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in items M0100 (Assessment Reason), M1322 (Current Number of Stage I PU), and M1311 (Current Number of Unhealed PU at Each Stage) items.	IF M0100 is 01 or 03, AND M1322 is 00 or skipped (^) AND M1311A1, M1311B1, and M1311C1 are all 00 or skipped (^), THEN M1324 must be NA.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5681b	If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].	Fatal	Consistency	The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in M0100 (Assessment Reason) and M1311 (Current Number of Unhealed PU at Each Stage) items.	IF M0100 is 09, AND M1311A1, M1311B1, and M1311C1 are all 00, dash, or skipped (^), THEN M1324 must be 01 or NA.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5690	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].	Fatal	Format	The value submitted in one or more of the items is not consistent with the value submitted in M0100 (Reason for Assessment)	IF M0100 is 01 or 03, THEN items M1021, M1023, M1030, M1200, M1322, M1332, M1610, M1630, M2030, M2200 cannot equal ignored (=)	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5700	If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=].	Fatal	Format	The value submitted in one or more of the items is not consistent with the value submitted in M0100 (Reason for Assessment)	IF M0100 is 01, 03, or 09 THEN items M1242, M1311, M1324, M1330, M1334, M1340, M1342, M1400, M1620 cannot equal ignored (=)	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5710	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number M0063_MEDICARE_NUM format is invalid.	Fatal	Format	The value submitted in M0063 (Medicare Number) is an invalid format.	Refer to the data specifications in effect for this record to identify the acceptable values for this item.	Make appropriate corrections to the record and resubmit.
-5720a	Inconsistent A1005 Item: At least one active item A1005A through A1005Y must be checked (1).	Fatal	Consistency	At least one Ethnicity item must be checked (A1005A through A1005Y).	Provide a valid response for A1005A through A1005E and ensure that at least one of these items is checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5720b	Inconsistent A1005 Item: If A1005A is checked (1), then all active items from A1005B through A1005E and A1005Y must not be checked (0)	Fatal	Consistency	The value submitted in the Ethnicity items A1005B through A1005E or A1005Y is not consistent with the value submitted in item A1005A (No, not of Hispanic, Latino/a, or Spanish origin).	IF A1005A is checked [1], THEN items A1005B through A1005E and A1005Y must be unchecked	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5720c	Inconsistent A1005 Item: If any item A1005B through A1005E is checked (1), then A1005A and A1005Y must not be checked (0).	Fatal	Consistency	The value submitted in the Ethnicity items A1005A and A1005Y is not consistent with the value submitted in A1005B through A1005E	IF any items A1005B through A1005E is checked [1], THEN A1005A AND A1005Y must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5720d	Inconsistent A1005 Item: If A1005X is checked (1), then A1005Y must not be checked (0).	Fatal	Consistency	The value submitted in Ethnicity item A1005Y (declines to respond) is not consistent with the value submitted in item A1005X (Unable to respond).	IF A1005X is checked [1], THEN A1005Y must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5720e	Inconsistent A1005 Item: If A1005Y is checked (1), then all active items A1005A through A1005X must not be checked (0).	Fatal	Consistency	The values submitted in Ethnicity items A1005A through A1005X are not consistent with the value submitted in item A1005Y (Declines to Respond).	IF A1005Y is checked [1], THEN items A1005A through A1005X must be unchecked [].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5730a	Inconsistent A1010 Item: At least one active item A1010A through A1010Z must be checked (1).	Fatal	Consistency	At least one Race item must be checked (A1010A through A1010Z)	Confirm at least one item A1010A through A1010Z has been checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5730b	Inconsistent A1010 Item: If any item A1010A through A1010N is checked [1], then A1010Y and A1010Z must not be checked [0].	Fatal	Consistency	If at least one Race item is selected (A1010A through A1010N) then A1010Y Patient declines to respond and A1010Z None of the above must not be checked.	Confirm if at least one item A1010A through A1010N has been checked [1], then confirm that A1010Y and A1010Z are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5730c	Inconsistent A1010 Item: If A1010X is checked [1], then A1010Y must not be checked [0].	Fatal	Consistency	If the Race item: Patient unable to Respond item is checked (A1010X), then the Race: Patient declines to respond item must not be checked (A1010X)	Confirm that item A1010X is checked [1], then confirm that item A1010Y is not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5730d	Inconsistent A1010 Item: A1010Y is checked [1], then all active items from A1010A through A1010X and A1010Z must not be checked [0]	Fatal	Consistency	If the Race item: Patient declines to response item is checked (A1010Y), then all other Race items must not be checked.	Confirm that if A1010Y is checked [1], then confirm that all other race items are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5730e	Inconsistent A1010 Item: If A1010Z is checked [1], then all active items A1010A through A1010N and A1010Y must not be checked [0].	Fatal	Consistency	If the Race item: None of the above item is checked, then all other Race items must not be checked	If A1010Z is checked [1], confirm all other race items A1010A through A1010Y are not checked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5740a	Inconsistent A1250 Item: At least one active items A1250A through A1250Y must be checked [1].	Fatal	Consistency	At least one active item A1250A (Medical Yes), A1250B (non-medical Yes), A1250C (No), A1250X (unable to respond), or A1250Y (declines to respond) must be checked.	Provide a valid response for A1250A through A1250Y and ensure that at least one of these items is checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5740b	Inconsistent A1250 Item: If A1250A or A1250B is checked [1], then A1250C and A1250Y must not be checked [0].	Fatal	Consistency	The value submitted in the transportation items A1250C (No) and A1250Y (declines to respond) is not consistent with the value submitted in A1250A (Medical Yes) or A1250B (non-medical Yes)	IF A1250A or A1250B is checked [1], THEN A1250C AND A1250Y must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5740c	Inconsistent A1250 Item: If A1250C is checked [1], then A1250A and A1250B must not be checked [0].	Fatal	Consistency	The value submitted in the transportation items A1250A (Medical Yes) or A1250B (non-medical Yes) is not consistent with the value submitted in A1250C (No).	IF A1250C is checked [1], THEN A1250A AND A1250B must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5740d	Inconsistent A1250 Item: If A1250X is checked [1], then A1250Y must not be checked [0].	Fatal	Consistency	The value submitted in the transportation item A1250Y (Declines to Respond) is not consistent with the value submitted in A1250X (Unable to Respond).	IF A1250X is checked [1], THEN A1250Y must not be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5740e	Inconsistent A1250 Item: If A1250Y is checked [1], then A1250A through A1250X must not be checked [0].	Fatal	Consistency	The value submitted in the transportation items A1250A (Medical Yes) through A1250X (Unable to Respond) is not consistent with the value submitted in A1250Y (Declines to Respond).	IF A1250Y is checked [1], THEN A1250A through A1250X must be unchecked [0].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5750a	Invalid skip pattern: If at discharge, provision of medication list to subsequent provider (A2121) is No (0), then all of the following active items A2122A through A2122E must be skipped (^).	Fatal	Skip	The value(s) submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2121.	IF A2121 is 0, THEN all items A2122A through A2122E must be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5750b	Invalid skip pattern: If at discharge, provision of medication list to subsequent provider (A2121) is Yes [1], then all of the following active items A2122A through A2122E must not be skipped [^].	Fatal	Skip	The value(s) submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2121.	IF A2121 is 1, THEN all items A2122A through A2122E must NOT be skipped (^).	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5750c	Invalid skip pattern: If at discharge, provision of medication list to subsequent provider (A2121) is Yes [1], then at least one of the following active items A2122A through A2122E must be checked [1].	Fatal	Skip	The value(s) submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2121.	IF A2121 is 1, THEN at least ONE item A2122A through A2122E must be checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5760a	Invalid skip pattern: If at transfer, provision of medication list to subsequent provider (A2120) is No or NA [0, 2], then all of the following active items A2122A through A2122E must be skipped [^].	Fatal	Skip	The value submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2120.	IF A2120 is 0 or 2, THEN all items A2122A through A2122E must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5760b	Invalid skip pattern: If at transfer, provision of medication list to subsequent provider (A2120) is Yes [1], then all of the following active items A2122A through A2122E must not be skipped [^].	Fatal	Skip	The value submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2120.	IF A2120 is 1, THEN all items A2122A through A2122E must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5760c	Invalid skip pattern: If at transfer, provision of medication list to subsequent provider (A2120) is Yes [1], then at least one of the following active items A2122A through A2122E must be checked [1].	Fatal	Skip	The value submitted in the Route of Medication Reconciliation items A2122A (Electronic Health Record), A2122B (Health Information Exchange), A2122C (Verbal), A2122D (Paper-based), or A2122E (Other Methods), is not consistent with the value submitted in A2120.	IF A2120 is 1, THEN at least ONE item A2122A through A2122E must be checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5770	Invalid skip pattern: If discharge disposition (M2420) is patient remained in the community (without formal assistive services), unknown, or other unknown [1, 4, UK], then all of the following active items A2121 through A2122E must equal skipped [^].	Fatal	Skip	The value(s) submitted in Reconciled Medication List items A2121 and A2122A through A2122E, is not consistent with value submitted in item M2420 (Discharge Disposition).	IF M2420 is 01, 04, or UK, THEN item A2121 AND A2122A through A2122E must equal skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5780a	Inconsistent items: If provision of medication list to patient (A2123) is No [0, ^], then all of the following active items A2124A through A2124E must be skipped [^].	Fatal	Consistency	The value(s) submitted in Route of Medication Reconciliation items A2124A through A2124E, is not consistent with the value submitted in item A2123 (Provision of medication list).	IF A2123 is 0 or skipped [^], THEN items A2124A through A2124E must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5780b	Inconsistent items: If provision of medication list to patient (A2123) is Yes [1], then at least one of the following active items A2124A through A2124E must not be skipped [^].	Fatal	Consistency	The value(s) submitted in Route of Medication Reconciliation items A2124A through A2124E, is not consistent with the value submitted in item A2123 (Provision of medication list).	IF A2123 is 1, THEN items A2124A through A2124E must NOT be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5780c	Inconsistent items: If provision of medication list to patient (A2123) is Yes [1], then at least one of the following active items A2124A through A2124E must be checked [1].	Fatal	Consistency	The value(s) submitted in Route of Medication Reconciliation items A2124A through A2124E, is not consistent with the value submitted in item A2123 (Provision of medication list).	IF A2123 is 1, THEN at least one item A2124A through A2124E must be checked [1].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5790a	Inconsistent skip pattern: If C0100 is No [0], then all active items from C0200 through C0500 must be skipped [^].	Fatal	Skip	The value(s) submitted in BIMS items C0200 through C0500 are not consistent with the value submitted in C0100 (BIMS trigger item)	IF C0100 is 0, THEN all items C0200 through C0500 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5790b	Inconsistent skip pattern: If C0100 equals Yes [1], then all active items from C0200 through C0500 must not be skipped [^].	Fatal	Skip	The value(s) submitted in BIMS items C0200 through C0500 are not consistent with the value submitted in C0100 (BIMS trigger item)	IF C0100 is 1, THEN all items C0200 through C0500 must NOT be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5790c	Inconsistent skip pattern: If C0100 is a dash [-], then all active items from C0200 through C0500 must also be a dash [-].	Fatal	<b>Skip</b>	The value(s) submitted in BIMS items C0200 through C0500 are not consistent with the value submitted in C0100 (BIMS trigger item)	IF C0100 is a dash [-], THEN all items C0200 through C0500 must be a dash [-].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5800a	Inconsistent C0500 Value: If all of the BIMS component items C0200 through C0400C are active and are not equal to dash [-] and if 3 or fewer of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in the BIMS items C0200 through C0400C.	Fatal	<b>Consistency</b>	The value submitted in C0500 (BIMS summary score) is not consistent with the values submitted in C0200 through C0400C (BIMS components).	IF all items C0200 through C0400C have numeric values, AND IF 3 or fewer are 0, THEN C0500 must be equal to the sum of those item values C0200 through C0400C	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5800b	Inconsistent C0500 Value: If all of the BIMS component items C0200 through C0400C are active and are not equal to dash [-] and if 4 or more of the BIMS items are equal to 0, then C0500 must be equal to the sum of the values in the BIMS items C0200 through C0400C or must equal 99.	Fatal	Consistency	The value submitted in C0500 (BIMS summary score) is not consistent with the values submitted in C0200 through C0400C (BIMS components).	IF all items C0200 through C0400C have numeric values, AND IF 4 or more items are 0, THEN C0500 must be equal to the sum of those item values C0200 through C0400C OR C0500C must equal 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5800c	Inconsistent C0500 Value: If some, but not all, of the BIMS component items C0200 through C0400C are equal to dash [-], then C0500 must be equal to 99.	Fatal	Consistency	The value submitted in C0500 (BIMS summary score) is not consistent with the values submitted in C0200 through C0400C (BIMS components).	IF SOME items C0200 through C0400C are equal to dash [-], THEN C0500 must be 99	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5800d	Inconsistent C0500 Value: If all of the BIMS component items C0200 through C0400C are equal to dash [-], then C0500 must be equal to dash [-].	Fatal	Consistency	The value submitted in C0500 (BIMS summary score) is not consistent with the values submitted in C0200 through C0400C (BIMS components).	IF ALL items C0200 through C0500C are equal to a dash [-], THEN C0500 must be a dash [-].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5810a	Inconsistent D0150A Items: If D0150A1 symptom presence is equal to no [0], then D0150A2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150A2 (Mood: Little interest/pleasure doing things) is not consistent with the value submitted in item D0150A1 (symptom presence).	IF D0150A1 is 0, THEN D0150A2 must equal 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5810b	Inconsistent D0150A Items: If D0150A1 symptom presence is equal to yes [1], then D0150A2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150A2 (Mood: Little interest/pleasure doing things) is not consistent with the value submitted in item D0150A1 (symptom presence).	IF D0150A1 is 1, THEN D0150A2 must equal 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5810c	Inconsistent D0150A Items: If D0150A1 symptom presence is equal to no response or a dash [9, -], then D0150A2 symptom frequency must equal skipped[^].	Fatal	Consistency	The value submitted in D0150A2 (Mood: Little interest/pleasure doing things) is not consistent with the value submitted in item D0150A1 (symptom presence).	IF D0150A1 is 9 or dash [-], THEN D0150A2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5820a	Inconsistent D0150B Items: If D0150B1 symptom presence is equal to no [0], then D0150B2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150B2 (Mood: Feeling down, depressed) is not consistent with the value submitted in item D0150B1 (symptom frequency).	IF D0150B1 is 0, THEN D0150B2 must equal 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5820b	Inconsistent D0150B Items: If D0150B1 symptom presence is equal to yes [1], then D0150B2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150B2 (Mood: Feeling down, depressed) is not consistent with the value submitted in item D0150B1 (symptom frequency).	IF D0150B1 is 1, THEN D0150B2 must equal 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5820c	Inconsistent D0150B Items: If D0150B1 symptom presence is equal to no response or a dash [9, -], then D0150B2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150B2 (Mood: Feeling down, depressed) is not consistent with the value submitted in item D0150B1 (symptom frequency).	IF D0150B1 is 9 or dash [-], THEN D0150B2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5830a	Inconsistent D0150C Items: If D0150C1 symptom presence is equal to no [0], then D0150C2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150C2 (Mood: Trouble with Sleep) is not consistent with the value submitted in item D0150C1 (symptom frequency).	IF D0150C1 is 0, THEN D0150C2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5830b	Inconsistent D0150C Items: If D0150C1 symptom presence is equal to yes [1], then D0150C2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150C2 (Mood: Trouble with Sleep) is not consistent with the value submitted in item D0150C1 (symptom frequency).	IF D0150C1 is 1, THEN D0150C2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5830c	Inconsistent D0150C Items: If D0150C1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150C2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150C2 (Mood: Trouble with Sleep) is not consistent with the value submitted in item D0150C1 (symptom frequency).	IF D0150C1 is 9, skipped [^], or a dash [-], THEN D0150C2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5840a	Inconsistent D0150D Items: If D0150D1 symptom presence is equal to no [0], then D0150D2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150D2 (Mood: Feeling tired/little energy) is not consistent with the value submitted in item D0150D1 (symptom frequency).	IF D0150D1 is 0, THEN D0150D2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5840b	Inconsistent D0150D Items: If D0150D1 symptom presence is equal to yes [1], then D0150D2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150D2 (Mood: Feeling tired/little energy) is not consistent with the value submitted in item D0150D1 (symptom frequency).	IF D0150D1 is 1, THEN D0150D2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5840c	Inconsistent D0150D Items: If D0150D1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150D2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150D2 (Mood: Feeling tired/little energy) is not consistent with the value submitted in item D0150D1 (symptom frequency).	IF D0150D1 is 9, skipped [^], or a dash [-], THEN D0150D2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5850a	Inconsistent D0150E Items: If D0150E1 symptom presence is equal to no [0], then D0150E2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150E2 (Mood: Poor appetite or overeating) is not consistent with the value submitted in item D0150E1 (symptom frequency).	IF D0150E1 is 0, THEN D0150E2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5850b	Inconsistent D0150E Items: If D0150E1 symptom presence is equal to yes [1], then D0150E2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150E2 (Mood: Poor appetite or overeating) is not consistent with the value submitted in item D0150E1 (symptom frequency).	IF D0150E1 is 1, THEN D0150E2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5850c	Inconsistent D0150E Items: If D0150E1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150E2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150E2 (Mood: Poor appetite or overeating) is not consistent with the value submitted in item D0150E1 (symptom frequency).	IF D0150E1 is 9, skipped [^], or a dash [-], THEN D0150E2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5860a	Inconsistent D0150F Items: If D0150F1 symptom presence is equal to no [0], then D0150F2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150F2 (Mood: Feeling bad about yourself) is not consistent with the value submitted in item D0150F1 (symptom frequency).	IF D0150F1 is 0, THEN D0150F2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5860b	Inconsistent D0150F Items: If D0150F1 symptom presence is equal to yes [1], then D0150F2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150F2 (Mood: Feeling bad about yourself) is not consistent with the value submitted in item D0150F1 (symptom frequency).	IF D0150F1 is 1, THEN D0150F2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5860c	Inconsistent D0150F Items: If D0150F1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150F2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150F2 (Mood: Feeling bad about yourself) is not consistent with the value submitted in item D0150F1 (symptom frequency).	IF D0150F1 is 9, skipped [^], or a dash [-], THEN D0150F2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5870a	Inconsistent D0150G Items: If D0150G1 symptom presence is equal to no [0], then D0150G2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150G2 (Mood: Trouble concentrating) is not consistent with the value submitted in item D0150G1 (symptom frequency).	IF D0150G1 is 0, THEN D0150G2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5870b	Inconsistent D0150G Items: If D0150G1 symptom presence is equal to yes [1], then D0150G2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150G2 (Mood: Trouble concentrating) is not consistent with the value submitted in item D0150G1 (symptom frequency).	IF D0150G1 is 1, THEN D0150G2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5870c	Inconsistent D0150G Items: If D0150G1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150G2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150G2 (Mood: Trouble concentrating) is not consistent with the value submitted in item D0150G1 (symptom frequency).	IF D0150G1 is 9, skipped [^], or a dash [-], THEN D0150G2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5880a	Inconsistent D0150H Items: If D0150H1 symptom presence is equal to no [0], then D0150H2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150H2 (Mood: Slow, fidgety, restless) is not consistent with the value submitted in item D0150H1 (symptom frequency).	IF D0150H1 is 0, THEN D0150H2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5880b	Inconsistent D0150H Items: If D0150H1 symptom presence is equal to yes [1], then D0150H2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150H2 (Mood: Slow, fidgety, restless) is not consistent with the value submitted in item D0150H1 (symptom frequency).	IF D0150H1 is 1, THEN D0150H2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5880c	Inconsistent D0150H Items: If D0150H1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150H2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150H2 (Mood: Slow, fidgety, restless) is not consistent with the value submitted in item D0150H1 (symptom frequency).	IF D0150H1 is 9, skipped [^], or a dash [-], THEN D0150H2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5890a	Inconsistent D0150I Items: If D0150I1 symptom presence is equal to no [0], then D0150I2 symptom frequency must equal never/1 day [0].	Fatal	Consistency	The value submitted in D0150I2 (Mood: Thoughts better off dead) is not consistent with the value submitted in item D0150I1 (symptom frequency).	IF D0150I1 is 0, THEN D0150I2 must be 0.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5890b	Inconsistent D0150I Items: If D0150I1 symptom presence is equal to yes [1], then D0150I2 symptom frequency must equal [0, 1, 2, 3].	Fatal	Consistency	The value submitted in D0150I2 (Mood: Thoughts better off dead) is not consistent with the value submitted in item D0150I1 (symptom frequency).	IF D0150I1 is 1, THEN D0150I2 must be 0, 1, 2, or 3.	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5890c	Inconsistent D0150I Items: If D0150I1 symptom presence is equal to no response, skipped, or a dash [9, ^, -], then D0150I2 symptom frequency must equal skipped [^].	Fatal	Consistency	The value submitted in D0150I2 (Mood: Thoughts better off dead) is not consistent with the value submitted in item D0150I1 (symptom frequency).	IF D0150I1 is 9, skipped [^], or a dash [-], THEN D0150I2 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5900a	Inconsistent D0150 Items: If D0150A2 and D0150B2 symptom frequency is equal to never/1 day or 2-6 days [0,1], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted in Patient Mood Interview items D0150C1 through D0150I1 is not consistent with the value submitted in items D0150A2 or D0150B2.	IF D0150A2 is 0 or 1 AND D0150B2 is 0 or 1. THEN the items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5900b	Inconsistent D0150 Items: If D0150A1 or D0150B1 Symptom Presence is equal to a dash [-], then the following items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in Patient Mood Interview items D0150C1 through D0150I1 is not consistent with the value submitted in items D0150A1 or D0150B1.	IF D0150A1 is a dash [-] OR D0150B1 is a dash [-], THEN the items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5900c	Inconsistent D0150 Items: If D0150A1 and D0150B1 Symptom Presence is No Response [9], then the following items D0150C1 through D0150I1 must be skipped [^].	Fatal	Consistency	The value(s) submitted in Patient Mood Interview items D0150C1 through D0150I1 is not consistent with the value submitted in items D0150A1 or D0150B1.	IF D0150A1 is 9 AND D0150B1 is 9, THEN the items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5900d	Inconsistent D0150 Items: If D0150A2 Symptom Frequency is skipped [^] AND D0150B2 Symptom Frequency is never/1 day or 2-6 days [0,1] OR D0150A2 Symptom Frequency is never/1 day or 2-6 days [0,1] AND D0150B2 Symptom Frequency is skipped [^], then the following items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in Patient Mood Interview items D0150C1 through D0150I1 is not consistent with the value submitted in items D0150A2 or D0150B2.	IF D0150A2 is skipped [^] AND D0150B2 is 0 or 1 OR IF D0150A2 is 0 or 1 AND D0150B2 is skipped [^], THEN the items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5900e	Inconsistent D0150 Items: If D0150A2 or D0150B2 symptom frequency is equal to 7 to 14 days [2,3], then the following items D0150C1 through D0150I1 must not be skipped [^].	Fatal	Consistency	The value(s) submitted in Patient Mood Interview items D0150C1 through D0150I1 is not consistent with the value submitted in items D0150A2 or D0150B2.	IF D0150A2 is 2 or 3 OR D0150B2 is 2 or 3, THEN the items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1 must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

-5910a	Inconsistent Item: If D0150A1 and D0150B1 Symptom Presence are No Response [9], then D0160 must be skipped [^].	Fatal	<b>Consistency</b>	The value(s) submitted in D0150 Mood items is not consistent with other mood related items.	<ul style="list-style-type: none"> <li>• If D0150A1 is No Response [9] and D0150B1 is No Response [9], then D0160 must be skipped [^].</li> <li>• If D0150A2 is 6 days or less [0,1] and D0150B2 is 6 days or less [0,1], then D0160 must equal the sum of the values from D0150A2 and D0150B2. Otherwise, the PHQ-9 must be completed, and D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2</li> </ul> <p>These are referred to as the "items in Column 2."</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are skipped.</p> <ul style="list-style-type: none"> <li>• If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 are between never and 14 days [0,1,2,3], then D0160</li> </ul>	
--------	-----------------------------------------------------------------------------------------------------------------	-------	--------------------	---------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

					<p>must equal the sum of these items.</p> <ul style="list-style-type: none"><li>• If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 is skipped [^], then D0160 must equal the sum of the remaining items times <math>9/8(1.125)</math>, rounded to the nearest integer.</li><li>• If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 are skipped [^], then D0160 must equal the sum of the remaining items times <math>9/7(1.286)</math>, rounded to the nearest integer</li><li>• If three of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 are skipped [^], then D0160 must equal the sum of the remaining items times <math>9/6(1.5)</math>, rounded to the nearest integer.</li></ul>	
--	--	--	--	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5910b	Inconsistent Item: If D0150A2 and D0150B2 Symptom Frequency are never/1 day or 2-6 days [0,1], then D0160 must equal the sum of those two items.	Fatal	Consistency			See Error Message -5910a
-5910c	Inconsistent Item: If items D0150A2 through D0150I2 symptom frequency equal [0,1,2,3], then D0160 total severity score must equal the sum of these items.	Fatal	Consistency			See Error Message -5910a
-5910d	Inconsistent Item: If one of the items D0150A2 through D0150I2 symptom frequency is skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.	Fatal	Consistency			See Error Message -5910a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5910e	Inconsistent Item: If two of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.	Fatal	Consistency	See Error Message -5910a		
-5910f	Inconsistent Item: If three of the items D0150A2 through D0150I2 symptom frequency are skipped [^], then D0160 total severity score must equal [99].	Fatal	Consistency	See Error Message -5910a		
-5920a	Inconsistent Item: If J0510 Pain Effect on Sleep is equal to Does not apply [0], then all active items from J0520 through J0530 must be skipped [^].	Fatal	Consistency	The value submitted in item J0510 is not consistent with one or more values submitted for other pain related items.	<ul style="list-style-type: none"> <li>If J0510 is Does Not Apply [0], then all active items from J0520 through J0530 must be skipped [^].</li> <li>If J0510 has a value other than zero, [1,2,3,4,8], then all active items from J0520 through J0530 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5920b	Inconsistent Item: If J0510 Pain Effect on Sleep is equal to [1,2,3,4,8], then all active items from J0520 through J0530 must not be skipped [^].	Fatal	Consistency	See Error Message -5920a		
-5930a	Inconsistent K0520 Items: If K0520Z1 is checked [1], then all active items K0520A1 through K0520D1 must not be checked [0].	Fatal	Consistency	The value submitted in item K0520Z1 (None of the Above on Admission) is not consistent with one or more values submitted for other Nutritional Approaches on admission.	<ul style="list-style-type: none"> <li>If K0520Z1 is checked [1], then all active items from K0520A1 through K0520D1 must not be checked [0].</li> <li>If K0520Z1 is not checked [0], then at least one active item from K0520A1 through K0520D1 must be checked 1], and the remaining items must be checked or not checked [0,1].</li> <li>If K0520Z1 is dashed [-], then at least one active item from K0520A1 through K0520D1 must be dashed [-], and the remaining items must be not checked or dashed [0,-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5930b	Inconsistent K0520 Item: If K0520Z1 is not checked [0], then at least one of the active items K0520A1 through K0520D1 must be checked [1] and the remaining items must be unchecked or checked [0, 1].	Fatal	Consistency			See Error Message -5930a
-5930c	Inconsistent K0520 Item: If K0520Z1 is a dash [-], then at least one of the active items K0520A1 through K0520D1 must be a dash [-], and all remaining items must be not checked or a dash [0, -].	Fatal	Consistency			See Error Message -5930a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5940a	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is checked [1], then all active items K0520A4 through K0520D4 must not be checked [0].	Fatal	Consistency	The value submitted in item K0520Z4 (None of the Above Last 7 Days) is not consistent with one or more values submitted for other Nutritional Approaches Last 7 Days.	<ul style="list-style-type: none"> <li>If K0520Z4 is checked [1], then all active items from K0520A4 through K0520D4 must not be checked [0].</li> <li>If K0520Z4 is not checked [0], then at least one active item from K0520A4 through K0520D4 must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If K0520Z4 is dashed [-], then at least one item from K0520A4 through K0520D4 must be dashed [-], and the remaining active items must be not checked or dashed [0,-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5940b	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is not checked [0], then at least one of the following items K0520A4 through K0520D4 must be checked [1], and the remaining items must be unchecked or checked [0, 1].	Fatal	Consistency			See Error Message -5940a
-5940c	Inconsistent K0520 Items: If nutritional approaches in the last 7 days (K0520Z4) is a dash [-], then at least one of the following items K0520A4 through K0520D4 must be a dash [-] and all remaining active items must be a dash or not checked [-, 0].	Fatal	Consistency			See Error Message -5940a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5950a	Inconsistent K0520 Items: If nutritional approaches (K0520Z5) is checked [1], then all active items K0520A5 through K0520D5 must not be checked [0].	Fatal	Consistency	The value submitted in item K0520Z5 (None of the Above at Discharge) is not consistent with one or more values submitted for other Nutritional Approaches at Discharge.	<ul style="list-style-type: none"> <li>If K0520Z5 is checked [1], then all active items from K0520A5 through K0520D5 must not be checked (0).</li> <li>If K0520Z5 is not checked [0], then at least one active item from K0520A5 through K0520D5 must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If K0520Z5 is dashed [-], then at least one active item from K0520A5 through K0520D5 must also be dashed [-], and all remaining active items must be not checked or dashed [0,-]</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5950b	Inconsistent K0520 Items: If nutritional approaches (K0520Z5) is not checked [0], then at least one of the following items K0520A5 through K0520D5 must be checked [1] and the remaining items must be unchecked or checked [0, 1].	Fatal	Consistency			See Error Message -5950a
-5950c	Inconsistent K0520 Items: If nutritional approaches at discharge (K0520Z5) is a dash [-], then at least one of the following items K0520A5 through K0520D5 must be a dash [-] and all remaining active items must be a dash or not checked [-, 0].	Fatal	Consistency			See Error Message -5950a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5960a	Inconsistent N0415 items: If N0415A1 taking antipsychotics is not checked [0], then N0415A2 antipsychotic indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415A1 (Antipsychotic: Is Taking) is not consistent with the value submitted in item N0415A2 (Indication).	<ul style="list-style-type: none"> <li>If N0415A1 is not checked [0], then N0415A2 must be skipped [^].</li> <li>If N0415A1 is checked [1], then N0415A2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5960b	Inconsistent N0415 items: If N0415A1 taking antipsychotics is checked [1], then N0415A2 antipsychotics indication must not be skipped [^].	Fatal	Skip	See Error Message -5960a		
-5970a	Inconsistent N0415 items: If N0415E1 taking anticoagulant is not checked [0], then N0415E2 anticoagulant indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415E1 (Anticoagulant: Is Taking) is not consistent with the value submitted in item N0415E2 (Indication).	<ul style="list-style-type: none"> <li>If N0415E1 is not checked [0], then N0415E2 must be skipped [^].</li> <li>If N0415E1 is checked [1], then N0415E2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5970b	Inconsistent N0415 items: If N0415E1 taking anticoagulant is checked [1], then N0415E2 anticoagulant indication must not be skipped [^].	Fatal	Skip	See Error Message -5970a		
-5980a	Inconsistent N0415 items: If N0415F1 taking antibiotics is not checked [0], then N0415F2 antibiotics indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415F1 (Antibiotics: Is Taking) is not consistent with the value submitted in item N0415F2 (Indication).	<ul style="list-style-type: none"> <li>If N0415F1 is not checked [0], then N0415F2 must be skipped [^].</li> <li>If N0415F1 is checked [1], then N0415F2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-5980b	Inconsistent N0415 items: If N0415F1 taking antibiotics is checked [1], then N0415F2 antibiotics indication must not be skipped [^].	Fatal	Skip	See Error Message -5980a		
-5990a	Inconsistent N0415 items: If N0415H1 taking opioids not checked [0], then N0415H2 opioids indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415H1 (Opioid: Is Taking) is not consistent with the value submitted in item N0415H2 (Indication).	<ul style="list-style-type: none"> <li>If N0415H1 is not checked [0], then N0415H2 must be skipped [^].</li> <li>If N0415H1 is checked [1], then N0415H2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-5990b	Inconsistent N0415 items: If N0415H1 taking opioids is checked [1], then N0415H2 opioids indication must not be skipped [^].	Fatal	Skip	See Error Message -5990a		
-6000a	Inconsistent N0415 items: If N0415I1 taking antiplatelets not checked [0], then N0415I2 antiplatelets indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415I1 (Antiplatelet: Is Taking) is not consistent with the value submitted in item N0415I2 (Indication).	<ul style="list-style-type: none"> <li>If N0415I1 is not checked [0], then N0415I2 must be skipped [^].</li> <li>If N0415I1 is checked [1], then N0415I2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6000b	Inconsistent N0415 items: If N0415I1 taking antiplatelets is checked [1], then N0415I2 antiplatelets indication must not be skipped [^].	Fatal	Skip	See Error Message -6000a		
-6010a	Inconsistent N0415 items: If N0415J1 taking hypoglycemics is not checked [0], then N0415J2 Hypoglycemic indication must be skipped [^].	Fatal	Skip	The value submitted in item N0415J1 (Hypoglycemic: Is Taking) is not consistent with the value submitted in item N0415J2 (Indication).	<ul style="list-style-type: none"> <li>If N0415J1 is not checked [0], then N0415J2 must be skipped [^].</li> <li>If N0415J1 is checked [1], then N0415J2 must not be skipped [^].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6010b	Inconsistent N0415 items: If N0415J1 taking hypoglycemics is checked [1], then N0415J2 Hypoglycemic indication must not be skipped [^].	Fatal	Skip	See Error Message -6010a		
-6020a	Inconsistent N0415 items: If N0415Z1 None of the Above is checked [1], then N0415A1 through N0415J1 must not be checked [0].	Fatal	None of above	The value submitted in item N0415Z1 is not consistent with one or more values submitted in High-Risk Drug Classes: Use and Indication items on Admission.	<ul style="list-style-type: none"> <li>If N0415Z1 is checked [1], then the following items must not be checked [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</li> <li>If N0415Z1 is not checked [0], then at least one of the following items must be checked [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6020b	Inconsistent N0415 items: If N0415Z1 None of the Above is not checked [0], then at least one of the following items N0415A1 through N0415J1 must be checked [1].	Fatal	None of above	See Error Message -6020a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6020c	Inconsistent N0415 items: If N0415Z1 is dashed, then at least one of the following items must be dashed [-], and the rest of the active items must be either not checked or dashed [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.	Fatal	None of above	The value submitted in the High-Risk drug class items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1 is not consistent with the value submitted in N0415Z1.	IF N0415Z1 is a dash [-] THEN at least ONE of the following items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1 must be a dash [-],  AND the rest of the items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1 must be unchecked or a dash [-]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6030a	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is not checked [0], then all items O0110A2A through O0110A10A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110A1A (on Admission) is not consistent with one or more values submitted in Cancer Treatments: Chemotherapy items on Admission.	<ul style="list-style-type: none"> <li>If O0110A1A is not checked [0], then all active items from O0110A2A through O0110A10A must not be checked [0].</li> <li>If O0110A1A is checked [1], then at least one active item from O0110A2A through O0110A10A must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If O0110A1A is dashed [-], then all active items from O0110A2A through O0110A10A must be dashed [-]</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6030b	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is checked [1], then at least one of the following items O0110A2A through A0110A10A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency			See Error Message -6030a
-6030c	Inconsistent O0110A Items: If on admission, O0110A1A chemotherapy is a dash [-], then all items O0110A2A through O0110A10A must be a dash [-].	Fatal	Consistency			See Error Message -6030a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6040a	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is not checked [0], then all items O0110C2A through O0110C4A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110C1A (on Admission) is not consistent with one or more values submitted in Respiratory Therapies: Oxygen Therapy items on Admission.	<ul style="list-style-type: none"> <li>If O0110C1A is not checked [0], then all active items from O0110C2A through O0110C4A must not be checked [0].</li> <li>If O0110C1A is checked [1], then at least one active item from O0110C2A through O0110C4A must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If O0110C1A is dashed [-], then all active items from O0110C2A through O0110C4A must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6040b	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is checked [1], then at least one of the following items O0110C2A through O0110C4A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6040a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6040c	Inconsistent O0110C Items: If on admission, O0110C1A oxygen therapy is a dash [-], then all items O0110C2A through O0110C4A must be a dash [-].	Fatal	Consistency	See Error Message -6040a		
-6050a	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is not checked [0], then the following items O0110D2A or O0110D3A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110D1A (on Admission) is not consistent with one or more values submitted in Respiratory Therapies: Suctioning items on Admission.	<ul style="list-style-type: none"> <li>If O0110D1A is not checked [0], then the following items must not be checked [0]: O0110D2A, O0110D3A.</li> <li>If O0110D1A is checked [1], then at least one of the following items must be checked [1], and the remaining items must be checked or not checked [0,1]: O0110D2A, O0110D3A.</li> <li>If O0110D1A dashed [-], then the following items must also be dashed [-]: O0110D2A, O0110D3A.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6050b	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is checked [1], then at least one of the following items O0110D2A or A0110D3A must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency			See Error Message -6050a
-6050c	Inconsistent O0110D Items: If on admission, O0110D1A suctioning is a dash [-], then the following items O0110D2A and O0110D3A must be a dash [-].	Fatal	Consistency			See Error Message -6050a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6060a	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is not checked [0], then all items O0110G2A and O0110G3A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110G1A (on Admission) is not consistent with one or more values submitted in Respiratory Therapies: Non-invasive Mechanical Ventilator items on Admission.	<ul style="list-style-type: none"> <li>If O0110G1A is not checked [0], then the following items must not be checked [0]: O0110G2A, O0110G3A.</li> <li>If O0110G1A is checked [1], then at least one of the following items must be checked [1], and the remaining items must be checked or not checked [0,1]: O0110G2A, O0110G3A.</li> <li>If O0110G1A is dashed [-], then the following items must also be dashed [-]: O0110G2A, O0110G3A.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6060b	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is checked [1], then at least one of the following items O0110G2A or A0110G3A must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6060a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6060C	Inconsistent O0110G Items: If on admission, O0110G1A non-invasive mechanical ventilator is a dash [-], then all items O0110G2A and O0110G3A must be a dash [-].	Fatal	Consistency	See Error Message -6060a		
-6070a	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is not checked [0], then all items O0110H2A through O0110H10A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110H1A (on Admission) is not consistent with one or more values submitted in Other: IV Medications items on Admission.	<ul style="list-style-type: none"> <li>If O0110H1A is not checked [0], then all active items from O0110H2A through O0110H10A must not be checked [0].</li> <li>If O0110H1A is checked [1], then at least one of the active items from O0110H2A through O0110H10A must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If O0110H1A is dashed [-], then all active items from O0110H2A through O0110H10A must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6070b	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is checked [1], then at least one of the following items O0110H2A through O0110H10A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency			See Error Message -6070a
-6070c	Inconsistent O0110H Items: If on admission, O0110H1A IV medications is a dash [-], then all items O0110H2A through O0110H10A must be a dash [-].	Fatal	Consistency			See Error Message -6070a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6080a	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is not checked [0], then all items O0110J2A and O0110J3A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110J1A (on Admission) is not consistent with one or more values submitted in Other: Dialysis items on Admission.	<ul style="list-style-type: none"> <li>If O0110J1A is not checked [0], then the following items must not be checked [0]: O0110J2A, O0110J3A.</li> <li>If O0110J1A is checked [1], then at least one of the following items must be checked [1], and the remaining items must be checked or not checked [0,1]: O0110J2A, O0110J3A.</li> <li>If O0110J1A is dashed [-], then the following items must be dashed [-]: O0110J2A, O0110J3A.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6080b	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is checked [1], then at least one of the following items O0110J2A or O0110J3A must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6080a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6080c	Inconsistent O0110J Items: If on admission, O0110J1A dialysis is a dash [-], then all items O0110J2A and O0110J3A must be a dash [-].	Fatal	Consistency	See Error Message -6080a		
-6090a	Inconsistent O0110O Items: If on admission, O0110O1A IV access is not checked [0], then all items O0110O2A through O0110O4A must not be checked [0].	Fatal	Consistency	The value submitted in item O0110O1A (on Admission) is not consistent with one or more values submitted in Other: IV Access on Admission.	<ul style="list-style-type: none"> <li>If O0110O1A is not checked [0], then all active items from O0110O2A through O0110O4A must be not checked [0].</li> <li>If O0110O1A is checked [1], then at least one item from O0110O2A through O0110O4A must be checked [1], and the remaining items must be checked or unchecked [0,1].</li> <li>If O0110O1A is dashed [-], then all active items from O0110O2A through O0110O4A must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6090b	Inconsistent O01100 Items: If on admission, O011001A IV access is checked [1], then at least one of the following items O011002A through O011004A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6090a		
-6090c	Inconsistent O01100 Items: If on admission, O011001A IV access is a dash [-], then all items O011002A through O011004A must be a dash [-].	Fatal	Consistency	See Error Message -6090a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6100a	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is checked [1], then all of the following items O0110A1A through O0110O1A must be not checked [0].	Fatal	Consistency	The value submitted in item O0110Z1A (on Admission) is not consistent with one or more values submitted in Special Treatments, Procedures and Programs on Admission.	<ul style="list-style-type: none"> <li>If O0110Z1A is checked [1], then the following items must not be checked [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</li> <li>If O0110Z1A is not checked [0], then at least one of the following items must be checked [1], and all remaining items must be checked or not checked [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</li> <li>If O0110Z1A is dashed [-], then the following items must be dashed [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6100b	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is not checked [0], then at least one of the following items O0110A1A through O0110O1A must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency			See Error Message -6100a
-6100c	Inconsistent O0110Z Items: If on admission, O0110Z1A none of the above is a dash [-], then the following items O0110A1A through O0110O1A must be a dash [-].	Fatal	Consistency			See Error Message -6100a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6110a	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is not checked [0], then all items O0110A2C through O0110A10C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110A1C (at Discharge) is not consistent with one or more values submitted in Cancer Treatments: Chemotherapy items at discharge	<ul style="list-style-type: none"> <li>If O0110A1C is not checked [0], then all active items from O0110A2C through O0110A10C must not be checked [0].</li> <li>If O0110A1C is checked [1], then at least one active item from O0110A2C through O0110A10C must also be checked [1], and the remaining items must be checked or not checked [0,1]. (c)</li> <li>If O0110A1C is dashed [-], then all active items from O0110A2C through O0110A10C must also be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6110b	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is checked [1], then at least one of the following items O0110A2C through A0110A10C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6110a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6110c	Inconsistent O0110A Items: If on discharge, O0110A1C chemotherapy is a dash [-], then all items O0110A2C through O0110A10C must be a dash [-].	Fatal	Consistency	See Error Message -6110a		
-6120a	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is not checked [0], then all items O0110C2C through O0110C4C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110C1C (at Discharge) is not consistent with one or more values submitted in Respiratory Therapies: Oxygen Therapy items at discharge	<ul style="list-style-type: none"> <li>If O0110C1C is not checked [0], then all active items from O0110C2C through O0110C4C must not be checked [0].</li> <li>If O0110C1C is checked [1], then at least one active item from O0110C2C through O0110C4C must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If O0110C1C is dashed [-], then all active items from O0110C2C through O0110C4C must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6120b	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is checked [1], then at least one of the following items O0110C2C through A0110C4C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency			See Error Message -6120a
-6120c	Inconsistent O0110C Items: If on discharge, O0110C1C oxygen therapy is a dash [-], then all items O0110C2C through O0110C4C must be a dash [-].	Fatal	Consistency			See Error Message -6120a

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6130a	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is not checked [0], then the following items O0110D2C and O0110D3C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110D1C (at Discharge) is not consistent with one or more values submitted in Respiratory Therapies: Suctioning items at discharge.	<ul style="list-style-type: none"> <li>If O0110D1C is not checked [0], then the following items must not be checked [0]: O0110D2C, O0110D3C.</li> <li>If O0110D1C is checked [1], then at least one of the following items must be checked [1], and the remaining items must be checked or not checked [0,1]: O0110D2C, O0110D3C.</li> <li>(c) If O0110D1C dashed [-], then the following items must also be dashed [-]: O0110D2C, O0110D3C.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6130b	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is checked [1], then at least one of the following items O0110D2C or O0110D3C must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6130a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6130c	Inconsistent O0110D Items: If on discharge, O0110D1C suctioning is a dash [-], then the following items O0110D2C and O0110D3C must be a dash [-].	Fatal	Consistency	See Error Message -6130a		
-6140a	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is not checked [0], then all items O0110G2C and O0110G3C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110G1C (at Discharge) is not consistent with one or more values submitted in Respiratory Therapies: Non-invasive Mechanical Ventilator items at discharge.	<ul style="list-style-type: none"> <li>If O0110G1C is not checked [0], then the following items must not be checked [0]: O0110G2C, O0110G3C.</li> <li>If O0110G1C is checked [1], then at least one of the following items must be checked [1], and the remaining items be checked or unchecked [0,1]: O0110G2C, O0110G3C.</li> <li>If O0110G1C is dashed [-], then the following items must be dashed [-]: O0110G2C, O0110G3C</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6140b	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is checked [1], then at least one of the following items O0110G2C or A0110G3C must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6140a		
-6140c	Inconsistent O0110G Items: If on discharge, O0110G1C non-invasive mechanical ventilator is a dash [-], then all items O0110G2C and O0110G3C must be a dash [-].	Fatal	Consistency	See Error Message -6140a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6150a	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is not checked [0], then all items O0110H2C through O0110H10C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110H1C (at Discharge) is not consistent with one or more values submitted in Other IV Medication items at discharge.	<ul style="list-style-type: none"> <li>If O0110H1C is not checked [0], then all active items from O0110H2C through O0110H10C must not be checked [0].</li> <li>If O0110H1C is checked [1], then at least one active item from O0110H2C through O0110H10C be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>If O0110H1C is dashed [-], then all active items from O0110H2C through O0110H10C must be dashed [-].</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6150b	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is checked [1], then at least one of the following items O0110H2C through O0110H10C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6150a		
-6150c	Inconsistent O0110H Items: If on discharge, O0110H1C IV medications is a dash [-], then all items O0110H2C through O0110H10C must be a dash [-]	Fatal	Consistency	See Error Message -6150a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6160a	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is not checked [0], then all items O0110J2C and O0110J3C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110J1C (at Discharge) is not consistent with one or more values submitted in Other Dialysis items at discharge.	<ul style="list-style-type: none"> <li>If O0110J1C is not checked [0], then the following items must not be checked [0]: O0110J2C, O0110J3C.</li> <li>If O0110J1C is checked [1], then at least one of the following items must be checked [1], and the remaining items must be checked or unchecked [0,1]: O0110J2C, O0110J3C.</li> <li>If O0110J1C is dashed [-], then the following items must be dashed [-]: O0110J2C, O0110J3C.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6160b	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is checked [1], then at least one of the following items O0110J2C or O0110J3C must be checked [1] and the remaining item be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6160a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6160c	Inconsistent O0110J Items: If on discharge, O0110J1C dialysis is a dash [-], then all items O0110J2C and O0110J3C must be a dash [-].	Fatal	Consistency	See Error Message -6160a		
-6170a	Inconsistent O0110O Items: If on discharge, O0110O1C IV access is not checked [0], then all items O0110O2C through O0110O4C must not be checked [0].	Fatal	Consistency	The value submitted in item O0110O1C (at Discharge) is not consistent with one or more values submitted in Other IV Access items at discharge.	<ul style="list-style-type: none"> <li>• If O0110O1C is not checked [0], then all active items from O0110O2C through O0110O4C must not be checked [0].</li> <li>• If O0110O1C is checked [1], then at least one active item from O0110O2C through O0110O4C must be checked [1], and the remaining items must be checked or not checked [0,1].</li> <li>• If O0110O1C is dashed [-], then all active items from O0110O2C through O0110O4C must be dashed [-]</li> </ul>	<ul style="list-style-type: none"> <li>• Make appropriate corrections to the record and resubmit.</li> <li>• Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>



Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6170b	Inconsistent O01100 Items: If on discharge, O011001C IV access is checked [1], then at least one of the following items O011002C through O011004C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6170a		
-6170c	Inconsistent O01100 Items: If on discharge, O011001C IV access is a dash [-], then all items O011002C through O011004C must be a dash [-].	Fatal	Consistency	See Error Message -6170a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6180a	Inconsistent O0110Z Items: If on discharge, O0110Z1C none of the above is checked [1], then all of the following items O0110A1C through O0110O1C must be not checked [0].	Fatal	Consistency	The value submitted in item O0110Z1C (at Discharge) is not consistent with one or more values submitted in other Special Treatments, Procedures, and Programs at discharge	<ul style="list-style-type: none"> <li>If O0110Z1C is checked [1], then the following items O0110A1C, through O0110O1C must not be checked [0]</li> <li>If O0110Z1C is not checked [0], then at least one of the items O0110A1C, through O0110O1C must be checked [1], and the remaining items must be checked or not checked [0,1]</li> <li>If O0110Z1C is dashed [-], then the following items must also be dashed [-], O0110A1C, through O0110O1C.</li> </ul>	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-6180b	Inconsistent O0110Z Items: If on discharge, O0110Z1c none of the above is not checked [0], then at least one of the following items O0110A1C through O0110O1C must be checked [1] and the remaining items be checked or unchecked [1,0].	Fatal	Consistency	See Error Message -6180a		

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-6180c	Inconsistent O0110Z Items: If on discharge, O0110Z1C none of the above is a dash [-], then the following items O0110A1C through O0110O1C must be a dash [-].	Fatal	Consistency	See Error Message -6180a		
-6190	Invalid skip pattern: If discharge disposition (M2420) is patient remained in the community (with formal assistive services) or patient transferred to a non-institutional hospice [02, 03], then A2121 Provision of Current Reconciled Medication List to Subsequent Provider must not be skipped [^].	Fatal	Skip	The value submitted in item M2420 (Discharge Disposition) is not consistent with the value submitted in item A2121 (Provision of Current Reconciled Medication List to Subsequent Provider)	IFM2420 is 02 or 03, THEN A2121 must not be skipped [^]	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>

Error ID	Error Message	Severity	Type	Potential Cause	Tips	Action
-7000	Invalid skip pattern: If discharge disposition (M2420) is patient remained in the community (without formal assistive services), unknown, or other unknown [01, 04, UK], then A2123 Provision of Current Reconciled Medication List to Patient must not be skipped [^].	Fatal	Skip	The value submitted in item M2420 (Discharge Disposition) is not consistent with the value submitted in item A2123 (Provision of Current Reconciled Medication List to Patient)	IF M2420 is 01, 04, or UK, THEN A2123 must not be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>
-7010	Invalid skip pattern: If discharge disposition (M2420) is patient remained in the community (with formal assistive services) or patient transferred to a non-institutional hospice [02, 03], then all of the following active items A2123 through A2124E must be skipped [^].	Fatal	Skip	The value submitted in item M2420 (Discharge Disposition) is not consistent with the value submitted in items A2123 (Provision of Current Reconciled Medication List to Patient) and A2124 (Route of Current Reconciled Medication List)	IF M2420 is 02 or 03, THEN all active items from A2123 through A2124E must be skipped [^].	<ul style="list-style-type: none"> <li>Make appropriate corrections to the record and resubmit.</li> <li>Refer to the data specifications in effect for this record to identify the acceptable values for this item.</li> </ul>