

5

ERROR MESSAGES

TROUBLESHOOTING.....	2
MDS 3.0 SUBMISSION ERROR MESSAGES.....	3
MDS 3.0 FILE PROCESSING ERROR MESSAGES.....	3

TROUBLESHOOTING

When possible, you should attempt to determine the nature or source of the problem you are experiencing so that you can contact the appropriate person for assistance. It may be helpful to write a detailed description of the problem, regardless of whether you are sending an email or calling for assistance.

Should a problem arise, you should initially review the troubleshooting information in the following:

- This section, *Error Messages*, of the MDS 3.0 Provider User's Guide,
- Online Windows or Internet Explorer Help, or
- The software and hardware manuals provided by your vendors.

For hardware/equipment problems you are unable to resolve, contact either the vendor from whom the hardware component was purchased or the manufacturer.

Example: The computer will not boot or the modem does not respond.

For software problems, given the variety of software you are using, it may be difficult to determine the source. If you can determine the source, you should seek assistance as follows:

- For assistance with the MDS 3.0 Submission system, contact the QTSO Help Desk.

Example: Waited over an hour after selecting the **Upload** button for the message confirming a successful submission.

- If the problem appears to be with Windows or Internet Explorer, contact either the vendor or manufacturer of the software.

Example: An error message appears that doesn't have any corresponding explanation in the manual or guide for the MDS 3.0 System or your vendor encoding software.

- If the problem appears to be with the MDS encoding software, you should contact your MDS software vendor.

Example: File submission is repeatedly rejected.

MDS 3.0 SUBMISSION ERROR MESSAGES

During the file submission process, the online MDS 3.0 Submission system displays a limited number of error messages. MDS 3.0 Submission system online errors are detailed in Section 3, *Functionality*, of this user's guide.

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with the MDS 3.0 Submission system. For those situations you should refer to the appropriate vendor-provided manuals.

MDS 3.0 FILE PROCESSING ERROR MESSAGES

Within 24 hours of the successful submission of a file, the MDS 3.0 Submission system processes the file and automatically produces a Final Validation Report detailing the errors, if any, that were encountered in the submitted records. This Final Validation Report is available to you in the CASPER Reporting application.

Processing errors range in severity from ones that render the file unable to be processed, to ones that prevent a specific record from being processed, to others that are simply warnings or informational. The processing of a file or record ceases immediately if any of the following errors are encountered:

- Invalid Zip file format
- Empty Zip file
- Invalid XML file format
- Provider authorization conflicts (user doesn't have authority to submit for facility in record; Facility ID is null or an invalid value)
- Missing or invalid Provider Type Code
- Missing or invalid State Code
- Missing or invalid Transaction Type Code
- Missing or invalid A0300A value
- Missing or invalid A0310A, A0310B, A0310C, A0310D, A0310F values
- Missing or Invalid A0410 value
- Missing or invalid ISC
- Missing or invalid Production/Test Indicator
- Missing or invalid Discharge Date if it is used to determine the target date for the record
- Missing or invalid Entry Date if it is used to determine the target date for the record
- Missing or invalid Assessment Reference Date if it is used to determine the target date for the record
- Missing or invalid Attestation Date for modification and inactivation records

- Duplicate record
- No matching record – unable to locate the active record to be corrected or inactivated
- Record submitted with a target date prior to the implementation date of MDS 3.0, 10/01/2010
- Submitted correction or inactivation record with a correction number that is not the next incremented number from the current record in the ASAP database
- Submitted correction or inactivation record with a modified target date and/or RFA value (A0300A, A0310A, A0310B, A0310C, A0310D, or A0310F)

Many other conditions exist that prevent a record from being a successful submission. The Final Validation Report outlines the errors, whether fatal or simply warning, encountered in the submitted records. Each error or warning is noted on the report by its identifier.

NOTE: Corporate users and third-party vendors submitting files for multiple providers can expect one Final Validation Report for each provider for which records were submitted in a file.

Certain severe errors in the submitted file or one of its records prevent the system from creating and placing the automatically-generated Final Validation Report in the provider's Validation Report (VR) folder. You may review these errors by requesting the Submitter Final Validation Report in the CASPER Reporting application.

NOTE: The Submitter Final Validation Report must be requested by the person (User ID) who submitted the file.

All fatal errors in a file or record must be corrected and the file or record resubmitted.

The remainder of this section of the guide lists the errors/warnings in order by identifier, providing a description of the error condition and guidance for correcting the error, if necessary.

Error ID	Sev	Error Message	Error Description
-1001	Fatal	Invalid Zip File: Unable to unzip submitted file.	<p>Potential Causes:</p> <ul style="list-style-type: none"> • The submitted file is not formatted properly. The contents of the file could not be extracted. • The submitted .zip file is not compressed. • The submitted file is a .zipx file. • The submitted file is empty. • The submitted file is encrypted. <p>Tips: Contact your software vendor for technical assistance. Refer your vendor to the MDS 3.0 Data Specifications for details of file submission requirements The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid. The .zip file should not contain subfolders. The name of the .zip file must not exceed 260 characters, including the extension (.zip). The name of each XML file included in the .zip file must not exceed 200 characters, including the extension. The name of an XML file must not include special characters.</p> <p>Action: Recreate and/or rename the .zip file and resubmit.</p>
-1002	Fatal	Invalid Zip File: Zip file contained no files.	<p>Potential Causes:</p> <ul style="list-style-type: none"> • The submitted .zip file is not compressed. • The submitted file is a .zipx file. • The submitted file contains no .xml files. • The submitted file is empty. • The submitted file is encrypted. <p>Tips: Contact your software vendor for technical assistance. Refer your vendor to the MDS 3.0 Data Specifications for details of file submission requirements The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid. The .zip file should not contain subfolders. The name of each XML file included in the .zip file must not exceed 200 characters, including the extension. The name of an XML file must not include special characters.</p> <p>Action: Recreate and/or rename the .zip file and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-1003	Fatal	Required Field Missing or Invalid: Information required to process the submitted file is missing or invalid.	<p>Potential Causes:</p> <ul style="list-style-type: none"> • A valid value was not submitted for this item. Based upon the MDS 3.0 Data Submission Specifications in effect for this record, this item is required. • The length of the value submitted for this item exceeds the maximum length allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1004	Fatal	Invalid XML File Format: The submitted file is not structured properly or contains tags longer than 30 characters and cannot be processed.	<p>Cause: The submitted record is not a properly structured XML file and cannot be processed.</p> <p>Tips: The XML file name must include an “.xml” file extension. Beginning and ending tags must enclose the entire assessment record. Beginning and ending tags must enclose each item of the assessment record. Tags must not exceed 30 characters.</p> <p>Action: Contact your software vendor. Make appropriate corrections to the record and resubmit.</p>
-1005	Fatal	Invalid Test/Production Flag: Unable to process record	<p>Cause: The value submitted in PRODN TEST CD is invalid.</p> <p>Action: Contact your software vendor. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1006	Fatal	Unable to Process Record: An error occurred in the QIES ASAP System. Please contact the QTSO Help Desk.	<p>Cause: An error occurred while inserting the record into the database.</p> <p>Action: Please notify the QTSO Help Desk and resubmit at a later time.</p>

Error ID	Sev	Error Message	Error Description
-1007	Fatal	Duplicate Assessment: The submitted record is a duplicate of a previously accepted record.	<p>Cause: The submitted MDS record is a duplicate of a previously accepted record for this resident.</p> <p>Tips: Duplicate records match on the following items:</p> <ul style="list-style-type: none"> o A0200 (Provider Type) o A0500A (First name) o A0500C (Last name) o A0800 (Gender) o A0900 (Birth Date) o A0600A (Social Security Number) o A0300A (State Payment Assessment Purpose) o A0310A (Federal OBRA Reason For Assessment) o A0310B (PPS Assessment) o A0310C (PPS Other Medicare Required Assessment) o A0310D (Is this a Swing Bed clinical change assessment?) [If Swing Bed Assessment] o A0310F (Entry/discharge reporting) o A0310H (Is this a SNF Part A PPS Discharge Assessment?) o A2300 (Assessment Reference Date) o A2000 (Discharge Date) o A1600 (Entry Date) <p>DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</p> <p>Action: Determine why this record was submitted multiple times. DO NOT resubmit this record as it is already in the database. Compare the record in your software to the record previously accepted by the ASAP system; if the data changed, submit a modification record.</p>
-1008	Fatal	Invalid State Code: Unable to process record.	<p>Cause: The value submitted in STATE CD is invalid.</p> <p>Action: Contact your software vendor. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1009	Fatal	Invalid Type of Record (A0050): Unable to process record.	<p>Cause: The value submitted in A0050 (Type of Record) is invalid.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1010	Fatal	Invalid Type of Provider (A0200 or X0150): Unable to process record.	<p>Cause: The value submitted in A0200 (Type of Provider) or X0150 (Type of Provider) is invalid.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1014	Warn	New Software Vendor: The submitted software vendor ID number was not found in the QIES ASAP System. A new vendor record was added.	<p>Cause: The value submitted in SFTWR VNDR ID does not match an existing SFTWR VNDR ID in the QIES ASAP System. A new software vendor record was added for this vendor.</p> <p>Action: If this is a new vendor, no action is needed. If this is not a new vendor, contact your vendor to verify the vendor's tax ID number.</p>
-1015	Fatal	Invalid Format: The value submitted for this item contains one or more non-printable or control characters.	<p>Cause: The value submitted for this item is invalid; it contains non-printable or control characters.</p> <p>Action: Make appropriate corrections to the record and resubmit.</p>
-1016	Fatal	Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the QTSO Help Desk.	<p>Cause: The submitted record matches multiple records in the QIES ASAP database.</p> <p>Action: Contact the QTSO Help Desk for assistance. DO NOT resubmit this record as it is already in the database.</p>

Error ID	Sev	Error Message	Error Description
-1018	Warn	Inconsistent Record Sequence: Under CMS sequencing guidelines, the type of assessment in this record does not logically follow the type of assessment in the record received prior to this one.	<p>Cause: The submitted record does not satisfy CMS sequencing guidelines when compared to the record that was submitted to the QIES ASAP System prior to this one for this resident.</p> <ul style="list-style-type: none"> • The reasons for assessment in this record indicate that it was submitted out of order. The record that should have preceded this record may not have been submitted successfully. • The resident's identifying information in this record may differ from the resident-identifying information submitted for this resident in a prior record. The current and prior MDS records may have matched to different resident records causing what appears to be a failure in the sequencing order. <p>Definition: <u>Resident Table Row:</u> Each person for whom an MDS record is submitted to the QIES ASAP System is noted in a row on the resident table in the database. This row contains the person's identifying information and is used to link subsequent MDS records for that person as they are submitted. If identifying information submitted for a resident does not match an existing row, a new row is created, identifying a "new" person in the database. The MDS record submitted is linked to this "new" person.</p> <p>Tips: The initial record for a resident in a facility should be an Entry Tracking record (A0310F = 01) Sequencing edits are not performed on records where A0410=2 nor on Swing Bed records (A0200 = 2). For records where A0410 is 3, the previous record for sequencing edits must have A0410=3.</p> <p>Action: There are a limited number of exceptions to the sequencing guidelines. If you are certain this record is correct due to an exception, no action is necessary. If this message occurred because a record was completed and not submitted, submit the missing record now. Review activity reports and/or roster reports to assure that all records are submitted timely. If after reviewing activity reports and/or roster reports you believe a new resident may have been created in error, contact your State MDS Coordinator. Refer to the MDS 3.0 RAI Manual, Chapter 2, for additional information.</p>

Error ID	Sev	Error Message	Error Description
-1020	Fatal	Invalid Target Date: Unable to calculate the target date because the date in active items A1600, X0700C, A2000, X0700B, A2300, or X0700A is missing or invalid when A0300A equals 0.	<p>Cause: The QIES ASAP System is unable to verify the target date of this record because the value submitted in item A2000/X0700B (Discharge Date), A1600/X0700C (Entry Date), or A2300/X0700A (Assessment Reference Date) is missing or invalid.</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. For a non-Optional State Assessment [A0300A is 0) the Target Date is based upon the value of A0310F/X0600F (Entry/discharge reporting) and is defined as follows:</p> <ul style="list-style-type: none"> o A2000/X0700B (Discharge Date) when A0310F/X0600F is 10, 11, or 12 o A1600/X0700C (Entry Date) when A0310F/X0600F is 01 o A2300/X0700A (Assessment Reference Date) when A0310F/X0600F is 99. <p>For an Optional State Assessment [A0300A is 1]), the Target Date is A2300/X0700A.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1021	Fatal	Invalid Target Date: If item A0300A or X0570A equals 1, then item A2300 or X0700A must be a valid date greater than or equal to 10/1/2019.	<p>Cause: The earliest Target Date of an Optional State Assessment (OSA) record is 10/1/2019. The date submitted in A2300 or X0700A (Assessment Reference Date) is invalid.</p> <p>Definition: <u>Target Date</u> –The target date identifies when the assessment event occurred for the resident. For an-Optional State Assessment (A0300A is 1) record, the Target Date is A2300/X0700A (Assessment Reference Date).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1027	Warn	New Resident: A new resident record was created in the QIES ASAP System with the information submitted in this MDS record. Verify that the new information is correct.	<p>Cause: The values submitted in A0310F and A1700 or in this IPA or OSA record indicate that this is not an Entry record for this resident, but the resident's identifying information in this MDS record did not match a resident already known to the QIES ASAP System. A new resident record was added to the system with the identifying information submitted in this MDS record.</p> <p>Tip: An MDS record of this type should not be the first MDS record submitted for a resident. The resident identifying information in this type of MDS record should have matched a resident already in the QIES ASAP System, but did not. An Entry record is one where A0310F (Entry/discharge reporting) is 01 and A1700 (Type of Entry) is 1.</p> <p>Action: Verify that the submitted resident information is correct. If you are certain no record was submitted previously for this resident, no action is necessary. If this message occurred because an earlier record was completed but not submitted, submit the missing record now. Review activity reports and/or roster reports to assure that all records are submitted sequentially and timely. If after reviewing activity reports and/or roster reports you believe a new resident was created in error, contact your State MDS Coordinator.</p>

Error ID	Sev	Error Message	Error Description
-1028	Fatal	Invalid Target Date: Unable to calculate the target date due to missing or invalid values in items A0300A, X0570A, A0310F, and/or X0600F.	<p>Cause: The QIES ASAP System is unable to verify the target date of this record because the value submitted in A0300A/X0570A (State payment purpose) and/or A0310F/X0600F (Entry/discharge reporting) is missing or invalid.</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. For a non-Optional State Assessment [A0300A is 0] the Target Date is based upon the value of A0310F/X0600F (Entry/discharge reporting) and is defined as follows:</p> <ul style="list-style-type: none"> o A2000/X0700B (Discharge Date) when A0310F/X0600F is 10, 11, or 12 o A1600/X0700C (Entry Date) when A0310F/X0600F is 01 o A2300/X0700A (Assessment Reference Date) when A0310F/X0600F is 99. <p>For an Optional State Assessment [A0300A is 1]), the Target Date is A2300/X0700A.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-1029	Fatal	Invalid Target Date: The target date (A1600, A2000, or A2300) of this record is prior to the MDS 3.0 QIES ASAP System implementation date of 10/01/2010.	<p>Cause: The submitted target date of this record precedes 10/01/2010, the implementation date of the MDS 3.0 QIES ASAP System.</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1030	Fatal	Missing Item: Based upon the Item Subset Code (ISC) submitted in this record, this item is required.	<p>Cause: A value was not submitted for this item. Based upon the submitted Item Subset Code (ISC), this item is required.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-1031	Warn	Resident Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the QIES ASAP database. If the record was accepted, the resident information in the database was updated. Verify that the new information is correct.	<p>Cause: Based on resident matching criteria, resident information in this MDS record, though not identical, is similar enough to resident information in the QIES ASAP System that a match was identified. If the record was accepted, one or more fields in the QIES ASAP System were updated with the new or previously missing information.</p> <p>Example: The resident's first name was spelled differently, the birth date was entered incorrectly, or the facility is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p>Definition: <u>Resident matching criteria:</u> Criteria used to match key resident-identifying information in an MDS record with an existing resident known to the QIES ASAP System.</p> <p>Tip: The resident match process may update the following resident information:</p> <ul style="list-style-type: none"> o last name o first name o middle initial o birth date o death date o social security number (Social Security Number) o Medicare number o Medicaid number o gender o race/ethnicity o current Facility Internal ID <p>Action: Verify the old and new information. If the new information is correct, no action is required. If the new information is not correct, make appropriate modifications to the record and resubmit. Refer to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual as necessary.</p>

Error ID	Sev	Error Message	Error Description
-1032	Warn	Resident Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident was updated. Please verify.	<p>Cause: A different provider submitted the previous record for this resident. The QIES ASAP System was updated to reflect the resident's new provider of care.</p> <p>Action: Please verify that the provider of the resident's care changed. No action is required.</p>
-1038	Warn	Assessment Completed Late: An OBRA comprehensive assessment with the Care Area Assessment (Section V) is due every year unless the resident is no longer in the facility. A prior record with an ARD (A2300) within 366 days of the submitted record could not be found.	<p>Cause: The submitted assessment was not completed according to CMS timing guidelines. There should be no more than 366 days between OBRA comprehensive assessments with Care Area Assessment (Section V) completed. The 366 days is calculated from A2300 (Assessment Reference Date) to A2300.</p> <p>Tip: Timing edits are not performed on records where A0410 = 2. Timing edits are not performed on any two records where the value of A0410 is not the same. Medicare PPS only assessments (A0310A = 99 and A0310B = 01, 02, 03, 04, 05, 06, or 07) are excluded from CMS timing guideline edits.</p> <p>Action: To avoid this warning in the future, review the assessment schedule and verify that all assessments are completed in a timely manner. No action is required.</p>
-1040	Warn	Assessment Completed Late: An OBRA assessment (comprehensive or quarterly) is due every quarter unless the resident is no longer in the facility. A prior record with an ARD (A2300) within 92 days of the submitted record could not be found.	<p>Cause: The submitted assessment was not completed according to CMS timing guidelines. There should be no more than 92 days between OBRA assessments. The 92 days is calculated from A2300 (Assessment Reference Date) to A2300 for OBRA assessments.</p> <p>Tip: Medicare PPS only assessments (A0310A = 99 and A0310B = 01, 02, 03, 04, 05, 06, or 07) are excluded from CMS timing guideline edits. Timing Edits are not performed on records where A0410 = 2. Timing edits are not performed on any two records where the value of A0410 is not the same.</p> <p>Action: To avoid this warning in the future, review the assessment schedule and verify that all assessments are completed in a timely manner. No action is required.</p>

Error ID	Sev	Error Message	Error Description
-1049	Fatal	RUG/PDPM Value Not Calculated: Fatal system problem in calculating RUG/PDPM value. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.	Cause: An error was encountered with the QIES ASAP system RUG grouper. No RUG/PDPM value was calculated. Action: Please notify the QTSO Help Desk. Resubmit this record when the QIES ASAP system error is resolved.
-1050	Fatal	No RUG Value Calculated: A RUG value was not calculated due to an invalid rehabilitation parameter passed to the RUG.dll. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.	Cause: An error was encountered with the QIES ASAP system RUG rehabilitation parameter. No RUG value was calculated. Action: Please notify the QTSO Help Desk. Resubmit this record when the QIES ASAP system error is resolved.
-1051	Fatal	No RUG Value Calculated: A RUG value was not calculated due to an invalid model parameter passed to the RUG.dll. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.	Cause: An error was encountered with the QIES ASAP system RUG model parameter. No RUG value was calculated. Action: Please notify the QTSO Help Desk. Resubmit this record once the QIES ASAP system error is resolved.
-1052	Warn	No RUG Value Calculated: A RUG value cannot be calculated for an MDS record submitted with this Item Subset Code (ISC). No action needs to be taken by provider.	Cause: A RUG value cannot be calculated for a record submitted with this Item Subset Code (ISC). Action: No action is necessary.
-1053	Fatal	No RUG Value Calculated: A RUG value was not calculated due to an invalid CMI value parameter passed to the RUG.dll. Please contact the QTSO help desk. Please resubmit this record when the system has been corrected.	Cause: An error was encountered with the QIES ASAP system RUG CMI parameter. No RUG value was calculated. Action: Please notify the QTSO Help Desk. Resubmit this record when the QIES ASAP system error is resolved.
-1054	Warn	Rural RUG Calculated: A current CBSA code is not on file for this Provider. The QIES ASAP System used the rural code to calculate the RUG for this record. Contact your State Coordinator.	Cause: A CBSA code was not found or is not current for this provider. The QIES ASAP System used the rural code to calculate the RUG for this record. Action: Providers: You must contact your MDS State Coordinator. States: Contact the QTSO Help Desk to determine if the Facility CBSA code is incorrect.

Error ID	Sev	Error Message	Error Description
-1055	Warn	No Medicaid RUG Value Calculated: The submitted Assessment Reference Date (ARD) is not within the date parameters set up by the state in the RUG options table. Verify the A2300 date is accurate; otherwise contact your State Coordinator.	<p>Cause: If the Value in Error is for Z0250A, ignore this message. No action is required. If the Value in Error is for Z0200A, the value submitted in A2300 (Assessment Reference Date) does not fall within the date parameters in the RUG options table on the QIES ASAP System for the RUG submitted in this record.</p> <p>Definition: The RUG options table defines how the RUG is calculated. This includes begin use and end use dates, urban and rural set codes, the model, classification type, logic version and the RUG's program that is used to make the calculation. The Medicaid RUG options table is defined by the State.</p> <p>Tip: The last day of the MDS observation period, item A2300 (Assessment Reference Date) is compared to the Beginning and End dates on the RUG options table. If the submitted date in items A2300 does not occur within this date range, this error is generated.</p> <p>Action: Facility staff should verify that the A2300 date is accurate. If it is correct, contact your MDS State Coordinator to verify the entry in Medicaid RUG option table on the QIES ASAP system. If necessary, correct the record according to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual.</p>
-1056	Warn	HIPPS/RUG Value Calculated: The submitted value of the Medicare Part A HIPPS code is blank. The QIES ASAP system calculated the HIPPS code and the value displayed. If the assessment is to be used for Part A payment, please use this code for billing. If the assessment is not to be used for Part A billing, please ignore this warning.	<p>Cause: The value submitted in Z0100A (Medicare Part A HIPPS code) is blank. The HIPPS code value calculated by the QIES ASAP system is noted on the validation report.</p> <p>Action: If the assessment is used for Medicare Part A payment, use the system-calculated HIPPS code provided for billing. If the assessment is not used for Medicare Part A payment, no action is required.</p>
-1057	Warn	Medicare RUG III Transition RUG Calculated: A Medicare Transition RUG III was calculated for this assessment.	<p>Cause: Following the implementation of the QIES ASAP MDS 3.0 system, a RUG-III value is provided on the Final Validation Report for records submitted with a target date between 10/01/2010 and 10/31/2010 (inclusive) with the exception of records where A0310A = 99 and A0310B = 99.</p>

Error ID	Sev	Error Message	Error Description
-1058	Fatal	Unable to Modify Data: The submitted value for the Facility ID or Submission Requirement (A0410) item in the corrected record does not match the values previously submitted for the matching record. The Facility ID and Submission Required items cannot be changed with a modification request.	<p>Cause: The value submitted in FAC ID and/or A0410 of this modification request record differ from the values previously submitted in the matching erroneous record. For a modification request, the values submitted in FAC ID and A0410 must be identical to the values submitted in FAC ID and A0410 in the matching erroneous record.</p> <p>Action: If the value in FAC ID and/or A0410 in the previously submitted record is correct, correct the value in FAC ID and/or A0410 in the modification request record and resubmit. If the value in FAC ID and/or A0410 in a previously submitted record is incorrect, a special manual record correction request must be completed and submitted to your MDS State Coordinator. Refer to the MDS Correction policy in Chapter 5 of the MDS 3.0 RAI Manual for more information.</p>
-1059	Warn	Medicare FY2012 RUG IV Transition RUG Calculated: A Medicare FY2012 Transition RUG IV was calculated for this assessment.	<p>Cause: A Medicare FY2012 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 08/22/2011 and 09/30/2011, inclusively.</p> <p>Action: No action is necessary.</p>
-1060	Warn	Medicare FY2010 RUG IV Transition RUG Calculated: A Medicare FY2010 Transition RUG IV was calculated for this assessment.	<p>Cause: A Medicare FY2010 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 10/01/2011 and 10/31/2011, inclusively.</p> <p>Action: No action is necessary.</p>

Error ID	Sev	Error Message	Error Description
-1061	Warn	A change in the target date and/or RFA in combination with a change in the clinical item listed may indicate improper coding. Other clinical items may also have changed.	<p>Cause: The following values submitted in this modification record (A0050 is 2) differ from the corresponding values in the record being modified:</p> <ul style="list-style-type: none"> • Target date and/or RFA value AND • The listed (and possibly other) clinical items <p>NOTE: The ASAP system-recalculated Medicare RUG/PDPM items of this record match the recalculated Medicare RUG/PDPM items of the record being modified.</p> <p>Definitions: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <u>RFA Items</u> – The Reason for Assessment values are contained in items A0310A (Federal OBRA Reason For Assessment), A01310B (PPS Assessment), A0310C (PPS Other Medicare Required Assessment), A0310D (Is this a Swing Bed clinical change assessment?), A0310F, and A0310H (Is this a SNF Part A PPS Discharge Assessment?). <u>Clinical Items</u> – The clinical items are those in Section B through Section V, excluding items in Section S. <u>Recalculated Medicare RUG/PDPM Items</u> – Z0100A (Medicare Part A HIPPS code) and Z0150A (Medicare non-therapy Part A HIPPS code). NOTE: Item Z0150A was retired for assessments with a target date after 10/1/2019. Action: Please verify that the changes submitted in this modification record are as intended. Changes of this magnitude may indicate a coding error.</p>

Error ID	Sev	Error Message	Error Description
-1062	Warn	A change in the target date and/or RFA in combination with a change in the clinical item listed and Medicare RUG/PDPM may indicate improper coding. Other clinical items may also have changed.	<p>Cause: The following values submitted in this modification record (A0050 is 2) differ from the corresponding values in the record being modified:</p> <ul style="list-style-type: none"> • Target date and/or RFA value AND • The listed (and possibly other) clinical items AND <p>NOTE: The ASAP system-recalculated Medicare RUG/PDPM items of this record do <i>not</i> match the recalculated Medicare RUG/PDPM items of the record being modified.</p> <p>Definitions: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows: <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <u>RFA Items</u> – The Reason for Assessment values are contained in items A0310A (Federal OBRA Reason For Assessment), A01310B (PPS Assessment), A0310C (PPS Other Medicare Required Assessment), A0310D (Is this a Swing Bed clinical change assessment?), A0310F, and A0310H (Is this a SNF Part A PPS Discharge Assessment?). <u>Clinical Items</u> – The clinical items are those in Section B through Section V, excluding items in Section S. <u>Recalculated Medicare RUG Items</u> – Z0100A (Medicare Part A HIPPS code) and Z0150A (Medicare non-therapy Part A HIPPS code).</p> <p>Action: Please verify that the changes submitted in this modification record are as intended. Changes of this magnitude may indicate a coding error.</p>
-1063	Fatal	Invalid Submission: This record was submitted more than 24 months after the provider's closed date.	<p>Cause: The submission date of this record is more than 24 months after the date the provider closed.</p> <p>Action: No action is necessary. If you believe this error is invalid, contact your State MDS Coordinator.</p>

Error ID	Sev	Error Message	Error Description
-1064	Fatal	Invalid Submission: The target date (A1600, A2000, or A2300) of this record is after the provider's closed date.	<p>Cause: The target date value submitted in this record is after the provider's closed date:</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <p>Action: No action is necessary. If you believe this error is invalid, contact your State MDS Coordinator.</p>
-1065	Fatal	Invalid Submission: The target date (A1600, A2000, or A2300) of this record is more than 24 months prior to the submission date.	<p>Cause: The target date value submitted in this record is more than 24 months prior to the date the record was submitted.</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <p>Action: Verify the target date for this record. If submitted incorrectly, make appropriate corrections to the record and resubmit. Otherwise, no action is necessary. You cannot submit this record.</p>
-1067	Warn	Medicare FY2013 RUG IV Transition RUG Calculated: A Medicare FY2013 Transition RUG IV was calculated for this assessment.	<p>Cause: A Medicare FY2013 Transition RUG-IV was calculated for this assessment. A RUG-IV value is provided on the Final Validation Report for records submitted with a target date between 10/1/2013 and 10/13/2013, inclusively.</p> <p>Action: No action is necessary.</p>

Error ID	Sev	Error Message	Error Description
-1068	Fatal	Invalid Target Date: The calculated target date is greater than the submission date.	<p>Cause: The calculated target date of this record is later than the date the record was submitted.</p> <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <p>Actions: Make appropriate corrections to the record and resubmit.</p>
-3502a	Fatal	Inconsistent None of the Above Value: If C0900Z equals 0, then at least one item from C0900A through C0900D must equal 1.	<p>Cause: The value submitted in item C0900Z (Memory/Recall Ability: None of the above were recalled) is not consistent with one or more values submitted in related items C0900A through C0900D.</p> <ul style="list-style-type: none"> • IF C0900Z is unchecked, THEN one or more active items C0900A through C0900D must be checked. • IF C0900Z is checked, THEN all items C0900A through C0900D must be unchecked. • IF C0900Z is a dash (-), THEN one or more active items C0900A through C0900D must be a dash (-) and the remaining items C0900A through C0900D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3502b	Fatal	Inconsistent None of the Above Value: If C0900Z equals 1, then all items from C0900A through C0900D must equal 0.	See error number -3502a
-3502c	Fatal	Inconsistent None of the Above Value: If C0900Z equals dash (-), then at least one item from C0900A through C0900D must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3502a

Error ID	Sev	Error Message	Error Description
-3503a	Fatal	Inconsistent None of the Above Value: If E0100Z equals 0, then at least one item from E0100A through E0100B must equal 1.	<p>Cause: The value submitted in item E0100Z (Psychosis: None of the above) is not consistent with one or more values submitted in related items E0100A - E0100B.</p> <ul style="list-style-type: none"> • IF E0100Z is unchecked, THEN one or more items E0100A through E0100B must be checked. • IF E0100Z is checked, THEN items E0100A through E0100B must be unchecked. • IF E0100Z is a dash (-), THEN one or more items E0100A through E0100B must be a dash (-) and the remaining items E0100A through E0100B must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3503b	Fatal	Inconsistent None of the Above Value: If E0100Z equals 1, then all items from E0100A through E0100B must equal 0.	See error number -3503a
-3503c	Fatal	Inconsistent None of the Above Value: If E0100Z equals dash (-), then at least one item from E0100A through E0100B must equal dash (-) and all remaining items must equal 0 or dash (-)	See error number -3503a

Error ID	Sev	Error Message	Error Description
-3504a	Fatal	Inconsistent None of the Above Value: If F0800Z equals 0, then at least one item from F0800A through F0800T must equal 1.	<p>Cause: The value submitted in item F0800Z (Staff Assessment of Daily and Activity Preferences: None of the above) is not consistent with one or more values submitted in related items F0800A - F0800T.</p> <ul style="list-style-type: none"> • IF F0800Z is unchecked, THEN one or more items F0800A through F0800T must be checked. • IF F0800Z is checked, THEN items F0800A through F0800T must be unchecked. • IF F0800Z is a dash (-), THEN one or more items F0800A through F0800T must be a dash (-) and the remaining items F0800A through F0800T must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3504b	Fatal	Inconsistent None of the Above Value: If F0800Z equals 1, then all items from F0800A through F0800T must equal 0.	See error number -3504a
-3504c	Fatal	Inconsistent None of the Above Value: If F0800Z equals dash (-), then at least one item from F0800A through F0800T must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3504a

Error ID	Sev	Error Message	Error Description
-3505a	Fatal	Inconsistent None of the Above Value: If G0600Z equals 0, then at least one item from G0600A through G0600D must equal 1.	<p>Cause: The value submitted in item G0600Z (Mobility Devices: None of the above were used) is not consistent with one or more values submitted in related items G0600A - G0600D.</p> <ul style="list-style-type: none"> • IF G0600Z is unchecked, THEN one or more items G0600A through G0600D must be checked. • IF G0600Z is checked, THEN items G0600A through G0600D must be unchecked. • IF G0600Z is a dash (-), THEN one or more items G0600A through G0600D must be a dash (-) and the remaining items G0600A through G0600D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3505b	Fatal	Inconsistent None of the Above Value: If G0600Z equals 1, then all items from G0600A through G0600D must equal 0.	See error number -3505a
-3505c	Fatal	Inconsistent None of the Above Value: If G0600Z equals dash (-), then at least one item from G0600A through G0600D must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3505a

Error ID	Sev	Error Message	Error Description
-3506a	Fatal	Inconsistent None of the Above Value: If H0100Z equals 0, then at least one active item from H0100A through H0100D must equal 1.	<p>Cause: The value submitted in item H0100Z (Appliances: None of the above) is not consistent with one or more values submitted in related items H0100A - H0100D.</p> <ul style="list-style-type: none"> • IF H0100Z is unchecked, THEN one or more active items H0100A through H0100D must be checked. • IF H0100Z is checked, THEN all active items H0100A through H0100D must be unchecked. • IF H0100Z is a dash (-), THEN one or more active items H0100A through H0100D must be a dash (-) and the remaining active items H0100A through H0100D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3506b	Fatal	Inconsistent None of the Above Value: If H0100Z equals 1, then all active items from H0100A through H0100D must equal 0.	See error number -3506a
-3506c	Fatal	Inconsistent None of the Above Value: If H0100Z equals dash (-), then at least one active item from H0100A through H0100D must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3506a

Error ID	Sev	Error Message	Error Description
-3507a	Fatal	Inconsistent None of the Above Value: If I7900 equals 0, then at least one active item from I0100 through I6500 must equal 1.	<p>Cause: The value submitted in item I7900 (Active Diagnoses in the last 7 days: None of the above active diagnoses) is not consistent with one or more values submitted in related items I0100 - I6500.</p> <ul style="list-style-type: none"> • IF I7900 is unchecked, THEN one or more active items I0100 through I6500 must be checked. • IF I7900 is checked, THEN all active items I0100 through I6500 must be unchecked. • IF I7900 is a dash (-), THEN one or more active items I0100 through I6500 must be a dash (-) and the remaining active items I0100 through I6500 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3507b	Fatal	Inconsistent None of the Above Value: If I7900 equals 1, then all active items from I0100 through I6500 must equal 0.	See error number -3507a
-3507c	Fatal	Inconsistent None of the Above Value: If I7900 equals dash (-), then at least one active item from I0100 through I6500 must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3507a

Error ID	Sev	Error Message	Error Description
-3508a	Fatal	Inconsistent None of the Above Value: If J0800Z equals 0, then at least one item from J0800A through J0800D must equal 1.	<p>Cause: The value submitted in item J0800Z (Indicators of Pain or Possible Pain: None of these signs observed or documented) is not consistent with one or more values submitted in related items J0800A - J0800D.</p> <ul style="list-style-type: none"> • IF J0800Z is unchecked, THEN one or more items J0800A through J0800D must be checked. • IF J0800Z is checked, THEN items J0800A through J0800D must be unchecked. • IF J0800Z is a dash (-), THEN one or more items J0800A through J0800D must be a dash (-) and the remaining items J0800A through J0800D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3508b	Fatal	Inconsistent None of the Above Value: If J0800Z equals 1, then all items from J0800A through J0800D must equal 0.	See error number -3508a
-3508c	Fatal	Inconsistent None of the Above Value: If J0800Z equals dash (-), then at least one item from J0800A through J0800D must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3508a

Error ID	Sev	Error Message	Error Description
-3509a	Fatal	Inconsistent None of the Above Value: If J1100Z equals 0, then at least one active item from J1100A through J1100C must equal 1.	<p>Cause: The value submitted in item J1100Z (Shortness of Breath [dyspnea]: None of the above) is not consistent with one or more values submitted in related items J1100A - J1100C.</p> <ul style="list-style-type: none"> • IF J1100Z is unchecked, THEN one or more active items J1100A through J1100C must be checked. • IF J1100Z is checked, THEN all active items J1100A through J1100C must be unchecked. • IF J1100Z is a dash (-), THEN one or more active items J1100A through J1100C must be a dash (-) and the remaining active items J1100A through J1100C must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3509b	Fatal	Inconsistent None of the Above Value: If J1100Z equals 1, then all active items from J1100A through J1100C must equal 0.	See error number -3509a
-3509c	Fatal	Inconsistent None of the Above Value: If J1100Z equals dash (-), then at least one active item from J1100A through J1100C must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3509a

Error ID	Sev	Error Message	Error Description
-3510a	Fatal	Inconsistent None of the Above Value: If J1550Z equals 0, then at least one active item from J1550A through J1550D must equal 1.	<p>Cause: The value submitted in item J1500Z (Problem Conditions: None of the above) is not consistent with one or more values submitted in related items J1500A - J1500D.</p> <ul style="list-style-type: none"> • IF J1550Z is unchecked, THEN one or more active items J1550A through J1550D must be checked. • IF J1550Z is checked, THEN all active items J1550A through J1550D must be unchecked. • IF J1550Z is a dash (-), THEN one or more active items J1550A through J1550D must be a dash (-) and the remaining active items J1550A through J1550D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3510b	Fatal	Inconsistent None of the Above Value: If J1550Z equals 1, then all active items from J1550A through J1550D must equal 0.	See error number -3510a
-3510c	Fatal	Inconsistent None of the Above Value: If J1550Z equals dash (-), then at least one active item from J1550A through J1550D must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3510a

Error ID	Sev	Error Message	Error Description
-3511a	Fatal	Inconsistent None of the Above Value: If K0100Z equals 0, then at least one item from K0100A through K0100D must equal 1.	<p>Cause: The value submitted in item K0100Z (Swallowing Disorder: None of the above) is not consistent with one or more values submitted in related items K0100A - K0100D.</p> <ul style="list-style-type: none"> • IF K0100Z is unchecked, THEN one or more items K0100A through K0100D must be checked. • IF K0100Z is checked, THEN items K0100A through K0100D must be unchecked. • IF K0100Z is a dash (-), THEN one or more items K0100A through K0100D must be a dash (-) and the remaining items K0100A through K0100D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3511b	Fatal	Inconsistent None of the Above Value: If K0100Z equals 1, then all items from K0100A through K0100D must equal 0.	See error number -3511a
-3511c	Fatal	Inconsistent None of the Above Value: If K0100Z equals dash (-), then at least one item from K0100A through K0100D must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3511a

Error ID	Sev	Error Message	Error Description
-3512a	Fatal	Inconsistent None of the Above Value: If K0500Z equals 0, then all items from K0500A through K0500D must equal 1.	<p>Cause: The value submitted in item K0500Z (Nutritional Approaches: None of the above) is not consistent with one or more values submitted in related items K0500A - K0500D.</p> <ul style="list-style-type: none"> • IF K0500Z is unchecked, THEN one or more items K0500A through K0500D must be checked. • IF K0500Z is checked, THEN items K0500A through K0500D must be unchecked. • IF K0500Z is a dash (-), THEN one or more items K0500A through K0500D must be a dash (-) and the remaining items K0500A through K0500D must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3512b	Fatal	Inconsistent None of the Above Value: If K0500Z equals 1, then all items from K0500A through K0500D must equal 0.	See error number -3512a
-3512c	Fatal	Inconsistent None of the Above Value: If K0500Z equals dash (-), then at least one item from K0500A through K0500D must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3512a

Error ID	Sev	Error Message	Error Description
-3513a	Fatal	Inconsistent None of the Above Value: If L0200Z is active and equals 0, then at least one active item from L0200A through L0200G must equal 1.	<p>Cause: The value submitted in active item L0200Z (Dental: None of the above were present) is not consistent with one or more values submitted in related items L0200A through L0200G.</p> <ul style="list-style-type: none"> • IF L0200Z is unchecked, THEN one or more active items L0200A through L0200G must be checked. • IF L0200Z is checked, THEN all active items L0200A through L0200G must be unchecked. • IF L0200Z is a dash (-), THEN one or more active items L0200A through L0200G must be a dash (-) and the remaining active items L0200A through L0200G must be unchecked or a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3513b	Fatal	Inconsistent None of the Above Value: If L0200Z is active and equals 1, then all active items from L0200A through L0200G must equal 0.	See error number -3513a
-3513c	Fatal	Inconsistent None of the Above Value: If L0200Z is active and equals dash (-), then at least one active item from L0200A through L0200G must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3513a

Error ID	Sev	Error Message	Error Description
-3514a	Fatal	Inconsistent None of the Above Value: If M1040Z equals 0, then at least one item from M1040A through M1040F must equal 1.	<p>Cause: The value submitted in item M1040Z (Other Ulcers, Wounds and Skin Problems: None of the above were present) is not consistent with one or more values submitted in related items M1040A - M1040F.</p> <ul style="list-style-type: none"> • IF M1040Z is unchecked, THEN one or more items M1040A through M1040F must be checked. • IF M1040Z is checked, THEN items M1040A through M1040F must be unchecked. • IF M1040Z is a dash (-), THEN one or more items M1040A through M1040F must be a dash (-) and the remaining items M1040A through M1040F must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3514b	Fatal	Inconsistent None of the Above Value: If M1040Z equals 1, then all items from M1040A through M1040F must equal 0.	See error number -3514a
-3514c	Fatal	Inconsistent None of the Above Value: If M1040Z equals dash (-), then at least one item from M1040A through M1040F must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3514a

Error ID	Sev	Error Message	Error Description
-3515a	Fatal	Inconsistent None of the Above Value: If M1200Z equals 0, then at least one item from M1200A through M1200I must equal 1.	<p>Cause: The value submitted in item M1200Z (Skin and Ulcer Treatments: None of the above were provided) is not consistent with one or more values submitted in related items M1200A - M1200I.</p> <ul style="list-style-type: none"> • IF M1200Z is unchecked, THEN one or more items M1200A through M1200I must be checked. • IF M1200Z is checked, THEN items M1200A through M1200I must be unchecked. • IF M1200Z is a dash (-), THEN one or more items M1200A through M1200I must be a dash (-) and the remaining items M1200A through M1200I must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3515b	Fatal	Inconsistent None of the Above Value: If M1200Z equals 1, then all items from M1200A through M1200I must equal 0.	See error number -3515a
-3515c	Fatal	Inconsistent None of the Above Value: If M1200Z equals dash (-), then at least one item from M1200A through M1200I must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3515a

Error ID	Sev	Error Message	Error Description
-3516a	Fatal	Inconsistent None of the Above Value: If N0400Z equals 0, then at least one item from N0400A through N0400G must equal 1.	<p>Cause: The value submitted in item N0400Z (Medications Received: None of the above were received) is not consistent with one or more values submitted in related items N0400A - N0400G.</p> <ul style="list-style-type: none"> • IF N0400Z is unchecked, THEN one or more items N0400A through N0400G must be checked. • IF N0400Z is checked, THEN items N0400A through N0400G must be unchecked. • IF N0400Z is a dash (-), THEN one or more items N0400A through N0400G must be a dash (-) and the remaining items N0400A through N0400G must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3516b	Fatal	Inconsistent None of the Above Value: If N0400Z equals 1, then all items from N0400A through N0400G must equal 0.	See error number -3516a
-3516c	Fatal	Inconsistent None of the Above Value: If N0400Z equals dash (-), then at least one item from N0400A through N0400G must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3516a

Error ID	Sev	Error Message	Error Description
-3517a	Fatal	Invalid Skip Pattern: If A2400A equals 0, then all active items from A2400B through A2400C must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A2400A (Has the resident had a Medicare-covered stay since the most recent entry?).</p> <ul style="list-style-type: none"> • IF A2400A is 0, THEN items A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) must be blank (^). • IF A2400A is 1, THEN items A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) must not be blank (^). <p>Tip: This is a skip pattern. If A2400A is 0, then skip to B0100 (Comatose) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3517b	Fatal	Invalid Skip Pattern: If A2400A equals 1, then all active items from A2400B through A2400C must not equal blank (^).	See error number -3517a
-3518a	Fatal	Invalid Skip Pattern: If A0310A equals 05 or 06, then A2200 must not equal blank (^).	<p>Cause: The value submitted in item A2200 (Previous Assessment Reference Date for Significant Correction) is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment/Tracking).</p> <ul style="list-style-type: none"> • IF A0310A is 05 or 06, THEN A2200 must not be blank (^). • IF A0310A is 01, 02, 03, 04, or 99, THEN A2200 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3518b	Fatal	Invalid Skip Pattern: If A0310A equals 01, 02, 03, 04, or 99, then A2200 must equal blank (^).	See error number -3518a

Error ID	Sev	Error Message	Error Description
-3519a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all active items from B0200 through C0100 must not equal blank (^).	<p>Cause: This item must not be blank when the value submitted in item B0100 (Comatose) is zero.</p> <ul style="list-style-type: none"> • IF B0100 is 0, THEN active items B0200 through C0100 must not be blank (^). • IF B0100 is 0, THEN active items C1300A through D0100 must not be blank (^). • IF B0100 is 0, THEN active items E0100A through E0300 must not be blank (^). • IF B0100 is 0, THEN active items E0800 through E0900 must not be blank (^). • IF B0100 is 0, THEN active items E1100 through F0300 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3519b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from B0200 through C0100 must equal dash (-).	<p>Cause: This item must be a dash (-) when the value submitted in item B0100 (Comatose) is a dash (-).</p> <ul style="list-style-type: none"> • IF B0100 is a dash (-), THEN all active items B0200 through C0100 must be a dash (-). • IF B0100 is a dash (-), THEN all active items C1300A through D0100 must be a dash (-). • IF B0100 is a dash (-), THEN all active items E0100A through E0300 must be a dash (-). • IF B0100 is a dash (-), THEN all active items E0800 through E0900 must be a dash (-). • IF B0100 is a dash (-), THEN all active items E1100 through F0300 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3521a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all active items from C1300A through D0100 must not equal blank (^).	See error number -3519a
-3521b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from C1300A through D0100 must equal dash (-).	See error number -3519b

Error ID	Sev	Error Message	Error Description
-3523a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all active items from E0100A through E0300 must not equal blank (^).	See error number -3519a
-3523b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E0100A through E0300 must equal dash (-).	See error number -3519b
-3524a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all active items from E0800 through E0900 must not equal blank (^).	See error number -3519a
-3524b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E0800 through E0900 must equal dash (-).	See error number -3519b
-3525a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all active items from E1100 through F0300 must not equal blank (^).	See error number -3519a
-3525b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all active items from E1100 through F0300 must equal dash (-).	See error number -3519b
-3527a	Fatal	Invalid Skip Pattern: If C0100 equals 0 or blank (^), then all active items from C0200 through C0600 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?).</p> <ul style="list-style-type: none"> • IF C0100 is 0 or blank (^), THEN active items C0200 through C0600 must be blank (^). • IF C0100 is 1, THEN all active items C0200 through C0600 must not be blank (^). • IF C0100 is a dash (-), THEN all active items C0200 through C0500 must be a dash (-). • IF C0100 is a dash (-), THEN C0600, if active, must be 1 or a dash (-). <p>Tip: This is a skip pattern. If C0100 is 0 or blank (^), then skip to C0700 (Short-term Memory OK) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3527b	Fatal	Invalid Skip Pattern: If C0100 equals 1, then all active items from C0200 through C0600 must not equal blank (^).	See error number -3527a

Error ID	Sev	Error Message	Error Description
-3527c	Fatal	Invalid Skip Pattern: If C0100 equals dash (-), then all active items from C0200 through C0500 must equal dash (-).	See error number -3527a
-3527d	Fatal	Invalid Skip Pattern: If C0100 equals dash (-), then C0600 must equal 1 or dash (-).	See error number -3527a
-3528a	Fatal	Invalid Skip Pattern: If C0600 equals 0, then all active items from C0700 through C1000 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?).</p> <ul style="list-style-type: none"> • IF C0600 is 0, THEN active items C0700 through C1000 must be blank (^). • IF C0600 is 1, THEN all active items C0700 through C1000 must not be blank (^). • IF C0600 is a dash (-), THEN all active items C0700 through C1000 must be a dash (-). • IF C0600 is blank (^) and C0100 is 0, THEN all active items C0700 through C1000 must not equal blank (^). <p>Tip: This is a skip pattern. If C0600 is 0 or blank (^), then skip to C1300 (Delirium) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3528b	Fatal	Invalid Skip Pattern: If C0600 equals 1, then all active items from C0700 through C1000 must not equal blank (^).	See error number -3528a
-3528c	Fatal	Invalid Skip Pattern: If C0600 equals dash (-), then all active items from C0700 through C1000 must equal dash (-).	See error number -3528a
-3528d	Fatal	Invalid Skip Pattern: If C0600 equals blank (^) and C0100 equals 0, then all active items from C0700 through C1000 must not equal blank (^).	See error number -3528a

Error ID	Sev	Error Message	Error Description
-3529	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200A1 must not equal blank (^).	<p>Cause: This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 1.</p> <ul style="list-style-type: none"> • IF D0100 is 1, THEN the following items, if active, must not be blank (^): <ul style="list-style-type: none"> o D0200A1 (Little interest in doing things: Presence) o D0200B1 (Feeling down, depressed, hopeless: Presence) o D0200C1 (Trouble sleeping: Presence) o D0200D1 (Feeling tired or having little energy: Presence) o D0200E1 (Poor appetite or overeating: Presence) o D0200F1 (Feeling bad about self: Presence) o D0200G1 (Trouble concentrating: Presence) o D0200H1 (Moving or speaking slowly or being restless: Presence) o D0200I1 (Thoughts about being better off dead or harming self: Presence) o D0300 (Total Severity Score) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3531a	Fatal	Invalid Skip Pattern: If E0300 equals 0 or blank (^), then all active items from E0500A through E0600C must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item E0300 (Overall Presence of Behavioral Symptoms).</p> <ul style="list-style-type: none"> • IF E0300 is 0 or blank (^), THEN active items E0500A through E0600C must be blank (^). • IF E0300 is 1, THEN active items E0500A through E0600C must not be blank (^). • IF E0300 is a dash (-), THEN active items E0500A through E0600C must be a dash (-). <p>Tip: This is a skip pattern. If E0300 is 0 or blank (^), then skip to E0800 (Rejection of Care) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3531b	Fatal	Invalid Skip Pattern: If E0300 equals 1, then all active items from E0500A through E0600C must not equal blank (^).	See error number -3531a

Error ID	Sev	Error Message	Error Description
-3531c	Fatal	Invalid Skip Pattern: If E0300 equals dash (-), then all active items from E0500A through E0600C must equal dash (-).	See error number -3531a
-3532a	Fatal	Invalid Skip Pattern: If E0900 equals 0 or blank (^), then all active items from E1000A through E1000B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item E0900 (Has the resident wandered?).</p> <ul style="list-style-type: none"> • IF E0900 is 0 or blank (^), THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must be blank (^). • IF E0900 is 1, 2, or 3, THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must not be blank (^). • IF E0900 is a dash (-), THEN items E1000A (Does wandering place the resident at risk?) and E1000B (Does wandering intrude on others?), if active, must be a dash (-). <p>Tip: This is a skip pattern. If E0900 is 0 or blank (^), then skip to E1100 (Change in Behavior or Other Symptoms) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3532b	Fatal	Invalid Skip Pattern: If E0900 equals 1, 2, or 3, then all active items from E1000A through E1000B must not equal blank (^).	See error number -3532a
-3532c	Fatal	Invalid Skip Pattern: If E0900 equals dash (-), then all active items from E1000A through E1000B must equal dash (-).	See error number -3532a

Error ID	Sev	Error Message	Error Description
-3533a	Fatal	Invalid Skip Pattern: If F0300 equals 0, then all active items from F0400A through F0700 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).</p> <ul style="list-style-type: none"> • IF F0300 is 0, THEN all active items F0400A through F0700 must be blank (^). • IF F0300 is 1, THEN active items F0400A through F0700 must not be blank (^). • IF F0300 is a dash (-), THEN all active items F0400A through F0600 must be a dash (-) and F0700 must not be blank (^). <p>Tip: This is a skip pattern. If F0300 is 0, then skip to F0800 (Staff Assessment of Daily and Activity Preferences) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3533b	Fatal	Invalid Skip Pattern: If F0300 equals 1, then all active items from F0400A through F0700 must not equal blank (^).	See error number -3533a
-3533c	Fatal	Invalid Skip Pattern: If F0300 equals dash (-), then all active items from F0400A through F0600 must equal dash (-) and F0700 must not equal blank (^).	See error number -3533a
-3534a	Fatal	Invalid Skip Pattern: If F0700 equals 0, then all active items from F0800A through F0800Z must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?).</p> <ul style="list-style-type: none"> • IF F0700 is 0, THEN all active items F0800A through F0800Z must be blank (^). • IF F0700 is 1, THEN all active items F0800A through F0800Z must not be blank (^). • IF F0700 is a dash (-), THEN all active items F0800A through F0800Z must be a dash (-). <p>Tip: This is a skip pattern. If F0700 is 0, then skip to G0110 (ADL Assistance) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3534b	Fatal	Invalid Skip Pattern: If F0700 equals 1, then all active items from F0800A through F0800Z must not equal blank (^).	See error number -3534a
-3534c	Fatal	Invalid Skip Pattern: If F0700 equals dash (-), then all active items from F0800A through F0800Z must equal dash (-).	See error number -3534a
-3535a	Fatal	Invalid Skip Pattern: If A0310A equals 02, 03, 04, 05, 06, or 99, then all active items from G0900A through G0900B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).</p> <ul style="list-style-type: none"> • IF A0310A is 02, 03, 04, 05, 06, or 99, THEN items G0900A (Resident believes s/he capable of increased independence) and G0900B (Staff believes resident capable of increased independence), if active, must be blank (^). • IF A0310A is 01, THEN items G0900A (Resident believes s/he capable of increased independence) and G0900B (Staff believes resident capable of increased independence), if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3535b	Fatal	Invalid Skip Pattern: If A0310A equals 01, then all active items from G0900A through G0900B must not equal blank (^).	See error number -3535a
-3536a	Fatal	Invalid Skip Pattern: If H0200A equals 0 or 9, then H0200B must equal blank (^).	<p>Cause: The value submitted in item H0200B (Response) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).</p> <ul style="list-style-type: none"> • IF H0200A is 0 or 9, THEN H0200B must be blank (^). • IF H0200A is 1, THEN H0200B must not be blank (^). • IF H0200A is a dash (-), THEN H0200B must be a dash (-). <p>Tip: This is a skip pattern. If H0200A is 0, then skip to H0300 (Urinary Continence) or the next active item. If H0200A is 9, then skip to H0200C (Current toileting program or trial) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3536b	Fatal	Invalid Skip Pattern: If H0200A equals 1, then H0200B must not equal blank (^).	See error number -3536a

Error ID	Sev	Error Message	Error Description
-3536c	Fatal	Invalid Skip Pattern: If H0200A equals dash (-), then H0200B must equal dash (-).	See error number -3536a
-3537a	Fatal	Invalid Skip Pattern: If H0200A equals 0, then H0200C must equal blank (^).	<p>Cause: The value submitted in item H0200C (Current toileting program or trial) is not consistent with the value submitted in item H0200A (Has a trial of a toileting program been attempted?).</p> <ul style="list-style-type: none"> • IF H0200A is 0, THEN H0200C, if active, must be blank (^). • IF H0200A is 1 or 9, THEN H0200C, if active, must not be blank (^). • IF H0200A is a dash (-), THEN H0200C, if active, must be a dash (-). <p>Tip: This is a skip pattern. If H0200A is 0, then skip to H0300 (Urinary Continence) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3537b	Fatal	Invalid Skip Pattern: If H0200A equals 1 or 9, then H0200C must not equal blank (^).	See error number -3537a
-3537c	Fatal	Invalid Skip Pattern: If H0200A equals dash (-), then H0200C must equal dash (-).	See error number -3537a
-3538a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then J0200 must not equal blank (^).	<p>Cause: The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) must not be blank when the value submitted in item B0100 (Comatose) is a dash (-) or zero.</p> <ul style="list-style-type: none"> • IF B0100 is 0, THEN J0200, if active, must not be blank (^). • IF B0100 is a dash (-), THEN J0200, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3538b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then J0200 must equal dash (-).	See error number -3538a

Error ID	Sev	Error Message	Error Description
-3542	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300A and M0300B1 must not equal blank (^).	<p>Cause: The value submitted in this item must not be blank when the value submitted in item M0210 (Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?) is a 1.</p> <ul style="list-style-type: none"> • IF M0210 is 1, THEN items M0300A (Number of Stage 1 pressure ulcers) and M0300B1 (Number of stage 2 pressure ulcers), if active, must not be blank (^). • IF M0210 is 1, THEN M0300C1 (Number of Stage 3 pressure ulcers), if active, must not be blank (^). • IF M0210 is 1, THEN M0300D1 (Number of Stage 4 pressure ulcers), if active, must not be blank (^). • IF M0210 is 1, THEN M0300E1 (Number of unstageable non-removable dressing pressure ulcers), if active, must not be blank (^). • IF M0210 is 1, THEN M0300F1 (Number of unstageable slough/eschar pressure ulcers), if active, must not be blank (^). • IF M0210 is 1, THEN M0300G1 (Number of unstageable deep tissue pressure ulcers), if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3543	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300C1 must not equal blank (^).	See error number -3542
-3544	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300D1 must not equal blank (^).	See error number -3542
-3545	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300E1 must not equal blank (^).	See error number -3542
-3546	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300F1 must not equal blank (^).	See error number -3542
-3547	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0300G1 must not equal blank (^).	See error number -3542

Error ID	Sev	Error Message	Error Description
-3548a	Fatal	Invalid Skip Pattern: If M0300B1 equals 1-9, then all active items from M0300B2 through M0300B3 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN items M0300B2 (Number present at admission) and M0300B3 (Date of oldest Stage 2 pressure ulcer), if active, must not be blank (^). • IF M0300B1 is 0 or blank (^), THEN items M0300B2 (Number present at admission) and M0300B3 (Date of oldest Stage 2 pressure ulcer), if active, must be blank (^). • IF M0300B1 is a dash (-), THEN items M0300B2 (Number present at admission) and M0300B3 (Date of oldest Stage 2 pressure ulcer), if active, must be a dash (-). <p>Tip: This is a skip pattern. If M0300B1 is 0, then skip to M0300C (Stage 3) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3548b	Fatal	Invalid Skip Pattern: If M0300B1 equals 0 or blank (^), then all active items from M0300B2 through M0300B3 must equal blank (^).	See error number -3548a
-3548c	Fatal	Invalid Skip Pattern: If M0300B1 equals dash (-), then all active items from M0300B2 through M0300B3 must equal dash (-).	See error number -3548a

Error ID	Sev	Error Message	Error Description
-3549a	Fatal	Invalid Skip Pattern: If M0300C1 equals 1-9, then M0300C2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2 (Number present at admission), if active, must not be blank (^). • IF M0300C1 is 0 or blank (^), THEN M0300C2 (Number present at admission), if active, must be blank (^). • IF M0300C1 is a dash (-), THEN M0300C2 (Number present at admission) must be a dash (-). <p>Tip: This is a skip pattern. If M0300C1 is 0, then skip to M0300D (Stage 3) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3549b	Fatal	Invalid Skip Pattern: If M0300C1 equals 0 or blank (^), then M0300C2 must equal blank (^).	See error number -3549a
-3549c	Fatal	Invalid Skip Pattern: If M0300C1 equals dash (-), then M0300C2 must equal dash (-).	See error number -3549a
-3550a	Fatal	Invalid Skip Pattern: If M0300D1 equals 1-9, then M0300D2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2 (Number present at admission), if active, must not be blank (^). • IF M0300D1 is 0 or blank (^), THEN M0300D2 (Number present at admission), if active, must be blank (^). • IF M0300D1 is a dash (-), THEN M0300D2 (Number present at admission) must be a dash (-). <p>Tip: This is a skip pattern. If M0300D1 is 0, then skip to M0300E (Unstageable – Non-removable dressing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3550b	Fatal	Invalid Skip Pattern: If M0300D1 equals 0 or blank (^), then M0300D2 must equal blank (^).	See error number -3550a

Error ID	Sev	Error Message	Error Description
-3550c	Fatal	Invalid Skip Pattern: If M0300D1 equals dash (-), then M0300D2 must equal dash (-).	See error number -3550a
-3551a	Fatal	Invalid Skip Pattern: If M0300E1 equals 1-9, then M0300E2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300E1 (Number of unstageable pressure ulcers due to non-removable dressing/device).</p> <ul style="list-style-type: none"> • IF M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 (Number present at admission), if active, must not be blank (^). • IF M0300E1 is 0 or blank (^), THEN M0300E2 (Number present at admission), if active, must be blank (^). • IF M0300E1 is a dash (-), THEN M0300E2 (Number present at admission) must be a dash (-). <p>Tip: This is a skip pattern. If M0300E1 is 0, then skip to M0300F (Unstageable – Slough and/or eschar) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3551b	Fatal	Invalid Skip Pattern: If M0300E1 equals 0 or blank (^), then M0300E2 must equal blank (^).	See error number -3551a
-3551c	Fatal	Invalid Skip Pattern: If M0300E1 equals dash (-), then M0300E2 must equal dash (-).	See error number -3551a
-3552a	Fatal	Invalid Skip Pattern: If M0300F1 equals 1-9, then M0300F2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300F1 (Number of unstageable pressure ulcers due to slough/eschar).</p> <ul style="list-style-type: none"> • IF M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2 (Number present at admission), if active, must not be blank (^). • IF M0300F1 is 0 or blank (^), THEN M0300F2 (Number present at admission), if active, must be blank (^). • IF M0300F1 is a dash (-), THEN M0300F2 (Number present at admission) must be a dash (-). <p>Tip: This is a skip pattern. If M0300F1 is 0, then skip to M0300G (Unstageable – Deep tissue) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3552b	Fatal	Invalid Skip Pattern: If M0300F1 equals 0 or blank (^), then M0300F2 must equal blank (^).	See error number -3552a
-3552c	Fatal	Invalid Skip Pattern: If M0300F1 equals dash (-), then M0300F2 must equal dash (-).	See error number -3552a
-3553a	Fatal	Invalid Skip Pattern: If M0300G1 equals 1-9, then M0300G2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300G1 (Number of unstageable pressure ulcers with suspected deep tissue injury).</p> <ul style="list-style-type: none"> • IF M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 (Number present at admission), if active, must not be blank (^). • IF M0300G1 is 0 or blank (^), THEN M0300G2 (Number present at admission), if active, must be blank (^). • IF M0300G1 is a dash (-), THEN M0300G2 (Number present at admission) must be a dash (-). <p>Tip: This is a skip pattern. If M0300G1 is 0, then skip to M0610 (Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers/Eschar) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3553b	Fatal	Invalid Skip Pattern: If M0300G1 equals 0 or blank (^), then M0300G2 must equal blank (^).	See error number -3553a
-3553c	Fatal	Invalid Skip Pattern: If M0300G1 equals dash (-), then M0300G2 must equal dash (-).	See error number -3553a
-3555a	Fatal	Invalid Skip Pattern: If O0250A equals 1, then O0250B must not equal blank (^).	<p>Cause: The value submitted in item O0250B (Date vaccine received) is not consistent with the value submitted in item O0250A (Did resident receive the influenza vaccine?).</p> <ul style="list-style-type: none"> • IF O0250A is 1, THEN O0250B must not be blank (^). • IF O0250A is 0, THEN O0250B must be blank (^). • IF O0250A is a dash (-), THEN O0250B must be a dash (-). <p>Tip: This is a skip pattern. If O0250A is 0, then skip to O0250C (If Influenza vaccine not received, state reason) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3555b	Fatal	Invalid Skip Pattern: If O0250A equals 0, then O0250B must equal blank (^).	See error number -3555a
-3555c	Fatal	Invalid Skip Pattern: If O0250A equals dash (-), then O0250B must equal dash (-).	See error number -3555a
-3556a	Fatal	Invalid Skip Pattern: If O0300A equals 0, then O0300B must not equal blank (^).	<p>Cause: The value submitted in item O0300B (Reason pneumococcal vaccine not received) is not consistent with the value submitted in item O0300A (Is resident's pneumococcal vaccination up to date?).</p> <ul style="list-style-type: none"> • IF O0300A is 0, THEN O0300B must not be blank (^). • IF O0300A is 1, THEN O0300B must be blank (^). • IF O0300A is a dash (-), THEN O0300B must be a dash (-). <p>Tip: This is a skip pattern. If O0300A is 1, then skip to O0400 (Therapies) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3556b	Fatal	Invalid Skip Pattern: If O0300A equals 1, then O0300B must equal blank (^).	See error number -3556a
-3556c	Fatal	Invalid Skip Pattern: If O0300A equals dash (-), then O0300B must equal dash (-).	See error number -3556a

Error ID	Sev	Error Message	Error Description
-3557a	Fatal	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 equals 0 and at least one of these items does not equal dash (-), then O0400A3A and O0400A4 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0400A1, O0400A2, and O0400A3 is 0 and one or more of these items is not a dash (-), THEN O0400A3A (Co-treatment minutes) and O0400A4 (Days) must be blank (^). • IF the sum of the minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, THEN O0400A3A, O0400A4, O0400A5 (Therapy start date), and O0400A6 (Therapy end date) must not be blank (^). • IF O0400A1, O0400A2, and O0400A3 are a dash (-), THEN O0400A3A, O0400A4, O0400A5, and O0400A6 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0400A1, O0400A2, and O0400A3 is 0, then skip to O0400B (Occupational Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3557b	Fatal	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal blank (^).	See error number -3557a
-3557c	Fatal	Inconsistent O0400A Items: If O0400A1, O0400A2, and O0400A3 all equal dash (-), then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal dash (-).	See error number -3557a

Error ID	Sev	Error Message	Error Description
-3558a	Fatal	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 equals 0 and at least one of these items does not equal dash (-), then O0400B3A and O0400B4 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0400B1, O0400B2, and O0400B3 is 0 and one or more of these items is not a dash (-), THEN O0400B3A (Co-treatment minutes) and O0400B4 (Days) must be blank (^). • IF the sum of the minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, THEN O0400B3A, O0400B4, O0400B5 (Therapy start date), and O0400B6 (Therapy end date) must not be blank (^). • IF items O0400B1, O0400B2, and O0400B3 are a dash (-), THEN O0400B3A, O0400B4, O0400B5, and O0400B6 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0400B1, O0400B2, and O0400B3 is 0, then skip to O0400C (Physical Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3558b	Fatal	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal blank (^).	See error number -3558a
-3558c	Fatal	Inconsistent O0400B Items: If O0400B1, O0400B2, and O0400B3 all equal dash (-), then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal dash (-).	See error number -3558a

Error ID	Sev	Error Message	Error Description
-3559a	Fatal	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 equals 0 and at least one of these items does not equal dash (-), then O0400C3A and O0400C4 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0400C1, O0400C2, and O0400C3 is 0 and one or more of these items is not a dash (-), THEN O0400C3A (Co-treatment minutes) and O0400C4 (Days) must be blank (^). • IF the sum of the minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, THEN O0400C3A, O0400C4, O0400C5 (Therapy start date), and O0400C6 (Therapy end date) must not be blank (^). • IF items O0400C1, O0400C2, and O0400C3 are a dash (-), THEN O0400C3A, O0400C4, O0400C5, and O0400C6 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0400C1, O0400C2, and O0400C3 is 0, then skip to O0400D (Respiratory Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3559b	Fatal	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal blank (^).	See error number -3559a
-3559c	Fatal	Inconsistent O0400C Items: If O0400C1, O0400C2, and O0400C3 all equal dash (-), then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal dash (-).	See error number -3559a

Error ID	Sev	Error Message	Error Description
-3560a	Fatal	Invalid Skip Pattern: If O0400D1 is greater than 0, then O0400D2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item O0400D1 (Total minutes).</p> <ul style="list-style-type: none"> • IF O0400D1 is greater than 0000, THEN O0400D2 (Days) must not be blank (^). • IF O0400D1 is 0000, THEN O0400D2 (Days) must be blank (^). • IF O0400D1 is a dash (-), THEN O0400D2 (Days) must be a dash (-). <p>Tip: This is a skip pattern. If O0400D1 is 0000, then skip to O0400E (Psychological Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3560b	Fatal	Invalid Skip Pattern: If O0400D1 equals 0, then O0400D2 must equal blank (^).	See error number -3560a
-3560c	Fatal	Invalid Skip Pattern: If O0400D1 equals dash (-), then O0400D2 must equal dash (-).	See error number -3560a
-3561a	Fatal	Invalid Skip Pattern: If O0400E1 is greater than 0, then O0400E2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item O0400E1 (Total minutes).</p> <ul style="list-style-type: none"> • IF O0400E1 is greater than 0000, THEN O0400E2 (Days) must not be blank (^). • IF O0400E1 is 0000, THEN O0400E2 (Days) must be blank (^). • IF O0400E1 is a dash (-), THEN O0400E2 (Days) must be a dash (-). <p>Tip: This is a skip pattern. If O0400E1 is 0000, then skip to O0400F (Recreational Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3561b	Fatal	Invalid Skip Pattern: If O0400E1 equals 0, then O0400E2 must equal blank (^).	See error number -3561a
-3561c	Fatal	Invalid Skip Pattern: If O0400E1 equals dash (-), then O0400E2 must equal dash (-).	See error number -3561a

Error ID	Sev	Error Message	Error Description
-3562a	Fatal	Invalid Skip Pattern: If O0400F1 is greater than 0, then O0400F2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item O0400F1 (Total minutes).</p> <ul style="list-style-type: none"> • IF O0400F1 is greater than 0000, THEN O0400F2 (Days) must not be blank (^). • IF O0400F1 is 0000, THEN O0400F2 (Days) must be blank (^). • IF O0400F1 is a dash (-), THEN O0400F2 (Days) must be a dash (-). <p>Tip: This is a skip pattern. If O0400F1 is 0000, then skip to O0420 (Distinct Calendar Days of Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3562b	Fatal	Invalid Skip Pattern: If O0400F1 equals 0, then O0400F2 must equal blank (^).	See error number -3562a
-3562c	Fatal	Invalid Skip Pattern: If O0400F1 equals dash (-), then O0400F2 must equal dash (-).	See error number -3562a
-3563a	Fatal	Invalid Skip Pattern: If A0310E equals 0, then all active items from Q0300A through Q0300B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since most recent admission?).</p> <ul style="list-style-type: none"> • IF A0310E is 0, THEN items Q0300A (Resident's overall goal) and Q0300B (Information source), if active, must be blank (^). • IF A0310E is 1, THEN items Q0300A (Resident's overall goal) and Q0300B (Information source), if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3563b	Fatal	Invalid Skip Pattern: If A0310E equals 1, then all active items from Q0300A through Q0300B must not equal blank (^).	See error number -3563a
-3565	Fatal	Incorrect Format: If the value does not equal blank (^), it must be 9 characters long.	<p>Cause: The submitted SSN must be 9 characters in length.</p> <ul style="list-style-type: none"> • IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN it must contain 9 characters. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3566	Fatal	Incorrect Format: If the value does not equal blank (^), the first three characters must not equal 000.	<p>Cause: The submitted SSN is invalid.</p> <ul style="list-style-type: none"> IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN the first three characters must not be 000. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3567	Fatal	Incorrect Format: Social Security Number must not equal any of the following: 111111111, 333333333, 123456789, or 999999999.	<p>Cause: The submitted SSN is invalid.</p> <ul style="list-style-type: none"> IF A0600A (Social Security Number) and/or X0500 (Social Security Number) is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3568	Fatal	Incorrect Format: If A0100A does not equal blank (^), then it must contain 10 numeric characters.	<p>Cause: The submitted National Provider Identifier (NPI) is invalid.</p> <ul style="list-style-type: none"> IF A0100A (NPI) is not blank (^), THEN it must be 10 characters in length. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3569	Fatal	Incorrect Format: If the first character is numeric 0-9, then the first 9 characters must be numeric 0-9.	<p>Cause: The submitted Medicare/railroad insurance number is invalid.</p> <ul style="list-style-type: none"> IF the first character of A0600B (Medicare/railroad insurance number) is numeric, THEN all 9 characters must be numeric. IF the first character of A0600B (Medicare/railroad insurance number) is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3570	Fatal	Incorrect Format: If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.	See error number -3569

Error ID	Sev	Error Message	Error Description
-3571	Fatal	Medicare Number Missing: For a PPS assessment (A0310B equals 01, 02, 03, 04, 05, 06, or 07) A0600B (Medicare or comparable railroad insurance number) must not equal blank (^).	<p>Cause: A Medicare Number or Railroad Insurance Number is required for a PPS Assessment.</p> <ul style="list-style-type: none"> • IF A0310B (PPS assessment) is 01, 02, 03, 04, 05, 06, or 07, THEN A0600B (Medicare/railroad insurance number) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3572a	Fatal	Invalid Skip Pattern: If A1100A equals 0 or 9, then A1100B must equal blank (^).	<p>Cause: The value submitted in item A1100B (Preferred language) is not consistent with the value submitted in item A1100A (Does the resident need/want an interpreter?).</p> <ul style="list-style-type: none"> • IF A1100A is 0 or 9, THEN A1100B must be blank (^). • IF A1100A is 1, THEN A1100B must not be blank (^). • IF A1100A is a dash (-), THEN A1100B must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3572b	Fatal	Invalid Skip Pattern: If A1100A equals 1, then A1100B must not equal blank (^).	See error number -3572a
-3572c	Fatal	Invalid Skip Pattern: If A1100A equals dash (-), then A1100B must equal dash (-).	See error number -3572a

Error ID	Sev	Error Message	Error Description
-3573a	Fatal	Inconsistent Dates: The first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • These dates must occur chronologically as follows: <ul style="list-style-type: none"> o A0900 (Birth Date) must precede or be the same as A1600 (Entry Date) o A1600 (Entry Date) must precede or be the same as A2200 (Previous ARD for Significant Correction) o A2200 (Previous ARD for Significant Correction) must precede or be the same as A2300 (Assessment Reference Date) o A2300 (Assessment Reference Date) must be the same as A2000 (Discharge Date) o A2000 (Discharge Date) must precede or be the same as Z0500B (Date RN signed assessment as complete) o Z0500B (Date RN signed assessment as complete) must precede or be the same as V0200B2 (CAA process signature date) o V0200B2 (CAA process signature date) must precede or be the same as V0200C2 (Care plan signature date) o V0200C2 (Care plan signature date) must precede or be the same as X1100E (modification attestation date) o X1100E (Attestation Date) must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3573b1	Fatal	Inconsistent Dates: This date must follow or be the same as A0900.	<p>Cause: The date submitted in this item must be greater than or equal to the birth date submitted in A0900.</p> <ul style="list-style-type: none"> • The following dates must not precede A0900 (Birth Date): <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) o A2400C (End date of most recent Medicare stay) o M0300B3 (Date of oldest Stage 2 pressure ulcer) o O0250B (Date influenza vaccine received) o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) o V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3573b2	Fatal	Inconsistent Dates: This date must precede or be the same as A2300 if A2300 is active.	<p>Cause: The date submitted in this item must be less than or equal to the Assessment Reference Date submitted in A2300, if active.</p> <ul style="list-style-type: none"> • The following dates must not follow A2300 (Assessment Reference Date): <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) o A2400C (End date of most recent Medicare stay) o M0300B3 (Date of oldest Stage 2 pressure ulcer) o O0250B (Date influenza vaccine received) o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) o V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3573b3	Fatal	Inconsistent Dates: This date must precede or be the same as A2000 if A0310F equals 10, 11, or 12.	<p>Cause: The date submitted in this item must be less than or equal to the Discharge Date submitted in A2000, if A0310F is 10, 11, or 12.</p> <ul style="list-style-type: none"> • The following dates must not follow A2000 (Discharge Date): <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) ○ A2400C (End date of most recent Medicare stay) ○ M0300B3 (Date of oldest Stage 2 pressure ulcer) ○ O0250B (Date influenza vaccine received) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) ○ O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) ○ O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) ○ O0400C6 (Physical Therapy: Therapy end date) ○ V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3573b4	Fatal	Inconsistent Dates: The start date must precede or be the same as the end date.	<p>Cause: For a start/end date pair, the start date must be less than or equal to the end date.</p> <ul style="list-style-type: none"> • In the following date pairs, the end date must not precede the associated start date: <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) and O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) and O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) and O0400C6 (Physical Therapy: Therapy end date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3586a	Fatal	Invalid Skip Pattern: If C0500 equals dash (-) or 99, then C0600 must equal 1 or dash (-).	<p>Cause: The value submitted in item C0600 (Should the Staff Assessment for Mental Status be Conducted?) is not consistent with the value submitted in item C0500 (BIMS Summary Score).</p> <ul style="list-style-type: none"> • IF C0500 is a dash (-) or 99, THEN C0600 must be 1 or a dash (-). • IF C0500 is 00-15 (inclusive), THEN C0600 must be 0. <p>Definition: BIMS – Brief Interview for Mental Status</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3586b	Fatal	Invalid Skip Pattern: If C0500 equals 00-15, then C0600 must equal 0.	See error number -3586a
-3587a	Fatal	Inconsistent D0300 Value: If D0200A2 through D0200I2 in Column 2 all equal 0, 1, 2, or 3, then D0300 must equal the sum of those values.	<p>Cause: The value submitted in item D0300 (Total Severity Score) does not match the Resident Mood Interview Total Severity Score calculated by the QIES ASAP System.</p> <ul style="list-style-type: none"> • IF each item D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of items D0200A2 through D0200I2. • IF one of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is a dash (-) or blank (^) AND the values of the other eight items is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of the other eight items multiplied by 1.125 rounded to the nearest whole number. • IF two of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) is a dash (-) or blank (^) AND the values of the other seven items is 0, 1, 2, or 3, THEN D0300 must be the sum of the values of the other seven items multiplied by 1.286 rounded to the nearest whole number. • IF 3 or more of the items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) are a dash (-) or blank (^) but at least one of these items is not a dash (-), THEN D0300 must be 99. • IF all items D0200A2 through D0200I2 (Resident Mood Interview symptom frequencies) are a dash (-), THEN D0300 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3587c	Fatal	Inconsistent D0300 Value: If one of the nine items D0200A2 through D0200I2 in Column 2 equals dash (-) or blank (^) and the other eight items equal 0, 1, 2, or 3, then D0300 must equal the sum of the other eight items multiplied by 9/8 (1.125) rounded to the nearest whole number.	See error number -3587a
-3587d	Fatal	Inconsistent D0300 Value: If two of the nine items D0200A2 through D0200I2 in Column 2 equal dash (-) or blank (^) and the other seven items equal 0, 1, 2, or 3, then D0300 must equal the sum of the other seven items multiplied by 9/7 (1.286) rounded to the nearest whole number.	See error number -3587a
-3587e	Fatal	Inconsistent D0300 Value: If three or more of the items D0200A2 through D0200I2 in Column 2 equal dash (-) or blank (^) but at least one of these items is not equal to (-), then D0300 must equal 99.	See error number -3587a
-3587f	Fatal	Inconsistent D0300 Value: If D0200A2 through D0200I2 in Column 2 all equal dash (-), then D0300 must equal dash (-).	See error number -3587a

Error ID	Sev	Error Message	Error Description
-3588a	Fatal	Inconsistent D0600 Value: If D0500A2 through D0500J2 in Column 2 all equal 0, 1, 2, or 3, then D0600 must equal the sum of those values.	<p>Cause: The score submitted in item D0600 (Total Severity Score) does not match the Staff Assessment of Mood Total Severity Score calculated by the QIES ASAP System.</p> <ul style="list-style-type: none"> • IF each item D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is 0, 1, 2, or 3, THEN D0600 must be the sum of the values of items D0500A2 through D0500J2. • IF one of the items D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is a dash (-) and the values of the other nine items is 0, 1, 2, or 3, THEN D0600 must be the sum of the values of the other nine items multiplied by 1.111 rounded to the nearest whole number. • IF two of the items D05200A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) is a dash (-) and the values of the other eight items are 0, 1, 2, or 3, THEN D0600 must be the sum of the values of the other eight items multiplied by 1.250 rounded to the nearest whole number. • IF three or more items D0500A2 through D0500J2 (Resident Mood staff assessment symptom frequencies) are a dash (-), THEN D0600 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3588c	Fatal	Inconsistent D0600 Value: If one of the ten items D0500A2 through D0500J2 in Column 2 equals dash (-) and the other nine items equal 0, 1, 2, or 3, then D0600 must equal the sum of the other nine items multiplied by 10/9 (1.111) rounded to the nearest whole number.	See error number -3588a
-3588d	Fatal	Inconsistent D0600 Value: If two of the ten items D0500A2 through D0500J2 in Column 2 equal dash (-) and the other eight items equal 0, 1, 2, or 3, then D0600 must equal the sum of the other eight items multiplied by 10/8 (1.250) rounded to the nearest whole number.	See error number -3588a
-3588e	Fatal	Inconsistent D0600 Value: If three or more of the ten items D0500A2 through D0500J2 in Column 2 equal dash (-), then D0600 must equal dash (-).	See error number -3588a

Error ID	Sev	Error Message	Error Description
-3590a	Fatal	Inconsistent F Items: If F0300 equals 1, then if 3 or more items from F0400A through F0500H equal 9 or dash (-), then F0600 must equal 9 or dash (-) and F0700 must equal 1 or dash (-).	<p>Cause: The values submitted in items F0300 (Should Interview for Daily and Activity Preferences be Conducted?), F0600 (Daily and Activity Preferences Primary Respondent) and/or F0700 (Should the Staff Assessment of Daily and Activity Preferences be Conducted?) are not consistent with the responses submitted in items F0400A – F0500H (Interviews for Daily and Activity Preferences).</p> <ul style="list-style-type: none"> • IF F0300 is 1 and three or more items F0400A through F0500H are 9 or a dash (-), THEN F0600 must be 9 or a dash (-) and F0700 must be 1 or a dash (-). • IF F0300 is 1 and two or fewer items F0400A through F0500H are 9 or a dash (-), THEN F0600 must be 1, 2, or a dash (-) and F0700 must be 0 or a dash (-). • IF F0300 is 1 and all items F0400A through F0500H are a dash (-), THEN F0600 must be a dash (-) and F0700 must be 1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3590b	Fatal	Inconsistent F Items: If F0300 equals 1, then if 2 or fewer items from F0400A through F0500H equal 9 or dash (-), then F0600 must equal 1, 2, or dash (-) and F0700 must equal 0 or dash (-).	See error number -3590a
-3590c	Fatal	Inconsistent F Items: If F0300 equals 1, and all items from F0400A through F0500H equal dash (-), then F0600 must equal dash (-) and F0700 must equal 1 or dash (-).	See error number -3590a

Error ID	Sev	Error Message	Error Description
-3591	Fatal	Incorrect Format: Invalid ICD-9 item format.	<p>Cause: The ICD-9 code submitted in this item is not formatted properly.</p> <ul style="list-style-type: none"> • IF an item I8000A through I8000J (ICD Code) is not blank (^), THEN it must be an 8-character, fixed-format string with all blanks replaced with the caret symbol (^), and with a decimal point as the 6th character. An entirely blank ICD-9 item must be submitted as a single ^. For example: <ul style="list-style-type: none"> o The ICD-9 code "123.4" is submitted as [^^123.4^]. o The ICD-9 code "123." Is submitted as [^^123.^]. o The ICD-9 code "E123.4" is submitted as [^E123.4^]. o The ICD-9 code "V12.3" is submitted as [^^V12.3^]. o An entirely blank ICD-9 code is submitted as [^]. • Other formatting rules are as follows: <ul style="list-style-type: none"> o Character 1 must be ^. o Character 2 must be E or ^. o If character 2 is ^, then character 3 can be V or a number 0-9. If character 2 is E, then character 3 must be a number 0-9. o Characters 4 through 5 must be a number 0-9. o Character 6 must be a decimal point. o Characters 7 and 8 must be a number 0-9 or ^. o If character 7 is ^, then character 8 must be ^. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3593a	Fatal	Inconsistent M Items: If M0300C1, M0300D1, or M0300F1 is greater than 0, then M0610A, M0610B, and M0610C must not equal blank (^).	<p>Cause: The dimensions of unhealed Stage 3 or 4 pressure ulcers or eschar submitted in items M0610A (Pressure ulcer length), M0610B (Pressure ulcer width) and/or M0610C (Pressure ulcer depth) are not consistent with the presence/number of unhealed pressure ulcers indicated in items M0300C1 (Number of Stage 3 pressure ulcers), M0300D1 (Number of Stage 4 pressure ulcers) and/or M0300F1 (Number of unstageable slough/eschar pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300C1, M0300D1, or M0300F1 is greater than 0, THEN M0610A, M0610B, and M0610C must not be blank (^). • IF M0300C1, M0300D1, and M0300F1 are 0, a dash (-), or blank (^), THEN M0610A, M0610B, and M0610C must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3593b	Fatal	Inconsistent M Items: If M0300C1, M0300D1, and M0300F1 all equal 0, dash (-), or blank (^), then M0610A, M0610B, and M0610C must equal blank (^).	See error number -3593a
-3595a	Fatal	Inconsistent None of the Above Value: If M0100Z equals 0, then at least one item from M0100A through M0100C must equal 1.	<p>Cause: The value submitted in item M0100Z (Determination of Pressure Ulcer Risk: None of the above) is not consistent with one or more values submitted in related items M0100A – M0100C.</p> <ul style="list-style-type: none"> • IF M0100Z is unchecked, THEN one or more items M0100A through M0100C must be checked. • IF M0100Z is checked, THEN items M0100A through M0100C must be unchecked. • IF M0100Z is a dash (-), THEN one or more items M0100A through M0100C must be a dash (-) and the remaining items M0100A through M0100C must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3595b	Fatal	Inconsistent None of the Above Value: If M0100Z equals 1, then all items from M0100A through M0100C must equal 0.	See error number -3595a

Error ID	Sev	Error Message	Error Description
-3595c	Fatal	Inconsistent None of the Above Value: If M0100Z equals dash (-), then at least one item from M0100A through M0100C must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3595a
-3596a	Fatal	Inconsistent M0800 Items: If A0310E equals 1, then all active items from M0800A through M0800C must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since the most recent admission?).</p> <ul style="list-style-type: none"> • IF A0310E is 1, THEN M0800A (Stage 2), M0800B (Stage 3), and M0800C (Stage 4), if active, must be blank (^). • IF A0310E is 0 and M0210 (Unhealed Pressure Ulcers) is 1, THEN M0800A (Stage 2), M0800B (Stage 3), and M0800C (Stage 4), if active, must not be blank (^). • IF A0310E is 0 and M0210 (Unhealed Pressure Ulcers) is a dash (-), THEN M0800A (Stage 2), M0800B (Stage 3), and M0800C (Stage 4), if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3596b	Fatal	Inconsistent M0800 Items: If A0310E equals 0 and M0210 equals 1, then all active items from M0800A through M0800C must not equal blank (^).	See error number -3596a
-3596c	Fatal	Inconsistent M0800 Items: If A0310E equals 0 and M0210 equals dash (-), then all active items from M0800A through M0800C must equal dash (-).	See error number -3596a
-3597	Fatal	Invalid Skip Pattern: If A0310E equals 0, then M0900A must not equal blank (^).	<p>Cause: The value submitted in item M0900A (Were pressure ulcers present on the prior assessment?) must not be blank when the value submitted in item A0310E (First assessment since the most recent admission?) is a zero.</p> <ul style="list-style-type: none"> • IF A0310E is 0, THEN M0900A, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3598a	Fatal	Invalid Skip Pattern: If M0900A equals 1, then all active items from M0900B through M0900D must not equal blank (^).	<p>Cause: The number of unhealed pressure ulcers indicated in items M0900B (Stage 2), M0900C (Stage 3), and/or M0900D (Stage 4) is not consistent with the presence of pressure ulcers indicated in item M0900A (Were pressure ulcers present on the prior assessment?).</p> <ul style="list-style-type: none"> • IF M0900A is 1, THEN all active items M0900B through M0900D must not be blank (^). • IF M0900A is 0 or blank (^), THEN all active items M0900B through M0900D must be blank (^). • IF M0900A is a dash (-), THEN all active items M0900B through M0900D must be a dash (-). <p>Tip: This is a skip pattern. If M0900A is 0, then skip to M1030 (Number of Venous and Arterial Ulcers) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3598b	Fatal	Invalid Skip Pattern: If M0900A equals 0 or blank (^), then all active items from M0900B through M0900D must equal blank (^).	See error number -3598a
-3598c	Fatal	Invalid Skip Pattern: If M0900A equals dash (-), then all active items from M0900B through M0900D must equal dash (-).	See error number -3598a

Error ID	Sev	Error Message	Error Description
-3605a	Fatal	Invalid Skip Pattern: If J1800 equals 0, then all active items from J1900A through J1900C must equal blank (^).	<p>Cause: The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).</p> <ul style="list-style-type: none"> • IF J1800 is 0, THEN all active items J1900A through J1900C must be blank (^). • IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^) and at least one of these items must be (-), 1, or 2. • IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-). <p>Tip: This is a skip pattern. If J1800 is 0, then skip to K0100 (Swallowing Disorder) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3605b	Fatal	Invalid Skip Pattern: If J1800 equals 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	See error number -3605a
-3605c	Fatal	Invalid Skip Pattern: If J1800 equals dash (-), then all active items from J1900A through J1900C must equal dash (-).	See error number -3605a

Error ID	Sev	Error Message	Error Description
-3607	Fatal	Inconsistent Reasons for Assessment: A0200 (type of provider) and A0310A, A0310B, A0310C, A0310D, A0310F, and/or A0310H (reasons for assessment) are not a valid combination for the submitted Item Subset Code (ISC).	<p>Cause: The Item Subset Code (ISC) submitted is not consistent with one or more values submitted in A0200 (Type of Provider), A0310A (Federal OBRA Reason for Assessment/Tracking), A0310B (PPS Assessments), A0310C (PPS OMRA), A0310D (Is this a Swing Bed clinical change assessment?), A0310F (Entry/discharge reporting), and/or A0310H (Is this a SNF Part A PPS Discharge Assessment?).</p> <p>Tip: A special ISC is used for inactivations. When the record is an inactivation (A0050 is 3), then the ISC is XX. When the ISC is XX, only control items and the items in Section X are active, so the normal relationships between the RFA items and the ISC code do not apply.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item. Contact your software vendor.</p>
-3608a	Fatal	Inconsistent A0310 Items: If A0200 equals 1 and A0310E equals 1, then A0310A must equal (01,02,03,04,05,06) OR A0310B must equal (01,02,03,04,05,06) OR A0310F must equal (10,11).	<p>Cause: The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 1 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.</p> <ul style="list-style-type: none"> • IF A0200 is 1 and A0310E is 1, THEN: <ul style="list-style-type: none"> o A0310A must be 01, 02, 03, 04, 05, or 06 OR o A0310B must be 01, 02, 03, 04, 05, or 06 OR o A0310F must be 10 or 11 <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3608b	Fatal	Inconsistent A0310 Items: If A0200 equals 2 and A0310E equals 1, then A0310B must equal (01,02,03,04,05,06) OR A0310F must equal (10 or 11).	<p>Cause: The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 2 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.</p> <ul style="list-style-type: none"> • IF A0200 is 2 and A0310E is 1, THEN: <ul style="list-style-type: none"> o A0310B must be 01, 02, 03, 04, 05, or 06 OR o A0310F must be 10 or 11 <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3609	Fatal	Invalid Skip Pattern: If B0100 equals 1, then all active items from B0200 through F0800Z must equal blank (^).	<p>Cause: The value submitted in this item must be blank (^) when the value submitted in item B0100 (Comatose) is 1.</p> <ul style="list-style-type: none"> • IF B0100 (Comatose) is 1, THEN all active items B0200 through F0800Z must be blank (^). • IF B0100 (Comatose) is 1, THEN all active items J0200 through J0850 must be blank (^). <p>Tip: This is a skip pattern. If B0100 is 1, then skip to G0110 (activities of daily living assistance).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3610	Fatal	Invalid Skip Pattern: If B0100 equals 1, then all active items from J0200 through J0850 must equal blank (^).	See error number -3609

Error ID	Sev	Error Message	Error Description
-3612a	Fatal	Invalid Skip Pattern: If M0210 equals 0, then all active items from M0300A through M0800C must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).</p> <ul style="list-style-type: none"> • IF M0210 is 0, THEN all active items M0300A through M0800C must be blank (^). • IF M0210 is a dash (-), THEN all active items M0300A through M0300G2 must be a dash (-). <p>Tip: This is a skip pattern. If M0210 is 0, then skip to M0900 (Healed Pressure Ulcers).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3612b	Fatal	Invalid Skip Pattern: If M0210 equals dash (-), then all active items from M0300A through M0300G2 must equal dash (-).	See error number -3612a
-3616a	Warn	Incorrect HIPPS/RUG Value: The submitted value of the HIPPS/RUG code does not match the value calculated by the QIES ASAP System.	<p>Cause: The value submitted in this item should be consistent with all of the MDS items used in the RUGs classification (i.e., the RUGs calculation should be correct). For items Z0100A (Medicare Part A HIPPS code), Z0100B (RUG version code), and Z0100C (Is this a Medicare Short Stay assessment?), and for items Z0150A (Medicare non-therapy Part A HIPPS code) and Z0150B (RUG version code), the QIES ASAP system recalculates the HIPPS code, the RUG version code, and the short stay indicator. A warning is issued if the recalculated values do not match the submitted values.</p> <p>For items Z0200A (State Medicaid RUG Case Mix group), Z0200B (State Medicaid RUG version code), Z0250A (Alternate State Medicaid RUG Case Mix group), and Z0250B (Alternate State Medicaid RUG version code), the QIES ASAP system recalculates the submitted RUGs code and RUG version code if the State is using a CMS-supported RUG model. A warning is issued if the recalculated codes do not match the submitted codes.</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3616b	Warn	Incorrect RUG Logic Version: The submitted value of the RUG version code does not match the value calculated by the QIES ASAP System.	See error number -3616a

Error ID	Sev	Error Message	Error Description
-3616c	Warn	Inconsistent Z0100C: Z0100C does not match the value calculated by the QIES ASAP System.	See error number -3616a
-3617a	Fatal	Invalid Skip Pattern: If D020011 equals 0, 9, blank (^), or dash (-), then D0350 must equal blank (^).	<p>Cause: The value submitted in item D0350 (Safety Notification) is not consistent with the value submitted in item D020011 (Thoughts about being better off dead or harming self: Presence).</p> <ul style="list-style-type: none"> • IF D020011 is 0, 9, - (dash), or blank (^), THEN D0350, if active, must be blank (^). • IF D020011 is 1, THEN D0350, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3617b	Fatal	Invalid Skip Pattern: If D020011 equals 1, then D0350 must not equal blank (^).	See error number -3617a
-3618a	Fatal	Invalid Skip Pattern: If D050011 equals 0, dash (-), or blank (^), then D0650 must equal blank (^).	<p>Cause: The value submitted in item D0650 (Was responsible staff or provider informed of potential for resident self harm?) is not consistent with the value submitted in item D050011 (States life isn't worth living, wishes for death or attempts to harm self: Presence).</p> <ul style="list-style-type: none"> • IF D050011 is 0, - (dash), or blank (^), THEN D0650 must be blank (^). • IF D050011 is 1, THEN D0650 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3618b	Fatal	Invalid Skip Pattern: If D050011 equals 1, then D0650 must not equal blank (^).	See error number -3618a
-3619	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200B1 must not equal blank (^).	See error number -3529
-3620	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200C1 must not equal blank (^).	See error number -3529
-3621	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200D1 must not equal blank (^).	See error number -3529
-3622	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200E1 must not equal blank (^).	See error number -3529
-3623	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200F1 must not equal blank (^).	See error number -3529

Error ID	Sev	Error Message	Error Description
-3624	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200G1 must not equal blank (^).	See error number -3529
-3625	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200H1 must not equal blank (^).	See error number -3529
-3626	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0200I1 must not equal blank (^).	See error number -3529
-3627	Fatal	Invalid Skip Pattern: If D0100 equals 1, then D0300 must not equal blank (^).	See error number -3529

Error ID	Sev	Error Message	Error Description
-3658	Fatal	No Authority to Collect Data: Privacy rights require federal and/or state authority to collect MDS data. There is no authority to collect the data submitted. Data was not accepted.	<p>Cause: The value submitted in item A0410 (Submission Requirement) is not consistent with the resident's status on the assessment target date.</p> <ul style="list-style-type: none"> • The state has 'no authority' to collect MDS 3.0 data and the submitted value of A0410 = 1 or 2. • The state 'has authority' to collect MDS 3.0 data and the submitted value of A0410 =1. <p>A provider cannot release resident information without appropriate authority. There must be federal and/or State authority in order for a facility to submit MDS information to the QIES ASAP System. The key to what authority exists is based on certified versus non-certified units and whether the state has legislative authority to collect data for residents in non-certified units.</p> <p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <ul style="list-style-type: none"> • IF the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, THEN A0410 must be 3 (federal required submission). • IF the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, THEN A0410 must be 2 (state but not federal required submission). • IF the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), THEN A0410 must be 1 (neither federal nor state required submission). • IF A0410 is 2 or 3, THEN the assessment MUST be submitted to the QIES ASAP System. • IF A0410 is 1, THEN the assessment MUST NOT be submitted to the QIES ASAP System. <p>Definition: <u>Target Date</u> – The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99 o A2300 for Optional State Assessment (A0300A is 1) records. <p>Action: Make appropriate correction to the record and resubmit. Refer to Chapter 5 of the MDS 3.0 RAI Manual for additional information.</p>

Error ID	Sev	Error Message	Error Description
-3659	Fatal	Invalid Date: A0900 (birth date) cannot be more than 140 years earlier than the current date (submission date).	<p>Cause: The submitted birth date is invalid.</p> <ul style="list-style-type: none"> • A0900 (Birth Date) must not be more than 140 years earlier than the submission date. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3660a	Fatal	Inconsistent C0500 Value: If none of the items C0200 through C0400C equal dash (-) and 3 or fewer of the items C0200 through C0400C equal 0, then C0500 must equal the sum of items C0200 through C0400C.	<p>Cause: The value submitted in C0500 (Summary Score) does not match the BIMS Summary Score calculated by the QIES ASAP System.</p> <ul style="list-style-type: none"> • IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 3 or fewer of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C. • IF C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are not a dash (-) and 4 or more of these items are 0, THEN C0500 must be the sum of items C0200 through C0400C or 99. • IF some, but not all, of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be 99. • IF all of the items C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C are a dash (-), THEN C0500 must be a dash (-). <p>Definition: <u>BIMS</u> – Brief Interview for Mental Status</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3660b	Fatal	Inconsistent C0500 Value: If none of the items C0200 through C0400C equal dash (-) and 4 or more of the items C0200 through C0400C equal 0, then C0500 must equal the sum of items C0200 through C0400C or 99.	See error number -3660a
-3660c	Fatal	Inconsistent C0500 Value: If some, but not all, of the items C0200 through C0400C equal dash (-), then C0500 must equal 99.	See error number -3660a
-3660d	Fatal	Inconsistent C0500 Value: If all of the items C0200 through C0400C equal dash (-), then C0500 must equal dash (-).	See error number -3660a

Error ID	Sev	Error Message	Error Description
-3661a	Fatal	Inconsistent K Items: If K0500A or K0500B equals 1, then K0700A and K0700B must not equal blank (^).	<p>Cause: The value submitted in items K0700A (Proportion of calories received through parenteral or tube feeding) and/or K0700B (Average fluid intake by IV or tube feeding) are not consistent with the values submitted in K0500A (Parenteral/IV feeding) and/or K0500B (Feeding tube).</p> <ul style="list-style-type: none"> • IF K0500A is checked OR K0500B is checked, THEN K0700A must not be blank (^) AND K0700B must not be blank (^). • IF K0500A is unchecked AND K0500B is unchecked, THEN K0700A must be blank (^) AND K0700B must be blank (^). • IF K0500A is a dash (-) AND K0500B is a dash (-), THEN K0700A must be a dash (-) AND K0700B must be a dash (-). • IF K0500A is unchecked AND K0500B is a dash (-), THEN K0700A must be a dash (-) AND K0700B must be a dash (-). • IF K0500A is a dash (-) AND K0500B is unchecked, THEN K0700A must be a dash (-) AND K0700B must be a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3661b	Fatal	Inconsistent K Items: If K0500A and K0500B equal 0, then K0700A and K0700B must equal blank (^).	See error number -3661a
-3661c	Fatal	Inconsistent K Items: If K0500A and K0500B equal dash (-), then K0700A and K0700B must equal dash (-).	See error number -3661a
-3661d	Fatal	Inconsistent K Items: If K0500A equals 0 and K0500B equals dash (-), then K0700A and K0700B must equal dash (-).	See error number -3661a
-3661e	Fatal	Inconsistent K Items: If K0500A equals dash (-) and K0500B equals 0, then K0700A and K0700B must equal dash (-).	See error number -3661a

Error ID	Sev	Error Message	Error Description
-3662	Fatal	Inconsistent M Items: If M0300B1 equals 1-9 and M0300B2 is active, then M0300B2 must equal dash (-) OR M0300B2 must equal 0-9 and must be less than or equal to M0300B1.	<p>Cause: The value submitted in item M0300B2 (Number of Stage 2 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300B2, if active, must be a dash (-) OR M0300B2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300B1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3663	Fatal	Inconsistent M Items: If M0300C1 equals 1-9 and M0300C2 is active, then M0300C2 must equal dash (-) OR M0300C2 must equal 0-9 and must be less than or equal to M0300C1.	<p>Cause: The value submitted in item M0300C2 (Number of Stage 3 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300C1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300C2, if active, must be a dash (-) OR M0300C2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300C1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3664	Fatal	Inconsistent M Items: If M0300D1 equals 1-9 and M0300D2 is active, then M0300D2 must equal dash (-) OR M0300D2 must equal 0-9 and must be less than or equal to M0300D1.	<p>Cause: The value submitted in item M0300D2 (Number of Stage 4 pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300D1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300D2, if active, must be a dash (-) OR M0300D2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300D1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3665	Fatal	Inconsistent M Items: If M0300E1 equals 1-9, then M0300E2 must equal dash (-) OR M0300E2 must equal 0-9 and must be less than or equal to M0300E1.	<p>Cause: The value submitted in item M0300E2 (Number of unstageable [non-removable dressing] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300E1 (Number of unstageable [non-removable dressing] pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300E1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300E2 must be a dash (-) OR M0300E2 must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300E1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3666	Fatal	Inconsistent M Items: If M0300F1 equals 1-9 and M0300F2 is active, then M0300F2 must equal dash (-), OR M0300F2 must equal 0-9 and must be less than or equal to M0300F1.	<p>Cause: The value submitted in item M0300F2 (Number of unstageable [slough/eschar] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300F1 (Number of unstageable [slough/eschar] pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300F1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300F2, if active, must be a dash (-) OR M0300F2, if active, must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300F1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3667	Fatal	Inconsistent M Items: If M0300G1 equals 1-9, then M0300G2 must equal dash (-) OR M0300G2 must equal 0-9 and must be less than or equal to M0300G1.	<p>Cause: The value submitted in item M0300G2 (Number of unstageable [deep tissue] pressure ulcers at admission/reentry) is not consistent with the value submitted in item M0300G1 (Number of unstageable [deep tissue] pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300G1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN M0300G2 must be a dash (-) OR M0300G2 must be 1, 2, 3, 4, 5, 6, 7, 8, or 9 but less than or the same as M0300G1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3668a	Fatal	Inconsistent O Items: If A2300 minus A1600 is greater than or equal to 14 days, then active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, and O0100Z1 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A2300 (Assessment Reference Date) and A1600 (Entry Date).</p> <ul style="list-style-type: none"> • IF A2300 minus A1600 is 14 or greater, THEN active items O0100A1 through O0100Z1 (Special treatments while NOT a resident) must be blank (^). • IF A2300 minus A1600 is 13 or less, THEN active items O0100A1 through O0100Z1 must be 0, 1, or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3668b	Fatal	Inconsistent O Items: If A2300 minus A1600 is less than or equal to 13 days, then active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, and O0100Z1 must equal 0, 1, or dash (-).	See error number -3668a
-3669a	Fatal	Inconsistent None of the Above Value: If A1550Z equals 0, then at least one item from A1550A through A1550E must equal 1.	<p>Cause: The value submitted in item A1550Z (Conditions Related to MR/DD Status: None of the above) is not consistent with one or more values submitted in related items A1550A - A1550E.</p> <ul style="list-style-type: none"> • IF A1550Z is unchecked, THEN one or more items A1550A through A1550E must be checked. • IF A1550Z is checked, THEN items A1550A through A1550E must be unchecked. • IF A1550Z is a dash (-), THEN one or more items A1550A through A1550E must be a dash (-) and the remaining items A1550A through A1550E must be unchecked. <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3669b	Fatal	Inconsistent None of the Above Value: If A1550Z equals 1, then all items from A1550A through A1550E must equal 0.	See error number -3669a

Error ID	Sev	Error Message	Error Description
-3669c	Fatal	Inconsistent None of the Above Value: If A1550Z equals dash (-), then at least one item from A1550A through A1550E must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3669a
-3670	Fatal	Invalid Skip Pattern: If A0310E equals 1, then all active items from M0900A through M0900D must equal blank (^).	<p>Cause: The value submitted in this item must be blank when the value submitted in item A0310F (First assessment since most recent admission?) is a 1.</p> <ul style="list-style-type: none"> • IF A0310E is 1, THEN items M0900A through M0900D, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3673	Warn	Inconsistent D0350 Value: If D020011 equals 1, then D0350 should equal 1.	<p>Cause: The value submitted in item D0350 (Safety notification) not consistent with D020011 (Thoughts about being better off dead or harming self: Presence). Warning: Potential resident self harm should be reported appropriately.</p> <ul style="list-style-type: none"> • IF D020011 is 1, THEN D0350 should be 1. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3674	Warn	Inconsistent D0650 Value: If D050011 equals 1, then D0650 should equal 1.	<p>Cause: The value submitted in item D0650 (Safety notification) not consistent with D050011 (States life isn't worth living, wishes for death or attempts to harm self: Presence). Warning: Potential resident self harm should be reported appropriately.</p> <ul style="list-style-type: none"> • IF D050011 is 1, THEN D0650 should be 1. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3675a	Fatal	Inconsistent E0300 Value: If E0200A or E0200B or E0200C equals 1, 2, or 3, then E0300 must equal 1.	<p>Cause: The value submitted in item E0300 (Overall Presence of Behavior Symptoms) is not consistent with one or more values submitted in items E0200A (Physical behavior directed at others), E0200B (Verbal behavior directed at others), or E0200C (Other behavior not directed at others).</p> <ul style="list-style-type: none"> • IF E0200A, E0200B, or E0200C is 1, 2, or 3, THEN E0300 must be 1. • IF E0200A, E0200B, and E0200C are 0, THEN E0300 must be 0. • IF one of the items E0200A, E0200B, or E0200C is a dash (-) and the remaining two items are 0 or a dash (-), THEN E0300 must be 0 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3675b	Fatal	Inconsistent E0300 Value: If E0200A and E0200B and E0200C all equal 0, then E0300 must equal 0.	See error number -3675a
-3675c	Fatal	Inconsistent E0300 Value: If one of the items E0200A, E0200B or E0200C equals dash (-) and the remaining two items equal 0 or dash (-), then E0300 must equal 0 or dash (-).	See error number -3675a
-3676	Fatal	Invalid Value: The value submitted for this item is not an acceptable value.	<p>Cause: The submitted value is not one of the options allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3677	Fatal	Invalid Date: This item must contain a valid date in YYYYMMDD format or allowable special character(s).	<p>Cause: The date submitted in this item is invalid or formatted improperly.</p> <ul style="list-style-type: none"> • A date must be submitted in YYYYMMDD format or must contain the appropriate allowable special character(s). <p>Tip: The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p> <p>Action: Contact the vendor of your encoding software if the date format is incorrect. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3678	Fatal	Invalid Birth Date: A0900 or X0400 must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format or one of the applicable special values.	<p>Cause: The birth date submitted in this item is invalid or formatted improperly.</p> <ul style="list-style-type: none"> A0900 (Birth Date) or X0400 (Birth Date) must be submitted in YYYYMMDD, YYYYMM, or YYYY format or as one of the allowable special values. <p>Tip: The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p> <p>Action: Contact the vendor of your encoding software to correct the formatting of dates. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3679	Fatal	Invalid Value: Only unsigned numeric values that fall within the range of acceptable values and specified special characters are valid for this item.	<p>Cause: The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed.</p> <p>Tip: An unsigned numeric value is a number without a leading plus or minus sign. Negative (signed) numbers are not allowed.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3680	Fatal	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	<p>Cause: The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed. Numbers with a decimal point and one or more decimal places are not allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3682	Fatal	Invalid Numeric Format: Only whole numbers, numbers with one decimal place, and specified special characters are valid for this item.	<p>Cause: The value submitted for this item is invalid; it is not one of the numeric values or special characters allowed. Numbers with two or more decimal places are not allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3686a	Fatal	Inconsistent Software Vendor Information: If the Software Vendor ID does not equal blank (^), then Software Vendor Name and Software E-mail Address must not equal blank (^).	<p>Cause: The value submitted in SFTWR VNDR ID is not consistent with the values submitted in SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR.</p> <ul style="list-style-type: none"> • IF SFTWR VNDR ID is not blank (^), THEN SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR must not be blank (^). • IF SFTWR VNDR ID is blank (^), THEN SFTWR VNDR NAME and SFTWR VNDR EMAIL ADR must be blank (^). <p>Action: Verify that the software vendor information in the encoding software is correct. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3686b	Fatal	Inconsistent Software Vendor Information: If the Software Vendor ID equals blank (^), then Software Vendor Name and Software Vendor E-mail Address must equal blank (^).	See error number -3686a
-3687	Fatal	Invalid Format: Only numeric characters 0-9 and specified special characters are valid for this item. No spaces are allowed.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> • A0100A (NPI), A0600A (Social Security Number), X0500 (modification SSN), and SFTWR VNDR ID may only contain numeric characters or be blank (^). • No spaces are allowed in this item. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3688	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> • This item may only contain alphanumeric characters, or the special character(s) identified in the data specifications for the item, or be blank (^). • No spaces are allowed in this item. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3690	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item. Embedded spaces are allowed.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> This item may only contain alphanumeric characters, a dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item. Embedded spaces are allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3691	Fatal	Invalid Value: Only numeric characters 0-9, letters A-Z, letters a-z, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> This item may only contain alphanumeric characters, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3692	Fatal	Invalid E-Mail Address: The submitted e-mail address contains invalid characters.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> An e-mail address may not contain the following characters: single quote (') double-quote (") comma (,) semi-colon (;) colon (:) back slash (\) right and left parentheses ((and)) right and left brackets ([and]) right and left braces ({ and }) less than (<) greater than (>) space () <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3693a	Fatal	Invalid FAC_ID: The FAC ID submitted in this file does not identify a valid provider in the QIES ASAP System.	<p>Cause: The Facility ID (FAC_ID) in the submitted record is not associated with a valid provider in the QIES ASAP system</p> <ul style="list-style-type: none"> • The FAC_ID must be a system-assigned FAC_ID. • The value of the submitted FAC_ID must match the FAC_ID in the QIES ASAP system for the facility or provider. <p>Action: Make appropriate corrections to the record and resubmit.</p>
-3693b	Fatal	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC ID in this file.	<p>Cause: The submitter's User ID does not have authority to submit for the provider associated with the FAC_ID submitted in this record.</p> <p>Action: Make appropriate corrections to the record and resubmit. Contact the QTSO Help Desk for additional assistance.</p>
-3695	Warn	Incorrect CCN: A0100B does not match the CMS Certification Number (CCN) in the QIES ASAP System database for the provider identified by the FAC ID in the file.	<p>Cause: The CMS Certification Number in this record differs from the CCN that is in the QIES ASAP System database for this provider. The value submitted in A0100B (CMS Certification Number (CCN)) does not match the CCN on file in the QIES ASAP System for the provider identified by the FAC ID in this MDS record.</p> <p>Example: The CCN was entered incorrectly into the encoding software that created the submission file.</p> <p>Action: Verify that the CCN in the encoding software is correct. Contact your State to obtain the correct CCN for your provider.</p>

Error ID	Sev	Error Message	Error Description
-3696a	Fatal	Inconsistent O0400A Items: If the sum of O0400A1, O0400A2, and O0400A3 is greater than zero, then this sum must also be greater than or equal to O0400A4 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes) are not consistent with the value submitted in item O0400A4 (Days).</p> <ul style="list-style-type: none"> • IF the sum of O0400A1, O0400A2, and O0400A3 is greater than 0, THEN this sum must be greater than or equal to O0400A4 multiplied by 15. • IF O0400A4 is greater than 0, THEN the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to O0400A4 multiplied by 1440. • IF the sum of O0400A1, O0400A2, and O0400A3 is greater than 0 and O0400A4 is 0, THEN the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to 0098. <p>Tip: If O0400A1, O0400A2, or O0400A3 is a dash (-), use zero for that item when calculating the sum of the three items.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3696b	Fatal	Inconsistent O0400A Items: If O0400A4 is greater than 0, then the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to O0400A4 multiplied by 1440.	See error number -3696a
-3696c	Fatal	Inconsistent O0400A Items: If the sum of O0400A1, O0400A2, and O0400A3 is greater than zero AND O0400A4 equals 0, then the sum of O0400A1, O0400A2, and O0400A3 must be less than or equal to 0098.	See error number -3696a

Error ID	Sev	Error Message	Error Description
-3697a	Fatal	Inconsistent O0400B Items: If the sum of O0400B1, O0400B2, and O0400B3 is greater than zero, then this sum must also be greater than or equal to O0400B4 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes) are not consistent with the value submitted in item O0400B4 (Days).</p> <ul style="list-style-type: none"> • IF the sum of O0400B1, O0400B2, and O0400B3 is greater than 0, THEN this sum must be greater than or equal to O0400B4 multiplied by 15. • IF O0400B4 is greater than 0, THEN the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to O0400B4 multiplied by 1440. • IF the sum of O0400B1, O0400B2, and O0400B3 is greater than 0 and O0400B4 is 0, THEN the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to 0098. <p>Tip: If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero for that item when calculating the sum of the three items.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3697b	Fatal	Inconsistent O0400B Items: If O0400B4 is greater than 0, then the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to O0400B4 multiplied by 1440.	See error number -3697a
-3697c	Fatal	Inconsistent O0400B Items: If the sum of O0400B1, O0400B2, and O0400B3 is greater than zero AND O0400B4 equals 0, then the sum of O0400B1, O0400B2, and O0400B3 must be less than or equal to 0098. If O0400B1, O0400B2, or O0400B3 is a dash (-), use zero to calculate the sum.	See error number -3697a

Error ID	Sev	Error Message	Error Description
-3698a	Fatal	Inconsistent O0400C Items: If the sum of O0400C1, O0400C2, and O0400C3 is greater than zero, then this sum must also be greater than or equal to O0400C4 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes) are not consistent with the value submitted in item O0400C4 (Days).</p> <ul style="list-style-type: none"> • IF the sum of O0400C1, O0400C2, and O0400C3 is greater than 0, THEN this sum must be greater than or equal to O0400C4 multiplied by 15. • IF O0400C4 is greater than 0, THEN the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to O0400C4 multiplied by 1440. • IF the sum of O0400C1, O0400C2, and O0400C3 is greater than 0 and O0400C4 is 0, THEN the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to 0098. <p>Tip: If O0400C1, O0400C2, or O0400C3 is a dash (-), use zero for that item when calculating the sum of the three items.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3698b	Fatal	Inconsistent O0400C Items: If O0400C4 is greater than 0, then the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to O0400C4 multiplied by 1440.	See error number -3698a
-3698c	Fatal	Inconsistent O0400C Items: If the sum of O0400C1, O0400C2, and O0400C3 is greater than zero AND O0400C4 equals 0, then the sum of O0400C1, O0400C2, and O0400C3 must be less than or equal to 0098.	See error number -3698a

Error ID	Sev	Error Message	Error Description
-3699a	Fatal	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D1 does not equal 0000 or dash (-) and O0400D2 does not equal dash (-), then O0400D1 must be greater than or equal to O0400D2 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400D1 (Individual minutes) are not consistent with the value submitted in item O0400D2 (Days).</p> <ul style="list-style-type: none"> • IF O0400D1 and O0400D2 are active and O0400D1 is not 0000 or a dash (-) and if O0400D2 is not a dash (-), THEN O0400D1 must be greater than or equal to O0400D2 multiplied by 15. • IF O0400D1 and O0400D2 are active and O0400D2 is greater than 0, THEN O0400D1 must be less than or equal to O0400D2 multiplied by 1440. • IF O0400D1 and O0400D2 are active and O0400D2 is 0, THEN O0400D1 must be less than or equal to 0098. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3699b	Fatal	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D2 is greater than 0, then O0400D1 must be less than or equal to O0400D2 multiplied by 1440.	See error number -3699a
-3699c	Fatal	Inconsistent O0400D Items: If O0400D1 and O0400D2 are active and O0400D2 equals 0, then O0400D1 must be less than or equal to 0098.	See error number -3699a
-3700a	Fatal	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E1 does not equal 0000 or dash (-) and if O0400E2 does not equal dash (-), then O0400E1 must be greater than or equal to O0400E2 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400E1 (Individual minutes) are not consistent with the value submitted in item O0400E2 (Days).</p> <ul style="list-style-type: none"> • IF O0400E1 and O0400E2 are active and O0400E1 is not 0000 or a dash (-) and if O0400E2 is not a dash (-), THEN O0400E1 must be greater than or equal to O0400E2 multiplied by 15. • IF O0400E1 and O0400E2 are active and O0400E2 is greater than 0, THEN O0400E1 must be less than or equal to O0400E2 multiplied by 1440. • IF O0400E1 and O0400E2 are active and O0400E2 is 0, THEN O0400E1 must be less than or equal to 0098. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3700b	Fatal	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E2 is greater than 0, then O0400E1 must be less than or equal to O0400E2 multiplied by 1440.	See error number -3700a
-3700c	Fatal	Inconsistent O0400E Items: If O0400E1 and O0400E2 are active and O0400E2 equals 0, then O0400E1 must be less than or equal to 0098.	See error number -3700a
-3701a	Fatal	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F1 does not equal 0000 or dash (-) and if O0400F2 does not equal dash (-), then O0400F1 must be greater than or equal to O0400F2 multiplied by 15.	<p>Cause: The therapy minutes submitted in item O0400F1 (Individual minutes) are not consistent with the value submitted in item O0400F2 (Days).</p> <ul style="list-style-type: none"> • IF O0400F1 and O0400F2 are active and O0400F1 is not 0000 or a dash (-) and if O0400F2 is not a dash (-), THEN O0400F1 must be greater than or equal to O0400F2 multiplied by 15. • IF O0400F1 and O0400F2 are active and O0400F2 greater than 0, THEN O0400F1 must be less than or equal to O0400F2 multiplied by 1440. • IF O0400F1 and O0400F2 are active and O0400F2 is 0, THEN O0400F1 must be less than or equal to 0098. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3701b	Fatal	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F2 is greater than 0, then O0400F1 must be less than or equal to O0400F2 multiplied by 1440.	See error number -3701a
-3701c	Fatal	Inconsistent O0400F Items: If O0400F1 and O0400F2 are active and O0400F2 equals 0, then O0400F1 must be less than or equal to 0098.	See error number -3701a
-3702	Fatal	Invalid Value: This item is required and must not equal blank (^).	<p>Cause: The value submitted in this item is not valid. A non-blank value is required.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3703a	Fatal	Invalid Skip Pattern: If D0100 equals 0 or blank (^), then all active items from D0200A1 through D0300 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item D0100 (Should Resident Mood Interview be Conducted?).</p> <ul style="list-style-type: none"> • IF D0100 is 0 or blank (^), THEN all active items D0200A1 through D0300 must be blank (^). • IF D0100 is a dash (-), THEN all active items D0200A1 through D0300 must be a dash (-). <p>Tip: This is a skip pattern. If D0100 is 0 or blank (^), then skip to D0500 (Staff Assessment of Resident Mood) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3703b	Fatal	Invalid Skip Pattern: If D0100 equals dash (-), then all active items from D0200A1 through D0300 must equal dash (-).	See error number -3703a
-3704a	Fatal	Invalid Skip Pattern: If D0300 equals 00-27, then all active items from D0500A1 through D0600 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item D0300 (Total Severity Score).</p> <ul style="list-style-type: none"> • IF D0300 is 00-27 (inclusive), THEN all active items D0500A1 through D0600 must be blank (^). • IF D0300 is 99 or a dash (-), THEN all active items D0500A1 through D0600 must not be blank (^) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3704b	Fatal	Invalid Skip Pattern: If D0300 equals 99 or dash (-), then all active items from D0500A1 through D0600 must not equal blank (^).	See error number -3704a

Error ID	Sev	Error Message	Error Description
-3705a	Fatal	Invalid Skip Pattern: If M0210 equals 1, then M0700 must not equal blank (^).	<p>Cause: The value submitted in item M0700 (Most Severe Tissue Type for any Pressure Ulcer) is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).</p> <ul style="list-style-type: none"> • IF M0210 is 1, THEN M0700, if active, must not be blank (^). • IF M0210 is a dash (-), THEN M0700 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3705b	Fatal	Invalid Skip Pattern: If M0210 equals dash (-), then M0700 must equal dash (-).	See error number -3705a
-3706	Fatal	Inconsistent Type of Provider: The submitted value of A0200 is inconsistent with information stored in the QIES ASAP System for the provider identified by the FAC ID submitted in this file.	<p>Cause: The value submitted in item A0200 (Type of Provider) does not match the provider type associated with this provider on the QIES ASAP System.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3708a	Fatal	Inconsistent D0200A Items: If D0200A1 equals 0, then D0200A2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0200A1 (Little interest in doing things: Presence).</p> <ul style="list-style-type: none"> • IF D0200A1 is 0, THEN D0200A2 must be 0 or a dash (-). • IF D0200A1 is 1, THEN D0200A2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200A1 is 9, THEN D0200A2 must be blank (^) • IF D0200A1 is a dash (-), THEN D0200A2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3708b	Fatal	Inconsistent D0200A Items: If D0200A1 equals 1, then D0200A2 must equal 0, 1, 2, 3, or dash (-).	See error number -3708a
-3708c	Fatal	Inconsistent D0200A Items: If D0200A1 equals 9, then D0200A2 must equal blank (^).	See error number -3708a
-3708d	Fatal	Inconsistent D0200A Items: If D0200A1 equals dash (-), then D0200A2 must equal dash (-).	See error number -3708a

Error ID	Sev	Error Message	Error Description
-3709a	Fatal	Inconsistent D0200B Items: If D0200B1 equals 0, then D0200B2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0200B1 (Feeling down, depressed, hopeless: Presence).</p> <ul style="list-style-type: none"> • IF D0200B1 is 0, THEN D0200B2 must be 0 or a dash (-). • IF D0200B1 is 1, THEN D0200B2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200B1 is 9, THEN D0200B2 must be blank (^) • IF D0200B1 is a dash (-), THEN D0200B2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3709b	Fatal	Inconsistent D0200B Items: If D0200B1 equals 1, then D0200B2 must equal 0, 1, 2, 3, or dash (-).	See error number -3709a
-3709c	Fatal	Inconsistent D0200B Items: If D0200B1 equals 9, then D0200B2 must equal blank (^).	See error number -3709a
-3709d	Fatal	Inconsistent D0200B Items: If D0200B1 equals dash (-), then D0200B2 must equal dash (-).	See error number -3709a
-3710a	Fatal	Inconsistent D0200C Items: If D0200C1 equals 0, then D0200C2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0200C1 (Trouble sleeping: Presence).</p> <ul style="list-style-type: none"> • IF D0200C1 is 0, THEN D0200C2 must be 0 or a dash (-). • IF D0200C1 is 1, THEN D0200C2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200C1 is 9, THEN D0200C2 must be blank (^) • IF D0200C1 is a dash (-), THEN D0200C2 (frequency of trouble sleeping) must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3710b	Fatal	Inconsistent D0200C Items: If D0200C1 equals 1, then D0200C2 must equal 0, 1, 2, 3, or dash (-).	See error number -3710a
-3710c	Fatal	Inconsistent D0200C Items: If D0200C1 equals 9, then D0200C2 must equal blank (^).	See error number -3710a

Error ID	Sev	Error Message	Error Description
-3710d	Fatal	Inconsistent D0200C Items: If D0200C1 equals dash (-), then D0200C2 must equal dash (-).	See error number -3710a
-3711a	Fatal	Inconsistent D0200D Items: If D0200D1 equals 0, then D0200D2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0200D1 (Feeling tired or having little energy: Presence).</p> <ul style="list-style-type: none"> • IF D0200D1 is 0, THEN D0200D2 must be 0 or a dash (-). • IF D0200D1 is 1, THEN D0200D2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200D1 is 9, THEN D0200D2 must be blank (^) • IF D0200D1 is a dash (-), THEN D0200D2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3711b	Fatal	Inconsistent D0200D Items: If D0200D1 equals 1, then D0200D2 must equal 0, 1, 2, 3, or dash (-).	See error number -3711a
-3711c	Fatal	Inconsistent D0200D Items: If D0200D1 equals 9, then D0200D2 must equal blank (^).	See error number -3711a
-3711d	Fatal	Inconsistent D0200D Items: If D0200D1 equals dash (-), then D0200D2 must equal dash (-).	See error number -3711a
-3712a	Fatal	Inconsistent D0200E Items: If D0200E1 equals 0, then D0200E2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0200E1 (Poor appetite or overeating: Presence).</p> <ul style="list-style-type: none"> • IF D0200E1 is 0, THEN D0200E2 must be 0 or a dash (-). • IF D0200E1 is 1, THEN D0200E2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200E1 is 9, THEN D0200E2 must be blank (^) • IF D0200E1 is a dash (-), THEN D0200E2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3712b	Fatal	Inconsistent D0200E Items: If D0200E1 equals 1, then D0200E2 must equal 0, 1, 2, 3, or dash (-).	See error number -3712a

Error ID	Sev	Error Message	Error Description
-3712c	Fatal	Inconsistent D0200E Items: If D0200E1 equals 9, then D0200E2 must equal blank (^).	See error number -3712a
-3712d	Fatal	Inconsistent D0200E Items: If D0200E1 equals dash (-), then D0200E2 must equal dash (-).	See error number -3712a
-3713a	Fatal	Inconsistent D0200F Items: If D0200F1 equals 0, then D0200F2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0200F1 (Feeling bad about self: Presence).</p> <ul style="list-style-type: none"> • IF D0200F1 is 0, THEN D0200F2 must be 0 or a dash (-). • IF D0200F1 is 1, THEN D0200F2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200F1 is 9, THEN D0200F2 must be blank (^) • IF D0200F1 is a dash (-), THEN D0200F2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3713b	Fatal	Inconsistent D0200F Items: If D0200F1 equals 1, then D0200F2 must equal 0, 1, 2, 3, or dash (-).	See error number -3713a
-3713c	Fatal	Inconsistent D0200F Items: If D0200F1 equals 9, then D0200F2 must equal blank (^).	See error number -3713a
-3713d	Fatal	Inconsistent D0200F Items: If D0200F1 equals dash (-), then D0200F2 must equal dash (-).	See error number -3713a
-3714a	Fatal	Inconsistent D0200G Items: If D0200G1 equals 0, then D0200G2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0200G1 (Trouble concentrating: Presence).</p> <ul style="list-style-type: none"> • IF D0200G1 is 0, THEN D0200G2 must be 0 or a dash (-). • IF D0200G1 is 1, THEN D0200G2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200G1 is 9, THEN D0200G2 must be blank (^) • IF D0200G1 is a dash (-), THEN D0200G2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3714b	Fatal	Inconsistent D0200G Items: If D0200G1 equals 1, then D0200G2 must equal 0, 1, 2, 3, or dash (-).	See error number -3714a
-3714c	Fatal	Inconsistent D0200G Items: If D0200G1 equals 9, then D0200G2 must equal blank (^).	See error number -3714a
-3714d	Fatal	Inconsistent D0200G Items: If D0200G1 equals dash (-), then D0200G2 must equal dash (-).	See error number -3714a
-3715a	Fatal	Inconsistent D0200H Items: If D0200H1 equals 0, then D0200H2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0200H1 (Moving or speaking slowly or being restless: Presence).</p> <ul style="list-style-type: none"> • IF D0200H1 is 0, THEN D0200H2 must be 0 or a dash (-). • IF D0200H1 is 1, THEN D0200H2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200H1 is 9, THEN D0200H2 must be blank (^) • IF D0200H1 is a dash (-), THEN D0200H2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3715b	Fatal	Inconsistent D0200H Items: If D0200H1 equals 1, then D0200H2 must equal 0, 1, 2, 3, or dash (-).	See error number -3715a
-3715c	Fatal	Inconsistent D0200H Items: If D0200H1 equals 9, then D0200H2 must equal blank (^).	See error number -3715a
-3715d	Fatal	Inconsistent D0200H Items: If D0200H1 equals dash (-), then D0200H2 must equal dash (-).	See error number -3715a

Error ID	Sev	Error Message	Error Description
-3716a	Fatal	Inconsistent D0200I Items: If D0200I1 equals 0, then D0200I2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0200I2 (Thoughts of self harm: Frequency) is not consistent with the value submitted in item D0200I1 (Thoughts about being better off dead or harming self: Presence).</p> <ul style="list-style-type: none"> • IF D0200I1 is 0, THEN D0200I2 must be 0 or a dash (-). • IF D0200I1 is 1, THEN D0200I2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0200I1 is 9, THEN D0200I2 must be blank (^) • IF D0200I1 is a dash (-), THEN D0200I2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3716b	Fatal	Inconsistent D0200I Items: If D0200I1 equals 1, then D0200I2 must equal 0, 1, 2, 3, or dash (-).	See error number -3716a
-3716c	Fatal	Inconsistent D0200I Items: If D0200I1 equals 9, then D0200I2 must equal blank (^).	See error number -3716a
-3716d	Fatal	Inconsistent D0200I Items: If D0200I1 equals dash (-), then D0200I2 must equal dash (-).	See error number -3716a
-3717a	Fatal	Inconsistent D0500A Items: If D0500A1 equals 0, then D0500A2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500A2 (Little interest in doing things: Frequency) is not consistent with the value submitted in item D0500A1 (Little interest in doing things: Presence).</p> <ul style="list-style-type: none"> • IF D0500A1 is 0, THEN D0500A2 must be 0 or a dash (-). • IF D0500A1 is 1, THEN D0500A2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500A1 is a dash (-), THEN D0500A2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3717b	Fatal	Inconsistent D0500A Items: If D0500A1 equals 1, then D0500A2 must equal 0, 1, 2, 3, or dash (-).	See error number -3717a
-3717c	Fatal	Inconsistent D0500A Items: If D0500A1 equals dash (-), then D0500A2 must equal dash (-).	See error number -3717a

Error ID	Sev	Error Message	Error Description
-3718a	Fatal	Inconsistent D0500B Items: If D0500B1 equals 0, then D0500B2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500B2 (Feeling down, depressed, hopeless: Frequency) is not consistent with the value submitted in item D0500B1 (Feeling down, depressed, hopeless: Presence).</p> <ul style="list-style-type: none"> • IF D0500B1 is 0, THEN D0500B2 must be 0 or a dash (-). • IF D0500B1 is 1, THEN D0500B2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500B1 is a dash (-), THEN D0500B2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3718b	Fatal	Inconsistent D0500B Items: If D0500B1 equals 1, then D0500B2 must equal 0, 1, 2, 3, or dash (-).	See error number -3718a
-3718c	Fatal	Inconsistent D0500B Items: If D0500B1 equals dash (-), then D0500B2 must equal dash (-).	See error number -3718a
-3719a	Fatal	Inconsistent D0500C Items: If D0500C1 equals 0, then must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500C2 (Trouble sleeping: Frequency) is not consistent with the value submitted in item D0500C1 (Trouble sleeping: Presence).</p> <ul style="list-style-type: none"> • IF D0500C1 is 0, THEN D0500C2 must be 0 or a dash (-). • IF D0500C1 is 1, THEN D0500C2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500C1 is a dash (-), THEN D0500C2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3719b	Fatal	Inconsistent D0500C Items: If D0500C1 equals 1, then D0500C2 must equal 0, 1, 2, 3, or dash (-).	See error number -3719a
-3719c	Fatal	Inconsistent D0500C Items: If D0500C1 equals dash (-), then D0500C2 must equal dash (-).	See error number -3719a

Error ID	Sev	Error Message	Error Description
-3720a	Fatal	Inconsistent D0500D Items: If D0500D1 equals 0, then D0500D2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500D2 (Feeling tired or having little energy: Frequency) is not consistent with the value submitted in item D0500D1 (Feeling tired or having little energy: Presence).</p> <ul style="list-style-type: none"> • IF D0500D1 is 0, THEN D0500D2 must be 0 or a dash (-). • IF D0500D1 is 1, THEN D0500D2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500D1 is a dash (-), THEN D0500D2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3720b	Fatal	Inconsistent D0500D Items: If D0500D1 equals 1, then D0500D2 must equal 0, 1, 2, 3, or dash (-).	See error number -3720a
-3720c	Fatal	Inconsistent D0500D Items: If D0500D1 equals dash (-), then D0500D2 must equal dash (-).	See error number -3720a
-3721a	Fatal	Inconsistent D0500E Items: If D0500E1 equals 0, then D0500E2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500E2 (Poor appetite or overeating: Frequency) is not consistent with the value submitted in item D0500E1 (Poor appetite or overeating: Presence).</p> <ul style="list-style-type: none"> • IF D0500E1 is 0, THEN D0500E2 must be 0 or a dash (-). • IF D0500E1 is 1, THEN D0500E2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500E1 is a dash (-), THEN D0500E2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3721b	Fatal	Inconsistent D0500E Items: If D0500E1 equals 1, then D0500E2 must equal 0, 1, 2, 3, or dash (-).	See error number -3721a
-3721c	Fatal	Inconsistent D0500E Items: If D0500E1 equals dash (-), then D0500E2 must equal dash (-).	See error number -3721a

Error ID	Sev	Error Message	Error Description
-3722a	Fatal	Inconsistent D0500F Items: If D0500F1 equals 0, then D0500F2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500F2 (Feeling bad about self: Frequency) is not consistent with the value submitted in item D0500F1 (Feeling bad about self: Presence).</p> <ul style="list-style-type: none"> • IF D0500F1 is 0, THEN D0500F2 must be 0 or a dash (-). • IF D0500F1 is 1, THEN D0500F2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500F1 is a dash (-), THEN D0500F2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3722b	Fatal	Inconsistent D0500F Items: If D0500F1 equals 1, then D0500F2 must equal 0, 1, 2, 3, or dash (-).	See error number -3722a
-3722c	Fatal	Inconsistent D0500F Items: If D0500F1 equals dash (-), then D0500F2 must equal dash (-).	See error number -3722a
-3723a	Fatal	Inconsistent D0500G Items: If D0500G1 equals 0, then D0500G2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500G2 (Trouble concentrating: Frequency) is not consistent with the value submitted in item D0500G1 (Trouble concentrating: Presence).</p> <ul style="list-style-type: none"> • IF D0500G1 is 0, THEN D0500G2 must be 0 or a dash (-). • IF D0500G1 is 1, THEN D0500G2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500G1 is a dash (-), THEN D0500G2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3723b	Fatal	Inconsistent D0500G Items: If D0500G1 equals 1, then D0500G2 must equal 0, 1, 2, 3, or dash (-).	See error number -3723a
-3723c	Fatal	Inconsistent D0500G Items: If D0500G1 equals dash (-), then D0500G2 must equal dash (-).	See error number -3723a

Error ID	Sev	Error Message	Error Description
-3724a	Fatal	Inconsistent D0500H Items: If D0500H1 equals 0, then D0500H2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500H2 (Moving or speaking slowly or being restless: Frequency) is not consistent with the value submitted in item D0500H1 (Moving or speaking slowly or being restless: Presence).</p> <ul style="list-style-type: none"> • IF D0500H1 is 0, THEN D0500H2 must be 0 or a dash (-). • IF D0500H1 is 1, THEN D0500H2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500H1 is a dash (-), THEN D0500H2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3724b	Fatal	Inconsistent D0500H Items: If D0500H1 equals 1, then D0500H2 must equal 0, 1, 2, 3, or dash (-).	See error number -3724a
-3724c	Fatal	Inconsistent D0500H Items: If D0500H1 equals dash (-), then D0500H2 must equal dash (-).	See error number -3724a
-3725a	Fatal	Inconsistent D0500I Items: If D0500I1 equals 0, then D0500I2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500I2 (Statements that life isn't worth living, wishes for death or attempts to harm self: Frequency) is not consistent with the value submitted in item D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence).</p> <ul style="list-style-type: none"> • IF D0500I1 is 0, THEN D0500I2 must be 0 or a dash (-). • IF D0500I1 is 1, THEN D0500I2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500I1 is a dash (-), THEN D0500I2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3725b	Fatal	Inconsistent D0500I Items: If D0500I1 equals 1, then D0500I2 must equal 0, 1, 2, 3, or dash (-).	See error number -3725a
-3725c	Fatal	Inconsistent D0500I Items: If D0500I1 equals dash (-), then D0500I2 must equal dash (-).	See error number -3725a

Error ID	Sev	Error Message	Error Description
-3726a	Fatal	Inconsistent D0500J Items: If D0500J1 equals 0, then D0500J2 must equal 0 or dash (-).	<p>Cause: The value submitted in item D0500J2 (Short temper, easily annoyed: Frequency) is not consistent with the value submitted in item D0500J1 (Short temper, easily annoyed: Presence).</p> <ul style="list-style-type: none"> • IF D0500J1 is 0, THEN D0500J2 must be 0 or a dash (-). • IF D0500J1 is 1, THEN D0500J2 must be equal 0, 1, 2, 3, or a dash (-). • IF D0500J1 is a dash (-), THEN D0500J2 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3726b	Fatal	Inconsistent D0500J Items: If D0500J1 equals 1, then D0500J2 must equal 0, 1, 2, 3, or dash (-).	See error number -3726a
-3726c	Fatal	Inconsistent D0500J Items: If D0500J1 equals dash (-), then D0500J2 must equal dash (-).	See error number -3726a
-3729a	Fatal	Inconsistent None of the Above Value: If O0100Z1 equals 0, then at least one active item O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, or O0100M1 must equal 1.	<p>Cause: The value submitted in item O0100Z1 (Special Treatments and Programs: None of the above-While NOT a resident) is not consistent with one or more values submitted in related items O0100A1 through O0100M1 (Special treatments while NOT a resident).</p> <ul style="list-style-type: none"> • IF O0100Z1 is unchecked, THEN one or more active items O0100A1 through O0100M1 in column 1 must be checked. • IF O0100Z1 is checked, THEN all items O0100A1 through O0100M1 in column 1 must be unchecked. • IF O0100Z1 is a dash (-), THEN one or more active items O0100A1 through O0100M1 must be a dash (-) and the remaining active items O0100A1 through O0100M1 must be unchecked or a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3729b	Fatal	Inconsistent None of the Above Value: If O0100Z1 equals 1, then all active items O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, and O0100M1 must equal 0.	See error number -3729a
-3729c	Fatal	Inconsistent O0100Z1 Item: If O0100Z1 equals dash (-), then at least one active item from O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, L0100I1, O0100J1, O0100K1, or O0100M1 must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3729a
-3730a	Fatal	Inconsistent None of the Above Value: If O0100Z2 equals 0, then at least one active item O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, or O0100M2 must equal 1.	<p>Cause: The value submitted in item O0100Z2 (Special Treatments and Programs: None of the above-While a Resident) is not consistent with one or more values submitted in related items O0100A2 through O0100M2 (Special treatments while a resident).</p> <ul style="list-style-type: none"> • IF O0100Z2 is unchecked, THEN one or more active items O0100A2 through O0100M2 must be checked. • IF O0100Z2 is checked, THEN all items O0100A2 through O0100M2 must be unchecked. • IF O0100Z2 is a dash (-), THEN one or more active items O0100A2 through O0100M2 must be a dash (-) and the remaining items O0100A2 through O0100M2 must be unchecked or a dash (-). <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3730b	Fatal	Inconsistent None of the Above Value: If O0100Z2 equals 1, then all active items O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, and O0100M2 must equal 0.	See error number -3730a

Error ID	Sev	Error Message	Error Description
-3730c	Fatal	Inconsistent O0100Z2 Item: If O0100Z2 equals dash (-), then at least one active item O0100A2, O0100B2, O0100C2, O0100D2, O0100E2, O0100F2, O0100G2, O0100H2, O0100I2, O0100J2, O0100K2, or O0100M2 must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3730a
-3735a	Fatal	Invalid Skip Pattern: If N0300 equals 0, then all active items from N0350A through N0350B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in N0300 (Injections).</p> <ul style="list-style-type: none"> • IF N0300 is 0, THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must be blank (^). • IF N0300 is 1-7 (inclusive), THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must not be blank (^). • IF N0300 (injections) is a dash (-), THEN items N0350A (Insulin injections) and N0350B (Orders for insulin), if active, must be a dash (-). <p>Tip: This is a skip pattern. If N0300 is 0, then skip to N0400 (Medications Received) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3735b	Fatal	Invalid Skip Pattern: If N0300 equals 1-7, then all active items from N0350A through N0350B must not equal blank (^).	See error number -3735a
-3735c	Fatal	Invalid Skip Pattern: If N0300 equals dash (-), then all active items from N0350A through N0350B must equal dash (-).	See error number -3735a
-3736a	Fatal	Invalid Skip Pattern: If O0250A equals 0, then O0250C must not equal blank (^).	<p>Cause: The value submitted in item O0250C (If Influenza vaccine not received, state reason) is not consistent with the value submitted in item O0250A (Did the resident receive the Influenza vaccine in this facility?).</p> <ul style="list-style-type: none"> • IF O0250A is 0, THEN O0250C must not be blank (^). • IF O0250A is 1, THEN O0250C must be blank (^). • IF O0250A is a dash (-), THEN O0250C must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3736b	Fatal	Invalid Skip Pattern: If O0250A equals 1, then O0250C must equal blank (^).	See error number -3736a
-3736c	Fatal	Invalid Skip Pattern: If O0250A equals dash (-), then O0250C must equal dash (-).	See error number -3736a
-3740a	Fatal	Invalid Skip Pattern: If Q0400A equals 0, then Q0400B, if active, must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item Q0400A (Is there an active discharge plan in place?).</p> <ul style="list-style-type: none"> • IF Q0400A is 0, THEN Q0400B (Discharge to the community determination), if active, must not be blank (^). • IF Q0400A is 1, THEN Q0400B through Q0500B, if active, must be blank (^). • IF Q0400A is a dash (-), THEN Q0400B (Discharge to the community determination), if active, must be a dash (-). <p>Tip: This is a skip pattern. If Q0400A is 1, then skip to Q0600 (Referral) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3740b	Fatal	Invalid Skip Pattern: If Q0400A equals 1, then Q0400B through Q0500B, if active, must equal blank (^).	See error number -3740a
-3740c	Fatal	Invalid Skip Pattern: If Q0400A equals dash (-), then Q0400B, if active, must equal dash (-).	See error number -3740a
-3741a	Fatal	Invalid Skip Pattern: If Q0400B equals 0 or dash (-), then Q0500A must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item Q0400B (What determination was made regarding discharge to the community?).</p> <ul style="list-style-type: none"> • IF Q0400B is 0 or a dash (-), THEN Q0500A (Has the resident been asked about returning to the community?), if active, must not be blank (^). • IF Q0400B is 1, THEN items Q0500A through Q0500B, if active, must be blank (^). <p>Tip: This is a skip pattern. If Q0400B is 1, then skip to Q0600 (Referral) or the next active item. If Q0400B is 2, then skip to the next active item after Q0600.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3741b	Fatal	Invalid Skip Pattern: If Q0400B equals 1, then all active items from Q0500A through Q0500B must equal blank (^).	See error number -3741a
-3742	Fatal	Invalid Skip Pattern: If Q0400B equals 2, then all active items from Q0500A through Q0600 must equal blank (^).	See error number -3741a
-3743a	Fatal	Invalid Skip Pattern: If Q0500A equals 0, 1, or 3, then Q0500B must not equal blank (^).	<p>Cause: The value submitted in item Q0500B (Does the resident want to talk about returning to the community?) is not consistent with the value submitted in item Q0500A (Has the resident been asked?).</p> <ul style="list-style-type: none"> • IF Q0500A is 0, 1, or 3, THEN Q0500B, if active, must not be blank (^). • IF Q0500A is 2, THEN Q0500B, if active, must be blank (^). • IF Q0500A is a dash (-), THEN Q0500B, if active, must be a dash (-). <p>Tip: This is a skip pattern. If Q0500A is 2, then skip to Q0600 (Referral) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3743b	Fatal	Invalid Skip Pattern: If Q0500A equals 2, then Q0500B must equal blank (^).	See error number -3743a
-3743c	Fatal	Invalid Skip Pattern: If Q0500A equals dash (-), then Q0500B must equal dash (-).	See error number -3743a
-3744	Fatal	Invalid Skip Pattern: If A0310E equals 1, then all active items from V0100A through V0100F must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310E (First assessment since most recent admission?).</p> <ul style="list-style-type: none"> • IF A0310E is 1, THEN items V0100A through V0100F, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3745	Fatal	No Match Found: This modification/inactivation record does not match a previously accepted record in the QIES ASAP System. One or more of the items submitted in Section X of this record did not match the corresponding items of an existing record in the database.	<p>Cause: The values submitted in this modification or inactivation record does not match the values submitted in a previously accepted record in the QIES ASAP System.</p> <ul style="list-style-type: none"> • To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record: <ul style="list-style-type: none"> o X0150 (Type of Provider) o X0200A (First name) o X0200C (Last name) o X0300 (Gender) o X0400 (Birth Date) o X0500 (Social Security Number) o X0600A (Federal OBRA Reason for Assessment) o X0600B (PPS Assessment) o X0600C (PPS OMRA) o X0600D (Is this a Swing Bed clinical change assessment) – for a swing bed assessment o X0600F (Entry/discharge reporting) o X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) o X0700A (Assessment Reference Date) o X0700B (Discharge Date) o X0700C (Entry Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3746	Fatal	Invalid Skip Pattern: If A0050 equals 1, then all active items from X0150 through X1100E must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 1, THEN items X0150 through X1100E, if active, must be blank (^). <p>Tip: This is a skip pattern. If A0050 is 1, then skip to Z0100 (Medicare Part A Billing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3748	Fatal	Missing Reason for Inactivation: If A0050 equals 3, then at least one item from X1050A through X1050Z must equal 1.	<p>Cause: The value submitted in this item is not consistent with one or more values submitted in related items X1050A (Event did not occur) and/or X1050Z (Other error requiring inactivation).</p> <ul style="list-style-type: none"> • IF A0050 (type of record) is 3, THEN X1050A or X1050Z must be 1. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3749a	Warn	Assessment Completed Late: Z0500B (assessment completion date) is more than 14 days after A2300 (assessment reference date).	<p>Cause: The date submitted in item Z0500B (Date RN signed assessment as complete) is more than 14 days after the date submitted in item A2300 (Assessment Reference Date). The assessment was not completed within CMS timing guidelines.</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3749b	Warn	Care Plan Completed Late: V0200B2 (CAA process signature date) is more than 14 days after A2300 (assessment reference date).	<p>Cause: The date submitted in item V0200B2 (CAA process signature date) is more than 14 days after the date submitted in item A2300 (Assessment Reference Date). The CAA process was not completed within CMS timing guidelines.</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3749c	Warn	Care Plan Completed Late: V0200C2 (CAA care plan signature date) is more than 7 days after V0200B2 (CAA process signature date).	<p>Cause: The date submitted in item V0200C2 (Care plan signature date) is more than 7 days after the date submitted in item V0200B2 (CAA process signature date). The care plan was not completed within CMS timing guidelines.</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3749d	Warn	Assessment Completed Late: For this Admission assessment (A0310A equals 01), Z0500B (completion date) is more than 13 days after A1600 (entry date).	<p>Cause: The date submitted in item Z0500B (Date RN signed assessment as complete) is more than 13 days after the date submitted in item A1600 (Entry Date) for this Admission assessment. The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason for Assessment) is 01 and Z0500B is more than 13 days after A1600, this admission assessment was not completed within CMS timing guidelines. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3749e	Warn	Care Plan Completed Late: For this Admission assessment (A0310A equals 01), V0200B2 (CAA process signature date) is more than 13 days after A1600 (entry date).	<p>Cause: The date submitted in item V0200B2 (CAA process signature date) is more than 13 days after the date submitted in item A1600 (Entry Date) for this Admission assessment. The CAA process was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason for Assessment) is 01 and V0200B2 is more than 13 days after A1600, this admission assessment CAA process was not completed within CMS timing guidelines. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3751	Warn	Inconsistent J0600A: J0300 equals 1 (indicating pain is present) and J0600A equals 00 (indicating a pain scale rating of "no pain").	<p>Cause: The value submitted in item J0600A (Numeric Rating Scale) is not consistent with the value submitted in item J0300 (Pain Presence).</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3752	Fatal	Inconsistent CAT Value: The submitted CAT value does not match the CAT value calculated by the QIES ASAP System.	<p>Cause: The value submitted in this item is not consistent with the value(s) of the related assessed item(s) that support whether or not this care area is triggered.</p> <p>Tip: A checked response displays as a “1” on the validation report and indicates that the care area was triggered. An unchecked response displays as a “0” on the validation report and indicates that the care area was not triggered.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3753	Fatal	Inconsistent N0300 Value: If N0300 equals 1-7, then N0350A must equal dash (-) OR N0350A must equal 0-7 and must be less than or equal to N0300.	<p>Cause: The value submitted in item N0350A (Insulin injections) is not consistent with the value submitted in item N0300 (Injections).</p> <ul style="list-style-type: none"> • IF N0300 is 1-7 (inclusive), THEN N0350A must be a dash (-) or 0-7 (inclusive) but not greater than the value of N0300. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3761	Fatal	Inconsistent A1000 Items: If any item A1000A through A1000F equals dash (-), then all items from A1000A through A1000F must equal dash (-).	<p>Cause: The value submitted in this item is not consistent with one or more values submitted in related items A1000A – A1000F (Race/Ethnicity).</p> <ul style="list-style-type: none"> • IF one or more items A1000A through A1000F are a dash (-), THEN all items A1000A through A1000F must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3762	Warn	Flu Vaccine Date Out of Range: O0250B is not on or after the starting date of the current influenza season and is not on or before the assessment target date.	<p>Cause: The value submitted in item O0250B (Date vaccine received) does not fall in the period between the start of the current influenza season and the assessment target date. If the assessment target date falls within an influenza season, then the value submitted in item O0250B should be greater than or the same as the starting date of the influenza season and less than or the same as the assessment target date.</p> <p>Definition: <u>Target Date</u> - The target date identifies when the assessment event occurred for the resident. Based upon the value of A0310F (Entry/discharge reporting), the target date is defined as follows:</p> <ul style="list-style-type: none"> o A2000 (Discharge Date) when A0310F is 10, 11, or 12 o A1600 (Entry Date) when A0310F is 01 o A2300 (Assessment Reference Date) when A0310F is 99. o A2300 for Optional State Assessment (A0300A is 1) records. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3764a	Fatal	Inconsistent G0110 Items: For this pair of G0110 items when both are active, if the value of either Column 1 or Column 2 equals 8, then the values of both Column 1 and Column 2 must equal 8.	<p>Cause: The values submitted in this pair of related G0110 (ADL Assistance) Column 1 (Self-Performance) and Column 2 (Support) items are not consistent.</p> <ul style="list-style-type: none"> • IF the value of an item in Column 1 or Column 2 of G0110 is 8, THEN the value of the corresponding item in Column 1 or Column 2, when both are active, must also be 8. • IF the value of an item in Column 1 of G0110 is 2, 3, or 4, THEN the value of the corresponding item in Column 2, when both are active, must be 2 or 3. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3764b	Fatal	Inconsistent G0110 Items: For this pair of G0110 items when both are active, if the value of Column 1 equals 2, 3, or 4, then the value of Column 2 must equal 2 or 3.	See error number -3764a

Error ID	Sev	Error Message	Error Description
-3774a	Fatal	Inconsistent G0120A and G0120B Items: If G0120A and G0120B are active and either G0120A or G0120B equals 8, then both items must equal 8.	<p>Cause: The values submitted in items G0120A (Bathing: Self-performance) and G0120B (Bathing: Support provided) are not consistent.</p> <ul style="list-style-type: none"> • IF G0120A and G0120B are active and either G0120A or G0120B is 8, THEN both G0120A and G0120B must be 8. • IF G0120A and G0120B are active and G0120A is 2, 3, or 4, THEN G0120B must be 2 or 3. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3774b	Fatal	Inconsistent G0120A and G0120B Items: If G0120A and G0120B are active and G0120A equals 2, 3, or 4, then G0120B must equal 2 or 3.	See error number -3774a
-3775a	Fatal	Inconsistent X0600F: If X0600F equals 99, then X0700A must contain a valid date and X0700B and X0700C must equal blank (^).	<p>Cause: The values submitted in item X0600F (Entry/discharge reporting) and the values submitted in items X0700A (Assessment Reference Date), X0700B (Discharge Date), and/or X0700C (Entry Date) are inconsistent.</p> <ul style="list-style-type: none"> • IF X0600F is 99, THEN X0700A must be a valid date and X0700B and X0700C must be blank (^). • IF X0600F is 10, 11, or 12, THEN X0700B must be a valid date and X0700A and X0700C must be blank (^). • IF X0600F is 01, THEN X0700C must be a valid date and X0700A and X0700B must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3775b	Fatal	Inconsistent X0600F: If X0600F equals 10, 11, or 12, then X0700B must contain a valid date and X0700A and X0700C must equal blank (^).	See error number -3775a
-3775c	Fatal	Inconsistent X0600F: If X0600F equals 01, then X0700C must contain a valid date and X0700A and X0700B must equal blank (^).	See error number -3775a

Error ID	Sev	Error Message	Error Description
-3777a	Fatal	Invalid Skip Pattern: If A0310A equals 01, then A1500 must not equal blank (^).	<p>Cause: The value submitted in item A1500 (Preadmission Screening and Resident Review) is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).</p> <ul style="list-style-type: none"> • IF A0310A is 01, THEN A1500 must not be blank (^). • IF A0310A is 02, 03, 04, 05, 06, or 99, THEN A1500 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3777b	Fatal	Invalid Skip Pattern: If A0310A equals 02, 03, 04, 05, 06, or 99, then A1500 must equal blank (^).	See error number -3777a
-3778a	Fatal	Inconsistent A1550 Items: If A0310A equals 02, 06, or 99, then active items A1550A through A1550Z must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310A (Federal OBRA Reason for Assessment).</p> <ul style="list-style-type: none"> • IF A0310A is 02, 06, or 99, THEN active items A1550A through A1550Z must be blank (^). • IF the resident's age is 22 years or older and A0310A is 01, THEN one or more active items A1550A through A1550Z must not be blank (^). • IF the resident's age is 22 years or older and A0310A is not 01, THEN active items A1550A through A1550Z must be blank (^). • IF the resident's age is 21 years or younger and A0310A is 01, 03, 04, or 05, THEN one or more active items A1550A through A1550Z must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3778b	Fatal	Inconsistent A1550 Items: If the resident's age is 22 years or older and A0310A equals 01, then active items A1550A through A1550Z must not equal blank (^).	See error number -3778a
-3778c	Fatal	Inconsistent A1550 Items: If the resident's age is 22 years or older and A0310A does not equal 01, then active items A1550A through A1550Z must equal blank (^).	See error number -3778a

Error ID	Sev	Error Message	Error Description
-3778d	Fatal	Inconsistent A1550 Items: If the resident's age is 21 years or younger and A0310A equals 01, 03, 04, or 05, then active items A1550A through A1550Z must not equal blank (^).	See error number -3778a
-3779a	Fatal	Invalid Skip Pattern: If A0050 equals 2, then all active items from X0900A through X0900Z must not equal blank (^).	<p>Cause: One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2, THEN one or more items X0900A through X0900Z must not be blank (^). • IF A0050 is 3, THEN items X0900A through X0900Z must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3779b	Fatal	Invalid Skip Pattern: If A0050 equals 3, then all active items from X0900A through X0900Z must equal blank (^).	See error number -3779a
-3780a	Fatal	Invalid Skip Pattern: If A0050 equals 2, then all active items from X1050A through X1050Z must equal blank (^).	<p>Cause: One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2, THEN items X1050A through X1050Z must be blank (^). • IF A0050 is 3, THEN items X1050A through X1050E must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3780b	Fatal	Invalid Skip Pattern: If A0050 equals 3, then all active items from X1050A through X1050Z must not equal blank (^).	See error number -3780a
-3781	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3, then all active items from X1100A through X1100E must not equal blank (^).	<p>Cause: One or more values submitted in these items are not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2 or 3, THEN items X1100A through X1100E must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3782	Fatal	Inconsistent V0100A and V0100B Value: V0100A and V0100B cannot both equal 99.	<p>Cause: The values submitted in items V0100A (Prior Assessment Federal OBRA Reason for Assessment) and V0100B (Prior Assessment PPS Reason for Assessment) cannot both be 99.</p> <ul style="list-style-type: none"> • IF V0100A is 99, THEN V0100B must not be 99. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3783	Fatal	Inconsistent X0800 Value: The submitted modification value submitted in X0800 is not incremented by one 1 from the previously submitted modification value for this record.	<p>Cause: The value submitted in X0800 (Correction Number) is inconsistent with the value of X0800 (Correction Number) submitted in the previous modification record. The value of X0800 in this record must be the value of X0800 submitted in the previous, if any, modification record plus 1. In the first modification record, the value of X0800 must be 01. The value of X0800 in the second modification record must be 02, and so on.</p> <ul style="list-style-type: none"> • The value of X0800 minus 1 must equal the value of X0800 that was previously submitted successfully for this record. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3784a1	Fatal	Invalid Skip Pattern: If J0200 equals 0, then all active items from J0300 through J0700 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item J0200 (Should Pain Assessment Interview be Conducted?).</p> <ul style="list-style-type: none"> • IF J0200 is 0, THEN active items J0300 through J0700 must be blank (^). • IF J0200 is 0, THEN active items J0800A through J0800Z must not be blank (^). • IF J0200 is 1, THEN J0300, if active, must not be blank (^). • IF J0200 is a dash (-), THEN J0300, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3784a2	Fatal	Invalid Skip Pattern: If J0200 equals 0, then - all active items from J0800A through J0800Z must not equal blank (^).	See error number -3784a1
-3784b	Fatal	Invalid Skip Pattern: If J0200 equals 1, then J0300, if active, must not equal blank (^).	See error number -3784a1

Error ID	Sev	Error Message	Error Description
-3784c	Fatal	Invalid Skip Pattern: If J0200 equals dash (-), then J0300, if active, must equal dash (-).	See error number -3784a1
-3785a	Fatal	Invalid Skip Pattern: If J0300 equals 0, then all active items from J0400 through J0850 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item J0300 (Pain Presence).</p> <ul style="list-style-type: none"> • IF J0300 is 0, THEN active items J0400 through J0850 must be blank (^). • IF J0300 is 1, THEN active items J0400 through J0500B must not be blank (^). • IF J0300 is 1, THEN active items J0600A and/or J0600B must not be blank (^). • IF J0300 is 1, THEN J0700, if active, must not be blank (^). • IF J0300 is 9, THEN active items J0400 through J0700 must be blank (^). • IF J0300 is 9, THEN active items J0800A through J0800Z must not be blank (^). • IF J0300 is a dash (-), THEN active items J0400 through J0600B must be a dash (-). • IF J0300 is a dash (-), THEN J0700, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3785b1	Fatal	Invalid Skip Pattern: If J0300 equals 1, then all active items from J0400 through J0500B must not equal blank (^).	See error number -3785a
-3785b2	Fatal	Invalid Skip Pattern: If J0300 equals 1, then at least one of the items J0600A and/or J0600B, if active, must not equal blank (^).	See error number -3785a
-3785b3	Fatal	Invalid Skip Pattern: If J0300 equals 1, then J0700, if active, must not equal blank (^).	See error number -3785a
-3785c1	Fatal	Invalid Skip Pattern: If J0300 equals 9, then all active items from J0400 through J0700 must equal blank (^).	See error number -3785a
-3785c2	Fatal	Invalid Skip Pattern: If J0300 equals 9, then all active items from J0800A through J0800Z must not equal blank (^).	See error number -3785a
-3785d1	Fatal	Invalid Skip Pattern: If J0300 equals dash (-), then all active items from J0400 through J0600B must equal dash (-).	See error number -3785a

Error ID	Sev	Error Message	Error Description
-3785d2	Fatal	Invalid Skip Pattern: If J0300 equals dash (-), then J0700, if active, must not equal blank (^).	See error number -3785a
-3786a	Fatal	Invalid Skip Pattern: If J0700 equals 0, then all active items from J0800A through J0850 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?).</p> <ul style="list-style-type: none"> • IF J0700 is 0, THEN active items J0800A through J0850 must be blank (^). • IF J0700 is 1, THEN active items J0800A through J0800Z must not be blank (^). • IF J0700 is a dash (-), THEN active items J0800A through J0800Z must not be blank (^). <p>Tip: This is a skip pattern. If J0700 is 0, then skip to J1100 (Shortness of Breath) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3786b	Fatal	Invalid Skip Pattern: If J0700 equals 1, then all active items from J0800A through J0800Z must not equal blank (^).	See error number -3786a
-3786c	Fatal	Invalid Skip Pattern: If J0700 equals dash (-), then all active items from J0800A through J0800Z must not equal blank (^).	See error number -3786a
-3787a	Fatal	Invalid Skip Pattern: If J0800Z equals 0, then J0850 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item J0800Z (Indicators of Pain: None of these signs observed or documented).</p> <ul style="list-style-type: none"> • IF J0800Z is 0, THEN J0850, if active, must not be blank (^). • IF J0800Z is 1, THEN J0850, if active, must be blank (^). • IF J0800Z is a dash (-), THEN J0850, if active, must be a dash (-). <p>Tip: This is a skip pattern. If J0800Z is 1, then skip to J1100 (Shortness of Breath) or the next active item. A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3787b	Fatal	Invalid Skip Pattern: If J0800Z equals 1 or blank (^), then J0850 must equal blank (^).	See error number -3787a

Error ID	Sev	Error Message	Error Description
-3787c	Fatal	Invalid Skip Pattern: If J0800Z equals dash (-), then J0850 must equal dash (-).	See error number -3787a
-3788a	Fatal	Inconsistent J0700 Value: If J0400 equals 1, 2, 3, 4, or dash (-), then J0700, if active, must equal 0.	<p>Cause: The value submitted in item J0700 (Should the Staff Assessment for Pain be Conducted?) is not consistent with the value submitted in item J0400 (Pain Frequency).</p> <ul style="list-style-type: none"> • IF J0400 is 1, 2, 3, 4, or a dash (-), THEN J0700, if active, must be 0. • IF J0400 is 9, THEN J0700, if active, must be 1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3788b	Fatal	Inconsistent J0700 Value: If J0400 equals 9, then J0700, if active, must equal 1 or dash (-).	See error number -3788a
-3789a	Warn	Record Submitted Late: The submission date is more than 14 days after V0200C2 on this new (A0050 equals 1) comprehensive assessment (A310A equals 01, 03, 04, or 05).	<p>Cause: Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310B (PPS Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> • IF A0310A is 01, 03, 04, or 05 and A0050 is 1 and the submission date is more than 14 days after V0200C2 (Care plan signature date), THEN this record was submitted late. • IF A0310A is 02 or 06 and A0050 is 1 and the submission date is more than 14 days after Z0500B (Date RN signed assessment as complete), THEN this record was submitted late. • IF A0310A is 99 and A0310B is 01, 02, 03, 04, 05, 06, or 07 and A0050 is 1 and the submission date is more than 14 days after Z0500B (Date RN signed assessment as complete), THEN this record was submitted late. • IF A0310F is 10 or 11 and A0050 is 1 and the submission date is more than 14 days after Z0500B (Date RN signed assessment as complete), THEN this record was submitted late. • IF A0310F is 01 and A0050 is 1 and the submission date is more than 14 days after A1600 (Entry Date), THEN this record was submitted late. • IF A0310F is 12 and A0050 is 1 and the submission date is more than 14 days after A2000 (Discharge Date), THEN this record was submitted late. • IF A0050 is 2 or 3 and the submission date is more than 14 days after X1100E (Attestation date), THEN this record was submitted late. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3789b	Warn	Record Submitted Late: The submission date is more than 14 days after Z0500B on this new (A0050 equals 1) quarterly assessment (A0310A equals 02 or 06).	See error number -3789a
-3789c	Warn	Record Submitted Late: The submission date is more than 14 days after Z0500B on this new (A0050 equals 1) PPS only assessment (A0310A equals 99 and A310B equals 01, 02, 03, 04, 05, 06, or 07).	See error number -3789a
-3789d	Warn	Record Submitted Late: The submission date is more than 14 days after Z0500B on this new (A0050 equals 1) discharge assessment (A0310F equals 10 or 11).	See error number -3789a
-3789e	Warn	Record Submitted Late: The submission date is more than 14 days after A1600 on this new (A0050 equals 1) entry tracking record (A0310F equals 01).	See error number -3789a
-3789f	Warn	Record Submitted Late: The submission date is more than 14 days after A2000 on this new (A0050 equals 1) death in facility tracking record (A0310F equals 12).	See error number -3789a
-3789g	Warn	Record Submitted Late: The submission date is more than 14 days after X1100E (attestation date) on this modification/inactivation record (A0050 equals 2 or 3).	See error number -3789a
-3790a	Fatal	Inconsistent A2000 and A2100 Items: If A2000 and A2100 are active and A0310F equals 10, 11, or 12, then A2000 and A2100 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> IF A0310F is 10, 11, or 12 and A2000 and A2100 are active, THEN A2000 (Discharge Date) and A2100 (Discharge Status) must not be blank (^). IF A0310F is not 10, 11, or 12 and A2000 and A2100 are active, THEN A2000 (Discharge Date) and A2100 (Discharge Status) must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3790b	Fatal	Inconsistent A2000 and A2100 Items: If A2000 and A2100 are active and A0310F does not equal 10, 11, or 12, then A2000 and A2100 must equal blank (^).	See error number -3790a
-3791	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3, then the following active items X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F, and X0600H must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in A0050 (Type of Record).</p> <ul style="list-style-type: none"> IF A0050 is 2 or 3, THEN items X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F, and X0600H must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3792	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3, then X0800 must not equal blank (^).	<p>Cause: The value submitted in item X0800 (Correction Number) is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> IF A0050 is 2 or 3, THEN X0800 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3793	Fatal	Text Too Long: The length of the text submitted for this item exceeds the maximum length allowed.	<p>Cause: The text submitted exceeds the maximum length allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3794a	Fatal	Inconsistent Software Information: If Software Product Name equals blank (^), then Software Product Version Code must equal blank (^).	<p>Cause: The SFTWR PROD VRSN CD value submitted is not consistent with the SFTWR PROD NAME value submitted.</p> <ul style="list-style-type: none"> IF SFTWR PROD NAME is blank (^), THEN SFTWR PROD VRSN CD must be blank (^). IF SFTWR PROD NAME is not blank (^), THEN SFTWR PROD VRSN CD must not be blank (^). <p>Action: Verify that the software information in the encoding software is correct. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3794b	Fatal	Inconsistent Software Vendor Information: If Software Product Name does not equal blank (^), then Software Product Version Code must not equal blank (^).	See error number -3794a
-3795	Fatal	Inconsistent X0900 Items: If A0050 equals 2, then at least one item from X0900A through X0900Z must equal 1.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2, THEN one or more active items X0900A through X0900Z must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3796	Fatal	Invalid ISC: The submitted ISC (item subset code) does not match the ISC calculated by the QIES ASAP System.	<p>Cause: The submitted Item Subset Code (ISC) does not match the ISC calculated by the QIES ASAP System.</p> <p>Tip: The values of the following items determine which subset of items (ISC) is appropriate for this record:</p> <ul style="list-style-type: none"> o A0050 (Type of Record) o A0200 (Type of Provider) o A0310A (Federal OBRA Reason for Assessment) o A0310B (PPS Assessment) o A0310C (PPS Other Medicare Required Assessment) o A0310D (Is this a Swing Bed clinical change assessment?) o A0310F (Entry/discharge reporting). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3797a	Fatal	Inconsistent J1700 Items: If A0310A equals 01 OR A0310E equals 1, then J1700A through J1700C must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310A (Federal OBRA Reason for Assessment) and/or A0310E (First assessment since the most recent admission).</p> <ul style="list-style-type: none"> • IF A0310A is 01 or A0310E is 1, THEN items J1700A through J1700C must not be blank (^). • IF A0310A is not 01 and A0310E is not 1, THEN items J1700A through J1700C must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3797b	Fatal	Inconsistent J1700 Items: If A0310A does not equal 01 AND A0310E does not equal 1, then J1700A through J1700C must equal blank (^).	See error number -3797a
-3798a	Fatal	Invalid Skip Pattern: If X0150 equals 1, then X0600D must equal blank (^).	<p>Cause: The value submitted in item X0600D (Swing Bed clinical change assessment) is not consistent with the value submitted in item X0150 (Type of Provider).</p> <ul style="list-style-type: none"> • IF X0150 is 1, THEN X0600D must be blank (^). • IF X0150 is 2, THEN X0600D must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3798b	Fatal	Invalid Skip Pattern: If X0150 equals 2, then X0600D must not equal blank (^).	See error number -3798a
-3799	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3, then X0150 must not equal blank (^).	<p>Cause: The value submitted in item X0150 (Type of Provider) is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2 or 3, THEN X0150 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3801a	Fatal	Inconsistent A0310D Value: If A0200 equals 1, then A0310D must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0200 (Type of Provider).</p> <ul style="list-style-type: none"> • IF A0200 is 1, THEN A0310D (Is this a Swing Bed clinical change assessment?) must be blank • IF A0200 is 2, THEN A0310D must not be blank <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3801b	Fatal	Inconsistent A0310D Value: If A0200 equals 2, then A0310D must not equal blank (^).	See error number -3801a
-3802	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or blank (^) are valid for this item. Embedded spaces are allowed.	<p>Cause: The value submitted for this item is invalid.</p> <ul style="list-style-type: none"> • This item may only contain alphanumeric characters, a dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item. • Embedded spaces are allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3803	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3, then X0600F must not equal blank (^).	<p>Cause: The value submitted in item X0600F (Entry/discharge reporting) is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2 or 3, THEN X0600F must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3804	Fatal	Inconsistent HIPPS code: If A0310C equals 1 or 3, then the first character of Z0100A calculated by the QIES ASAP System must equal R.	<p>Cause: The value of Z0100A (Medicare Part A HIPPS code) calculated by the QIES ASAP System must begin with the letter R if the value submitted in item A0310C (PPS Other Medicare Required Assessment) is 1 or 3.</p> <ul style="list-style-type: none"> If A0310C (PPS Other Medicare Required Assessment) is 1 or 3, THEN the calculated value of item Z0100A must begin with the letter R. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3805	Fatal	Invalid Skip Pattern: If F0300 equals 0, then all active items from F0800A through F0800Z must not equal (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item F0300 (Should Interview for Daily and Activity Preferences be Conducted?).</p> <ul style="list-style-type: none"> IF F0300 is 0, THEN all active items F0800A through F0800Z must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3806	Warn	Inconsistent A0100C: The value submitted for A0100C (State Provider Number) does not match the State Provider Number in the QIES ASAP System for the provider identified by the FAC ID in the file.	<p>Cause: The state provider number submitted in item A0100C does not match the state provider number known to the QIES ASAP system for the provider identified by the FAC ID in the file.</p> <p>Example: The state provider number was entered incorrectly into the encoding software that created the submission file.</p> <p>Action: Verify that the state provider number in the encoding software is correct. Contact your software vendor. Contact your State Agency for additional assistance, if needed.</p>
-3807	Warn	Invalid Version Code: The value submitted for this item is not an acceptable value.	<p>Cause: A valid value was not submitted for this item. The value for this item is either missing or invalid.</p> <p>Action: Verify that the version code in the encoding software is correct. Contact your software vendor.</p>

Error ID	Sev	Error Message	Error Description
-3808	Warn	Missing/Invalid Data: This required Section S item is either missing or contains invalid data. Number fields must be unsigned.	<p>Cause: A valid value was not submitted for this required Section S item. The value for this item is either missing or invalid. For numeric items, signed values are not allowed.</p> <p>Tip: A signed numeric value is a number with a leading plus or minus sign.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3809	Fatal	Invalid Skip Pattern: If D0100 equals 0, then all active items from D0500A1 through D0600 must not equal (^).	<p>Cause: This item must not be blank when the value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is 0.</p> <ul style="list-style-type: none"> • IF D0100 is 0, THEN the following items, if active, must not be blank (^): <ul style="list-style-type: none"> o D0500A1 (Little interest in doing things: Presence) o D0500B1 (Feeling down, depressed, hopeless: Presence) o D0500C1 (Trouble sleeping: Presence) o D0500D1 (Feeling tired or having little energy: Presence) o D0500E1 (Poor appetite or overeating: Presence) o D0500F1 (Feeling bad about self: Presence) o D0500G1 (Trouble concentrating: Presence) o D0500H1 (Moving or speaking slowly or being restless: Presence) o D0500I1 (States life isn't worth living, wishes for death or attempts to harm self: Presence) o D0500J1 (Short-tempered, easily annoyed: Presence) o D0600 (Total Severity Score) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3810a	Warn	Record Submitted Late: The submission date is more than 14 days after A1600 on this new (A0050 equals 1) entry tracking record (A0310F equals 01).	<p>Cause: Based upon the values submitted in items A0310A (Federal OBRA Reason for Assessment), A0310F (Entry/discharge reporting), A0050 (Type of Record) and one or more date items, the assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> • IF A0310F is 01 and A0050 is 1 and the submission date is more than 14 days after A1600 (Entry Date), THEN this record was submitted late. • IF A0310F is 12 and A0050 is 1 and the submission date is more than 14 days after A2000 (Discharge Date), THEN this record was submitted late. • IF A0310A is 01, 03, 04, or 05 and A0050 is 1 and the submission date is more than 14 days after V0200C2 (Care plan signature date), THEN this record was submitted late. • IF A0050 is 1 and the submission date is more than 14 days after Z0500B (Date RN signed assessment as complete), THEN this record was submitted late. • IF A0050 is 2 or 3 and the submission date is more than 14 days after X1100E (Attestation date), THEN this record was submitted late. <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3810b	Warn	Record Submitted Late: The submission date is more than 14 days after A2000 on this new (A0050 equals 1) death in facility tracking record (A0310F equals 12).	See error number -3810a
-3810c	Warn	Record Submitted Late: The submission date is more than 14 days after V0200C2 on this new (A0050 equals 1) comprehensive assessment (A0310A equals 01, 03, 04, or 05).	See error number -3810a
-3810d	Warn	Record Submitted Late: The submission date is more than 14 days after Z0500B on this new (A0050 equals 1) assessment.	See error number -3810a
-3810e	Warn	Record Submitted Late: The submission date is more than 14 days after X1100E (attestation date) on this modification/inactivation record (A0050 equals 2 or 3).	See error number -3810a

Error ID	Sev	Error Message	Error Description
-3812a	Fatal	Inconsistent A0310 Items: If A0310C equals 2 or 3 and A0310F equals 99, then O0450A must equal 0, 1, or dash (-).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310C (PPS Other Medicare Required Assessment – OMRA) and A0310F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> • IF A0310C is 2 or 3 and A0310F is 99, THEN active items O0450A (Has a previous rehabilitation therapy regimen ended?)active, must be 0, 1 or a dash (-). • IF A0310C is 0, 1, or 4 and A0310F is 01, 10, 11, or 12, THEN O0450A through O0450B (Date on which therapy regimen resumed), if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3812b	Fatal	Inconsistent A0310 Items: If A0310C equals 0, 1, or 4 or A0310F equals 01, 10, 11, or 12, then O0450A through O0450B must equal blank (^).	See error number -3812a
-3813a	Fatal	Invalid Skip Pattern: If O0450A equals 0 or dash (-), then O0450B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item O0450A (Has a previous rehabilitation therapy regimen ended?).</p> <ul style="list-style-type: none"> • IF O0450A is 0 or a dash (-), THEN item O0450B (Date on which therapy regimen resumed), if active, must be blank (^). • IF O0450A is 1, THEN item O0450B, if active, must not be blank (^). <p>Tip: This is a skip pattern. If O0450A is 0, then skip to O0500 (Restorative Nursing Programs) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3813b	Fatal	Invalid Skip Pattern: If O0450A equals 1, then O0450B must not equal blank (^).	See error number -3813a

Error ID	Sev	Error Message	Error Description
-3814a	Fatal	Inconsistent O Items: If O0450A equals 1 and O0450B does not equal dash (-), then at least one of O0400A6, O0400B6, or O0400C6 must equal a valid date (YYYYMMDD).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0450A (Has a previous rehabilitation therapy regimen ended?) and O0450B (Date on which therapy regimen resumed).</p> <ul style="list-style-type: none"> • IF O0450A is 1 and O0450B is not a dash (-), THEN at least one of items O0400A6 (Therapy end date), O0400B6 (Therapy end date), or O0400C6 (Therapy end date) must be a valid date. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3814b	Fatal	Invalid Date: O0450B must be greater than the latest date contained in O0400A6, O0400B6, and O0400C6.	<p>Cause: The value submitted in this item is not consistent with the values submitted in items O0400A6 (Therapy end date), O0400B6 (Therapy end date), and O0400C6 (Therapy end date).</p> <ul style="list-style-type: none"> • IF O0450B is not a dash (-) or blank (^), THEN the value in O0450B must be greater than the latest date in items O0400A6, O0400B6, and O0400C6. • IF O0450B is not a dash (-) or blank (^), THEN the value in O0450B cannot be more than 4 days more than the dates in items O0400A6, O0400B6, and O0400C6. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3814c	Fatal	Invalid Date: O0450B cannot be more than 4 days more than the dates contained in O0400A6, O0400B6, or O0400C6.	See error number -3814b
-3814d	Fatal	Inconsistent Dates: This date must precede or be the same as the current date.	<p>Cause: The date value submitted in this item is later than the submission date of this record. Future dates are not valid.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3815	Fatal	Inconsistent X0900E: If X0900E equals 1, then O0450A must equal 1.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item X0900E (End of Therapy – Resumption [EOT-R] date)</p> <ul style="list-style-type: none"> • IF X0900E is 1, THEN O0450A must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3816a	Fatal	Inconsistent None of the Above Value: If K0510Z2 equals 0, then at least one active item K0510A2, K0510B2, K0510C2, or K0510D2 must equal 1.	<p>Cause: The value submitted in item K0510Z2 (Nutritional Approaches: None of the above-While a Resident) is not consistent with one or more values submitted in related items K0510A2 through K0510D2 (Nutritional approaches while a resident) in Column 2.</p> <ul style="list-style-type: none"> • IF K0510Z2 is unchecked, THEN one or more active items K0510A2 through K0510D2 in Column 2 must be checked. • IF K0510Z2 is checked, THEN all active items K0510A2 through K0510D2 must be unchecked. • IF K0510Z2 is a dash (-), THEN one or more active items K0510A2 through K0510D2 in Column 2 must be a dash (-) and the remaining items K0510A2 through K0510D2 must be unchecked or a dash. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3816b	Fatal	Inconsistent None of the Above Value: If K0510Z2 equals 1, then all active items K0510A2, K0510B2, K0510C2, and K0510D2 must equal 0.	See error number -3816a
-3816c	Fatal	Inconsistent None of the Above Value: If K0510Z2 equals dash (-), then at least one active item K0510A2, K0510B2, K0510C2, or K0510D2 must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3816a

Error ID	Sev	Error Message	Error Description
-3818a	Fatal	Invalid Skip Pattern: If A1500 equals 1, then all items from A1510A through A1510C must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A1500 (Preadmission Screening and Resident Review).</p> <ul style="list-style-type: none"> • IF A1500 is 1, THEN all active items A1510A through A1510C must not be blank (^). • IF A1500 is 0, 9, or blank (^), THEN all active items A1510A through A1510C must be blank (^). • IF A1500 is a dash (-), THEN all active items A1510A through A1510C must be a dash (-). <p>Tip: This is a skip pattern. If A1500 is 0 or 9, then skip to A1550 (Conditions Related to MR/DD Status) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3818b	Fatal	Invalid Skip Pattern: If A1500 equals 0, 9, or blank (^), then all items from A1510A through A1510C must equal blank (^).	See error number -3818a
-3818c	Fatal	Invalid Skip Pattern: If A1500 equals dash (-), then all items from A1510A through A1510C must equal dash (-).	See error number -3818a

Error ID	Sev	Error Message	Error Description
-3819a	Fatal	Inconsistent K0510 Items: If A2300 minus A1600 is greater than or equal to 7 days, then all items K0510A1 through K0510Z1 in Column 1 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A2300 (Assessment Reference Date) and A1600 (Entry Date).</p> <ul style="list-style-type: none"> • IF A2300 minus A1600 is 7 or greater, THEN active items K0510A1 through K0510Z1 (Nutritional approaches while NOT a resident) in Column 1 must be blank (^). • IF A2300 minus A1600 is 6 or less, THEN active items K0510A1 and K0510B1 must not be blank (^). • IF A2300 minus A1600 is 6 or less and A0310G (Type of discharge) is 2 and A0310A (Federal OBRA Reason for Assessment) is 99 and A0310B (PPS Assessment) is 99, THEN all active items K0510C1 through K0510Z1 in Column 1 must be blank (^). • IF A2300 minus A1600 is 6 or less AND <ul style="list-style-type: none"> o A0310G is 2 AND o EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN active items K0510C1 through K0510Z1 in Column 1 must not be blank (^). • IF A2300 minus A1600 is 6 or less and A0310G is 1 or blank (^), THEN active items K0510C1 through K0510Z1 in Column 1 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3819b1	Fatal	Inconsistent K0510 Items: If A2300 minus A1600 is less than or equal to 6 days, then K0510A1 and K0510B1 must not equal blank (^).	See error number -3819a
-3819b2	Fatal	Inconsistent K0510 Items: If A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then K0510C1 through K0510Z1 in Column 1 must equal blank (^).	See error number -3819a

Error ID	Sev	Error Message	Error Description
-3819b3	Fatal	Inconsistent K0510 Items: If A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then K0510C1 through K0510Z1 in column 1 must not equal blank (^).	See error number -3819a
-3819b4	Fatal	Inconsistent K0510 Items: If A2300 minus A1600 is less than or equal to 6 days and A0310G equals 1 or blank (^), then all items K0510C1 through K0510Z1 in Column 1 must not equal blank (^).	See error number -3819a
-3820a	Fatal	Invalid Skip Pattern: If Q0490 equals 1, then all items from Q0500B through Q0550B must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B).</p> <ul style="list-style-type: none"> • IF Q0490 is 1, THEN all active items Q0500B through Q0550B must be blank (^). • IF Q0490 is 0, 8 or a dash (-), THEN active items Q0500B through Q0550B must not be blank (^). <p>Tip: This is a skip pattern. If Q0490 is 1, then skip to Q0600 (Referral) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3820b	Fatal	Invalid Skip Pattern: If Q0490 equals 0, 8, or dash (-), then all items from Q0500B through Q0550B must not equal blank (^).	See error number -3820a

Error ID	Sev	Error Message	Error Description
-3824a	Fatal	Inconsistent K0510 Items: If A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from K0510C2 through K0510Z2 in Column 2 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A0310G (Type of discharge) and A0310A (Federal OBRA Reason For Assessment) and A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items K0510C2 through K0510Z2 (Nutritional approaches while a resident) in Column 2 must be blank (^). • IF A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN active items K0510C2 through K0510Z2 in Column 2 must not be blank (^). • IF A0310G is 1 or blank (^), THEN active items K0510C2 through K0510Z2 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3824b	Fatal	Inconsistent K0510 Items: If A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then all items from K0510C2 through K0510Z2 in Column 2 must not equal blank (^).	See error number -3824a
-3824c	Fatal	Inconsistent K0510 Items: If A0310G equals 1 or blank (^), then all items from K0510C2 through K0510Z2 in Column 2 must not equal blank (^).	See error number -3824a

Error ID	Sev	Error Message	Error Description
-3825a	Fatal	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then C0100 must not equal blank (^).	<p>Cause: The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item C0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item C0100, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item C0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item C0100, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3825b	Fatal	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then C0100 must equal dash (-).	See error number -3825a
-3825c	Fatal	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then C0100 must not equal blank (^).	See error number -3825a
3825d	Fatal	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then C0100 must equal dash (-).	See error number -3825a

Error ID	Sev	Error Message	Error Description
-3826	Fatal	Inconsistent C Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from C0100 through C0600 must equal blank (^) and all items from C0700 through C1000 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose) and A0310G (Type of discharge).</p> <ul style="list-style-type: none"> IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items C0100 (Should Brief Interview for Mental Status be Conducted?) through C0600 (Should the Staff Assessment for Mental Status be Conducted?) must be blank (^) AND all active items C0700 (Short-term Memory OK) through C1000 (Staff assessment for Mental Status) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3827a	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals 0, then at least one item from K0510A1 through K0510D1 in Column 1 must equal 1.	<p>Cause: The value submitted in item K0510Z1 (Nutritional Approaches: None of the above-While NOT a Resident) is not consistent with one or more values submitted in related active items K0510A1 through K0510D1 (Nutritional approaches while NOT a resident) in Column 1.</p> <ul style="list-style-type: none"> IF K0510Z1 is unchecked, THEN one or more active items K0510A1 through K0510D1 in Column 1 must be checked. IF K0510Z1 is checked, THEN all items K0510A1 through K0510D1 in Column 1 must be unchecked. IF K0510Z1 is a dash (-), THEN one or more active items K0510A1 through K0510D1 in Column 1 must be a dash (-) and the remaining items K0510A1 through K0510D1 in Column 1 must be unchecked or a dash (-). <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3827b	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals 1, then all items from K0510A1 through K0510D1 in Column 1 must equal 0.	See error number -3827a

Error ID	Sev	Error Message	Error Description
-3827c	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals dash (-), then at least one item from K0510A1 through K0510D1 in Column 1 must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3827a
-3828a	Fatal	Inconsistent None of the Above Value: If M1040Z equals 0, then at least one active item from M1040A through M1040H must equal 1.	<p>Cause: The value submitted in item M1040Z (Other Ulcers, Wounds and Skin Problems: None of the above) is not consistent with one or more values submitted in related items M1040A through M1040H (Other Ulcers, Wounds and Skin Problems).</p> <ul style="list-style-type: none"> • IF M1040Z is unchecked, THEN one or more active items M1040A through M1040H must be checked. • IF M1040Z is checked, THEN all active items M1040A through M1040H must be unchecked. • IF M1040Z is a dash (-), THEN one or more active items M1040A through M1040H must be a dash (-) and the remaining active items M1040A through M1040H must be unchecked or a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3828b	Fatal	Inconsistent None of the Above Value: If M1040Z equals 1, then all active items from M1040A through M1040H must equal 0.	See error number -3828a
-3828c	Fatal	Inconsistent None of the Above Value: If M1040Z equals dash (-), then at least one active item from M1040A through M1040H must equal dash (-) and all remaining active items must equal 0 or dash (-).	See error number -3828a

Error ID	Sev	Error Message	Error Description
-3829a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all items from B0200 through B1200 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).</p> <ul style="list-style-type: none"> • IF B0100 is 0, THEN active items B0200 (Hearing) through B1200 (Corrective Lenses) must not be blank (^). • IF B0100 is a dash (-), THEN all active items B0200 through B1200 must be a dash (-). <p>Tip: This is a skip pattern. If B0100 is 0, continue to B0200 (Hearing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3829b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all items from B0200 through B1200 must equal dash (-).	See error number -3829a
-3830a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all items from C1300A through C1600 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).</p> <ul style="list-style-type: none"> • IF B0100 is 0, THEN active items C1300A (Inattention) through C1600 (Acute Onset Mental Status Change) must not be blank (^). • IF B0100 is a dash (-), THEN all active items C1300A through C1600 must be a dash (-). <p>Tip: This is a skip pattern. If B0100 is 0, continue to B0200 (Hearing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3830b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all items from C1300A through C1600 must equal dash (-).	See error number -3830a

Error ID	Sev	Error Message	Error Description
-3831a	Fatal	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then J0200 must not equal blank (^).	<p>Cause: The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item J0200, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item J0200, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item J0200, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item J0200, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3831b	Fatal	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then J0200 must equal dash (-).	See error number -3831a
-3831c	Fatal	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then J0200 must not equal blank (^).	See error number -3831a
-3831d	Fatal	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then J0200 must equal dash (-).	See error number -3831a

Error ID	Sev	Error Message	Error Description
-3832a	Fatal	Inconsistent K Items: If K0510A1, K0510A2, K0510B1 or K0510B2 equals 1, then K0700A and K0700B must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with values submitted in items K0510A1 (Nutritional Approaches: Parenteral/IV feeding-While not a resident), K0510A2 (Nutritional Approaches: Parenteral/IV feeding-While a Resident), K0510B1 (Nutritional Approaches: Feeding tube-While not a Resident), or K0510B2 (Nutritional Approaches: Feeding tube-While a Resident).</p> <ul style="list-style-type: none"> • IF K0510A1, K0510A2, K0510B1, or K0510B2 is 1, THEN active items K0700A (Proportion of total calories received through parenteral or tube feeding) and K0700B (Average fluid intake per day by IV or tube feeding) must not be blank (^). • IF K0510A1, K0510A2, K0510B1, and K0510B2 are 0 or blank (^), THEN active items K0700A and K0700B must be blank (^). • IF one or more of items K0510A1, K0510A2, K0510B1, or K0510B2 is a dash (-) and the remaining items K0510A1 through K0510B2 are 0, dash (-), or blank (^), THEN active items K0700A and K0700B must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3832b	Fatal	Inconsistent K Items: If K0510A1, K0510A2, K0510B1, and K0510B2 equal 0 or dash (-), then K0700A and K0700B must equal blank (^).	See error number -3832a
-3832c	Fatal	Inconsistent K Items: If K0510A1, K0510A2, K0510B1, or K0510B2 equals dash (-), and all remaining items K0510A1 through K0510B2 equal 0, dash (-), or blank (^), then K0700A and K0700B must equal dash (-).	See error number -3832a

Error ID	Sev	Error Message	Error Description
-3833a	Fatal	Inconsistent Q0490 Value: If Q0400A equals 0 or dash (-) and A0310A equals 01, 03, 04 or 05, then Q0490 must equal blank (^) and all active items Q0500B through Q0550B must not equal blank (^).	<p>Cause: The value submitted in item Q0490 (Resident's Preference to Avoid Being Asked Question Q0500B) is not consistent with the values submitted in items Q0400A (Is active discharge planning occurring?) and A0310A (Federal OBRA Reason for Assessment).</p> <ul style="list-style-type: none"> • IF Q0400A is 0 or a dash (-) and A0310A is 01, 03, 04, or 05, THEN item Q0490, if active, must be blank (^) and all active items Q0500B through Q0550B must not be blank (^). • IF Q0400A is 0 or a dash (-) and A0310A is 02, 06, or 99, THEN item Q0490, if active, must not be blank (^). • IF Q0400A is 1, THEN all active items Q0490 through Q0550B (Indicate information source for Q0550A) must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3833b	Fatal	Inconsistent Q0490 Value: If Q0400A equals 0 or dash (-) and A0310A equals 02, 06 or 99, then Q0490 must not equal blank (^).	See error number -3833a
-3833c	Fatal	Inconsistent Q Items: If Q0400A equals 1, all items from Q0490 through Q0550B must equal blank (^).	See error number -3833a
-3834a	Fatal	Invalid Skip Pattern: If A0310A equals 01, 03, 04 or 05, then A1500 must not equal blank (^).	<p>Cause: The value submitted in item A1500 (Preadmission Screening and Resident Review) is not consistent with the value submitted in A0310A (Federal OBRA Reason for Assessment).</p> <ul style="list-style-type: none"> • IF A0310A is 01, 03, 04, or 05, THEN item A1500, if active, must not be blank (^). • IF A0310A is 02, 06, or 99, THEN item A1500, if active, must be blank (^). <p>Tip: This is a skip pattern. If A0310A is 02, 06, or 99, then skip to A1510 (Level II PASRR Conditions) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3834b	Fatal	Invalid Skip Pattern: If A0310A equals 02, 06 or 99, then A1500 must equal blank (^).	See error number -3834a

Error ID	Sev	Error Message	Error Description
-3835a	Fatal	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then D0100 must not equal blank (^).	<p>Cause: The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item D0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item D0100, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item D0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is (01, 02, 03, 04, 05, 06, or 07), THEN item D0100, if active must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3835b	Fatal	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then D0100 must equal dash (-).	See error number -3835a
-3835c	Fatal	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then D0100 must not equal blank (^).	See error number -3835a
-3835d	Fatal	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals [01,02,03,04,05,06, or 07], then D0100 must equal dash (-).	See error number -3835a

Error ID	Sev	Error Message	Error Description
-3836	Fatal	Inconsistent D Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from D0100 through D0650 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose) and A0310G (Type of discharge) and A0310A (Federal OBRA Reason for Assessment) and A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items D0100 (Should Resident Mood Interview be Conducted?) through D0650 (Safety Notification) must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3837	Fatal	Inconsistent Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from J0200 through J0850 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose), A0310A (Federal OBRA Reason for Assessment), A0310B (PPS Assessment) and A0310G (Type of discharge).</p> <ul style="list-style-type: none"> IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN active items J0200 (Should Pain Assessment Interview be Conducted) through J0850 (Frequency of Indicator of Pain) must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3838a	Fatal	Invalid Skip Pattern: If A0310F equals 01, 12 or 99, then A0310G must equal blank (^).	<p>Cause: The value submitted in item A0310G (Type of discharge) is not consistent with the value submitted in A0310F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> IF A0310F is 01, 12, or 99 THEN item A0310G, if active, must be blank (^). IF A0310F is 10 or 11, THEN item A0310G, if active, must not be blank (^). <p>Tip: This is a skip pattern. If A0310A is 02, 06, or 99, then skip to A1510 (Level II PASRR Conditions) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3838b	Fatal	Invalid Skip Pattern: If A0310F equals 10 or 11, then A0310G must not equal blank (^).	See error number -3838a

Error ID	Sev	Error Message	Error Description
-3839	Fatal	Non-matching ISC: The ISC of the modification record does not match the ISC of the record to be modified.	<p>Cause: The Item Subset Code (ISC) submitted in this modification (A0050 is 2) record is not consistent with the ISC of the record it was intended to modify.</p> <p>Tip: The values of the following items determine which item subset code (ISC) is identified for this record:</p> <ul style="list-style-type: none"> o A0050 (Type of Record) o A0200 (Type of Provider) o A0310A (Federal OBRA Reason for Assessment) o A0310B (PPS Assessment) o A0310C (PPS Other Medicare Required Assessment) o A0310D (Is this a Swing Bed clinical change assessment?) o A0310F (Entry/discharge reporting). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3840a	Fatal	Inconsistent K Items: If K0510A1 or K0510B1 equals 1, then if K0710A1 or K0710B1 are active they must not equal blank (^).	<p>Cause: The values submitted in items K0510A1 (Parenteral/IV feeding while not a resident) and/or K0510B1 (Feeding tube while not a resident) are not consistent with the values submitted in K0710A1 (Proportion of total calories received parenteral while not a resident) and/or K0710B1 (Average fluid intake by IV or tube feeding while not a resident).</p> <ul style="list-style-type: none"> • IF K0510A1 or K0510B1 is 1, THEN items K0710A1 or K0710B1, if active, must not be blank (^). • IF K0510A1 and K0510B1 are 0 or blank (^), THEN items K0710A1 or K0710B1, if active, must be blank (^). • IF either K0510A1 or K0510B1 is a dash (-) and the other item is 0 or a dash (-), THEN items K0710A1 or K0710B1, if active, must be a dash (-). • IF K0510A1 and K0510B1 both are a dash (-), THEN items K0710A1 or K0710B1, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for these items.</p>
-3840b	Fatal	Inconsistent K Items: If K0510A1 and K0510B1 equal 0 or blank (^), then if K0710A1 or K0710B1 are active they must equal blank (^).	See error number -3840a

Error ID	Sev	Error Message	Error Description
-3840c	Fatal	Inconsistent K Items: If either K0510A1 or K0510B1 equals dash (-) and the other item equals 0 or dash (-), then if K0710A1 or K0710B1 are active they must equal dash (-).	See error number -3840a
-3840d	Fatal	Inconsistent K Items: If K0510A1 and K0510B1 both equal dash (-), then if K0710A1 or K0710B1 are active they must equal dash (-).	See error number -3840a
-3841a	Fatal	Inconsistent K Items: If K0510A2 or K0510B2 equals 1, then if K0710A2 or K0710B2 are active they must not equal blank (^).	<p>Cause: The values submitted in items K0510A2 (Parenteral/IV feeding while a resident) and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A2 (Proportion of total calories received parenteral while a resident) and/or K0710B2 (Average fluid intake by IV or tube feeding while a resident).</p> <ul style="list-style-type: none"> • IF K0510A2 or K0510B2 is 1, THEN items K0710A2 or K0710B2, if active, must not be blank (^). • IF K0510A2 and K0510B2 are 0, THEN items K0710A2 or K0710B2, if active, must be blank (^). • IF either K0510A2 or K0510B2 is a dash (-) and the other item is 0 or a dash (-), THEN items K0710A2 or K0710B2, if active, must be a dash (-). • IF K0510A2 and K0510B2 both are a dash (-), THEN items K0710A2 or K0710B2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for these items.</p>
-3841b	Fatal	Inconsistent K Items: If K0510A2 and K0510B2 equal 0, then if K0710A2 or K0710B2 are active they must equal blank (^).	See error number -3841a
-3841c	Fatal	Inconsistent K Items: If either K0510A2 or K0510B2 equals dash (-) and the other item equals 0 or dash (-), then if K0710A2 or K0710B2 are active they must equal dash (-).	See error number -3841a
-3841d	Fatal	Inconsistent K Items: If K0510A2 and K0510B2 both equal dash (-), then if K0710A2 or K0710B2 are active they must equal dash (-).	See error number -3841a

Error ID	Sev	Error Message	Error Description
-3842a	Fatal	Inconsistent K Items: If K0710A3 and K0710B3 are active and one or more of the items K0510A1, K0510A2, K0510B1, or K0510B2 equal 1, then K0710A3 and K0710B3 must not equal blank (^).	<p>Cause: The values submitted in items K0510A1 (Parenteral/IV feeding while not a resident), K0510A2 (Parenteral/IV feeding while a resident), K0510B1 (Feeding tube while not a resident), and/or K0510B2 (Feeding tube while a resident) are not consistent with the values submitted in K0710A3 (Proportion of total calories received parenteral or tube during entire 7 days) and/or K0710B3 (Average fluid intake by IV or tube feeding during entire 7 days).</p> <ul style="list-style-type: none"> • IF K0510A1, K0510A2, K0510B1, or K0510B2 is 1, THEN items K0710A3 and K0710B3, if active, must not be blank (^). • IF K0510A1, K0510A2, K0510B1, and K0510B2 are 0 or blank (^), THEN items K0710A3 and K0710B3, if active, must be blank (^). • IF K0510A1, K0510A2, K0510B1, or K0510B2 is a dash (-) and the other items are 0, a dash (-) or blank (^), THEN items K0710A3 and K0710B3, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for these items.</p>
-3842b	Fatal	Inconsistent K Items: If K0710A3 and K0710B3 are active and K0510A1, K0510A2, K0510B1, and K0510B2 equal 0 or blank (^), then K0710A3 and K0710B3 must equal blank (^).	See error number -3842a
-3842c	Fatal	Inconsistent K Items: If K0710A3 and K0710B3 are active and at least one of the items K0510A1, K0510A2, K0510B1, or K0510B2 equal dash (-) and the remaining items equal 0, dash (-), or blank (^), then K0710A3 and K0710B3 must equal dash (-).	See error number -3842a

Error ID	Sev	Error Message	Error Description
-3843	Fatal	Inconsistent O0400A Items: If the sum of minutes in O0400A1, O0400A2, and O0400A3 is greater than 0, then O0400A3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400A1, O0400A2, and O0400A3.	<p>Cause: The value submitted in item O0400A3A (Co-treatment minutes) is not consistent with the values submitted in items O0400A1 (Individual minutes), O0400A2 (Concurrent minutes), and O0400A3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes submitted in O0400A1, O0400A2, and O0400A3 is greater than 0, THEN O0400A3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400A1, O0400A2, and O0400A3. <p>NOTE: When computing the sum of the minutes in O0400A1, O0400A2, and O0400A3, if any of these items is a dash (-), count the number of minutes for that item as 0.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3844	Fatal	Inconsistent O0400B Items: If the sum of minutes in O0400B1, O0400B2, and O0400B3 is greater than 0, then O0400B3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400B1, O0400B2, and O0400B3.	<p>Cause: The value submitted in item O0400B3A (Co-treatment minutes) is not consistent with the values submitted in items O0400B1 (Individual minutes), O0400B2 (Concurrent minutes), and O0400B3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes submitted in O0400B1, O0400B2, and O0400B3 is greater than 0, THEN O0400B3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400B1, O0400B2, and O0400B3. <p>NOTE: When computing the sum of the minutes in O0400B1, O0400B2, and O0400B3, if any of these items is a dash (-), count the number of minutes for that item as 0.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3845	Fatal	Inconsistent O0400C Items: If the sum of minutes in O0400C1, O0400C2, and O0400C3 is greater than 0, then O0400C3A, if active, must equal dash (-) or a value less than or equal to the sum of O0400C1, O0400C2, and O0400C3.	<p>Cause: The value submitted in item O0400C3A (Co-treatment minutes) is not consistent with the values submitted in items O0400C1 (Individual minutes), O0400C2 (Concurrent minutes), and O0400C3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes submitted in O0400C1, O0400C2, and O0400C3 is greater than 0, THEN O0400C3A, if active, must be a dash (-) or a value less than or equal to the sum of O0400C1, O0400C2, and O0400C3. <p>NOTE: When computing the sum of the minutes in O0400C1, O0400C2, and O0400C3, if any of these items is a dash (-), count the number of minutes for that item as 0.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3846a	Fatal	Inconsistent O Items: If O0400A4, O0400B4, and O0400C4 are all equal to dash (-) and O0420 is active, then O0420 must equal dash (-).	<p>Cause: The value submitted in item O0420 (Distinct Calendar Days of Therapy) is not consistent with the values submitted in items O0400A4 (Days), O0400B4 (Days), and O0400C4 (Days).</p> <ul style="list-style-type: none"> • IF the values submitted in O0400A4, O0400B4, and O0400C4 are dashes (-), THEN O0420, if active, must be a dash (-). Otherwise the following rules for the minimum and maximum value of O0420 apply: • If O0420 is active and is not a dash (-), THEN the value submitted in O0420 must be greater than or equal to the largest value submitted in O0400A4, O0400B4, and O0400C4. • If O0420 is active and is not a dash (-), THEN the value submitted in O0420 must be a value less than or equal to the sum of O0400A4, O0400B4, and O0400C4. <p>Tip: When computing the sum of the days in O0400A4, O0400B4, and O0400C4, if any of these items is a dash (-) or blank (^), count the number of days for that item as 0.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3846b1	Fatal	Inconsistent O Items: If O0420 is active and is not equal to dash (-), then O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4.	See error number -3846a

Error ID	Sev	Error Message	Error Description
-3846b2	Fatal	Inconsistent O Items: If O0420 is active and is not equal to dash (-), then O0420 must be a value less than or equal to the sum of O0400A4, O0400B4, and O0400C4.	See error number -3846a
-3847	Fatal	Inconsistent M Items: If M0800A equals 0-9 and M0300B1 equals 0-9, then M0800A must be less than or equal to M0300B1.	<p>Cause: The value submitted in item M0800A (Stage 2) is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> • IF the values submitted in M0800A and M0300B1 are 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN the value submitted in M0800A must be less than or equal to the value submitted in item M0300B1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3848	Fatal	Inconsistent M Items: If M0800B equals 0-9 and M0300C1 equals 0-9, then M0800B must be less than or equal to M0300C1.	<p>Cause: The value submitted in item M0800B (Stage 3) is not consistent with the value submitted in item M0300C1 (Number of Stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> • IF the values submitted in M0800B and M0300C1 are 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN the value submitted in M0800B must be less than or equal to the value submitted in item M0300C1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3849	Fatal	Inconsistent M Items: If M0800C equals 0-9 and M0300D1 equals 0-9, then M0800C must be less than or equal to M0300D1.	<p>Cause: The value submitted in item M0800C (Stage 4) is not consistent with the value submitted in item M0300D1 (Number of Stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> • IF the values submitted in M0800C and M0300D1 are 0, 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN the value submitted in M0800C must be less than or equal to the value submitted in item M0300D1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3850a	Fatal	Inconsistent A Items: If A0310F equals 12 and A2100 is active, A2100 must equal 08.	<p>Cause: The value submitted in item A0310F (Entry/discharge reporting) is not consistent with the value submitted in item A2100 (Discharge Status).</p> <ul style="list-style-type: none"> • IF the value submitted in A0310F is 12, THEN the value submitted in A2100, if active, must be 08. • IF A2100 is active and the value submitted in A2100 is 08, THEN the value submitted in A0310F must be 12 <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3850b	Fatal	Inconsistent A Items: If A2100 is active and equals 08, A0310F must equal 12.	See error number -3850a
-3851a	Fatal	Inconsistent Dates: The first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • The following dates must occur chronologically: <ul style="list-style-type: none"> o A0900 (Birth Date) must precede or be the same as A1900 (Admission Date) o A1900 must precede or be the same as A1600 (Entry Date) o A1600 must precede or be the same as A2300 (Assessment Reference Date) o A2300 must be the same as A2000 (Discharge Date) o A2000 must precede or be the same as Z0500B (Date RN signed assessment as complete) o Z0500B must precede or be the same as V0200B2 (CAA process signature date) o V0200B2 must precede or be the same as V0200C2 (Care plan signature date) o V0200C2 must precede or be the same as X1100E (Attestation Date) o X1100E must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3851b1	Fatal	Inconsistent Dates: This date must follow or be the same as A0900.	<p>Cause: The date submitted in this item must be greater than or equal to the birth date submitted in A0900.</p> <ul style="list-style-type: none"> • The following dates must not precede A0900 (Birth Date): <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) o A2400C (End date of most recent Medicare stay) o M0300B3 (Date of oldest Stage 2 pressure ulcer) o O0250B (Date influenza vaccine received) o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) o V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3851b2	Fatal	Inconsistent Dates: This date must precede or be the same as A2300 if A2300 is active.	<p>Cause: The date submitted in this item must be less than or equal to the Assessment Reference Date submitted in A2300, if active.</p> <ul style="list-style-type: none"> • The following dates must not follow A2300 (Assessment Reference Date): <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) o A2400C (End date of most recent Medicare stay) o M0300B3 (Date of oldest Stage 2 pressure ulcer) o O0250B (Date influenza vaccine received) o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) o V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3851b3	Fatal	Inconsistent Dates: This date must precede or be the same as A2000 if A0310F equals 10, 11, or 12.	<p>Cause: The date submitted in this item must be less than or equal to the Discharge Date submitted in A2000, if A0310F is 10, 11, or 12.</p> <ul style="list-style-type: none"> • The following dates must not follow A2000 (Discharge Date): <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) o A2400C (End date of most recent Medicare stay) o M0300B3 (Date of oldest Stage 2 pressure ulcer) o O0250B (Date influenza vaccine received) o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) o V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3851b4	Fatal	Inconsistent Dates: The start date must precede or be the same as the end date.	<p>Cause: For a start/end date pair, the start date must be less than or equal to the end date.</p> <ul style="list-style-type: none"> • In the following date pairs, the end date must not precede the associated start date: <ul style="list-style-type: none"> o A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) o O0400A5 (Speech-Language and Audiology: Therapy start date) and O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) and O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) and O0400C6 (Physical Therapy: Therapy end date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3851c1	Fatal	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 1, the first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 1, THEN the following dates must occur chronologically: <ul style="list-style-type: none"> o A1600 (Entry Date) must precede or be the same as A2200 (Previous ARD for Significant Correction) o A2200 must precede or be the same as A2300 (Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3851c2	Fatal	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 2, the first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 2, THEN the following dates must occur chronologically: <ul style="list-style-type: none"> o A0900 (Birth Date) must precede or be the same as A2200 (Previous ARD for Significant Correction) o A2200 must precede or be the same as A2300 (Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3851d	Fatal	Inconsistent Dates: If O0400A5, O0400B5, O0400C5, O0400A6, O0400B6, or O0400C6 is not equal to dash (-), blank (^), or ongoing (-----), it must be greater than or equal to A1600.	<p>Cause: The date submitted in this item must be greater than or equal to the Entry Date submitted in A1600.</p> <ul style="list-style-type: none"> • The following dates must follow or be the same as A1600 (Entry Date): <ul style="list-style-type: none"> o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3852	Fatal	Incorrect Format: Invalid ICD-10 item format.	<p>Cause: The ICD-10 code submitted in this item is not formatted properly.</p> <ul style="list-style-type: none"> • IF an item I0020A or I8000A through I8000J (ICD Code) is not blank (^), THEN it must be an 8-character, fixed-format string with all blanks replaced with the caret symbol (^), and with a decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^. • Other formatting rules are as follows: <ul style="list-style-type: none"> o Character 1 must be a letter A-Z or a-z. o Character 2 must be a number 0-9. o Character 3 can be a number 0-9 or a letter A-Z or a-z. o Character 4 must be a decimal point. o Characters 5 through 8 each must be a number 0-9, a letter A-Z or a-z, or a ^. o If any character 5 through 8 is ^, then all subsequent characters must be ^. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3853	Fatal	Inconsistent A0100B Value: If A0410 equals 3, A0100B must not equal blank (^).	<p>Cause: The value submitted in item A0100B (CMS Certification Number (CCN)) is not consistent with the value submitted in item A0410 (Unit Certification or Licensure).</p> <ul style="list-style-type: none"> • IF A0410 is 3, THEN the value submitted in A0100B must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3854	Fatal	Invalid A0100B Value: If A0100B does not equal blank (^), it must be exactly 6 characters in length.	<p>Cause: The value submitted in item A0100B (CMS Certification Number (CCN)) is not valid.</p> <ul style="list-style-type: none"> • IF A0100B is not blank (^), THEN the value submitted in A0100B must be exactly 6 characters in length. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3855a	Fatal	Inconsistent O0400A4 Value: If O0400A4 equals 1-7, it must not be greater than O0400A6 minus O0400A5 plus 1.	<p>Cause: The value submitted in item O0400A4 (Speech-Language Pathology and Audiology Services Days) is not consistent with the values submitted in items O0400A6 (Speech-Language Pathology and Audiology Services Therapy End Date) and O0400A5 (Speech-Language Pathology and Audiology Services Therapy Start Date).</p> <ul style="list-style-type: none"> • IF O0400A4 is 1-7, THEN it must not be greater than the difference between O0400A6 and O0400A5 plus 1. <p>NOTE: If O0400A6 is 'ongoing' (-----), use the value submitted in A2300 (Assessment Reference Date) as the Therapy End Date in this calculation.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3855b	Fatal	Inconsistent O0400B4 Value: If O0400B4 equals 1-7, it must not be greater than O0400B6 minus O0400B5 plus 1.	<p>Cause: The value submitted in item O0400B4 (Occupational Therapy Days) is not consistent with O0400B6 (Occupational Therapy End Date) and O0400B5 (Occupational Therapy Start Date).</p> <ul style="list-style-type: none"> • IF O0400B4 is 1-7, THEN it must not be greater than the difference between O0400B6 and O0400B5 plus 1. <p>NOTE: If O0400B6 is 'ongoing' (-----), use the value submitted in A2300 (Assessment Reference Date) as the Therapy End Date in this calculation.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3855c	Fatal	Inconsistent O0400C4 Value: If O0400C4 equals 1-7, it must not be greater than O0400C6 minus O0400C5 plus 1.	<p>Cause: The value submitted in item O0400C4 (Physical Therapy Days) is not consistent with O0400C6 (Physical Therapy End Date) and O0400C5 (Physical Therapy Start Date).</p> <ul style="list-style-type: none"> • IF O0400C4 is 1-7, THEN it must not be greater than the difference between O0400C6 and O0400C5 plus 1. <p>NOTE: If O0400B6 is 'ongoing' (-----), use the value submitted in A2300 (Assessment Reference Date) as the Therapy End Date in this calculation.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3856	Fatal	Inconsistent O0420 Value: If O0420 equals 1-7, it must not be greater than the latest therapy end date minus the earliest therapy start date plus 1.	<p>Cause: The value submitted in item O0420 (Distinct Calendar Days of Therapy) is not consistent with the latest Therapy End Date (O0400A6, O0400B6, or O0400C6) and the earliest Therapy Start Date (O0400A5, O0400B5, or O0400C5) submitted values.</p> <ul style="list-style-type: none"> • IF O0420 is 1-7, THEN it must not be greater than the difference between the latest Therapy End Date and the earliest Therapy Start Date plus 1. <p>Definition: <u>Latest Therapy End Date</u> – The latest therapy end date is the largest date submitted in O0400A6, O0400B6, and O0400C6, excluding any of these items with a value that is a dash (-) or blank (^). If the value of any of these items is 'ongoing' (-----), then the latest therapy end date is the value submitted in item A2300 (Assessment Reference Date). <u>Earliest Therapy Start Date</u> – The earliest therapy start date is the smallest date submitted in O0400A5, O0400B5, and O0400C5, excluding any of these items with a value that is a dash (-) or blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3857	Fatal	Inconsistent M0800A Value: If A0310E equals 0 and M0300B1 equals dash (-), M0800A must equal dash (-).	<p>Cause: The value submitted in item M0800A (Stage 2) is not consistent with the values submitted in items A0310E (First assessment since the most recent admission) and M0300B1 (Number of stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> • IF A0310E is 0 and M0300B1 is a dash (-), THEN M0800A must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3858	Fatal	Inconsistent M0800B Value: If A0310E equals 0 and M0300C1 equals dash (-), M0800B must equal dash (-).	<p>Cause: The value submitted in item M0800B (Stage 3) is not consistent with the values submitted in items A0310E (First assessment since the most recent admission) and M0300C1 (Number of stage 3 pressure ulcers).</p> <ul style="list-style-type: none"> • IF A0310E is 0 and M0300C1 is a dash (-), THEN M0800A must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3859	Fatal	Inconsistent M0800C Value: If A0310E equals 0 and M0300D1 equals dash (-), M0800C must equal dash (-).	<p>Cause: The value submitted in item M0800C (Stage 4) is not consistent with the values submitted in items A0310E (First assessment since the most recent admission) and M0300D1 (Number of stage 4 pressure ulcers).</p> <ul style="list-style-type: none"> • IF A0310E is 0 and M0300D1 is a dash (-), THEN M0800C must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3860	Fatal	Inconsistent A1600 Value: If A1700 equals 1, A1600 must equal A1900.	<p>Cause: The value submitted in item A1600 (Entry Date) is not consistent with the values submitted in items A1700 (Type of Entry) and A1900 (Admission Date).</p> <ul style="list-style-type: none"> • IF A1700 is 1, THEN A1600 must be the same as A1900. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3861	Fatal	Inconsistent A1600 Value: If A1700 equals 2, A1600 must be greater than A1900.	<p>Cause: The value submitted in item A1600 (Entry Date) is not consistent with the values submitted in items A1700 (Type of Entry) and A1900 (Admission Date).</p> <ul style="list-style-type: none"> • IF A1700 is 2, THEN A1600 must be greater than A1900. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3862a	Fatal	Invalid Skip Pattern: If B0100 equals 0, then all items from C1310A through C1310D must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item B0100 (Comatose).</p> <ul style="list-style-type: none"> • IF B0100 is 0, THEN active items C1310A (Is there evidence of an acute change in mental status?) through C1310D (Altered level of consciousness) must not be blank (^). • IF B0100 is a dash (-), THEN all active items C1310A through C1310D must be a dash (-). <p>Tip: This is a skip pattern. If B0100 is 0, continue to B0200 (Hearing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3862b	Fatal	Invalid Skip Pattern: If B0100 equals dash (-), then all items from C1310A through C1310D must equal dash (-).	See error number -3862a
-3863	Warn	Discharge Goal Not Identified: At least one of the Discharge Goal items GG0130A2 through GG0130C2 and GG0170B2 through GG0170S2 should equal (01,02,03,04,05,06).	<p>Cause: If A0310B is 01, a value of 01, 02, 03, 04, 05, or 06 should be submitted for at least one of the following Self-care and Mobility Discharge Goals:</p> <ul style="list-style-type: none"> o GG0130A2 (Self-Care: Eating) o GG0130B2 (Self-Care: Oral hygiene) o GG0130C2 (Self-Care: Toileting hygiene) o GG0170B2 (Mobility: Sit to lying) o GG0170C2 (Mobility: Lying to sitting on side of bed) o GG0170D2 (Mobility: Sit to stand) o GG0170E2 (Mobility: Chair/bed-to-chair transfer) o GG0170F2 (Mobility: Toilet transfer) o GG0170J2 (Mobility: Walk 50 feet with two turns) o GG0170K2 (Mobility: Walk 150 feet) o GG0170R2 (Mobility: Wheel 50 feet with two turns) o GG0170S2 (Mobility: Wheel 150 feet) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3864	Fatal	Inconsistent GG0170 Items: If GG0170H1 equals dash (-), then items GG0170J1 and GG0170K1 must equal dash (-).	<p>Cause: The value submitted in item GG0170H1 (Mobility: Does the resident walk?) is not consistent with values submitted in GG0170J1 (Mobility: Walk 50 feet with two turns) and/or GG0170K1 (Mobility: Walk 150 feet).</p> <ul style="list-style-type: none"> • IF GG0170H1 is a dash (-), THEN items GG0170J1 and GG0170K1 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3865	Fatal	Inconsistent GG0170 Items: If GG0170H3 equals dash (-), then items GG0170J3 and GG0170K3 must equal dash (-).	<p>Cause: The value submitted in item GG0170H3 (Mobility: Does the resident walk?) is not consistent with values submitted in GG0170J3 (Mobility: Walk 50 feet with two turns) and/or GG0170K3 (Mobility: Walk 150 feet).</p> <ul style="list-style-type: none"> • IF GG0170H3 is a dash (-), THEN items GG0170J3 and GG0170K3 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3866a	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	<p>Cause: The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> • IF GG0170Q1 is a dash (-) and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN all items GG0170R1 through GG0170SS1 must be a dash (-). • IF GG0170Q1 is a dash (-) and A0310B is 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN all items GG0170R1 through GG0170SS1 must be a dash (-). • IF GG0170Q1 is a dash (-) and A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must be a dash (-). • IF GG0170Q1 is a dash (-) and A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN items GG0170R2 and GG0170S2 must be a blank (^). • IF GG0170Q1 is a dash (-) and the target date of this assessment is before 10/1/2020, THEN all items GG0170R1 through GG0170SS1, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3866b	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	See error number -3866a

Error ID	Sev	Error Message	Error Description
-3866c	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1, if active, must equal dash (-).	See error number -3866a
-3866d	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R2 and GG0170S2, if active, must equal blank (^).	See error number -3866a
-3866e	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-) and the target date for this assessment is before 10/1/2020, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must equal dash (-).	See error number -3866a
-3867a	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals 0 or blank (^), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal blank (^).	<p>Cause: The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> • IF GG0170Q3 is 0 or blank (^), THEN items GG0170R3 through GG0170SS3 must be blank (^). • IF GG0170Q3 is 1, THEN all items GG0170R3 through GG0170SS3 must not be blank (^). • IF GG0170Q3 is a dash (-), THEN items GG0170R3 through GG0170SS3 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3867b	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals 1, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must not equal blank (^).	See error number -3867a

Error ID	Sev	Error Message	Error Description
-3867c	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals dash (-), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal dash (-).	See error number -3867a
-3868a	Fatal	Inconsistent GG0170 Items: If GG0170H1 equals 0, then items GG0170J1, GG0170J2, GG0170K1, and GG0170K2 must equal blank (^).	<p>Cause: The value submitted in item GG0170H1 (Mobility: Does the resident walk?) is not consistent with one or more values submitted in Mobility Admission Performance and/or Discharge Goal items GG0170J (Walk 50 feet with two turns) and GG0170K (Walk 150 feet).</p> <ul style="list-style-type: none"> • IF GG0170H1 is 0, THEN all Admission Performance and Discharge Goal items GG0170J and GG0170K must be blank (^). • IF GG0170H1 is 1, THEN Admission Performance items GG0170J1 and GG0170K1 must be blank (^), and Discharge Goal items GG0170J2 and GG0170K2 must not be blank (^). • IF GG0170H1 is 2, THEN all Admission Performance and Discharge Goal items GG0170J1, GG0170J2, GG0170K1, and GG0170K2 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3868b	Fatal	Inconsistent GG0170 Items: If GG0170H1 equals 1, then Admission Performance items GG0170J1 and GG0170K1 must equal blank (^) and Discharge Goal items GG0170J2 and GG0170K2 must not equal blank (^).	See error number -3868a
-3868c	Fatal	Inconsistent GG0170 Items: If GG0170H1 equals 2, then items GG0170J1, GG0170J2, GG0170K1, and GG0170K2 must not equal blank (^).	See error number -3868a

Error ID	Sev	Error Message	Error Description
-3869a	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 0 or blank (^), then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal blank (^).	<p>Cause: The values submitted in items GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) and/or A0310B (PPS Assessment) are not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170RR1 (Indicate the type of wheelchair/scooter used), GG0170S1 and GG0170S2 (Wheel 150 feet), and GG0170SS1 (Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> • IF GG0170Q1 is 0 or blank (^), THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be blank (^). • IF GG0170Q1 is 1 and your state is not actively collecting the PDPH HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be blank (^). • IF GG0170Q1 is 1 and A0310B is 01 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be blank (^). • IF GG0170Q1 is 1 and A0310B is 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, THEN items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1 must not be blank (^). • IF GG0170Q1 is 1 and A0310B is 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, THEN items GG0170R2 and GG0170S2 must be blank (^). • IF GG0170Q1 is 1 and the target date of this assessment is before 10/1/2020, THEN all items GG0170R1 through GG0170SS1, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3869b1	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and your state is not actively collecting the PDPH HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	See error number -3869a

Error ID	Sev	Error Message	Error Description
-3869b2	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 01 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	See error number -3869a
-3869b3	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R1, GG0170RR1, GG0170S1, and GG0170SS1, if active, must not equal blank (^).	See error number -3869a
-3869b4	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0170R2 and GG0170S2, if active, must equal blank (^).	See error number -3869a
-3869b5	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1 and the target date for this assessment is before 10/1/2020, then items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1, if active, must not equal blank (^).	See error number -3869a
-3870a	Fatal	Inconsistent GG0170 Items: If GG0170H3 equals 0, then items GG0170J3 and GG0170K3 must equal blank (^).	<p>Cause: The value submitted in item GG0170H3 (Mobility: Does the resident walk?) is not consistent with values submitted in GG0170J3 (Mobility: Walk 50 feet with two turns) and/or GG0170K3 (Mobility: Walk 150 feet).</p> <ul style="list-style-type: none"> • IF GG0170H3 is 0, THEN items GG0170J3 and GG0170K3 must be blank (^). • IF GG0170H3 is 2, THEN items GG0170J3 and GG0170K3 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3870b	Fatal	Inconsistent GG0170 Items: If GG0170H3 equals 2, then items GG0170J3 and GG0170K3 must not equal blank (^).	See error number -3870a
-3871a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0130A through GG0130C must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 and GG0130A2 (Eating), GG0130B1 and GG0130B2 (Oral hygiene), and GG0130C1 and GG0130C2 (Toileting hygiene) must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99 THEN items GG0130A1, GG0130A2, GG0130B1, G0130B2, GG0130C1, and GG0130C2 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is not 01, then Admission Performance and Discharge Goal items GG0130A through GG0130C must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3871b	Fatal	Invalid Skip Pattern: If A0310B equals (02,03,04,05,07,99), then Admission Performance and Discharge Goal items GG0130A through GG0130C must equal blank (^).	See error number -3871a

Error ID	Sev	Error Message	Error Description
-3872a	Fatal	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals (01,02,04,05,06,07,08,09,99,^), then items GG0130A3, GG0130B3, and GG0130C3 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).</p> <ul style="list-style-type: none"> • IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), THEN Self-Care Discharge Performance items GG0130A3 (Eating), GG0130B3 (Oral hygiene), and GG0130C3 (Toileting hygiene) must not be blank (^). • IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN items GG0130A3, GG0130B3, and GG0130C3 must be blank (^). <p>Tip: This is a skip pattern. If A0310G is 2, or A0310H is 0, or A2400C minus A2400B is 2 or less, then items GG0130A3, GG0130B3, and GG0130C3 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3872b	Fatal	Invalid Skip Pattern: If A0310G equals 2, or A0310H equals 0, or A2400C minus A2400B is 2 or less, or A2100 equals 03, then items GG0130A3, GG0130B3, and GG0130C3 must equal blank (^).	See error number -3872a

Error ID	Sev	Error Message	Error Description
-3873a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0170B through GG0170F and items GG0170H1 and GG0170Q1 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Mobility Admission Performance and Discharge Goal items GG0170B1 and GG0170B2 (Sit to lying), GG0170C1 and GG0170C2 (Lying to sitting on side of bed), GG0170D1 and GG0170D2 (Sit to stand), GG0170E1 and GG0170E2 (Chair/bed-to-chair transfer), and GG0170F1 and GG0170F2 (Toilet transfer), GG0170H1 (Does the resident walk?), and GG0170Q1 (Does the resident use a wheelchair/scooter?) must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07 or 99, THEN Mobility Admission Performance and Discharge Goal items GG0170B1 and GG0170B2, GG0170C1 and GG0170C2, GG0170D1 and GG0170D2, GG0170E1 and GG0170E2, GG0170F1 and GG0170F2, GG0170J1 and GG0170J2 (Walk 50 feet with two turns), GG0170K1 and GG0170K2 (Walk 150 feet), GG0170R1 and GG0170R2 (Wheel 50 feet with two turns), GG0170S1 and GG0170S2 (Wheel 150 feet), GG0170H1, GG0170Q1, GG0170RR1 (Indicate the type of wheelchair/scooter used), and GG0170SS1 (Indicate the type of wheelchair/scooter used) must be blank (^). <p>Tip: This is a skip pattern. If A0310B is not 01, then Mobility Admission Performance and Discharge Goal items GG0170B through GG0170SS1 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3873b	Fatal	Invalid Skip Pattern: If A0310B equals (02,03,04,05,07,99), then Admission Performance and Discharge Goal items GG0170B through GG0170S and items GG0170H1, GG0170Q1, GG0170RR1, and GG0170SS1 must equal blank (^).	See error number -3873a

Error ID	Sev	Error Message	Error Description
-3874a	Fatal	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals (01,02,04,05,06,07,08,09,99,^), then Discharge Performance items GG0170B3 through GG0170F3, and items GG0170H3 and GG0170Q3 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).</p> <ul style="list-style-type: none"> • IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), THEN Mobility Discharge Performance items GG0170B3 (Sit to lying), GG0170C3 (Lying to sitting on side of bed), GG0170D3 (Sit to stand), GG0170E3 (Chair/bed-to-chair transfer), GG0170F3 (Toilet transfer), and items GG0170H3 (Does the resident walk?) and GG0170Q3 (Does the resident use a wheelchair/scooter) must not be blank (^). • IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN Mobility Discharge Performance items GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170J3 (Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), GG0170R3 (Wheel 50 feet with two turns), and GG0170S3 (Wheel 150 feet) and items GG0170H3, GG0170Q3, GG0170RR3 (Indicate the type of wheelchair/scooter used), and GG0170SS3 (Indicate the type of wheelchair/scooter used) must be blank (^). <p>Tip: This is a skip pattern. If A0310G is 2 or A0310H is 0 or A2400C minus A2400B is 2 or less or A2100 is 03, then all items GG0170B3 through GG0170SS3 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3874b	Fatal	Invalid Skip Pattern: If A0310G equals 2 or A0310H equals 0 or A2400C minus A2400B is 2 or less or A2100 equals 03, then Discharge Performance items GG0170B3 through GG0170S3 and items GG0170H3, GG0170Q3, GG0170RR3, and GG0170SS3 must equal blank (^).	See error number -3874a

Error ID	Sev	Error Message	Error Description
-3875	Fatal	Inconsistent A0310H/A2400C Values: If A0310H equals 1, then A2400C must not equal dashes (-----) or blank (^).	<p>Cause: The values submitted in items A0310H (Is this a SNF Part A PPS Discharge Assessment and A2400C (End date of most recent Medicare stay) are not consistent.</p> <ul style="list-style-type: none"> • IF A0310H is 1, THEN A2400C must not be dashes (-----) or blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3876a	Fatal	Inconsistent Dates: If A0200 equals 1 AND A0310F equals 99 AND A0310H equals 1 AND either A0310A equals (01,02,03,04,05,06) or A0310B equals (01,02,03,04,05), then A2300 must equal A2400C.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A2400C (End date of most recent Medicare stay).</p> <ul style="list-style-type: none"> • IF A0200 (Type of Provider) is 1 AND A0310F (Entry/discharge reporting) is 99 AND A0310H (Is this a SNF Part A PPS Discharge Assessment?) is 1 AND either A0310A (Federal OBRA Reason for Assessment) is 01, 02, 03, 04, 05, or 06 OR A0310B (PPS Assessment) is 01, 02, 03, 04, or 05, THEN A2300 (Assessment Reference Date) must be the same as A2400C. • IF A0200 is 2 AND A0310B is 01, 02, 03, 04, or 05 AND A0310F is 99 AND A0310H is 1, THEN A2300 must be the same as A2400C. • IF A0310F is 10 or 11 AND A0310H is 1, THEN A2000 (Discharge Date) must be the same as A2400C or A2400C plus 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3876b	Fatal	Inconsistent Dates: If A0200 equals 2 AND A0310B equals (01,02,03,04,05) AND A0310F equals 99 AND A0310H equals 1, then A2300 must equal A2400C.	See error number -3876a
-3876c	Fatal	Inconsistent Dates: If A0310F equals 10 or 11 AND A0310H equals 1, then A2000 must equal 2400C or A2400C plus 1.	See error number -3876a

Error ID	Sev	Error Message	Error Description
-3877	Fatal	Inconsistent A0310H Value: If A0310F equals 10 or 11 AND A2400C equals A2000 or A2000 minus A2400C equals 1, then A0310H, if active, must equal 1.	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A2000 (Discharge Date) and A2400C (End date of most recent Medicare stay).</p> <ul style="list-style-type: none"> • IF A0310F (Entry/discharge reporting) is 10 or 11 AND A2400C is the same as A2000 or A2000 minus A2400C is 1, THEN A0310H (Is this a SNF Part A PPS Discharge Assessment?), if active, must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3878	Fatal	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<p>Cause: The Medicare Beneficiary Identifier (MBI) or Medicare/railroad insurance number submitted in A0600B (Medicare/railroad insurance number) is invalid.</p> <ul style="list-style-type: none"> • IF A0600B contains an MBI, it must be eleven characters as follows: <ul style="list-style-type: none"> o The 1st character must be a number 1-9. o The 2nd, 5th, 8th, and 9th characters must be letters, excluding S, L, O, I, B, and Z. o The 4th, 7th, 10th, and 11th characters must be numbers. o The 3rd and 6th characters must be numbers or letters, excluding S, L, O, I, B, and Z. • IF A0600B contains a Medicare/railroad insurance number, it must be formatted as follows: <ul style="list-style-type: none"> o IF the first character is numeric, THEN all 9 characters must be numeric. o IF the first character is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3879a	Fatal	Invalid Skip Pattern: If N0450A equals 0, then all active items from N0450B through N0450E must equal blank (^).	<p>Cause: The value submitted in item N0450A (Antipsychotic medications received) is not consistent with one or more values submitted in related items N0450B - N0450E.</p> <ul style="list-style-type: none"> • IF N0450A is 0, THEN all active items N0400B through N0400E must be blank (^). • IF N0450A is 1, 2, or 3, THEN items N0450B through N0450D must be not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3879b	Fatal	Invalid Skip Pattern: If N0450A equals 1, 2, or 3, then items N0450B and N0450D must not equal blank (^).	See error number -3879a
-3880a	Fatal	Invalid Skip Pattern: If N0450B equals 0, then N0450C must equal blank (^).	<p>Cause: The value submitted in item N0450B (GDR attempted) is not consistent with the value submitted in item N0450C (Date of last attempted GDR).</p> <ul style="list-style-type: none"> • IF N0450B is 0, THEN N0450C must be blank (^). • IF N0450B is 1, THEN N0450C must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3880b	Fatal	Invalid Skip Pattern: If N0450B equals 1, then N0450C must not equal blank (^).	See error number -3880a
-3881a	Fatal	Invalid Skip Pattern: If N0450D equals 0, then N0450E must equal blank (^).	<p>Cause: The value submitted in item N0450D (GDR contraindication documented) is not consistent with the value submitted in item N0450E (Date GDR contraindication documented).</p> <ul style="list-style-type: none"> • IF N0450D is 0, THEN N0450E must be blank (^). • IF N0450D is 1, THEN N0450E must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3881b	Fatal	Invalid Skip Pattern: If N0450D equals 1, then N0450E must not equal blank (^).	See error number -3881a

Error ID	Sev	Error Message	Error Description
-3882a	Fatal	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals 0, then at least one item from GG0110A through GG0110E must equal 1.	<p>Cause: The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.</p> <ul style="list-style-type: none"> • IF GG0110Z is unchecked, THEN one or more active items GG0110A through GG0110E must be checked. • IF GG0110Z is checked, THEN all items GG0110A through GG0110E must be unchecked. • IF GG0110Z is a dash (-), THEN one or more active items GG0110A through GG0110E must be a dash (-) and the remaining items GG0110A through GG0110E must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3882b	Fatal	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals 1, then all items from GG0110A through GG0110E must equal 0.	See error number -3882a
-3882c	Fatal	Inconsistent None of the Above Value: If GG0110A through GG0110E and GG0110Z are all active and GG0110Z equals dash (-), then at least one item from GG0110A through GG0110E must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -3882a

Error ID	Sev	Error Message	Error Description
-3883a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170Q1 must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07 or 99, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170Q1 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is not 01, then Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170Q1 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3883b	Fatal	Invalid Skip Pattern: If A0310B equals (02,03,04,05,07,99), then Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must equal blank (^).	See error number -3883a

Error ID	Sev	Error Message	Error Description
-3884a	Fatal	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).</p> <ul style="list-style-type: none"> • IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99 or blank (^), THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must not be blank (^). • IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be blank (^). • IF A0310G is blank (^) and A0310H is 0, THEN Mobility Discharge Performance items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be blank (^). <p>Tip: This is a skip pattern. If A0310G is 2 or A0310H is 0 or A2400C minus A2400B is 2 or less or A2100 is 03, then all items GG0170A3 through GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3884b	Fatal	Invalid Skip Pattern: If A0310G equals 2 or A0310H equals 0 or A2400C minus A2400B is 2 or less or A2100 equals 03, then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must equal blank (^).	See error number -3884a

Error ID	Sev	Error Message	Error Description
-3884c	Fatal	Invalid Skip Pattern: If A0310G equals blank (^) and A0310H equals 0, then Discharge Performance items GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, and GG0170Q3 must equal blank (^).	See error number -3884a
-3885a	Fatal	Invalid Skip Pattern: If M0300B1 equals 1-9 and M0300B2 is active, then M0300B2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0300B1 (Number of Stage 2 pressure ulcers).</p> <ul style="list-style-type: none"> • IF M0300B1 is 1, 2, 3, 4, 5, 6, 7, 8, or 9, THEN item M0300B2 (Number present at admission), if active, must not be blank (^). • IF M0300B1 is 0 or blank (^), THEN item M0300B2, if active, must be blank (^). • IF M0300B1 is a dash (-), THEN item M0300B2, if active, must be a dash (-). <p>Tip: This is a skip pattern. If M0300B1 is 0, then skip to M0300C (Stage 3) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3885b	Fatal	Invalid Skip Pattern: If M0300B1 equals 0 or blank (^) and M0300B2 is active, then M0300B2 must equal blank (^).	See error number -3885a
-3885c	Fatal	Invalid Skip Pattern: If M0300B1 equals dash (-) and M0300B2 is active, then M0300B2 must equal dash (-).	See error number -3885a

Error ID	Sev	Error Message	Error Description
-3886a	Fatal	Inconsistent Dates: The first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • The following dates must occur chronologically: <ul style="list-style-type: none"> ○ A0900 (Birth Date) must precede or be the same as A1900 (Admission Date) ○ A1900 must precede or be the same as A1600 (Entry Date) ○ A1600 must precede or be the same as A2300 (Assessment Reference Date) ○ A2300 must be the same as A2000 (Discharge Date) ○ Z0500B must precede or be the same as V0200B2 (CAA process signature date) ○ V0200B2 must precede or be the same as V0200C2 (Care plan signature date) ○ V0200C2 must precede or be the same as X1100E (Attestation Date) ○ X1100E must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3886b1	Fatal	Inconsistent Dates: This date must follow or be the same as A0900.	<p>Cause: The date submitted in this item must be greater than or equal to the birth date submitted in A0900.</p> <ul style="list-style-type: none"> • The following dates must not precede A0900 (Birth Date): <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) ○ A2400C (End date of most recent Medicare stay) ○ O0250B (Date influenza vaccine received) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) ○ O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) ○ O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) ○ O0400C6 (Physical Therapy: Therapy end date) ○ V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3886b2	Fatal	Inconsistent Dates: This date must precede or be the same as A2300 if A2300 is active.	<p>Cause: The date submitted in this item must be less than or equal to the Assessment Reference Date submitted in A2300, if active.</p> <ul style="list-style-type: none"> • The following dates must not follow A2300 (Assessment Reference Date): <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) ○ A2400C (End date of most recent Medicare stay) ○ O0250B (Date influenza vaccine received) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) ○ O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) ○ O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) ○ O0400C6 (Physical Therapy: Therapy end date) ○ V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3886b3	Fatal	Inconsistent Dates: This date must precede or be the same as A2000 if A0310F equals 10, 11, or 12.	<p>Cause: The date submitted in this item must be less than or equal to the Discharge Date submitted in A2000, if A0310F is 10, 11, or 12.</p> <ul style="list-style-type: none"> • The following dates must not follow A2000 (Discharge Date): <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) ○ A2400C (End date of most recent Medicare stay) ○ O0250B (Date influenza vaccine received) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) ○ O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) ○ O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) ○ O0400C6 (Physical Therapy: Therapy end date) ○ V0100C (Prior Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3886b4	Fatal	Inconsistent Dates: The start date must precede or be the same as the end date.	<p>Cause: For a start/end date pair, the start date must be less than or equal to the end date.</p> <ul style="list-style-type: none"> • In the following date pairs, the end date must not precede the associated start date: <ul style="list-style-type: none"> ○ A2400B (Start date of most recent Medicare stay) and A2400C (End date of most recent Medicare stay) ○ O0400A5 (Speech-Language and Audiology: Therapy start date) and O0400A6 (Speech-Language and Audiology: Therapy end date) ○ O0400B5 (Occupational Therapy: Therapy start date) and O0400B6 (Occupational Therapy: Therapy end date) ○ O0400C5 (Physical Therapy: Therapy start date) and O0400C6 (Physical Therapy: Therapy end date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3886c1	Fatal	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 1, the first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 1, THEN the following dates must occur chronologically: <ul style="list-style-type: none"> ○ A1600 (Entry Date) must precede or be the same as A2200 (Previous ARD for Significant Correction) ○ A2200 must precede or be the same as A2300 (Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3886c2	Fatal	Inconsistent Dates: If A0310A equals 05 or 06 and A1700 equals 2, the first date listed must be prior to or the same as the second date.	<p>Cause: The submitted dates are out of order or in the future.</p> <ul style="list-style-type: none"> • IF A0310A (Federal OBRA Reason For Assessment) is 05 or 06 and A1700 (Type of Entry) is 2, THEN the following dates must occur chronologically: <ul style="list-style-type: none"> o A0900 (Birth Date) must precede or be the same as A2200 (Previous ARD for Significant Correction) o A2200 must precede or be the same as A2300 (Assessment Reference Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3886d	Fatal	Inconsistent Dates: If O0400A5, O0400B5, O0400C5, O0400A6, O0400B6, or O0400C6 is not equal to dash (-), blank (^), or ongoing (-----), it must be greater than or equal to A1600.	<p>Cause: The date submitted in this item must be greater than or equal to the Entry Date submitted in A1600.</p> <ul style="list-style-type: none"> • The following dates must follow or be the same as A1600 (Entry Date): <ul style="list-style-type: none"> o O0400A5 (Speech-Language and Audiology: Therapy start date) o O0400A6 (Speech-Language and Audiology: Therapy end date) o O0400B5 (Occupational Therapy: Therapy start date) o O0400B6 (Occupational Therapy: Therapy end date) o O0400C5 (Physical Therapy: Therapy start date) o O0400C6 (Physical Therapy: Therapy end date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3887a	Fatal	Invalid Skip Pattern: If M0210 equals 0, then all active items from M0300A through M0300G2 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0210 (Unhealed Pressure Ulcer(s)).</p> <ul style="list-style-type: none"> • IF M0210 is 0, THEN all active items M0300A through M0300G2 must be blank (^). • IF M0210 is a dash (-), THEN all active items M0300A through M0300G2 must be a dash (-). <p>Tip: This is a skip pattern. If M0210 is 0, then skip to M1030 (Number of Venous and Arterial Ulcers).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3887b	Fatal	Invalid Skip Pattern: If M0210 equals dash (-), then all active items from M0300A through M0300G2 must equal dash (-).	See error number -3887a
-3889a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99 THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is not 01, then Admission Performance and Discharge Goal items GG0130A through GG0130H2 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3889b	Fatal	Invalid Skip Pattern: If A0310B equals 02, 03, 04, 05, 07, or 99, then Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must equal blank (^).	See error number -3889a

Error ID	Sev	Error Message	Error Description
-3890a	Fatal	Invalid Skip Pattern: If A0310G equals 1 or blank (^) and A0310H equals 1 and A2400C minus A2400B is greater than 2 and A2100 equals 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items A0310G (Type of discharge), A0310H (Is this a SNF Part A PPS Discharge Assessment?), A2400C (End date of most recent Medicare stay), A2400B (Start date of most recent Medicare stay), and A2100 (Discharge Status).</p> <ul style="list-style-type: none"> • IF A0310G is 1 or blank (^) AND A0310H is 1 AND A2400C minus A2400B is greater than 2 AND A2100 is 01, 02, 04, 05, 06, 07, 08, 09, 99, or blank (^), THEN Self-Care Discharge Performance items GG0130A3 (Eating), GG0130B3 (Oral hygiene), GG0130C3 (Toileting hygiene), GG0130E3 (Shower/bathe self), GG0130F3 (Upper body dressing), G0130G3 (Lower body dressing), and GG0130H3 (Put on/take off footwear) must not be blank (^). • IF A0310G is 2 OR A0310H is 0 OR A2400C minus A2400B is 2 or less OR A2100 is 03, THEN items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be blank (^). • IF A0310B is blank (^) and A0310H is 0, THEN items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be blank (^). <p>Tip: This is a skip pattern. If A0310G is 2, or A0310H is 0, or A2400C minus A2400B is 2 or less, or A2100 is 03, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must be skipped (blank).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3890b	Fatal	Invalid Skip Pattern: If A0310G equals 2 or A0310H equals 0 or A2400C minus A2400B is 2 or less or A2100 equals 03, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must equal blank (^).	See error number -3890a
-3890c	Fatal	Invalid Skip Pattern: If A0310G equals blank (^) and A0310H equals 0, then items GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, and GG0130H3 must equal blank (^).	See error number -3890a

Error ID	Sev	Error Message	Error Description
-3891	Warn	<p>Discharge Goal Not Identified: If A0310B equals 01, then at least one of the items GG0130A2 through GG0130C2, GG0130E2 through GG0130H2, GG0170A2 through GG0170G2, GG0170I2 through GG0170P2, GG0170R2, or GG0170S2 should equal 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88. Submitting dash (-) in the Discharge Goal items may result in a payment reduction of two percentage points for the affected payment determination.</p>	<p>Cause: If A0310B is 01, a value of 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88 should be submitted for at least one of the following Self-care and Mobility Discharge Goals:</p> <ul style="list-style-type: none"> o GG0130A2 (Self-Care: Eating) o GG0130B2 (Self-Care: Oral hygiene) o GG0130C2 (Self-Care: Toileting hygiene) o GG0130E2 (Self-Care: Shower/bathe self) o GG0130F2 (Self Care: Upper body dressing) o GG0130G2 (Self Care: Lower body dressing) o GG0130H2 (Self-Care: Put on/take off footwear) o GG0170A2 (Mobility: Roll left and right) o GG0170B2 (Mobility: Sit to lying) o GG0170C2 (Mobility: Lying to sitting on side of bed) o GG0170D2 (Mobility: Sit to stand) o GG0170E2 (Mobility: Chair/bed-to-chair transfer) o GG0170F2 (Mobility: Toilet transfer) o GG0170G2 (Mobility: Car transfer) o GG0170I2 (Mobility: Walk 10 feet) o GG0170J2 (Mobility: Walk 50 feet with two turns) o GG0170K2 (Mobility: Walk 150 feet) o GG0170L2 (Mobility: Walking 10 feet on uneven surfaces) o GG0170M2 (Mobility: 1 step (curb)) o GG0170N2 (Mobility: 4 steps) o GG0170O2 (Mobility: 12 steps) o GG0170P2 (Mobility: Picking up object) o GG0170R2 (Mobility: Wheel 50 feet with two turns) o GG0170S2 (Mobility: Wheel 150 feet) <p>NOTE: Submitting dash (-) in the Discharge Goal items may result in a payment reduction of two percentage points for the affected payment determination.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3892a	Fatal	Invalid Skip Pattern: If GG0170I1 equals 07, 09, 10, 88, or blank (^), then items GG0170J1, GG0170K1, and GG0170L1 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I1 is 07, 09, 10, 88, or blank (^), THEN GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) must be blank (^). • IF GG0170I1 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J1, GG0170K1, and GG0170L1 must not be blank (^). • IF GG0170I1 is a dash (-), THEN items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I1 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3892b	Fatal	Invalid Skip Pattern: If GG0170I1 equals 06, 05, 04, 03, 02, or 01, then items GG0170J1, GG0170K1, and GG0170L1 must not equal blank (^).	See error number -3892a
-3892c	Fatal	Invalid Skip Pattern: If GG0170I1 equals dash (-), then items GG0170J1, GG0170K1, and GG0170L1 must equal dash (-).	See error number -3892a

Error ID	Sev	Error Message	Error Description
-3893a	Fatal	Invalid Skip Pattern: If GG0170I3 equals 07, 09, 10, 88, or blank (^), then items GG0170J3, GG0170K3, and GG0170L3 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I3 is 07, 09, 10, 88, or blank (^), THEN GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) must be blank (^). • IF GG0170I3 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J3, GG0170K3, and GG0170L3 must not be blank (^). • IF GG0170I3 is a dash (-), THEN items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I3 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3893b	Fatal	Invalid Skip Pattern: If GG0170I3 equals 06, 05, 04, 03, 02, or 01, then items GG0170J3, GG0170K3, and GG0170L3 must not equal blank (^).	See error number -3893a
-3893c	Fatal	Invalid Skip Pattern: If GG0170I3 equals dash (-), then items GG0170J3, GG0170K3, and GG0170L3 must equal dash (-).	See error number -3893a
-3894a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then I0020 must not equal blank (^).	<p>Cause: The value submitted in item I0020 (Resident's primary medical condition category) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN item I0020 must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99, THEN item I0020 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 02, 03, 04, 05, 07, or 99, then I0020 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3894b	Fatal	Invalid Skip Pattern: If A0310B equals 02, 03, 04, 05, 07, or 99, then I0020 must equal blank (^).	See error number -3894a

Error ID	Sev	Error Message	Error Description
-3895a	Fatal	Invalid Skip Pattern: If I0020 equals 14, then I0020A must not equal blank (^).	<p>Cause: The value submitted in item I0020A (Resident's primary medical condition IDC code) is not consistent with the value submitted in item I0020 (Resident's primary medical condition category).</p> <ul style="list-style-type: none"> • IF I0020 is 14, THEN item I0020A must not be blank (^). • IF I0020 is 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, or blank (^), THEN item I0020A must be blank (^). <p>Tip: This is a skip pattern. If I0020 is 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, or blank (^), then I0020A must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3895b	Fatal	Invalid Skip Pattern: If I0020 equals 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, or blank (^), then I0020A must equal blank (^).	See error number -3895a
-3896a	Fatal	Invalid Skip Pattern: If N2001 equals 0 or 9, then N2003 must equal blank (^).	<p>Cause: The value submitted in item N2003 (Medication Follow-up) is not consistent with the value submitted in item N2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF N2001 is 0 or 9, THEN item N2003 must be blank (^). • IF N2001 is 1, THEN item N2003 must not be blank (^). • IF N2001 is a dash (-), THEN item N2003 must be a dash (-). <p>Tip: This is a skip pattern. If N2001 is 0 or 9, then N2003 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3896b	Fatal	Invalid Skip Pattern: If N2001 equals 1, then N2003 must not equal blank (^).	See error number -3896a
-3896c	Fatal	Invalid Skip Pattern: If N2001 equals dash (-), then N2003 must equal dash (-).	See error number -3896a

Error ID	Sev	Error Message	Error Description
-3897	Warn	Payment Reduction Warning: If A0310B equals 01 or 08, then a dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.	<p>Cause: The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed, or information was not available. If A0310B is 01 or 08, not assessing a quality measure item may result in a payment reduction for your facility of 2% for the affected fiscal year payment determination.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-3898a	Fatal	Invalid Skip Pattern: If GG0170M1 equals 07, 09, 10, 88, or blank (^), then GG0170N1 must equal blank (^).	<p>Cause: The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).</p> <ul style="list-style-type: none"> • IF GG0170M1 is 07, 09, 10, 88, or blank (^), THEN item GG0170N1 must be blank (^). • IF GG0170M1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N1 must not be blank (^). • IF GG0170M1 is a dash (-), THEN item GG0170N1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170M1 is 07, 09, 10, 88, or blank (^), then GG0170N1 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3898b	Fatal	Invalid Skip Pattern: If GG0170M1 equals 06, 05, 04, 03, 02, or 01, then GG0170N1 must not equal blank (^).	See error number -3898a
-3898c	Fatal	Invalid Skip Pattern: If GG0170M1 equals dash (-), then GG0170N1 must equal dash (-).	See error number -3898a

Error ID	Sev	Error Message	Error Description
-3899a	Fatal	Invalid Skip Pattern: If GG0170N1 equals 07, 09, 10, 88, or blank (^), then GG0170O1 must equal blank (^).	<p>Cause: The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).</p> <ul style="list-style-type: none"> • IF GG0170N1 is 07, 09, 10, 88, or blank (^), THEN item GG0170O1 must be blank (^). • IF GG0170N1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O1 must not be blank (^). • IF GG0170N1 is a dash (-), THEN item GG0170O1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170N1 is 07, 09, 10, 88, or blank (^), then GG0170O1 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3899b	Fatal	Invalid Skip Pattern: If GG0170N1 equals 06, 05, 04, 03, 02, or 01, then GG0170O1 must not equal blank (^).	See error number -3899a
-3899c	Fatal	Invalid Skip Pattern: If GG0170N1 equals dash (-), then GG0170O1 must equal dash (-).	See error number -3899a
-3900a	Fatal	Invalid Skip Pattern: If GG0170M3 equals 07, 09, 10, 88, or blank (^), then GG0170N3 must equal blank (^).	<p>Cause: The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).</p> <ul style="list-style-type: none"> • IF GG0170M3 is 07, 09, 10, 88, or blank (^), THEN item GG0170N3 must be blank (^). • IF GG0170M3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N3 must not be blank (^). • IF GG0170M3 is a dash (-), THEN item GG0170N3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170M3 is 07, 09, 10, 88, or blank (^), then GG0170N3 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3900b	Fatal	Invalid Skip Pattern: If GG0170M3 equals 06, 05, 04, 03, 02, or 01, then GG0170N3 must not equal blank (^).	See error number -3900a

Error ID	Sev	Error Message	Error Description
-3900c	Fatal	Invalid Skip Pattern: If GG0170M3 equals dash (-), then GG0170N3 must equal dash (-).	See error number -3900a
-3901a	Fatal	Invalid Skip Pattern: If GG0170N3 equals 07, 09, 10, 88, or blank (^), then GG0170O3 must equal blank (^).	<p>Cause: The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).</p> <ul style="list-style-type: none"> • IF GG0170N3 is 07, 09, 10, 88, or blank (^), THEN item GG0170O3 must be blank (^). • IF GG0170N3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O3 must not be blank (^). • IF GG0170N3 is a dash (-), THEN item GG0170O3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170N3 is 07, 09, 10, 88, or blank (^), then GG0170O3 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3901b	Fatal	Invalid Skip Pattern: If GG0170N3 equals 06, 05, 04, 03, 02, or 01, then GG0170O3 must not equal blank (^).	See error number -3901a
-3901c	Fatal	Invalid Skip Pattern: If GG0170N3 equals dash (-), then GG0170O3 must equal dash (-).	See error number -3901a
-3902a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0100A through GG0100D must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 02, 03, 04, 05, 07, or 99, then Prior Functioning: Everyday Activities items GG0100A through GG0100D must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3902b	Fatal	If A0310B equals 02, 03, 04, 05, 07, or 99, then all active items from GG0100A through GG0100D must equal blank (^).	See error number -3902a
-3903a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0110A through GG0110Z must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN all active Prior Device Use items GG0110A through GG0110Z must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99, THEN all active Prior Device Use items GG0110A through GG0110Z must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 02, 03, 04, 05, 07, or 99, then Prior Device Use items GG0110A through GG0110Z must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3903b	Fatal	If A0310B equals 02, 03, 04, 05, 07, or 99, then all active items from GG0110A through GG0110Z must equal blank (^).	See error number -3903a
-3904a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then J2000 must not equal blank (^).	<p>Cause: The value submitted in item J2000 (Surgery 100 days prior to admission) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN item J0200 must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99, THEN item J0200 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 02, 03, 04, 05, 07, or 99, then J0200 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3904b	Fatal	Invalid Skip Pattern: If A0310B equals 02, 03, 04, 05, 07, or 99, then J2000 must equal blank (^).	See error number -3904a

Error ID	Sev	Error Message	Error Description
-3905a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then N2001 must not equal blank (^).	<p>Cause: The value submitted in items N2001 (Drug Regimen Review) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN item N2001 must not be blank (^). • IF A0310B is 02, 03, 04, 05, 07, or 99, THEN items N2001 and N2003 must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 02, 03, 04, 05, 07, or 99, then N2001 and N2003 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3905b	Fatal	Invalid Skip Pattern: If A0310B equals 02, 03, 04, 05, 07, or 99, then N2001 and N2003 must equal blank (^).	See error number -3905a
-3906a	Fatal	Invalid Skip Pattern: If A0310H equals 1, then N2005, if active, must not equal blank (^).	<p>Cause: The value submitted in item N2005 (Medication Intervention) is not consistent with the value submitted in item A0310H (SNF Part A PPS Discharge Assessment).</p> <ul style="list-style-type: none"> • IF A0310H is 1, THEN item N2005, if active, must not be blank (^). • IF A0310H is 0, THEN item N2005, if active, must be blank (^). <p>Tip: This is a skip pattern. If A0310H is 0, then N2005 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3906b	Fatal	Invalid Skip Pattern: If A0310H equals 0, then N2005, if active, must equal blank (^).	See error number -3906a
-3907	Warn	Payment Reduction Warning: A dash (-) submitted in all of the Self-Care and Mobility Discharge Goals quality measure items may result in a payment reduction for your facility of two percentage points for the affected payment determination.	<p>Cause: The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed, or information was not available. Not assessing at least one of the Self-Care and Mobility Discharge Goal quality measure items may result in a payment reduction for your facility of 2% for the affected fiscal year payment determination.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3908	Warn	Payment Reduction Warning: If A0310H equals 1, a dash (-) submitted in this quality measure item may result in a payment reduction for your facility of two percentage points for the affected payment determination.	<p>Cause: The value submitted in this quality measure item is a dash (-) indicating that the item was not assessed, or information was not available. If A0310H (Is this a SNF Part A PPS Discharge Assessment?) is a 1, not assessing this quality measure item may result in a payment reduction for your facility of 2% for the affected fiscal year payment determination.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-3909	Warn	Invalid K0200A Value: The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.	<p>Cause: The value submitted in K0200A (Height) is less than 10 inches, which may be in error. Please verify that the submitted value is correct.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-3910	Warn	Invalid K0200B Value: The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.	<p>Cause: The value submitted in K0200B (Weight) is less than 10 pounds, which may be in error. Please verify that the submitted value is correct.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to identify the acceptable values for this item.</p>
-3912	Fatal	Inconsistent Dates: This date must be greater than or equal to A0900 and less than or equal to the current date.	<p>Cause: The date submitted in this item must be greater than or equal to the birth date submitted in A0900 and less than or equal to the current date.</p> <ul style="list-style-type: none"> • The following dates must not precede A0900 (Birth Date): <ul style="list-style-type: none"> o N0450C (Date of last attempted GDR) o N0450E (Date GDR contraindication documented) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3913	Fatal	Incorrect Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<p>Cause: The Medicare Beneficiary Identifier (MBI) submitted in A0600B (Medicare number) is invalid.</p> <ul style="list-style-type: none"> • A0600B must be 11 characters as follows: <ul style="list-style-type: none"> o The 1st character must be a number 1-9. o The 2nd, 5th, 8th, and 9th characters must be letters, excluding S, L, O, I, B, and Z. o The 4th, 7th, 10th, and 11th characters must be numbers. o The 3rd and 6th characters must be letters, excluding S, L, O, I, B, and Z. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3914	Fatal	Inconsistent Reasons for Assessment: A0200 (type of provider) and A0310A, A0310B, A0310F, and/or A0310H (reasons for assessment) are not a valid combination for the submitted Item Subset Code (ISC).	<p>Cause: The Item Subset Code (ISC) submitted is not consistent with one or more values submitted in A0200 (Type of Provider), A0310A (Federal OBRA Reason for Assessment/Tracking), A0310B (PPS Assessments), A0310F (Entry/discharge reporting), and/or A0310H (Is this a SNF Part A PPS Discharge Assessment?).</p> <p>Tip: A special ISC is used for inactivations. When the record is an inactivation (A0050 is 3), then the ISC is XX. When the ISC is XX, only control items and the items in Section X are active, so the normal relationships between the RFA items and the ISC code do not apply.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item. Contact your software vendor.</p>

Error ID	Sev	Error Message	Error Description
-3915a	Fatal	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then C0100, if active, must not equal blank (^).	<p>Cause: The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item C0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item C0100, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item C0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item C0100, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3915b	Fatal	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then C0100, if active, must equal dash (-).	See error number -3915a
-3915c	Fatal	Inconsistent C0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then C0100, if active, must not equal blank (^).	See error number -3915a
3915d	Fatal	Inconsistent C0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then C0100, if active, must equal dash (-).	See error number -3915a

Error ID	Sev	Error Message	Error Description
-3916a	Fatal	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then D0100, if active, must not equal blank (^).	<p>Cause: The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item D0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item D0100, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item D0100, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item D0100, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3916b	Fatal	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then D0100, if active, must equal dash (-).	See error number -3916a
-3916c	Fatal	Inconsistent D0100 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then D0100, if active, must not equal blank (^).	See error number -3916a
-3916d	Fatal	Inconsistent D0100 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then D0100, if active, must equal dash (-).	See error number -3916a
-3917	Fatal	Medicare Number Missing: For a PPS assessment (A0310B equals 01 or 08) A0600B (Medicare number) must not equal blank (^).	<p>Cause: A Medicare Number is required for a PPS Assessment.</p> <ul style="list-style-type: none"> • IF A0310B (PPS assessment) is 01 or 08, THEN A0600B (Medicare number) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3918a	Fatal	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 1 or blank (^), then J0200, if active, must not equal blank (^).	<p>Cause: The value submitted in item J0200 (Should Pain Assessment Interview be Conducted?) is not consistent with the values submitted in items B0100 (Comatose), A0310G (Type of discharge), A0310A (Federal OBRA Reason for Assessment), and/or A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 and A0310G is 1 or blank (^), THEN item J0200, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 1 or blank (^), THEN item J0200, if active, must be a dash (-). • IF B0100 is 0 and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item J0200, if active, must not be blank (^). • IF B0100 is a dash (-) and A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item J0200, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3918b	Fatal	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 1 or blank (^), then J0200, if active, must equal dash (-).	See error number -3918a
-3918c	Fatal	Inconsistent J0200 Value: If B0100 equals 0 and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then J0200, if active, must not equal blank (^).	See error number -3918a
-3918d	Fatal	Inconsistent J0200 Value: If B0100 equals dash (-) and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then J0200, if active, must equal dash (-).	See error number -3918a

Error ID	Sev	Error Message	Error Description
-3919	Fatal	Invalid Skip Pattern: If A0310B equals 01 or 08, then I0020 and I0020B must not equal blank (^).	<p>Cause: The value submitted in item I0020 (Resident's primary medical condition category) and/or I0020B (ICD Code) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01 or 08, THEN items I0020 and I0020B must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3920a	Fatal	Inconsistent A0310 Items: If A0200 equals 1 and A0310E equals 1, then A0310A must equal [01, 02, 03, 04, 05, or 06] OR A0310B must equal 01 OR A0310F must equal 10 or 11.	<p>Cause: The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 1 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.</p> <ul style="list-style-type: none"> • IF A0200 is 1 and A0310E is 1, THEN: <ul style="list-style-type: none"> o A0310A must be 01, 02, 03, 04, 05, or 06 OR o A0310B must be 01 OR o A0310F must be 10 or 11 <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3920b	Fatal	Inconsistent A0310 Items: If A0200 equals 2 and A0310E equals 1, then A0310B must equal 01 OR A0310F must equal 10 or 11.	<p>Cause: The value submitted in this item is invalid when the value submitted in item A0200 (Type of Provider) is 2 and the value submitted in item A0310E (First assessment since most recent admission?) is 1.</p> <ul style="list-style-type: none"> • IF A0200 is 2 and A0310E is 1, THEN: <ul style="list-style-type: none"> o A0310B must be 01 OR o A0310F must be 10 or 11 <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3921a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1 and GG0130H2 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must not be blank (^). • IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must be blank (^). • IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Self-Care Admission Performance items GG0130A1 through GG0130H1 must not be blank (^). • IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments and STATE_PDPV_OBRA_CD is 1, THEN Self-Care Discharge Performance items GG0130A2 through GG0130H2 must be blank (^). • IF A0310B is 99 and the target date for this assessment is before 10/1/2020, THEN Self-Care Admission Performance and Discharge Goal items GG0130A1 through GG0130H2 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3921b1	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1, and GG0130H2 must equal blank (^).	See error number -3921a
-3921b2	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A1, GG0130B1, GG0130C1, GG0130E1, GG0130F1, GG0130G1, and GG0130H1, and must not equal blank (^).	See error number -3921a

Error ID	Sev	Error Message	Error Description
-3921b3	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then items GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, and GG0130H2 must equal blank (^).	See error number -3921a
-3921b4	Fatal	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then items GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2, GG0130E1, GG0130E2, GG0130F1, GG0130F2, GG0130G1, GG0130G2, GG0130H1, and GG0130H2 must equal blank (^).	See error number -3921a
-3922a	Fatal	Inconsistent K0510 Items: If A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A0310G (Type of discharge) and A0310A (Federal OBRA Reason For Assessment) and A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items K0510C2 through K0510Z2 (Nutritional approaches while a resident) in Column 2 must be blank (^). • IF A0310G is 2 and EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN active items K0510C2 through K0510Z2 in Column 2 must not be blank (^). • IF A0310G is 1 or blank (^), THEN active items K0510C2 through K0510Z2 in Column 2 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3922b	Fatal	Inconsistent K0510 Items: If A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must not equal blank (^).	See error number -3922a
-3922c	Fatal	Inconsistent K0510 Items: If A0310G equals 1 or blank (^), then all active items K0510C2, K0510D2, and K0510Z2 in Column 2 must not equal blank (^).	See error number -3922a

Error ID	Sev	Error Message	Error Description
-3923	Fatal	Inconsistent K0510 Items: If A0310B equals 08, then items K0510A1, K0510B1, and K0510Z1 in Column 1 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A0310B (PPS Assessment), A2300 (Assessment Reference Date), and/or A1600 (Entry Date).</p> <ul style="list-style-type: none"> • IF A0310B is 08, THEN items K0510A1 through K0510Z1 (Nutritional approaches while NOT a resident) in Column 1 must not be blank (^). • IF A0310B is not 08 and A2300 minus A1600 is 7 or greater, THEN active items K0510A1 through K0510Z1 in Column 1 must be blank (^). • IF A0310B is not 08 and A2300 minus A1600 is 6 or less, THEN active items K0510A1 and K0510B1 in Column 1 must not be blank (^). • IF A2300 minus A1600 is 6 or less and A0310G (Type of discharge) is 2 and A0310A (Federal OBRA Reason for Assessment) is 99 and A0310B (PPS Assessment) is 99, THEN K0510Z1, if active, in Column 1 must be blank (^). • IF A0310B is not 08 and A2300 minus A1600 is 6 or less AND <ul style="list-style-type: none"> o A0310G is 2 AND o EITHER A0310A is (01, 02, 03, 04, 05, or 06) OR A0310B is 01, THEN item K0510Z1, if active, in Column 1 must not be blank (^). • IF A0310B is not 08 and A2300 minus A1600 is 6 or less and A0310G is 1 or blank (^), THEN K0510Z1, if active, in Column 1 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3923a	Fatal	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is greater than or equal to 7 days, then items K0510A1, K0510B1, and K0510Z1 in Column 1 must equal blank (^).	See error number -3923
-3923b1	Fatal	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days, then K0510A1 and K0510B1 in Column 1, if active, must not equal blank (^).	See error number -3923

Error ID	Sev	Error Message	Error Description
-3923b2	Fatal	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then K0510Z1, if active, in Column 1 must equal blank (^).	See error number -3923
-3923b3	Fatal	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 2 and either A0310A equals [01,02,03,04,05, or 06] or A0310B equals 01, then K0510Z1, if active, in Column 1 must not equal blank (^).	See error number -3923
-3923b4	Fatal	Inconsistent K0510 Items: If A0310B does not equal 08 and A2300 minus A1600 is less than or equal to 6 days and A0310G equals 1 or blank (^), then K0510Z1, if active, in Column 1 must not equal blank (^).	See error number -3923
-3924a	Fatal	Inconsistent Dates: If A0200 equals 1 AND A0310A equals 01, 02, 03, 04, 05 or 06 or A0310B equals 01, AND A0310F equals 99 AND A0310H equals 1, then if A2300 and A2400C are active, A2300 must equal A2400C.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A2400C (End date of most recent Medicare stay).</p> <ul style="list-style-type: none"> • IF A0200 (Type of Provider) is 1 AND A0310A is 01, 02, 03, 04, 05, or 06 or A0310B equals 01, AND A0310F (Entry/discharge reporting) is 99 AND A0310H (Is this a SNF Part A PPS Discharge Assessment?) is 1, THEN if A2300 and A2400C are active, A2300 (Assessment Reference Date) must be the same as A2400C. • IF A0200 is 2 and A0310B is 01 and A0310F is 99 and A0301H is 1, THEN if A2300 and A2400C are active, A2300 must be the same as A2400C. • IF A0310F is 10 or 11 AND A0310H is 1, THEN if A2000 and A2400C are active, A2000 (Discharge Date) must be the same as A2400C or A2400C plus 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3924b	Fatal	Inconsistent Dates: If A0200 equals 2 and A0310B equals 01 and A0310F equals 99 and A0310H equals 1, then if A2300 and A2400C are active, A2300 must equal A2400C.	See error number -3924a

Error ID	Sev	Error Message	Error Description
-3924c	Fatal	Inconsistent Dates: If A0310F equals 10 or 11 AND A0310H equals 1, then if A2000 and A2400C are active, A2000 must equal A2400C or A2400C plus 1.	See error number -3924a
-3925a	Fatal	Invalid Skip Pattern: If A0310B equals 01 and J2000 is active, then J2000 must not equal blank (^).	<p>Cause: The value submitted in item J2000 (Surgery 100 days prior to admission) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN item J0200, if active, must not be blank (^). • IF A0310B is 99, THEN item J0200, if active, must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 99, then J0200 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3925b	Fatal	Invalid Skip Pattern: If A0310B equals 99 and J2000 is active, then J2000 must equal blank (^).	See error number -3925a
-3926a	Fatal	Invalid Skip Pattern: If A0310B equals 01 and N2001 is active, then N2001 must not equal blank (^).	<p>Cause: The value submitted in items N2001 (Drug Regimen Review) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN item N2001, if active, must not be blank (^). • IF A0310B is 99, THEN items N2001 and N2003, if active, must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 99, then N2001 and N2003 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3926b	Fatal	Invalid Skip Pattern: If A0310B equals 99 and N2001 and N2003 are active, then N2001 and N2003 must equal blank (^).	See error number -3926a

Error ID	Sev	Error Message	Error Description
-3927a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1, if active, must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's decree regarding the collection of PDPM HIPPS codes for OBRA assessments.</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must not be blank (^). • IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must be blank (^). • IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Admission Performance items GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not be blank (^). • IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN Mobility Discharge Goal items GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, and GG0170P2 must be blank (^). • IF A0310B is 99 and the target date for this assessment is before 10/1/2020, THEN Mobility Admission Performance and Discharge Goal items GG0170A1 through GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3927b1	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPH HIPPS code for OBRA assessments, then items GG0170A1, GG0170A2, GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170G1, GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must equal blank (^).	See error number -3927a
-3927b2	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, then items GG0170A1, GG0170B1, GG0170C1, GG0170D1, GG0170E1, GG0170F1, GG0170G1, GG0170I1, GG0170M1, GG0170P1, and GG0170Q1 must not equal blank (^).	See error number -3927a
-3927b3	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPH HIPPS code for OBRA assessments, then items GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, and GG0170P2 must equal blank (^).	See error number -3927a

Error ID	Sev	Error Message	Error Description
-3927b4	Fatal	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then items GG0170A1, GG0170A2, GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170G1, GG0170G2, GG0170I1, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M1, GG0170M2, GG0170N2, GG0170O2, GG0170P1, GG0170P2, and GG0170Q1 must equal blank (^).	See error number -3927a
-3928a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0100A through GG0100D must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must not be blank (^). • IF A0310B is 99, THEN all active Prior Functioning: Everyday Activities items GG0100A through GG0100D must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 99, then Prior Functioning: Everyday Activities items GG0100A through GG0100D must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3928b	Fatal	If A0310B equals 99, then all active items from GG0100A through GG0100D must equal blank (^).	See error number -3928a

Error ID	Sev	Error Message	Error Description
-3929a	Fatal	Invalid Skip Pattern: If A0310B equals 01, then all active items from GG0110A through GG0110Z must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 01, THEN all active Prior Device Use items GG0110A through GG0110Z must not be blank (^). • IF A0310B is 99, THEN all active Prior Device Use items GG0110A through GG0110Z must be blank (^). <p>Tip: This is a skip pattern. If A0310B is 99, then Prior Device Use items GG0110A through GG0110Z must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3929b	Fatal	Invalid Skip Pattern: If A0310B equals 99, then all active items from GG0110A through GG0110Z must equal blank (^).	See error number -3929a
-3930	Fatal	Inconsistent D Items: If B0100 equals 0 or dash (-) and A0310G equals 2 and A0310A equals 99 and A0310B equals 99, then all items from D0100 through D0600 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items B0100 (Comatose) and A0310G (Type of discharge) and A0310A (Federal OBRA Reason for Assessment) and A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF B0100 is 0 or a dash (-) and A0310G is 2 and A0310A is 99 and A0310B is 99, THEN all active items D0100 (Should Resident Mood Interview be Conducted?) through D0600 (Total Severity Score) must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3931a	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals 0, then at least one active item K0510A1 or K0510B1 must equal 1.	<p>Cause: The value submitted in item K0510Z1 (Nutritional Approaches: None of the above-While NOT a Resident) is not consistent with one or more values submitted in related active items K0510A1 through K0510B1 (Nutritional approaches while NOT a resident) in Column 1.</p> <ul style="list-style-type: none"> • IF K0510Z1 is unchecked, THEN one or more active items K0510A1 through K0510B1 in Column 1 must be checked. • IF K0510Z1 is checked, THEN all items K0510A1 through K0510B1 in Column 1 must be unchecked. • IF K0510Z1 is a dash (-), THEN one or more active items K0510A1 through K0510B1 in Column 1 must be a dash (-) and the remaining items K0510A1 through K0510B1 in Column 1 must be unchecked or a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3931b	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals 1, then active items K0510A1 and K0510B1 must equal 0.	See error number -3931a
-3931c	Fatal	Inconsistent None of the Above Value: If K0510Z1 equals dash (-), then at least one item K0510A1 or K0510B1 must equal dash (-) and the remaining item must equal 0 or dash (-).	See error number -3931a

Error ID	Sev	Error Message	Error Description
-3933	Fatal	No Match Found: This modification/inactivation record does not match a previously accepted record in the QIES ASAP System. One or more of the items submitted in Section X of this record did not match the corresponding items of an existing record in the database.	<p>Cause: The values submitted in this modification or inactivation record does not match the values submitted in a previously accepted record in the QIES ASAP System.</p> <ul style="list-style-type: none"> • To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record: <ul style="list-style-type: none"> o X0150 (Type of Provider) o X0200A (First name) o X0200C (Last name) o X0300 (Gender) o X0400 (Birth Date) o X0500 (Social Security Number) o X0570A (OSA Purpose) o X0600A (Federal OBRA Reason for Assessment) o X0600B (PPS Assessment) o X0600F (Entry/discharge reporting) o X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) o X0700A (Assessment Reference Date) o X0700B (Discharge Date) o X0700C (Entry Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3934a	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A is active, then items X0150, X0200A, X0200C, X0300, and X0400, if active, must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 2 or 3 and X0570A (OSA Purpose) is active, THEN active items X0150 (Type of Provider), X0200A (First name), X0200C (Last name), X0300 (Gender), X0400 (Birth Date), and X0570A must not be blank (^). • IF A0050 is 2 or 3 and X0570A is not active, THEN active items X0150, X0200A, X0200C, X0300, X0400, X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), X0600F (Entry/discharge reporting), and X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3934b	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A is not active, then items X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	See error number -3934a
-3935a	Warn	Incorrect RUG/PDPM Value: The submitted value of the HIPPS/PDPM code does not match the value calculated by the QIES ASAP System.	<p>Cause: The value submitted in this item should be consistent with all of the MDS items used in the PDPM classification (i.e., the RUG (HIPPS) calculation should be correct).</p> <p>For items Z0100A (Medicare Part A HIPPS code) and Z0100B (HIPPS version code), the QIES ASAP system recalculates the HIPPS code and the version code. A warning is issued if the recalculated values do not match the submitted values.</p> <p>For items Z0200A (State Medicaid RUG Case Mix group), Z0200B (State Medicaid RUG version code), Z0250A (Alternate State Medicaid RUG Case Mix group), and Z0250B (Alternate State Medicaid RUG version code), the QIES ASAP system recalculates the submitted RUGs group and RUG version code if the State is using a CMS-supported RUG model. Z0200C (Short Stay Assessment) is also recalculated. A warning is issued if the recalculated codes do not match the submitted codes.</p> <p>Action: Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3935b	Warn	Incorrect RUG/PDPM Version: The submitted value of the RUG/PDPM version code does not match the value calculated by the QIES ASAP System.	See error number -3935a
-3935c	Warn	Inconsistent Z0200C: Z0200C does not match the value calculated by the QIES ASAP System.	See error number -3935a
-3937a	Fatal	Invalid Item Subset Code: If A0300A equals 0, then ITM_SBST_CD must not equal OSA.	<p>Cause: The value submitted in this item is not consistent with the value submitted in A0300A (State payment purpose).</p> <ul style="list-style-type: none"> • IF A0300A is 0, THEN ITM_SBST_CD must not be OSA. • IF A0300A is 1, THEN ITM_SBST_CD must be OSA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3937b	Fatal	Invalid Item Subset Code: If A0300A equals 1, then ITM_SBST_CD must equal OSA.	See error number -3937a
-3939a	Fatal	Inconsistent A0310G1 Value: If A0310F equals 01, 12, or 99 and A0310G1 is active, then A0310G1 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in A0310F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> • IF A0310F is 01, 12, or 99, THEN A0310G1 (SNF Part A Interrupted Stay), if active, must be blank (^). • IF A0310F is 10 or 11, THEN A0310G1 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3939b	Fatal	Inconsistent A0310G1 Value: If A0310F equals 10 or 11 and A0310G1 is active, then A0310G1 must not equal blank (^).	See error number -3939a

Error ID	Sev	Error Message	Error Description
-3940a	Fatal	Inconsistent A0310G1/A0310H Values: If A0310G1 equals 1 and A0310H is active, A0310H must equal 0.	<p>Cause: The values submitted in items A0310G1 (SNF Part A Interrupted Stay) and A0310H (SNF Part A PPS Discharge Assessment) are not consistent.</p> <ul style="list-style-type: none"> • IF A0310G1 is 1 and A0310H is active, THEN A0310H must be 0. • IF A0310H is 1 and A0310G1 is active, THEN A0310G1 must be 0 or blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3940b	Fatal	Inconsistent A0310H/A0310G1 Values: If A0310H equals 1 and A0310G1 is active, A0310G1 must equal 0 or blank (^).	See error number -3940a
-3941	Fatal	Inconsistent A2400A Value: If A0310G1 equals 1 and A2400A is active, then A2400A must equal 0.	<p>Cause: The value submitted in item A2400A (Has resident had Medicare-covered stay) is not consistent with the value submitted in A0310G1 (SNF Part A Interrupted Stay)</p> <ul style="list-style-type: none"> • IF A0310G1 is 1 and A2400A is active is active, THEN A2400A must be 0. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3942a	Fatal	Invalid Skip Pattern: If A0310B equals 01 or 08 and J2100 is active, then J2100 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310B (PPS Assessment) and/or your state's practice of collecting PDPM HIPPS codes for OBRA assessments.</p> <ul style="list-style-type: none"> • IF A0310B is 01 or 08, THEN J2100 (Recent Surgery Requiring Active SNF Care), if active, must not be blank (^). • IF A0310B is 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, THEN J2100, if active, must be blank (^). • IF A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, THEN J2100, if active, must not be blank (^). • IF A0310B is 99 and the target date for this assessment is before 10/1/2020, then J2100, THEN J2100, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3942b1	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is not actively collecting the PDPM HIPPS code for OBRA assessments, then J2100, if active, must equal blank (^).	See error number -3942a
-3942b2	Fatal	Invalid Skip Pattern: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then J2100, if active, must not equal blank (^).	See error number -3942a
-3942b3	Fatal	Invalid Skip Pattern: If A0310B equals 99 and the target date for this assessment is before 10/1/2020, then J2100, if active, must equal blank (^).	See error number -3942a
-3943a	Fatal	Inconsistent Surgical Procedures Items: If J2100 equals 0, 8, or blank (^), then all active items from J2300 through J5000 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item J2100 (Recent Surgery Requiring Active SNF Care).</p> <ul style="list-style-type: none"> • IF J2100 is 0, 8, or blank (^), THEN all active Surgical Procedures items J2300 through J5000 must be unchecked. • IF A0310B is 1, THEN at least one of the active Surgical Procedures items J2300 through J5000 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3943b	Fatal	Inconsistent Surgical Procedures Items: If J2100 equals 1, then at least one of the active items from J2300 through J5000- must equal 1.	See error number -3943a

Error ID	Sev	Error Message	Error Description
-3944a	Fatal	Invalid Skip Pattern: If A0310H equals 0, then all active items from O0425A1 through O0430 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item A0310H (SNF PPS Part A Discharge Assessment).</p> <ul style="list-style-type: none"> • IF A0310H is 0, THEN all active Part A Therapies/Days items O0425A1 through O0430 must be blank (^). • IF A0310H is 1, THEN active items O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3 and O0430 must not be blank (^). <p>Tip: This is a skip pattern. If A0310H is 1, then items O0425A1 through O0430 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3944b	Fatal	Invalid Skip Pattern: If A0310H equals 1, then active items O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3 and O0430 must not equal blank (^).	See error number -3944a
-3945	Fatal	Invalid ICD Code: If A0310B equals 01 or 08, then the ICD code submitted in I0020B must be a valid code as defined in the MDS 3.0 Data Submission Specifications so that a HIPPS code may be generated.	<p>Cause: When A0310B is 01 or 08, the value submitted in item I0020B (Primary Medical Condition ICD) must be one of the codes defined in the pdpm_icd_codes table in the MDS 3.0 Data Submission Specifications dictionary so that the PDPM grouper can generate a valid HIPPS code.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3946a	Fatal	Invalid Skip Pattern: If GG0170I5 equals 07, 09, 10, or 88, then GG0170J5 and GG0170K5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item GG0170I5 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I5 is 07, 09, 10, or 88, THEN item GG0170J5 (Mobility: Walk 50 feet with turns) and GG0170K5 (Mobility: Walk 150 feet) must be blank (^). • IF GG0170I5 is 06, 05, 04, 03, 02, or 01, THEN item GG0170J5 and GG0170K5 must not be blank (^). • IF GG0170I5 is a dash (-), THEN items GG0170J5 and GG0170K5 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I5 is 07, 09, 10, or 88, then GG0170J5 and GG0170K5 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3946b	Fatal	Invalid Skip Pattern: If GG0170I5 equals 06, 05, 04, 03, 02, or 01, then GG0170J5 and GG0170K5 must not equal blank (^).	See error number -3946a
-3946c	Fatal	Invalid Skip Pattern: If GG0170I5 equals dash (-), then GG0170J5 and GG0170K5 must equal dash (-).	See error number -3946a
-3947	Fatal	Invalid Interrupted Stay: If A0200 equals 2 and A0310A equals 99 and A0310B equals 99 and A0310F equals 10 or 11, then A0310G1 must not equal 1.	<p>Cause: The value submitted in A0310G1 (Interrupted Stay) is not consistent with the values submitted in items A0200 (Type of Provider), A0310A (Federal OBRA Reason for Assessment), A0310B (PPS Assessment), and A0310F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> • IF A0200 is 2 AND A0310A is 99 AND A0310B is 99 AND A0310F is 10 or 11, THEN A0310G1 must not be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3948a	Fatal	Inconsistent O0425A Items: If the sum of minutes in O0425A1, O0425A2, and O0425A3 equals 0 and at least one of these items does not equal dash (-), then O0425A4 and O0425A5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0425A1 (Individual minutes), O0425A2 (Concurrent minutes), and O0425A3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0425A1, O0425A2, and O0425A3 is 0 and one or more of these items is not a dash (-), THEN O0425A4 (Co-treatment minutes) and O0425A5 (Days) must be blank (^). • IF the sum of the minutes in O0425A1, O0425A2, and O0425A3 is greater than 0, THEN O0425A4 and O0425A5 must not be blank (^). • IF O0425A1, O0425A2, and O0425A3 are a dash (-), THEN O0425A4 and O0425A5 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0425A1, O0425A2, and O0425A3 is 0, then skip to O0425B (Occupational Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3948b	Fatal	Inconsistent O0425A Items: If the sum of minutes in O0425A1, O0425A2, and O0425A3 is greater than 0, then O0425A4 and O0425A5 must not equal blank (^).	See error number -3948a
-3948c	Fatal	Inconsistent O0425A Items: If O0425A1, O0425A2, and O0425A3 all equal dash (-), then O0425A4 and O0425A5 must equal dash (-).	See error number -3948a

Error ID	Sev	Error Message	Error Description
-3949a	Fatal	Inconsistent O0425B Items: If the sum of minutes in O0425B1, O0425B2, and O0425B3 equals 0 and at least one of these items does not equal dash (-), then O0425B4 and O0425B5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0425B1 (Individual minutes), O0425B2 (Concurrent minutes), and O0425B3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0425B1, O0425B2, and O0425B3 is 0 and one or more of these items is not a dash (-), THEN O0425B4 (Co-treatment minutes) and O0425B5 (Days) must be blank (^). • IF the sum of the minutes in O0425B1, O0425B2, and O0425B3 is greater than 0, THEN O0425B4 and O0425B5 must not be blank (^). • IF O0425B1, O0425B2, and O0425B3 are a dash (-), THEN O0425B4 and O0425B5 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0425B1, O0425B2, and O0425B3 is 0, then skip to O0425C (Physical Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3949b	Fatal	Inconsistent O0425B Items: If the sum of minutes in O0425B1, O0425B2, and O0425B3 is greater than 0, then O0425B4 and O0425B5 must not equal blank (^).	See error number -3949a
-3949c	Fatal	Inconsistent O0425B Items: If O0425B1, O0425B2, and O0425B3 all equal dash (-), then O0425B4 and O0425B5 must equal dash (-).	See error number -3949a

Error ID	Sev	Error Message	Error Description
-3950a	Fatal	Inconsistent O0425C Items: If the sum of minutes in O0425C1, O0425C2, and O0425C3 equals 0 and at least one of these items does not equal dash (-), then O0425C4 and O0425C5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in items O0425C1 (Individual minutes), O0425C2 (Concurrent minutes), and O0425C3 (Group minutes).</p> <ul style="list-style-type: none"> • IF the sum of the minutes in O0425C1, O0425C2, and O0425C3 is 0 and one or more of these items is not a dash (-), THEN O0425C4 (Co-treatment minutes) and O0425C5 (Days) must be blank (^). • IF the sum of the minutes in O0425C1, O0425C2, and O0425C3 is greater than 0, THEN O0425C4 and O0425C5 must not be blank (^). • IF O0425C1, O0425C2, and O0425C3 are a dash (-), THEN O0425C4 and O0425C5 must be a dash (-). <p>Tip: This is a skip pattern. If the sum of the minutes in O0425C1, O0425C2, and O0425C3 is 0, then skip to O0430 (Distinct Calendar Days of Part A Therapy) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3950b	Fatal	Inconsistent O0425C Items: If the sum of minutes in O0425C1, O0425C2, and O0425C3 is greater than 0, then O0425C4 and O0425C5 must not equal blank (^).	See error number -3950a
-3950c	Fatal	Inconsistent O0425C Items: If O0425C1, O0425C2, and O0425C3 all equal dash (-), then O0425C4 and O0425C5 must equal dash (-).	See error number -3950a
-3951	Fatal	Invalid Entry/Discharge Reporting: If A0310B equals 08, then A0310F must equal 99.	<p>Cause: The value submitted in item A0310F (Entry/discharge reporting) is not consistent with the value submitted in item A0310B (Type of Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 8, THEN A0310F must be 99. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3952a	Fatal	Inconsistent A0300A Value: If A0200 equals 2, then A0300A must equal 0.	<p>Cause: The values submitted in items A0300A (State payment purpose) and A0200 (Type of Provider) are not consistent.</p> <ul style="list-style-type: none"> • IF A0200 is 2, THEN A0300A must be 0. • IF A0300A is 1, THEN A0200 must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3952b	Fatal	Inconsistent A0200 Value: If A0300A equals 1, then A0200 must equal 1.	See error number -3952a
-3953	Fatal	Inconsistent A0310E Value: If A0310B equals 08, then A0310E must equal 0.	<p>Cause: The value submitted in item A0310E (First assessment since most recent admission?) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 08, THEN A0310E must be 0. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3954	Fatal	Inconsistent A0410 Value: If A0310B equals 08, then A0410 must equal 3.	<p>Cause: The value submitted in item A0410 (Unit Certification or Licensure) is not consistent with the value submitted in item A0310B (PPS Assessment).</p> <ul style="list-style-type: none"> • IF A0310B is 08, THEN A0410 must be 3. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3955	Fatal	Inconsistent A2400 Values: If A0300B equals 1, 2, 3, or 4, then A2400B and A2400C, if active, must not equal blank (^).	<p>Cause: The value submitted in items A2400B (Start data of most recent Medicare stay) and/or A2400C (End date of most recent Medicare stay) is not consistent with the value submitted in item A0300B (State Payment Assessment Type).</p> <ul style="list-style-type: none"> • IF A0300B is 1, 2, 3, or 4, THEN A2400B and A2400C, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3956a	Fatal	Inconsistent D0100 Value: If A0300A equals 1 and B0100 equals 0, then D0100, if active, must not equal blank (^).	<p>Cause: The value submitted in item D0100 (Should Resident Mood Interview be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).</p> <ul style="list-style-type: none"> • IF A0300A is 1 and B0100 is 0, THEN D0100, if active, must not be blank (^). • IF A0300A is 1 and B0100 is a dash (-), THEN D0100, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3956b	Fatal	Inconsistent D0100 Value: If A0300A equals 1 and B0100 equals dash (-), then D0100, if active, must equal dash (-).	See error number -3956a
-3957a	Fatal	Inconsistent C0100 Value: If A0300A equals 1 and B0100 equals 0, then C0100, if active, must not equal blank (^).	<p>Cause: The value submitted in item C0100 (Should Brief Interview for Mental Status be Conducted?) is not consistent with the values submitted in items A0300A (State payment purpose) and B0100 (Comatose).</p> <ul style="list-style-type: none"> • IF A0300A is 1 and B0100 is 0, THEN C0100, if active, must not be blank (^). • IF A0300A is 1 and B0100 is a dash (-), THEN C0100, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3957b	Fatal	Inconsistent C0100 Value: If A0300A equals 1 and B0100 equals dash (-), then C0100, if active, must equal dash (-).	See error number -3957a
-3958	Fatal	Duplicate I8000 Items: If any item I8000A through I8000J does not equal blank (^), then it must not equal (duplicate) any value submitted in the remaining I8000A through I8000J items.	<p>Cause: The value submitted in this I8000 (ICD Code) item is a duplicate of another I8000 item.</p> <ul style="list-style-type: none"> • IF any item I8000A through I8000J is not blank (^), then it must duplicate any value submitted in the remaining I8000A through I8000J items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3959	Fatal	Inconsistent X0570B Value: If A0050 equals 3, then X0570B must equal blank (^).	<p>Cause: The value submitted in item X0570B (State Payment Assessment Type) is not consistent with the value submitted in item A0050 (Type of Record).</p> <ul style="list-style-type: none"> • IF A0050 is 3, THEN X0570B must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3960	Warn	SLP and Audiology Services Concurrent (O0425A1) and Group (O0425A2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	<p>Cause: The sum of values submitted in items O0425A2 (Concurrent minutes) and O0425A3 (Group minutes) divided by total therapy minutes [O0425A1 (Individual minutes) plus O0425A2 plus O0425A3] is greater than 0.25.</p> <ul style="list-style-type: none"> • IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is non-compliant. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3961	Warn	Occupational Therapy Concurrent (O0425B1) and Group (O0425B2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	<p>Cause: The sum of values submitted in items O0425B2 (Concurrent minutes) and O0425B3 (Group minutes) divided by total therapy minutes [O0425B1 (Individual minutes) plus O0425B2 plus O0425B3] is greater than 0.25.</p> <ul style="list-style-type: none"> • IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is non-compliant. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3962	Warn	Physical Therapy Concurrent (O0425C1) and Group (O0425C2) Therapy Minutes Compliance: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.	<p>Cause: The sum of values submitted in items O0425C2 (Concurrent minutes) and O0425C3 (Group minutes) divided by total therapy minutes [O0425C1 (Individual minutes) plus O0425C2 plus O0425C3] is greater than 0.25.</p> <ul style="list-style-type: none"> IF A0310F is 10, 11, or 12 and Total Concurrent and Group Minutes divided by Total Therapy minutes is greater than 0.25, THEN the number of Concurrent and Group Minutes is non-compliant. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3963a	Fatal	Invalid Skip Pattern: If A0050 equals 2 and X0570A equals 0 and A0310B equals 01 or 99, then items X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in items A0050 (Type of Record) and X0570A (OSA Purpose).</p> <ul style="list-style-type: none"> IF A0050 is 2 and X0570A is 0 and A0310B (PPS Assessment) is 01 or 99, THEN active items X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), X0600F (Entry/discharge reporting), and X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) must not be blank (^). IF A0050 is 2 or 3 and X0570A is 1, THEN active items X0600A, X0600B, X0600F, and X0600H must be blank (^). IF A0050 is 2 and X0570A is 0 and A0310B is 08, THEN active items X0600A, X0600B, and X0600F must not be blank (^). IF A0050 is 3 and X0570A is 0, THEN active items X0600A, X0600B, X0600F, and X0600H must not be blank (^). <p>Tip: This is a skip pattern. If A0050 is 2 or 3 and X0570A is 1, then skip to X0700 (Date) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3963b	Fatal	Invalid Skip Pattern: If A0050 equals 2 or 3 and X0570A equals 1, then items X0600A, X0600B, X0600F, and X0600H, if active, must equal blank (^).	See error number -3963a
-3963c	Fatal	Invalid Skip Pattern: If A0050 equals 2 and X0570A equals 0 and A0310B equals 08, then items X0600A, X0600B, and X0600F, if active, must not equal blank (^).	See error number -3963a

Error ID	Sev	Error Message	Error Description
-3963d	Fatal	Invalid Skip Pattern: If A0050 equals 3 and X0570A equals 0, then items X0600A, X0600B, X0600F, and X0600H, if active, must not equal blank (^).	See error number -3963a
-3964	Fatal	Inconsistent X0570A Value: If A0050 equals 3 and X0150 equals 2 and X0600A equals 99 and X0600B equals 99 and X0600F equals 10 or 11 OR If A0050 equals 3 and X0150 equals 2 and X0600A equals 99 and X0600B equals 01 and X0600F equals 10, 11, or 99, then X0570A must equal blank (^).	<p>Cause: The value submitted in item X0570A (OSA Purpose) is not consistent with the values submitted in items A0050 (Type of Record), X0150 (Type of Provider), X0600A (Federal OBRA Reason for Assessment), X0600B (PPS Assessment), and X0600F (Entry/discharge reporting).</p> <ul style="list-style-type: none"> • IF A0050 is 3 and X0150 is 2 and X0600A is 99 AND <ul style="list-style-type: none"> ○ X0600B is 99 and X0600F is 10 or 11 OR ○ X0600B is 01 and X0600F is 10, 11 or 99 <p>THEN X0570A must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3965	Fatal	Inconsistent A0310G1/A2400C Values: If A0310G1 equals 1, then A2400C must equal dashes (-----).	<p>Cause: The values submitted in items A0310G1 (SNF Part A Interrupted Stay) and A2400C (End date of most recent Medicare stay) are not consistent.</p> <ul style="list-style-type: none"> • IF A0310G1 is 1, THEN A2400C must be dashes (-----). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3966	Warn	Invalid STATE_PDPM_OBRA_CD: The STATE_PDPM_OBRA_CD value submitted for this OBRA assessment does not match the value established in the Data Management System (DMS) for the state where the assessment was performed.	<p>Cause: The STATE_PDPM_OBRA_CD value submitted for this OBRA assessment does not match value established in the DMS for the state.</p> <p>NOTE: For an OBRA assessment A0310A is 01, 02, 03, 04, 05, or 05 and A0310B is 99.</p> <p>The QIES ASAP system recalculated the PDPM values using the DMS code.</p> <p>Action: No action is necessary.</p>

Error ID	Sev	Error Message	Error Description
-3967	Warn	Invalid ICD Code: If A0310B equals 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments, then the ICD code submitted in I0020B must be a valid code defined in the MDS 3.0 Data Submission Specifications. The ASAP system cannot calculate a HIPPS code to validate the submitted Z0100A value.	<p>Cause: The PDPM cannot be determined for this assessment. If A0310B is 99 and your state is actively collecting the PDPM HIPPS code for OBRA assessments (as noted in the DMS), the value submitted in item I0020B (Primary Medical Condition ICD) must be one of the codes in either the pdpm_icd_codes table or the pdpm_icd_codes_2 table in the version of the MDS 3.0 Data Submission Specifications dictionary that is valid for the target date of the assessment.</p> <p>NOTE: The ASAP system could not calculate a HIPPS code in order to validate the submitted Z0100A value.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>