

5

ERROR MESSAGES

TROUBLESHOOTING.....	2
OASIS SUBMISSION ERROR MESSAGES.....	3
OASIS FILE PROCESSING ERROR MESSAGES.....	3

TROUBLESHOOTING

When possible, you should attempt to determine the nature or source of the problem you are experiencing so that you can contact the appropriate person for assistance. It may be helpful to write a detailed description of the problem, regardless of whether you are sending an email or calling for assistance.

Should a problem arise, you should initially review the troubleshooting information in the following:

- This section, Error Messages, of the OASIS Submission User's Guide,
- Online Windows or Internet Explorer Help, or
- The software and hardware manuals provided by your vendors.

For hardware/equipment problems you are unable to resolve, contact either the vendor from whom the hardware component was purchased or the manufacturer.

Example(s): The computer will not boot or the modem does not respond.

For software problems, given the variety of software you are using, it may be difficult to determine the source. If you can determine the source, you should seek assistance as follows:

- For assistance with the OASIS Submission system, contact the QTSO Help Desk.

Example: Waited over an hour after selecting the **Upload** button for the message confirming a successful submission.

- If the problem appears to be with Windows or Internet Explorer, contact either the vendor or manufacturer of the software.

Example: An error message appears that doesn't have any corresponding explanation in the manual or guide for the OASIS System or your vendor encoding software.

- If the problem appears to be with the OASIS encoding software, you should contact your OASIS software vendor.

Example: File submission is repeatedly rejected.

OASIS SUBMISSION ERROR MESSAGES

During the file submission process, the online OASIS Submission system displays a limited number of error messages. OASIS Submission system online errors are detailed in Section 3, *Functionality*, of this user's guide.

Additionally, you may experience error messages, warnings, or failures from other software or hardware components used in association with the OASIS Submission system. For those situations you should refer to the appropriate vendor-provided manuals.

OASIS FILE PROCESSING ERROR MESSAGES

Within 24 hours of the successful submission of a file, the OASIS Submission system processes the file and automatically produces a Final Validation Report detailing the errors, if any, that were encountered in the submitted records. This Final Validation Report is available to you in the CASPER Reporting application.

Processing errors range in severity from ones that render the file unable to be processed, to ones that prevent a specific record from being processed, to others that are simply warnings or informational. The processing of a file or record ceases immediately if any of the following errors are encountered:

- Invalid Zip file format
- Empty Zip file
- Invalid XML file format
- Agency authorization conflicts (user doesn't have authority to submit for agency in record; Facility ID is null or an invalid value)
- Missing or invalid Reason for Assessment (M0100)
- Missing or invalid Effective Date
- Duplicate record
- No matching record – unable to locate the active record to be modified or inactivated
- Submitted modification record with a correction number that is not the next incremented number from the current record in the ASAP database
- Record submitted for a closed agency with the Effective Date 24 months greater than the agency's termination date
- Record submitted with an Effective Date more than 36 months prior to the submission date

NOTE: Effective Date is defined as:

- M0030 (Start of Care Date) when M0100 (Reason for Assessment) is 01;
- M0032 (Resumption of Care Date) when M0100 is 03;
- M0090 (Date Assessment Completed) when M0100 is 04 or 05;
- M0906 (Discharge/Transfer/Death Date) when M0100 is 06, 07, or 08.

In addition to the errors noted above, many other conditions exist that prevent a record from being a successful submission. The Final Validation Report outlines the errors, whether fatal or simply warning, encountered in the submitted records. Each error or warning is noted on the report by its identifier.

NOTE: Corporate users and third-party vendors submitting files for multiple providers can expect one Final Validation Report for each provider for which records were submitted in a file.

Certain severe errors in the submitted file or one of its records prevent the system from creating and placing the automatically-generated OASIS Agency Final Validation Report in the agency's Validation Report (VR) folder. You may review these errors by requesting the OASIS Submitter Final Validation Report in the CASPER Reporting application.

NOTE: The OASIS Submitter Final Validation Report must be requested by the person (User ID) who submitted the file.

All fatal errors in a file or record must be corrected and the file or record resubmitted.

The remainder of this section of the guide lists the errors/warnings in order by identifier, providing a description of the error condition and guidance for correcting the error, if necessary.

Error ID	Sev	Error Message	Error Description
-901	Fatal	Invalid Zip File: Unable to process the submitted file.	<p>Potential Causes:</p> <ul style="list-style-type: none"> • The submitted file is not formatted properly. The contents of the file could not be extracted. • The submitted .zip file is not compressed. • The submitted file is a .zipx file. • The submitted file is empty. • The submitted file is encrypted. <p>Tips: Contact your software vendor for technical assistance. Refer your vendor to the OASIS Data Specifications for details of file submission requirements The submitted file must be a properly formatted .zip file. No other compression format, such as .zipx, is valid. The .zip file should not contain subfolders. The name of the .zip file must not exceed 260 characters, including the extension (.zip). The name of each XML file included in the .zip file must not exceed 200 characters, including the extension. The name of an XML file must not include special characters.</p> <p>Action: Recreate and/or rename the .zip file and resubmit.</p>
-902	Fatal	Invalid XML File: The submitted file does not have a valid XML file name extension.	<p>Cause: The submitted file name does not end with “.xml”.</p> <p>Tips: Contact your software vendor for technical assistance. Refer your vendor to the OASIS Data Specifications for details of file submission requirements The name of each XML file included in the .zip file must not exceed 200 characters, including the extension. The name of an XML file must not include special characters.</p> <p>Action: Recreate and/or rename the assessment file, zip the file, and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-903	Fatal	Required Item Missing or Invalid: Based on the OASIS Data Specifications in effect on the effective date of this record, this item is required.	<p>Potential Causes:</p> <ul style="list-style-type: none"> • A valid value was not submitted in this item. Based upon the OASIS Data Submission Specifications in effect for this record, this item is required. • The length of the value submitted for this item exceeds the maximum length allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-904	Fatal	Invalid XML File Format: The submitted file is not structured properly.	<p>Cause: The submitted record is not a properly structured XML file and cannot be processed. When error -904 occurs, the file cannot be processed by the ASAP system; therefore, a system-generated final validation report cannot be created. This error is identified only on the Submitter Final Validation Report.</p> <p>Tips: Beginning and ending tags must enclose the entire assessment record. Beginning and ending tags must enclose each item of the assessment record. Tag names must not exceed 30 characters. This does not count the delimiters (< >) in which the tags must be enclosed. Values submitted between the beginning and ending tags for an item must not exceed 100 characters.</p> <p>Action: Contact your software vendor. Refer to the data specifications overview for XML file format details. Make appropriate corrections to the record and resubmit.</p>
-905	Fatal	Invalid Effective Date: Unable to calculate the effective date due to missing or invalid required field.	<p>Cause: The QIES ASAP System is unable to verify the effective date of this record because the value submitted in item M0090 (Date Assessment Completed) is missing or invalid.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-907	Fatal	Duplicate Assessment: The submitted record is a duplicate of a previously accepted record.	<p>Cause: The submitted record is a duplicate of a previously accepted record for this patient.</p> <p>Tips: Duplicate records match on the following items:</p> <ul style="list-style-type: none"> • HHA Agency ID • Effective Date • M0040-First (First name) • M0040-Last (Last name) • M0064 (Social Security Number) • M0066 (Birth Date) • M0069 (Gender) • M0100 (Reason For Assessment) <p>Effective Date is defined as:</p> <ul style="list-style-type: none"> - M0030 (Start of Care Date) when M0100 (Reason for Assessment) is 01; - M0032 (Resumption of Care Date) when M0100 is 03; - M0090 (Date Assessment Completed) when M0100 is 04 or 05; - M0906 (Discharge/Transfer/Death Date) when M0100 is 06, 07. Or 08. <p>Action: Determine why this record was submitted multiple times. DO NOT resubmit this record as it is already in the database. DO NOT resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</p>

Error ID	Sev	Error Message	Error Description
-909	Warn	Inconsistent Record Sequence: Under CMS sequencing guidelines, the type of assessment in this record does not logically follow the type of assessment in the record received prior to this one.	<p>Cause: The submitted record does not satisfy CMS sequencing guidelines when compared to the record that was submitted to the QIES ASAP System prior to this one for this patient.</p> <ul style="list-style-type: none"> • The reasons for assessment in this record indicate that it was submitted out of order. The record that should have preceded this record may not have been submitted successfully. • The patient’s identifying information in this record may differ from the patient-identifying information submitted for this patient in a prior record. The current and prior records may have matched to different resident records causing what appears to be a failure in the sequencing order. <p>Definition: <u>Resident Table Row:</u> Each person for whom an OASIS record is submitted to the QIES ASAP System is noted in a row on the resident table in the database. This row contains the person’s identifying information and is used to link subsequent OASIS records for that person as they are submitted. If identifying information submitted for a patient does not match an existing row, a new row is created, identifying a “new” person in the database. The OASIS record submitted is linked to this “new” person.</p> <p>Action: There are a limited number of exceptions to the sequencing guidelines. If you are certain this record is correct due to an exception, no action is necessary. If this message occurred because a record was completed and not submitted, submit the missing record now. Review activity reports and/or roster reports to assure that all records are submitted timely. If after reviewing activity reports and/or roster reports you believe a new patient may have been created in error, contact your State OASIS Automation Coordinator. Refer to the OASIS-C1 Guidance Manual for additional information.</p>
-914	Fatal	Invalid Format: The value submitted for this item contains one or more non-printable or control characters.	<p>Cause: The value submitted in this item is invalid; it contains non-printable or control characters.</p> <p>Action: Make appropriate corrections to the record and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-915	Warn	<p>Patient Information Mismatch: Submitted value(s) for the item(s) listed do not match the values in the QIES ASAP database. If the record was accepted, the patient information in the database was updated. Verify that the new information is correct.</p>	<p>Cause: Based on patient-matching criteria, patient (patient) information in this OASIS record, though not identical, is similar enough to patient (patient) information in the QIES ASAP System that a match was identified. If the record was accepted, one or more fields in the QIES ASAP System were updated with the new or previously missing information.</p> <p>Example: The patient's first name was spelled differently, the birth date was entered incorrectly, or the agency is now submitting information that was previously unknown (such as the Medicare or Medicaid number).</p> <p>Definition: <u>Patient-matching criteria:</u> Criteria used to match key patient-identifying information in an assessment record with an existing patient (patient) known to the QIES ASAP System.</p> <p>Tip: The patient-matching process may update the following patient (patient) information:</p> <ul style="list-style-type: none"> o last name o first name o middle initial o birth date o death date o social security number o Medicare number o Medicaid number o gender o race/ethnicity o current Facility Internal ID <p>Action: Verify the old and new information. If the new information is correct, no action is required. If the new information is not correct, make appropriate modifications to the record and resubmit. Refer to the OASIS Correction policy as necessary.</p>
-916	Fatal	<p>Multiple Matches Found: The submitted record matches multiple records in the database. Please contact the QTSO Help Desk.</p>	<p>Cause: The submitted record matches multiple records in the QIES ASAP database.</p> <p>Action: Contact the QTSO Help Desk for assistance. DO NOT resubmit this record as it is already in the database.</p>

Error ID	Sev	Error Message	Error Description
-921	Fatal	Assessment Completed Late: The M0090 date was more than 36 months prior to the submission date.	<p>Cause: The submitted assessment was not completed according to CMS timing guidelines that require that an assessment to be submitted within 36 months of M0090 (Date Assessment Completed). The Date Assessment Completed must be less than the Submission Date by at least 36 months.</p> <p>Action: To avoid this error in the future, review the assessment schedule and verify that all assessments are completed in a timely manner. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-922	Fatal	Submission Period Expired: The assessment was submitted 24 months after the agency's closed date.	<p>Cause: The submission date of this record is more than 24 months after the date the agency closed.</p> <p>Action: No action is necessary. If you believe this error is invalid, contact your State OASIS Automation Coordinator.</p>
-923	Fatal	Inconsistent Dates: M0090 is greater than the agency's termination date.	<p>Cause: The value submitted for M0090 (Date Assessment Completed) is greater than (occurs after) the agency's termination date.</p> <p>Action: Make appropriate corrections to the record and resubmit. If you believe this error is invalid, contact your State OASIS Automation Coordinator.</p>
-924	Warn	Test Record Processed: The submitting agency is not identified as being certified at this time; this record was processed as a test record. If you believe this is incorrect, please contact your state OASIS Automation Coordinator.	<p>Cause: The agency submitting this record is not identified by the QIES ASAP system as being certified at this time. Therefore, this record was processed as a test record.</p> <p>Action: No action is necessary. If you believe this error is invalid, contact your State OASIS Automation Coordinator.</p>

Error ID	Sev	Error Message	Error Description
-925	Warn	Record Timing Invalid: CMS timing guidelines require recertification follow-up records (M0100=4) at least every 60 days, but no earlier than day 56 of the follow-up cycle.	<p>Cause: The submitted record does not satisfy CMS timing guidelines. Completion dates for the first and any subsequent follow-up assessments are calculated relative to the start of care date. Follow-up assessments must be completed every 60 days a patient is under care. A follow-up assessment should be completed on or after the 56th day and on or before the 60th day of the cycle.</p> <p>Action: There are a limited number of exceptions to the timing guidelines. If you are certain this record is correct due to an exception, no action is necessary. Refer to the OASIS-C1 Guidance Manual for additional information.</p>
-926	Fatal	Invalid CCN: M0010 must not equal blank (^) for a CMS-certified agency.	<p>Cause: The value submitted in M0010 (CMS Certification Number) must match the CCN on file in the QIES ASAP System for the CMS-certified provider identified by the HHA_AGENCY_ID in this record.</p> <p>Example: The CCN was not entered into the encoding software that created the submission file.</p> <p>Action: Verify that the CCN in the encoding software is not blank.</p>
-927	Fatal	HIPPS Value Not Calculated: Fatal system problem in calculating HIPPS value. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.	<p>Cause: A fatal system error was encountered preventing the calculation of the HIPPS value for this record.</p> <p>Action: Please notify the QTSO Help Desk and resubmit this record when the system issue is resolved.</p>
-928	Warn	HIPPS Code Not Calculated: A HIPPS code was not calculated because the assessment was submitted with a M0090 (Date Assessment Completed) date greater than 27 months from the submission date.	<p>Cause: The value submitted in M0090 (Date Assessment Completed) is older than the submission date by 27 or more months. A HIPPS code cannot be calculated.</p> <p>Actions: No action is required for this submission. To avoid this in the future, verify that all assessments are submitted in a timely manner.</p>
-929	Fatal	Multiple Branch ID Records Found: The Branch ID in the submitted record matches multiple Branch ID records in the database. Please contact your state OASIS Automation Coordinator.	<p>Cause: The value submitted in M0016 (Branch ID Number) matches multiple Branch ID records in the database.</p> <p>Actions: Notify your state OASIS Automation Coordinator of this error condition. Once the condition is resolved, make appropriate corrections to the record, if necessary, and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-930	Fatal	Invalid Target Date: The calculated target date is greater than the submission date.	<p>Cause: The calculated target date of this record is later than the date the record was submitted.</p> <p>Definition: Target Date = M0090 (Date Assessment Completed)</p> <p>Actions: Make appropriate corrections to the record and resubmit.</p>
-3010	Fatal	Incorrect Format: If this item is not equal to one of the allowed special values (if any), then the length of the submitted value must match exactly the maximum length of the item.	<p>Cause: The value submitted in this item is not valid.</p> <ul style="list-style-type: none"> If the submitted value of this item is not one of the allowed special values, the length must be the maximum length noted in the OASIS Data Specifications. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3020	Fatal	Incorrect Format: If the value does not equal blank (^), the first three characters must not equal 000.	<p>Cause: The value submitted in M0064 (Social Security Number) is invalid.</p> <ul style="list-style-type: none"> IF M0064 is not blank (^), THEN the first three characters must not be 000. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3030	Fatal	Incorrect Format: The value must not equal any of the following: 111111111, 333333333, 123456789, or 999999999.	<p>Cause: The value submitted in M0063 (Medicare Number) or M0064 (Social Security Number) is invalid.</p> <ul style="list-style-type: none"> IF M0063 or M0064 is not blank (^), THEN it must not be 111111111, 333333333, 123456789, or 999999999. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3040	Fatal	Incorrect Format: If the first character is numeric 0-9, then the first 9 characters must be numeric 0-9.	<p>Cause: The value submitted in M0063 (Medicare Number) is invalid.</p> <ul style="list-style-type: none"> IF the first character of M0063 is numeric, THEN all 9 characters must be numeric. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3050	Fatal	Incorrect Format: If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.	<p>Cause: The value submitted in M0063 (Medicare Number) is invalid.</p> <ul style="list-style-type: none"> • IF the first character of M0063 is alphabetic, THEN there must be 1, 2, or 3 alphabetic characters and the remainder of the characters in the item must be numeric. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3060	Fatal	Invalid Value: The value submitted for this item is not an acceptable value.	<p>Cause: The submitted value is not one of the options allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3070	Fatal	Invalid Date: This item must contain a valid date in YYYYMMDD format or allowable special character(s).	<p>Cause: The date submitted in this item is invalid or formatted improperly.</p> <ul style="list-style-type: none"> • A date must be submitted in YYYYMMDD format or must contain the appropriate allowable special character(s). <p>Tip: The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p>
-3080	Fatal	Invalid Birth Date: M0066 must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.	<p>Cause: The value submitted in M0066 (Birth Date) is invalid or formatted improperly. M0066 must be submitted in YYYYMMDD, YYYYMM, or YYYY format or as one of the allowable special values.</p> <p>Tip: The invalid date is displayed on the Final Validation Report in the exact format that it was submitted.</p> <p>Action: Contact the vendor of your encoding software to correct the formatting of dates. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3090	Fatal	Invalid Value: Only unsigned numeric values that are within the range of acceptable values and specified special characters are valid for this item.	<p>Cause: The value submitted in this item is invalid; it is not one of the numeric values or special characters allowed.</p> <p>Tip: An unsigned numeric value is a number without a leading plus or minus sign. Negative (signed) numbers are not allowed.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3100	Fatal	Invalid Numeric Format: Only whole numbers and specified special characters are valid for this item.	<p>Cause: The value submitted in this item is invalid; it is not one of the numeric values or special characters allowed.</p> <p>Tip: Numbers with a decimal point and one or more decimal places are not allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3110	Fatal	Invalid Format: Only numeric characters 0-9 and specified special characters are valid for this item. No spaces are allowed.	<p>Cause: The value submitted in this item is invalid.</p> <ul style="list-style-type: none"> • This item may only contain numeric characters, the specified special characters, or be blank (^). • No spaces are allowed in this item. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3120	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, or letters a-z are valid for this item. No spaces are allowed.	<p>Cause: The value submitted in this item is invalid.</p> <ul style="list-style-type: none"> • This item may only contain alphanumeric characters, or the special character(s) identified in the data specifications for the item, or be blank (^). • No spaces are allowed in this item. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3130	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item. Embedded spaces are allowed.	<p>Cause: The value submitted in this item is invalid.</p> <ul style="list-style-type: none"> • If not blank (^), this item may only contain alphanumeric characters, a dash (-), at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), and underscore (_). • Embedded spaces are allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3140	Fatal	Invalid Value: Only numeric characters 0-9, letters A-Z, letters a-z, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item.	<p>Cause: The value submitted in this item is invalid.</p> <ul style="list-style-type: none"> • If not blank (^), this item may only contain alphanumeric characters, at sign (@), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), or underscore (_). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3150	Fatal	Invalid E-Mail Address: The submitted e-mail address contains invalid characters.	<p>Cause: The Software Vendor Email Address (SFW_EMAIL_ADR) in the submitted record is invalid.</p> <ul style="list-style-type: none"> • An e-mail address may not contain the following characters: <ul style="list-style-type: none"> single quote (') double-quote (") comma (,) semi-colon (;) colon (:) back slash (\) right and left parentheses ((and)) right and left brackets ([and]) right and left braces ({ and }) less than (<) greater than (>) space () <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3160	Fatal	Invalid HHA_AGENCY_ID: The HHA_AGENCY_ID submitted in this file does not identify a valid provider in the QIES ASAP System.	<p>Cause: The Agency ID (HHA_AGENCY_ID) and State Code control field in the submitted record does not identify a valid provider in the QIES ASAP system.</p> <ul style="list-style-type: none"> • The HHA_AGENCY_ID must be a system-assigned HHA_AGENCY_ID. • The value of the submitted HHA_AGENCY_ID must match the HHA_AGENCY_ID in the QIES ASAP system for the provider. • The value submitted in the State Code control field must be the State Code associated with the HHA Agency ID, not the State Code where the branch is located if the two are different. The branch State Code should be submitted in M0014 (Branch State). <p>Action: Make appropriate corrections to the record and resubmit.</p>
-3162	Fatal	Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the HHA_AGENCY_ID in this file.	<p>Cause: The submitter's User ID does not have authority to submit for the provider identified by the HHA_AGENCY_ID submitted in this record.</p> <p>Action: Make appropriate corrections to the record and resubmit. Contact the QTSO Help Desk for additional assistance.</p>

Error ID	Sev	Error Message	Error Description
-3170	Warn	Incorrect CCN: M0010 does not match the CMS Certification Number (CCN) in the QIES ASAP System database for the agency identified in the file.	<p>Cause: The CMS Certification Number in this record differs from the CCN that is currently in the QIES ASAP System database for this provider. The value submitted in M0010 (CMS Certification Number) does not match the CCN on file in the QIES ASAP System for the provider identified by the HHA_AGENCY_ID in this record.</p> <p>Example: The CCN was entered incorrectly into the encoding software that created the submission file.</p> <p>Action: Verify that the CCN in the encoding software is correct.</p>
-3180	Fatal	Required Field: This is a required text item. A valid non-blank value must be submitted.	<p>Cause: The value submitted in this item must not be blank.</p> <p>Action: Make appropriate corrections to the record and resubmit.</p>
-3190	Fatal	No Match Found: This modification/inactivation record does not match a previously accepted record in the QIES ASAP System. One or more of the items of this record did not match the corresponding items of an existing record in the database.	<p>Cause: One or more of the values submitted in this modification or inactivation record do not match the values submitted in a previously accepted record in the QIES ASAP System.</p> <ul style="list-style-type: none"> • To identify the record requiring modification or inactivation, the following items must match the corresponding items of a previously accepted record: <ul style="list-style-type: none"> ○ M0030 (Start of Care Date) ○ M0032 (Resumption of Care Date) ○ M0032 (Resumption of Care N/A) ○ M0040-First (First name) ○ M0040-Last (Last name) ○ M0064 (Social Security Number) ○ M0064 (Social Security Number UK) ○ M0066 (Birth Date) ○ M0069 (Gender) ○ M0090 (Date Assessment Completed) ○ M0100 (Reason For Assessment) ○ M0906 (Discharge/Transfer/Death Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3200	Fatal	Inconsistent CORRECTION_NUM Value: The Correction Number value submitted in CORRECTION_NUM is not incremented by one (1) from the previously accepted Correction Number for this record.	<p>Cause: The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value of CORRECTION_NUM submitted in the previous record. The value of CORRECTION_NUM in this record must be the value of CORRECTION_NUM submitted in the previous record plus 1. In the first modification/inactivation record, the value of CORRECTION_NUM must be 01. The value of CORRECTION_NUM in the second modification/inactivation record must be 02, and so on.</p> <ul style="list-style-type: none"> The value of CORRECTION_NUM minus 1 must equal the value of CORRECTION_NUM that was previously submitted successfully for this record. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3210	Fatal	Text Too Long: The length of the text submitted for this item exceeds the maximum length allowed.	<p>Cause: The text submitted exceeds the maximum length allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3220	Fatal	Inconsistent Software Information: If SFW_PROD_NAME equals blank (^), then SFW_PROD_VRSN_CD must equal blank (^).	<p>Cause: The value submitted in SFW_PROD_VRSN_CD (Software Product Version Code) is not consistent with the value submitted in SFW_PROD_NAME (Software Product Name).</p> <ul style="list-style-type: none"> IF SFW_PROD_NAME is blank (^), THEN SFW_PROD_VRSN_CD must be blank (^). <p>Action: Verify that the software information in the encoding software is correct. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3230	Fatal	Inconsistent Software Vendor Information: If SFW_PROD_NAME does not equal blank (^), then SFW_PROD_VRSN_CD must not equal blank (^).	<p>Cause: The value submitted in SFW_PROD_VRSN_CD (Software Product Version Code) is not consistent with the value submitted in SFW_PROD_NAME (Software Product Name).</p> <ul style="list-style-type: none"> • IF SFW_PROD_NAME is not blank (^), THEN SFW_PROD_VRSN_CD must not be blank (^). <p>Action: Verify that the software information in the encoding software is correct. Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3240	Fatal	Invalid ISC: The submitted ITM_SBST_CD does not match the ISC calculated by the QIES ASAP System.	<p>Cause: The value submitted in ITM_SBST_CD (Item Subset Code (ISC)) does not match the ISC calculated by the QIES ASAP System.</p> <p>Tip: The values of the following items determine which subset of items (ISC) is appropriate for this record:</p> <ul style="list-style-type: none"> • TRANS_TYPE_CD (Transaction Type Code) • M0100 (Reason for Assessment) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3250	Fatal	Invalid Format: Only numeric characters 0-9, letters A-Z, letters a-z, dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), and specified valid values are valid for this item. Embedded spaces are allowed.	<p>Cause: The value submitted in this item is invalid.</p> <ul style="list-style-type: none"> • This item may only contain alphanumeric characters, a dash (-), at sign (@), ampersand (&), single quote ('), forward slash (/), plus sign (+), comma (,), period (.), underscore (_), or the special character(s) identified in the data specifications for the item. • Embedded spaces are allowed. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3260	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are out of order or in the future.</p> <ul style="list-style-type: none"> • IF M0032 (Resumption of Care Date) is a blank (^), these dates must occur chronologically as follows: <ul style="list-style-type: none"> ○ M0066 (Birth Date) must precede M1005 (Inpatient Discharge Date) ○ M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC) ○ M0102 must precede or be the same as M0030 (Start of Care Date) ○ M0030 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date) ○ M1307 must precede or be the same as M0906 (Discharge/Transfer/Death Date) ○ M0906 must precede or be the same as M0090 (Date Assessment Completed) ○ M0090 must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3261	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are out of order or in the future.</p> <ul style="list-style-type: none"> • IF M0032 (Resumption of Care Date) is a blank (^), these dates must occur chronologically as follows: <ul style="list-style-type: none"> ○ M0066 (Birth Date) must precede M1005 (Inpatient Discharge Date) ○ M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC) ○ M0102 must precede or be the same as M0030 (Start of Care Date) ○ M0030 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date) ○ M1307 must precede or be the same as M0906 (Discharge/Transfer/Death Date) ○ M0906 must precede or be the same as M0090 (Date Assessment Completed) ○ M0090 must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3270	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are out of order or in the future.</p> <ul style="list-style-type: none"> • IF M0032 (Resumption of Care Date) is not a blank (^), these dates must occur chronologically as follows: <ul style="list-style-type: none"> ○ M0066 (Birth Date) must precede M0030 (Start of Care Date) ○ M0030 must precede or be the same as M1005 (Inpatient Discharge Date) ○ M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC) ○ M0102 must precede or be the same as M0032 (Resumption of Care Date) ○ M0032 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date) ○ M1307 must precede or be the same as M0903 (Date of Last Home Visit) ○ M0903 must precede or be the same as M0906 (Discharge/Transfer/Death Date) ○ M0906 must precede or be the same as M0090 (Date Assessment Completed) ○ M0090 must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3271	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are out of order or in the future.</p> <ul style="list-style-type: none"> • IF M0032 (Resumption of Care Date) is not a blank (^), these dates must occur chronologically as follows: <ul style="list-style-type: none"> ○ M0066 (Birth Date) must precede M0030 (Start of Care Date) ○ M0030 must precede or be the same as M1005 (Inpatient Discharge Date) ○ M1005 must precede or be the same as M0102 (Date of Physician-ordered SOC/ROC) ○ M0102 must precede or be the same as M0032 (Resumption of Care Date) ○ M0032 must precede or be the same as M1307 (Oldest Non-epithelialized Stage II Pressure Ulcer Identified Date) ○ M1307 must precede or be the same as M0906 (Discharge/Transfer/Death Date) ○ M0906 must precede or be the same as M0090 (Date Assessment Completed) ○ M0090 must precede or be the same as the current date <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3280	Warn	Inconsistent Dates: If M0100 is equal to 01, then M0030 minus M1005 should be greater than or equal to zero and less than or equal to 14 days.	<p>Cause: The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> IF M0100 (Reason for Assessment) is 01 and M0030 (Start of Care Date) and M1005 (Inpatient Discharge Date) are both active and are not blank (^), THEN M0030 minus M1005 should be greater than or equal to zero but no more than 14 calendar days. <p>Tip: M1005 should only be entered when the patient was discharged from an inpatient facility within the past 14 days prior to admission to a home health agency.</p> <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3290	Warn	Inconsistent Dates: If M0100 is equal to 03, then M0032 minus M1005 should be greater than or equal to zero and less than or equal to 14 days.	<p>Cause: The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> IF M0100 (Reason for Assessment) is 03 and M0032 (Resumption of Care Date) and M1005 (Inpatient Discharge Date) are both active and are not blank (^), THEN M0032 minus M1005 should be greater than or equal to zero but no more than 14 calendar days. <p>Tip: M1005 should only be entered when the patient was discharged from an inpatient facility within the past 14 days prior to admission to a home health agency.</p> <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3300	Warn	Inconsistent Dates: If M0100 is equal to 01, then M0090 minus M0030 should be greater than or equal to zero and less than or equal to 5 days.	<p>Cause: The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> IF M0100 (Reason for Assessment) is 01 and M0090 (Date Assessment Completed) and M0030 (Start of Care Date) are both active and are not blank (^), THEN M0090 minus M0030 should be greater than or equal to zero but no more than 5 calendar days. <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>

Error ID	Sev	Error Message	Error Description
-3310	Warn	Inconsistent Dates: If M0100 is equal to 03, then M0090 minus M0032 should be greater than or equal to zero and less than or equal to 2 days.	<p>Cause: The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> IF M0100 (Reason for Assessment) is 03 and M0090 (Date Assessment Completed) and M0032 (Resumption of Care Date) are both active and are not blank (^), THEN M0090 minus M0032 should be greater than or equal to zero but no more than 2 calendar days. <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3320	Warn	Inconsistent Dates: If M0100 is equal to 09, then M0090 minus M0906 should be greater than or equal to zero and less than or equal to 2 days.	<p>Cause: The assessment was not completed within CMS timing guidelines.</p> <ul style="list-style-type: none"> IF M0100 (Reason for Assessment) is 09 and M0090 (Date Assessment Completed) and M0906 (Discharge/Transfer/Death Date) are both active and are not blank (^), THEN M0090 minus M0906 should be greater than or equal to zero but no more than 2 calendar days. <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3330	Warn	Record Submitted Late: The submission date is more than 30 days after M0090 on this new record.	<p>Cause: The assessment was not submitted within the CMS timing guidelines.</p> <ul style="list-style-type: none"> IF this is a new record (TRANS_TYPE_CD is 1), THEN the submission date minus M0090 (Date Assessment Completed) should be no more than 30 calendar days. <p>Actions: No action is required. To avoid this warning in the future, review the assessment timing schedule in the OASIS-C1 Guidance Manual and verify that all assessments are submitted in a timely manner.</p>
-3340	Fatal	Inconsistent Items: If TRANS_TYPE_CD is equal to 1, then CORRECTION_NUM must equal 00.	<p>Cause: The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value submitted in TRANS_TYPE_CD (Transaction Type Code).</p> <ul style="list-style-type: none"> IF TRANS_TYPE_CD is 1, THEN CORRECTION_NUM must be 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3341	Fatal	Inconsistent Items: If TRANS_TYPE_CD is equal to 2 or 3, then CORRECTION_NUM must not equal 00.	<p>Cause: The value submitted in CORRECTION_NUM (Correction Number) is inconsistent with the value submitted in TRANS_TYPE_CD (Transaction Type Code).</p> <ul style="list-style-type: none"> • IF TRANS_TYPE_CD is 2 or 3, THEN CORRECTION_NUM must not be 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3350	Fatal	Incorrect Format: Invalid ICD-9 (non-E- or V-code) diagnosis format.	<p>Cause: The value submitted in this item is not valid. For an item where an E- or V-code is not allowed, a non-blank ICD-9 diagnosis code must conform with the following formatting rules:</p> <ul style="list-style-type: none"> • Character 1 must be blank (^). • Characters 2 through 4 must each be a number 0-9. • Character 5 must be a decimal point. • Characters 6 and 7 must each be a number 0-9 or blank (^). • If character 6 is blank (^), then character 7 must be blank (^). <p>Tip: An ICD-10 diagnosis code is not valid for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3360	Fatal	Incorrect Format: Invalid ICD-9 procedure code format.	<p>Cause: The value submitted in this item is not valid. ICD-9 procedure codes must conform with the following formatting rules:</p> <ul style="list-style-type: none"> • Characters 1 and 2 must be blank (^). • Characters 3 and 4 must each be a number 0-9. • Character 5 must be a decimal point. • Character 6 must be a number 0-9. • Character 7 must be a number 0-9 or blank (^). <p>Tip: An ICD-10 procedure code is not valid for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3370	Fatal	Incorrect Format: Invalid ICD-9 (V-code allowed) diagnosis format.	<p>Cause: The value submitted in this item is not valid. For an item where a V-code (but not an E-code) is allowed, a non-blank ICD-9 diagnosis code must conform with the following formatting rules:</p> <ul style="list-style-type: none"> • Character 1 must be blank (^). • Character 2 must be a number 0-9 or V. • Characters 3 through 4 must each be a number 0-9. • Character 5 must be a decimal point. • Characters 6 and 7 must each be a number 0-9 or blank (^). • If character 6 is blank (^), then character 7 must be blank (^). <p>Tip: An ICD-10 diagnosis code is not valid for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3380	Fatal	Incorrect Format: Invalid ICD-9 (E- or V-code allowed) diagnosis format.	<p>Cause: The value submitted in this item is not valid. For an item where an E- or V-code is allowed, a non-blank ICD-9 diagnosis code must conform with one of the following formatting rules:</p> <p>Pattern A:</p> <ul style="list-style-type: none"> • Character 1 must be E or blank (^). • Characters 2 through 4 must each be a number 0-9. • Character 5 must be a decimal point. • Characters 6 and 7 must each be a number 0-9 or blank (^). • If character 6 is blank (^), then character 7 must be blank (^). <p>Pattern B:</p> <ul style="list-style-type: none"> • Character 1 must be blank (^). • Character 2 must V. • Characters 3 and 4 must each be a number 0-9. • Character 5 must be a decimal point. • Characters 6 and 7 must each be a number 0-9 or blank (^). • If character 6 is blank (^), then character 7 must be blank (^). <p>Tip: An ICD-10 diagnosis code is not valid for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3390	Fatal	Invalid Patient Age: Patient age at the time the assessment was completed cannot be greater than 140 years and must not be less than 18 years.	<p>Cause: The value submitted in item M0066 (Birth Date) is invalid.</p> <ul style="list-style-type: none"> • IF M0090 (Date Assessment Completed) minus M0066 is less than 18 years or greater than 140 years, THEN the birth date is invalid. <p>Tip: For purposes of calculating a patient's age: If both the month and day of the patient's birth date are unknown, the ASAP system uses 07 for the month and 02 for the day. If only the day of the patient's birth date is unknown, the ASAP system uses 15 for the day.</p> <p>Action: If the patient's birth date is correct, no further action is necessary. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3400	Fatal	Invalid Numeric Format: Only whole numbers, numbers with one decimal place, and specified special characters are valid for this item.	<p>Cause: The value submitted in this item is invalid; it is not one of the numeric values or special characters allowed. Numbers with two or more decimal places are not allowed for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3410	Fatal	Inconsistent Branch Items: If M0016 contains a standard branch ID (not equal to N or P), then M0014 must not equal blank (^).	<p>Cause: The values submitted in items M0014 (Branch State) and M0016 (Branch ID Number) are inconsistent.</p> <ul style="list-style-type: none"> • IF M0016 is a standard branch ID (i.e. not N or P), THEN M0014 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item. Contact your Software vendor for assistance.</p>
-3420	Fatal	Inconsistent Branch Items: If M0016 is equal to N or P, then M0014 must equal blank (^).	<p>Cause: The values submitted items for M0014 (Branch State) and M0016 (Branch ID Number) are inconsistent.</p> <ul style="list-style-type: none"> • IF M0016 is N or P, THEN M0014 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the current data specifications to determine the valid values. Contact your Software vendor for assistance.</p>
-3430	Fatal	Invalid ZIP Code Format: M0060 must be either 5 or 9 bytes in length and not include a dash if a ZIP+4 code is submitted.	<p>Cause: The value submitted in item M0060 (Patient ZIP Code) is invalid. A ZIP Code must be either 5 or 9 numeric digits and must not include a dash (-).</p> <p>Action: Make appropriate corrections to the record and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-3440	Fatal	Invalid Skip Pattern: If M1000-NA is equal to 1, then all items M1005 through M1012-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).</p> <ul style="list-style-type: none"> IF M1000-NA is 1, THEN all active items from M1005 (Inpatient Discharge Date) through M1012-UK (Inpatient Procedure-Unknown) must be blank (^). <p>Tip: This is a skip pattern. If M1000-NA is 1, then skip to M1016 (Diagnoses Requiring Regimen Change) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3450	Fatal	Inconsistent M1005 Values: If M1005-UK is equal to 0, then M1005 date must not equal blank (^).	<p>Cause: The date submitted in M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1005-UK (Inpatient Discharge Date-Unknown).</p> <ul style="list-style-type: none"> IF M1005-UK is 0, THEN M1005 date, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3460	Fatal	Inconsistent M1005 Values: If M1005-UK is equal to 1, then M1005 date must equal blank (^).	<p>Cause: The date submitted in M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1005-UK (Inpatient Discharge Date-Unknown).</p> <ul style="list-style-type: none"> IF M1005-UK is 1, THEN M1005 date, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3470	Fatal	Inconsistent M0018 Values: If M0018-UK is equal to 0, then M0018 NPI number must not equal blank (^).	<p>Cause: The value submitted in M0018 (National Provider Identifier (NPI)) is not consistent with the value submitted in item M0018-UK (NPI Unknown).</p> <ul style="list-style-type: none"> IF M0018-UK is 0, THEN M0018 NPI number, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3480	Fatal	Inconsistent M0018 Values: If M0018-UK is equal to 1, then M0018 NPI number must equal blank (^).	<p>Cause: The value submitted in M0018 (National Provider Identifier (NPI)) is not consistent with the value submitted in item M0018-UK (NPI Unknown).</p> <ul style="list-style-type: none"> • IF M0018-UK is 1, THEN M0018 NPI number, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3490	Fatal	Inconsistent M0032 Values: If M0032-NA is equal to 0, then M0032 date must not equal blank (^).	<p>Cause: The date submitted in M0032 (Resumption of Care Date) is not consistent with the value submitted in item M0032-NA (ROC Date Not Applicable).</p> <ul style="list-style-type: none"> • IF M0032-NA is 0, THEN M0032 ROC date, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3500	Fatal	Inconsistent M0032 Values: If M0032-NA is equal to 1, then M0032 date must equal blank (^).	<p>Cause: The date submitted in M0032 (Resumption of Care Date) is not consistent with the value submitted in item M0032-NA (ROC Date Not Applicable).</p> <ul style="list-style-type: none"> • IF M0032-NA is 1, THEN M0032 ROC date, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3510	Fatal	Inconsistent M0063 Values: If M0063-NA is equal to 0, then M0063 Medicare Number must not equal blank (^).	<p>Cause: The value submitted in M0063 (Medicare Number) is not consistent with the value submitted in item M0063-NA (No Medicare).</p> <ul style="list-style-type: none"> • IF M0063-NA is 0, THEN M0063 Medicare number, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3520	Fatal	Inconsistent M0063 Values: If M0063-NA is equal to 1, then M0063 Medicare Number must equal blank (^).	<p>Cause: The value submitted in M0063 (Medicare Number) is not consistent with the value submitted in item M0063-NA (No Medicare).</p> <ul style="list-style-type: none"> • IF M0063-NA is 1, THEN M0063 Medicare number, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3530	Fatal	Inconsistent M0064 Values: If M0064-UK is equal to 0, then M0064 Social Security Number must not equal blank (^).	<p>Cause: The value submitted in M0064 (Social Security Number) is not consistent with the value submitted in item M0064-UK (SSN Unknown).</p> <ul style="list-style-type: none"> • IF M0064-UK is 0, THEN M0064 SSN, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3540	Fatal	Inconsistent M0064 Values: If M0064-UK is equal to 1, then M0064 Social Security Number must equal blank (^).	<p>Cause: The value submitted in M0064 (Social Security Number) is not consistent with the value submitted in item M0064-UK (SSN Unknown).</p> <ul style="list-style-type: none"> • IF M0064-UK is 1, THEN M0064 SSN, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3550	Fatal	Inconsistent M0065 Values: If M0065-NA is equal to 0, then M0065 Medicaid Number must not equal blank (^).	<p>Cause: The value submitted in M0065 (Medicaid Number) is not consistent with the value submitted in item M0065-NA (No Medicaid).</p> <ul style="list-style-type: none"> • IF M0065-NA is 0, THEN M0065 Medicaid number, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3560	Fatal	Inconsistent M0065 Values: If M0065-NA is equal to 1, then M0065 Medicaid Number must equal blank (^).	<p>Cause: The value submitted in M0065 (Medicaid Number) is not consistent with the value submitted in item M0065-NA (No Medicaid).</p> <ul style="list-style-type: none"> IF M0065-NA is 1, THEN M0065 Medicaid number, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3570	Fatal	Inconsistent M0102 Values: If M0102 date is not equal to blank (^), then M0102-NA must equal 0 or blank (^).	<p>Cause: The date submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0102-NA (No specific physician-ordered SOC/ROC).</p> <ul style="list-style-type: none"> IF M0102 date is not blank (^), THEN M0102-NA, if active, must be 0 or blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3580	Fatal	Inconsistent M0102 Values: If M0102 date is equal to blank (^), then M0102-NA must equal 1.	<p>Cause: The value submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0102-NA (No specific physician-ordered SOC/ROC).</p> <ul style="list-style-type: none"> IF M0102 date is blank (^), THEN M0102-NA, if active, must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3590	Fatal	Inconsistent M0102/M0104 Values: If M0102 date is not equal to blank (^), then M0104 must equal blank (^).	<p>Cause: The date submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0104 (Date of Referral).</p> <ul style="list-style-type: none"> IF M0102 date is not blank (^), THEN M0104, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3600	Fatal	Inconsistent M0102/M0104 Values: If M0102 date is equal to blank (^), then M0104 must not equal blank (^).	<p>Cause: The value submitted in M0102 (Physician-ordered SOC/ROC Date) is not consistent with the value submitted in item M0104 (Date of Referral).</p> <ul style="list-style-type: none"> • IF M0102 date is blank (^), THEN M0104, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3610	Fatal	Inconsistent M0110/SUBM_HIPPS_CODE Values: If SUBM_HIPPS_CODE is not equal to blank (^), then M0110 must equal 01, 02, or UK.	<p>Cause: The value submitted in SUBM_HIPPS_CODE is not consistent with the value submitted in item M0110 (Episode Timing).</p> <ul style="list-style-type: none"> • IF SUBM_HIPPS_CODE is not blank (^), THEN M0110 must be 01, 02, or UK. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3620	Fatal	Inconsistent M0140 Items: At least one item M0140-1 through M0140-6 must equal 1.	<p>Cause: The value submitted in M0140 (Race/Ethnicity) is invalid.</p> <ul style="list-style-type: none"> • IF M0140 is active, THEN at least one item M0140-1 (American Indian or Alaska Native) through M0140-6 (White) must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3630	Fatal	Inconsistent M0150 Values: At least one of the items M0150-1 through M0150-4 must equal 1 or the patient's care is not paid by Medicare or Medicaid.	<p>Cause: The value submitted in at least one of the items M0150-1 (Current Payment Source-Medicare FFS) through M0150-4 (Current Payment Source-Medicaid-HMO) must be 1.</p> <ul style="list-style-type: none"> • IF at least one of the items M0150-1 through M0150-4 is not checked, THEN the patient's care is not paid by Medicare or Medicaid and the record is rejected. <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3640	Fatal	Inconsistent M0150 Values: Both items M0150-0 and M0150-UK must equal 0.	<p>Cause: The value submitted in items M0150-0 (Current Payment Source-None) and M0150-UK (Current Payment Source-Unknown) must be 0.</p> <ul style="list-style-type: none"> • IF M0150-0 or M0150-UK is checked, THEN the patient's care is not paid by Medicare or Medicaid and the record is rejected. <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3650	Fatal	Inconsistent M1000 Values: If M1000-NA is equal to 0, then at least one item M1000-1 through M1000-7 must equal 1.	<p>Cause: The value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA) is not consistent with one or more values submitted in related items M1000-1 through M1000-7.</p> <ul style="list-style-type: none"> • IF M1000-NA is unchecked, THEN one or more active items M1000-1 through M1000-7 must be checked. <p>Tip: A checked response displays as a "1" on the validation report. An unchecked response displays as a "0" on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3660	Fatal	Inconsistent M1000 Values: If M1000-NA is equal to 1, then all items M1000-1 through M1000-7 must equal 0.	<p>Cause: The value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA) is not consistent with one or more values submitted in related items M1000-1 through M1000-7.</p> <ul style="list-style-type: none"> • IF M1000-NA is checked, THEN all items M1000-1 through M1000-7 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3670	Fatal	Inconsistent M1010 Values: If a value submitted in items M1010-a through M1010-f is not equal to blank (^), it must not equal any value submitted in the remaining items in this list.	<p>Cause: One or more duplicate non-blank (^) values were submitted in Inpatient Diagnosis items M1010a through M1010-f.</p> <ul style="list-style-type: none"> • If an item M1010-a through M1010-f is not blank (^), it must not equal a value submitted in any other item M1010-a through M1010-f. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3680	Fatal	Inconsistent M1012 Values: If M1012-NA is equal to 1, then M1012-UK must equal 0.	<p>Cause: The values submitted in items M1012-NA (Inpatient Procedure-Not Applicable and M1012-UK (Inpatient Procedure-Unknown) are inconsistent.</p> <ul style="list-style-type: none"> • IF M1012-NA is checked, THEN M1012-UK must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3690	Fatal	Inconsistent M1012 Values: If M1012-UK is equal to 1, then M1012-NA must equal 0.	<p>Cause: The values submitted in items M1012-NA (Inpatient Procedure-Not Applicable and M1012-UK (Inpatient Procedure-Unknown) are inconsistent.</p> <ul style="list-style-type: none"> • IF M1012-UK is checked, THEN M1012-NA must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3700	Fatal	Inconsistent M1012 Values: If M1012-NA is equal to 0 and M1012-UK is equal to 0, then at least one item M1012-a through M1012-d must not equal blank (^).	<p>Cause: The values submitted in items M1012-NA (Inpatient Procedure-Not Applicable and M1012-UK (Inpatient Procedure-Unknown) are not consistent with the values submitted in Inpatient Procedure items M1012-a through M1012-d.</p> <ul style="list-style-type: none"> • IF M1012-UK and M1012-NA are unchecked, THEN at least one item M1012-a through M1012-d must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3710	Fatal	Inconsistent M1012 Values: If M1012-NA is equal to 1 or M1012-UK is equal to 1, then M1012-a through M1012-d must equal blank (^).	<p>Cause: The values submitted in items Inpatient Procedure items M1012-a through M1012-d are not consistent with the values submitted in M1012-NA (Inpatient Procedure-Not Applicable) and M1012-UK (Inpatient Procedure-Unknown).</p> <ul style="list-style-type: none"> • IF M1012-UK or M1012-NA is checked, THEN all items M1012-a through M1012-d must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3720	Fatal	Inconsistent M1012 Values: If any item M1012-a through M1012-d is not equal to blank (^), then M1012-NA must equal 0 and M1012-UK must equal 0.	<p>Cause: The values submitted in items M1012-NA (Inpatient Procedure-Not Applicable and M1012-UK (Inpatient Procedure-Unknown) are not consistent with the values submitted in Inpatient Procedure items M1012-a through M1012-d.</p> <ul style="list-style-type: none"> • IF any item M1012-a through M1012-d is not blank (^), THEN M1012-UK and M1012-NA must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3730	Fatal	Inconsistent M1012 Values: If a value submitted in items M1012-a through M1012-d is not equal to blank (^), it must not equal any value submitted in the remaining items in this list.	<p>Cause: One or more duplicate non-blank (^) values were submitted in the Inpatient Procedure items M1012-a through M1012-d.</p> <ul style="list-style-type: none"> • IF an item M1012-a through M1012-d is not blank (^), THEN it must not be the same as a value submitted in the other M1012-a through M1012-d items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3740	Fatal	Inconsistent M1016 Values: If M1016-NA is equal to 0, then at least one item M1016-a through M1016-f must not equal blank (^).	<p>Cause: The value submitted in at least one Diagnoses Requiring Regimen Change item M1016-a through M1016-f is not consistent with the value submitted in M1016-NA.</p> <ul style="list-style-type: none"> • IF M1016-NA is unchecked, THEN at least one item M1016-a through M1016-f must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3750	Fatal	Inconsistent M1016 Values: If M1016-NA is equal to 1, then M1016-a through M1016-f must equal blank (^).	<p>Cause: The values submitted in Diagnoses Requiring Regimen Change items M1016-a through M1016-f are not consistent with the value submitted in M1016-NA.</p> <ul style="list-style-type: none"> • IF M1016-NA is checked, THEN all items M1016-a through M1016-f must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3760	Fatal	Inconsistent M1016 Values: If a value submitted in items M1016-a through M1016-f is not equal to blank (^), it must not equal any value submitted in the remaining items in this list.	<p>Cause: One or more duplicate non-blank (^) values were submitted in the Diagnoses Requiring Regimen Change items M1016-a through M1016-f.</p> <ul style="list-style-type: none"> • IF an item M1016-a through M1016-f is not blank (^), THEN it must not be the same as a value submitted in the other M1016-a through M1016-f items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3770	Fatal	Inconsistent M1018 Values: If any one of the items M1018-7, M1018-NA, or M1018-UK is equal to 1, then the remaining two items must equal 0.	<p>Cause: The values submitted in Conditions Prior to Regimen Change items M1018-7 (None of the Above), M1018-NA (No inpatient discharge and no change), and M1018-UK (Unknown) are inconsistent.</p> <ul style="list-style-type: none"> • IF M1018-7, M1018-NA, or M1018-UK is checked, THEN the remaining two of these items must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3780	Fatal	Inconsistent M1018 Values: If any one of the items M1018-7, M1018-NA, or M1018-UK is equal to 1, then all items M1018-1 through M1018-6 must equal 0.	<p>Cause: The value submitted in a Conditions Prior to Regimen Change item M1018-7 (None of the Above), M1018-NA (No inpatient discharge and no change), or M1018-UK (Unknown) item is inconsistent with the values submitted in Conditions Prior to Regimen Change items M1018-1 through M1018-6.</p> <ul style="list-style-type: none"> • IF M1018-7, M1018-NA, or M1018-UK is checked, THEN all other Conditions Prior to Regimen Change items must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3790	Fatal	Inconsistent M1018 Values: If any item M1018-1 through M1018-6 is equal to 1, then all items M1018-7 through M1018-UK must equal 0.	<p>Cause: The values submitted in one or more Conditions Prior to Regimen items M1018-7 (None of the Above), M1018-NA (No inpatient discharge and no change), or M1018-UK (Unknown) is inconsistent with the values submitted in Conditions Prior to Regimen items M1018-1 (Urinary incontinence) through M1018-6 (Memory loss requiring supervision).</p> <ul style="list-style-type: none"> • IF any item M1018-1 through M1018-6 is checked, THEN items M1018-7 through M1018-UK must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3800	Fatal	Inconsistent M1000/M1016/M1018 Values: If any item M1000-1 through M1000-7 is equal to 1 or M1016-NA is equal to 0, then M1018-NA must equal 0.	<p>Cause: One or more values submitted in Discharged from Inpatient Facilities items M1000-1 through M1000-7 or M1016-NA (Diagnoses Requiring Regimen Change-NA) is not consistent with the value submitted in item M1018-NA (Conditions Prior to Regimen-NA).</p> <ul style="list-style-type: none"> • IF any item M1000-1 through M1000-7 is checked OR M1016-NA is unchecked, THEN M1018-NA must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3810	Fatal	Inconsistent M1000/M1016/M1018 Values: If M1000-NA is equal to 1 and M1016-NA is equal to 1, then M1018-NA must equal 1.	<p>Cause: The value submitted in item M1018-NA (Conditions Prior to Regimen-NA) is inconsistent with the values submitted in M1000-NA (Discharged from Inpatient Facilities-NA) and M1016-NA (Diagnoses Requiring Regimen Change-NA).</p> <ul style="list-style-type: none"> • IF M1000-NA is checked and M1016-NA is checked, THEN M1018-NA must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3820	Warn	Inconsistent M1020 Value: The M1020 Severity Rating should not equal 00.	<p>Cause: The value submitted in item M1020-Severity (Primary Diagnosis-Severity Rating) should be 01, 02, 03, or 04.</p> <p>Actions: No action is required. Make corrections, if appropriate, to the record and resubmit.</p>

Error ID	Sev	Error Message	Error Description
-3830	Fatal	Inconsistent M1020/M1022 Values: If a value submitted in items M1020-a2, M1022-b2, M1022-c2, M1022-d2, M1022-e2, or M1022-f2 is not equal to blank (^), it must not equal the value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Primary and Other Diagnoses items M1020-a2 through M1022-f2 in Column 2.</p> <ul style="list-style-type: none"> IF an item M1020-a2 through M1022-f2 is not blank (^), THEN it must not be the same as a value submitted in the other M1020-a2 through M1022-f2 items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3840	Fatal	Inconsistent M1024 Values: If a value submitted in items M1024-a3, M1024-b3, M1024-c3, M1024-d3, M1024-e3, or M1024-f3 is not equal to blank (^), it must not equal the value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Payment Diagnoses items M1024-3a through M1024-3f in Column 3.</p> <ul style="list-style-type: none"> IF an item M1024-a3 through M1024-f3 is not blank (^), THEN it must not be the same as a value submitted in the other M1024-a3 through M1024-f3 items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3850	Fatal	Inconsistent M1024 Values: If a value submitted in items M1024-a4, M1024-b4, M1024-c4, M1024-d4, M1024-e4, or M1024-f4 is not equal to blank (^), it must not equal the value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Payment Diagnoses items M1024-a4 through M1024-f4 in Column 4.</p> <ul style="list-style-type: none"> IF an item M1024-a4 through M1024-f4 is not blank (^), THEN it must not be the same as a value submitted in the other M1024-a4 through M1024-f4 items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3860	Fatal	Inconsistent M1020/M1022/M1024 Values: If the ICD code in M1020/M1022 Column 2 is equal to blank (^), then the corresponding ICD code in M1024 Column 3 must equal blank (^).	<p>Cause: One or more M1024 Payment Diagnoses values submitted in Column 3 are inconsistent with the corresponding Primary/Other Diagnoses values submitted in M1020/M1022 Column 2.</p> <ul style="list-style-type: none"> If the Primary/Other ICD code in M1020/M1022 Column 2 is blank (^), THEN the corresponding M1024 Payment Diagnoses code in Column 3 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3870	Fatal	Inconsistent M1024 Values: If the ICD code in M1024 Column 3 is equal to blank (^), then the corresponding ICD code in M1024 Column 4 must equal blank (^).	<p>Cause: One or more M1024 Payment Diagnoses values submitted in Column 4 are inconsistent with the corresponding Payment Diagnoses values submitted in M1024 Column 3.</p> <ul style="list-style-type: none"> • If the Payment ICD code in M1024 Column 3 is blank (^), THEN the corresponding M1024 Payment Diagnoses code in Column 4 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3880	Fatal	Inconsistent M1030 Values: If M1030-4 is equal to 0, then at least one item M1030-1 through M1030-3 must equal 1.	<p>Cause: The value submitted in item M1030-4 (Therapies received at home: None of the above) is not consistent with one or more values submitted in related items M1030-1 through M1030-3.</p> <ul style="list-style-type: none"> • IF M1030-4 is unchecked, THEN one or more active items M1030-1 through M1030-3 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3890	Fatal	Inconsistent M1030 Values: If M1030-4 is equal to 1, then all items M1030-1 through M1030-3 must equal 0.	<p>Cause: The value submitted in item M1030-4 (Therapies received at home: None of the above) is not consistent with one or more values submitted in related items M1030-1 through M1030-3.</p> <ul style="list-style-type: none"> • IF M1030-4 is checked, THEN all active items M1030-1 through M1030-3 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3900	Fatal	Inconsistent M1032 Values: If M1032-7 is equal to 0, then at least one item M1032-1 through M1032-6 must equal 1.	<p>Cause: The value submitted in item M1032-7 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1032-1 through M1032-6.</p> <ul style="list-style-type: none"> • IF M1032-7 is unchecked, THEN one or more active items M1032-1 through M1032-6 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3910	Fatal	Inconsistent M1032 Values: If M1032-7 is equal to 1, then all items M1032-1 through M1032-6 must equal 0.	<p>Cause: The value submitted in item M1032-7 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1032-1 through M1032-6.</p> <ul style="list-style-type: none"> • IF M1032-7 is checked, THEN all active items M1032-1 through M1032-6 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3920	Fatal	Inconsistent M1036 Values: If M1036-5 is equal to 0 and M1036-UK is equal to 0, then at least one item M1036-1 through M1036-4 must equal 1.	<p>Cause: The values submitted in item M1036-5 (Risk Factors: None of the above) and M1036-UK (Risk Factors: Unknown) are not consistent with one or more values submitted in related items M1036-1 through M1036-4.</p> <ul style="list-style-type: none"> • IF M1036-5 and M1036-UK are unchecked, THEN one or more active items M1036-1 through M1036-4 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3930	Fatal	Inconsistent M1036 Values: If M1036-5 is equal to 1, then all items M1036-1 through M1036-4 and M1036-UK must equal 0.	<p>Cause: The value submitted in item M1036-5 (Risk Factors: None of the above) is not consistent with one or more values submitted in related items M1036-1 through M1036-4 and M1036-UK.</p> <ul style="list-style-type: none"> • IF M1036-5 is checked, THEN all active items M1036-1 through M1036-4 and M1036-UK must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3940	Fatal	Inconsistent M1036 Values: If M1036-UK is equal to 1, then all items M1036-1 through M1036-5 must equal 0.	<p>Cause: The value submitted in item M1036-UK (Risk Factors: Unknown) is not consistent with one or more values submitted in related items M1036-1 through M1036-5.</p> <ul style="list-style-type: none"> • IF M1036-UK is checked, THEN all active items M1036-1 through M1036-5 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3950	Fatal	Inconsistent M1040/M1045 Values: If M1040 is equal to 00, then M1045 must not equal blank (^).	<p>Cause: The value submitted in item M1040 (Influenza Vaccine) is not consistent with the value submitted in item M1045 (Reason Influenza Vaccine not received).</p> <ul style="list-style-type: none"> • IF M1040 is 0, THEN M1045, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3960	Fatal	Invalid Skip Pattern: If M1040 is equal to 01 or NA, then M1045 must equal blank (^).	<p>Cause: The value submitted in item M1040 (Influenza Vaccine) is not consistent with the value submitted in item M1045 (Reason Influenza Vaccine not received).</p> <ul style="list-style-type: none"> • IF M1040 is 01 or NA, THEN M1045, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1040 is 01, then skip to M1050 (Pneumococcal Vaccine) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3970	Fatal	Inconsistent M1050/M1055 Values: If M1050 is equal to 0, then M1055 must not equal blank (^).	<p>Cause: The value submitted in item M1050 (Pneumococcal Vaccine) is not consistent with the value submitted in item M1055 (Reason PPV not received).</p> <ul style="list-style-type: none"> • IF M1050 is 0, THEN M1055, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-3980	Fatal	Invalid Skip Pattern: If M1050 is equal to 1, then M1055 must equal blank (^).	<p>Cause: The value submitted in item M1050 (Pneumococcal Vaccine) is not consistent with the value submitted in item M1055 (Reason PPV not received).</p> <ul style="list-style-type: none"> • IF M1050 is 1, THEN M1055, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1050 is 1, then skip to M1100 (Patient Living Situation) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-3990	Fatal	Invalid Skip Pattern: If M1300 is equal to 0, then M1302 must equal blank (^).	<p>Cause: The value submitted in item M1302 (Risk of Developing Pressure Ulcers) is not consistent with the value submitted in item M1300 (Pressure Ulcer Risk Assessment).</p> <ul style="list-style-type: none"> • IF M1300 is 0, THEN M1302, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1300 is 0, then skip to M1306 (Unhealed PU at Stage II or Higher) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4000	Fatal	Inconsistent M1300/M1302 Values: If M1300 is equal to 01 or 02, then M1302 must not equal blank (^).	<p>Cause: The value submitted in item M1302 (Risk of Developing Pressure Ulcers) is not consistent with the value submitted in item M1300 (Pressure Ulcer Risk Assessment).</p> <ul style="list-style-type: none"> • IF M1300 is 01 or 02, THEN M1302, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4010	Fatal	Invalid Skip Pattern: If M1306 is equal to 0, then all items M1307 through M1320 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1306 (Unhealed PU Stage II or Higher)).</p> <ul style="list-style-type: none"> • IF M1306 is 0, THEN all active items from M1307 (Oldest Non-epithelialized Stage II PU) through M1320 (Status of Most Problematic Observable PU) must be blank (^). <p>Tip: This is a skip pattern. If M1306 is 0, then skip to M1322 (Current Number of Stage I PUs) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4020	Fatal	Inconsistent M1306/M1307 Values: If M1306 is equal to 1, then M1307 must not equal blank (^).	<p>Cause: The value submitted in item M1307 (Oldest Non-epithelialized Stage II PU) is not consistent with the value submitted in item M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1307, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4030	Fatal	Inconsistent M1307 Values: If M1307 is equal to 01 or NA, then M1307 date must equal blank (^).	<p>Cause: The value submitted in item M1307 (Oldest Non-epithelialized Stage II PU) is not consistent with the value submitted in item M1307 date.</p> <ul style="list-style-type: none"> • IF M1307 is 01 or NA, THEN M1307 date, if active, must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4040	Fatal	Inconsistent M1307 Values: If M1307 is equal to 02, then M1307 date must not equal blank (^).	<p>Cause: The value submitted in item M1307 (Oldest Non-epithelialized Stage II PU) is not consistent with the value submitted in item M1307 date.</p> <ul style="list-style-type: none"> • IF M1307 is 02, THEN M1307 date, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4050	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then all M1308 items must not equal blank (^).	<p>Cause: The values submitted in these items are not consistent with value submitted in M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN all Current Number of Unhealed PU at Each Stage items M1308a through M1308-d.3 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4060	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then least one M1308 item must be greater than 00.	<p>Cause: The values submitted in these items are not consistent with value submitted in M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN at least one Current Number of Unhealed PU at Each Stage items M1308a through M1308-d.3 must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4070	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-a Column 2 must be less than or equal to M1308-a Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-a (Current Number of Unhealed PU at Each Stage-Stage II) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-a.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-a Column 2 must be less than or the same as M1308-a Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4080	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-b Column 2 must be less than or equal to M1308-b Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-b (Current Number of Unhealed PU at Each Stage-Stage III) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-b.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-b Column 2 must be less than or the same as M1308-b Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4090	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-c Column 2 must be less than or equal to M1308-c Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-c (Current Number of Unhealed PU at Each Stage-Stage IV) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-c.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-c Column 2 must be less than or the same as M1308-c Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4100	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-d.1 Column 2 must be less than or equal to M1308-d.1 Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-d.1 (Current Number of Unhealed PU at Each Stage-Unstageable due to non-removable dressing/device) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-d.1.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-d.1 Column 2 must be less than or the same as M1308-d.1 Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4110	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-d.2 Column 2 must be less than or equal to M1308-d.2 Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-d.2 (Current Number of Unhealed PU at Each Stage-Unstageable due to slough/eschar) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-d.2.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-d.2 Column 2 must be less than or the same as M1308-d.2 Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4120	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then M1308-d.3 Column 2 must be less than or equal to M1308-d.3 Column 1.	<p>Cause: The value submitted in Column 2 of item M1308-d.3 (Current Number of Unhealed PU at Each Stage-Unstageable due to suspected DTI) is not consistent with values submitted in items M1306 (Unhealed PU Stage II or Higher) and Column 1 of M1308-d.3.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1308-d.3 Column 2 must be less than or the same as M1308-d.3 Column 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4130	Fatal	Inconsistent M1308/M1320 Values: If Column 1 (Current Number) of M1308-a, M1308-b, M1308-c, M1308-d.2, and M1308-d.3 are all equal to 00, then M1320 must equal NA.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1308 (Current Number of Unhealed PU at Each Stage) Column 1 items.</p> <ul style="list-style-type: none"> • IF M1308-a, M1308-b, M1308-c, M1308-d.2, and M1308-d.3 Column 1 values are all 00, THEN M1320 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4131	Fatal	Inconsistent M1311/M1320 Values: If M1311A1, M1311B1, M1311C1, M1311E1, and M1311F1 are equal to 00, then M1320 must equal NA.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1311 (Current Number of Unhealed PU at Each Stage) items M1311A1 (Stage 2), M1311B1 (Stage 3), M1311C1 (Stage 4), M1311E1 (Unstageable: Slough and/or eschar), and M1311F1 (Unstageable: Deep tissue injury).</p> <ul style="list-style-type: none"> • IF M1311A1, M1311B1, M1311C1, M1311D1, M1311E1, and M1311F1 values are all 00, THEN M1320 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4140	Fatal	Inconsistent M1308/M1320 Values: If Column 1 (Current Number) of M1308-a or M1308-d.3 is greater than 00, and Column 1 (Current Number) of M1308-b, M1308-c, and M1308-d.2 are all equal to 00, then M1320 must equal 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1308 (Current Number of Unhealed PU at Each Stage) Column 1 items.</p> <ul style="list-style-type: none"> IF M1308-a or M1308-d.3 in Column 1 is greater than 00 AND M1308-b, M1308-c, and M1308-d.2 in Column 1 are all 00, THEN M1320 must be 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4141	Fatal	Inconsistent M1311/M1320 Values: If M1311A1 or M1311F1 is greater than 00, and M1311B1, M1311C1, and M1311E1 are equal to 00, then M1320 must equal 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1311 (Current Number of Unhealed PU at Each Stage) items: M1311A1 (Stage 1), M1311B1 (Stage 2), M1311C1 (Stage 3), M1311E1 (Unstageable: Slough and/or eschar), and M1311F1 (Unstageable: Deep tissue injury).</p> <ul style="list-style-type: none"> IF M1311A1 or M1311F1 is greater than 00 AND M1311B1, M1311C1, and M1311E1 are all 00, THEN M1320 must be 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4150	Fatal	Inconsistent M1308/M1320 Values: If Column 1 (Current Number) of M1308-b or M1308-c is greater than 00, then M1320 must equal 00, 01, 02, or 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1308 (Current Number of Unhealed PU at Each Stage) Column 1 items.</p> <ul style="list-style-type: none"> IF M1308-b or M1308-c in Column 1 is greater than 00, THEN M1320 must be 00, 01, 02, or 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4151	Fatal	Inconsistent M1311/M1320 Values: If M1311B1 or M1311C1 is greater than 00, then M1320 must equal 00, 01, 02, or 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1311 (Current Number of Unhealed PU at Each Stage) Column 1 items: M1311B1 (Stage 2) and M1311C1 (Stage 3).</p> <ul style="list-style-type: none"> • IF M1311B1 or M1311C1 is greater than 00, THEN M1320 must be 00, 01, 02, or 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4160	Fatal	Inconsistent M1308/M1320 Values: If Column 1 (Current Number) of M1308-d.2 is greater than 00 and Column 1 (Current Number) of M1308-a, M1308-b, M1308-c, and M1308-d.3 are all equal to 00, then M1320 must equal 02 or 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1308 (Current Number of Unhealed PU at Each Stage) Column 1 items.</p> <ul style="list-style-type: none"> • IF M1308-d.2 is greater than 00 AND M1308-b, M1308-c, and M1308-d.3 in Column 1 are all 00, THEN M1320 must be 02 or 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4161	Fatal	Inconsistent M1311/M1320 Values: If M1311E1 is greater than 00 and M1311A1, M1311B1, M1311C1, and M1311F1 are equal to 00, then M1320, if active, must equal 02 or 03.	<p>Cause: The value submitted in item M1320 (Status of Most Problematic Observable PU) is not consistent with the values submitted in one or more M1311 (Current Number of Unhealed PU at Each Stage) items: M1311A1 (Stage 2), M1311B1 (Stage 3), M1311C1 (Stage 4), M1311E1 (Unstageable: Slough and/or eschar), and M1311F1 (Unstageable: Deep tissue injury).</p> <ul style="list-style-type: none"> • IF M1311E1 is greater than 00 AND M1311A1, M1311B1, M1311C1, and M1311F1 are all 00, THEN M1320 must be 02 or 03. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4170	Fatal	Inconsistent M1324/M1322 Values: If M1324 is equal to 01, then M1322 must be greater than 00.	<p>Cause: The value submitted in item M1322 (Current Number of Stage I PUs) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 01, THEN M1322 must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4180	Fatal	Inconsistent M1324/M1308 Values: If M1324 is equal to 02, then M1308-a Column 1 (Current Number) must not equal blank (^) and must be greater than 00.	<p>Cause: The value submitted in Column 1 of item M1308-a (Current Number of Unhealed PU at Each Stage-Stage II) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 02, THEN M1308-a Column 1 must not be blank (^) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4181	Fatal	Inconsistent M1324/M1311A1 Values: If M1324 is equal to 02, then M1311A1, if active, must not equal blank (^) or dash (-) and must be greater than 00.	<p>Cause: The value submitted in M1311A1 (Current Number of Unhealed PU at Each Stage: Stage 2) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 02, THEN M1311A1 must not be blank (^) or a dash (-) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4190	Fatal	Inconsistent M1324/M1308 Values: If M1324 is equal to 03, then Column 1 (Current Number) of M1308-b must not equal blank (^) and must be greater than 00.	<p>Cause: The value submitted in Column 1 of item M1308-b (Current Number of Unhealed PU at Each Stage-Stage III) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 03, THEN M1308-b Column 1 must not be blank (^) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4191	Fatal	Inconsistent M1324/M1311B1 Values: If M1324 is equal to 03, then M1311B1, if active, must not equal blank (^) or dash (-) and must be greater than 00.	<p>Cause: The value submitted in M1311B1 (Current Number of Unhealed PU at Each Stage: Stage 3) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 03, THEN M1311B1 must not be blank (^) or a dash (-) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4200	Fatal	Inconsistent M1324/M1308 Values: If M1324 is equal to 04, then Column 1 (Current Number) of M1308-c must not equal blank (^) and must be greater than 00.	<p>Cause: The value submitted in Column 1 of item M1308-c (Current Number of Unhealed PU at Each Stage-Stage IV) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> • IF M1324 is 04, THEN M1308-c Column 1 must not be blank (^) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4201	Fatal	Inconsistent M1324/M1311C1 Values: If M1324 is equal to 04, then M1311C1, if active, must not equal blank (^) or dash (-) and must be greater than 00.	<p>Cause: The value submitted in M1311C1 (Current Number of Unhealed PU at Each Stage: Stage 4) is not consistent with the value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU).</p> <ul style="list-style-type: none"> IF M1324 is 04, THEN M1311C1 must not be blank (^) or a dash (-) and must be greater than 00. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4210	Fatal	Inconsistent M1322/M1308/M1324 Values: If M1322 and Column 1 (Current Number) of M1308-a, M1308-b, and M1308-c are all equal to 00 or blank (^), then M1324 must equal NA.	<p>Cause: The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in item M1322 (Current Number of Stage I PU) and Column 1 of M1308 (Current Number of Unhealed PU at Each Stage) items.</p> <ul style="list-style-type: none"> IF M1322 and Column 1 of M1308-a, M1308-b, and M1308-c are all 00 or blank (^), THEN M1324 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4211	Fatal	Inconsistent M1322/M1311/M1324 Values: If M1322 and M1311A1, M1311B1, and M1311C1 are equal to 00 or blank (^), then M1324, if active, must equal NA.	<p>Cause: The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in item M1322 (Current Number of Stage I PU) and M1311 (Current Number of Unhealed PU at Each Stage) items.</p> <ul style="list-style-type: none"> IF M1322 and M1311A1 (Stage 2), M1311B1 (Stage 3), and M1311C1 (Stage 4) are all 00 or blank (^), THEN M1324 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4220	Fatal	Invalid Skip Pattern: If M1330 is equal to 00 or 03, then all items M1332 through M1334 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1330 (Does patient have a Stasis Ulcer).</p> <ul style="list-style-type: none"> • IF M1330 is 00 or 03, THEN all active items from M1332 (Current Number of Observable Stasis Ulcers) through M1334 (Status of Most Problematic Observable Stasis Ulcer) must be blank (^). <p>Tip: This is a skip pattern. If M1330 is 00 or 03, then skip to M1340 (Does this patient have a Surgical Wound) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4230	Fatal	Inconsistent M1330/M1332/M1334 Values: If M1330 is equal to 01 or 02, then all items M1332 through M1334 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1330 (Does patient have a Stasis Ulcer).</p> <ul style="list-style-type: none"> • IF M1330 is 01 or 02, THEN all active items from M1332 (Current Number of Observable Stasis Ulcers) through M1334 (Status of Most Problematic Observable Stasis Ulcer) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4240	Fatal	Invalid Skip Pattern: If M1340 is equal to 00 or 02, then M1342 must equal blank (^).	<p>Cause: The value submitted in item M1342 (Status of Most Problematic Observable Surgical Wound) is not consistent with value submitted in item M1340 (Does this patient have a Surgical Wound).</p> <ul style="list-style-type: none"> • IF M1340 is 00 or 02, THEN M1342 must be blank (^). <p>Tip: This is a skip pattern. If M1340 is 00 or 02, then skip to M1350 (Does this patient have a Skin Lesion or Open Wound) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4250	Fatal	Inconsistent M1340/M1342 Values: If M1340 is equal to 01, then M1342 must not equal blank (^).	<p>Cause: The value submitted in item M1342 (Status of Most Problematic Observable Surgical Wound) is not consistent with value submitted in item M1340 (Does this patient have a Surgical Wound).</p> <ul style="list-style-type: none"> IF M1340 is 01, THEN M1342 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4260	Fatal	Inconsistent M1410 Values: If M1410-4 is equal to 0, then at least one item M1410-1 through M1410-3 must equal 1.	<p>Cause: The values submitted in the M1410 (Respiratory Treatments) items are not consistent.</p> <ul style="list-style-type: none"> IF M1410-4 is 0, THEN at least one item M1410-1, M1410-2, or M1410-3 must be 1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4270	Fatal	Inconsistent M1410 Values: If M1410-4 is equal to 1, then all items M1410-1 through M1410-3 must equal 0.	<p>Cause: The values submitted in the M1410 (Respiratory Treatments) items are not consistent.</p> <ul style="list-style-type: none"> IF M1410-4 is 1, THEN all items M1410-1, M1410-2, and M1410-3 must be 0. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4280	Fatal	Invalid Skip Pattern: If M1500 is equal to 00, 02, or NA, then all items M1510-0 through M1510-5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1500 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> IF M1500 is 00, 02, or NA THEN all Heart Failure Follow-up items M1510-0 through M1510-5 must be blank (^). <p>Tip: This is a skip pattern. If M1500 is 00, 02, or NA, then skip to M1600 (Urinary Tract Infection) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4281	Fatal	Invalid Skip Pattern: If M1501 is equal to 00, 02, or NA, then all active items M1511-0 through M1511-5 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1501 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> • IF M1501 is 00, 02, or NA THEN all Heart Failure Follow-up items M1511-0 through M1511-5 must be blank (^). <p>Tip: This is a skip pattern. If M1500 is 00, 02, or NA, then skip to M1600 (Urinary Tract Infection) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4290	Fatal	Inconsistent M1500/M1510 Values: If M1500 is equal to 01, then all items M1510-0 through M1510-5 must not equal blank (^).	<p>Cause: The values submitted in items M1510 (Heart Failure Follow-up) are not consistent with the value submitted in item M1500 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> • IF M1500 is 01, THEN all items M1510-0 through M1510-5 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4291	Fatal	Inconsistent M1501/M1511 Values: If M1501 is equal to 01, then all active items M1511-0 through M1511-5 must not equal blank (^).	<p>Cause: The values submitted in items M1511-0 through M1511-5 (Heart Failure Follow-up) are not consistent with the value submitted in item M1501 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> • IF M1501 is 01, THEN all items M1511-0 through M1511-5 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4300	Fatal	Inconsistent M1500/M1510 Values: If M1500 is equal to 01, then at least one item M1510-0 through M1510-5 must equal 1.	<p>Cause: The values submitted in items M1510 (Heart Failure Follow-up) are not consistent with the value submitted in item M1500 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> • IF M1500 is 01, THEN at least one item M1510-0 through M1510-5 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4301	Fatal	Inconsistent M1501/M1511 Values: If M1501 is equal to 01, then at least one active item M1511-0 through M1511-5 must equal 1.	<p>Cause: The values submitted in items M1511 (Heart Failure Follow-up) are not consistent with the value submitted in item M1501 (Symptoms in Heart Failure Patients).</p> <ul style="list-style-type: none"> • IF M1501 is 01, THEN at least one item M1511-0 through M1511-5 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4310	Fatal	Inconsistent M1510 Values: If M1510-0 is equal to 1, then all items M1510-1 through M1510-5 must equal 0.	<p>Cause: The values submitted in the M1510 (Heart Failure Follow-up) items are not consistent.</p> <ul style="list-style-type: none"> • IF M1510-0 is 1, THEN all items M1510-1 through M1510-5 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4311	Fatal	Inconsistent M1511 Values: If M1511-0 is equal to 1, then all active items M1511-1 through M1511-5 must equal 0.	<p>Cause: The values submitted in the M1511 (Heart Failure Follow-up) items are not consistent.</p> <ul style="list-style-type: none"> IF M1511-0 is 1, THEN all items M1511-1 through M1511-5 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4320	Fatal	Inconsistent M0100/M1600 Values: If M0100 is equal to 09, then M1600 must not equal UK.	<p>Cause: The value submitted in item M1600 (Patient treated for UTI) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> IF M0100 is 09, THEN M1600 must not be UK. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4330	Fatal	Invalid Skip Pattern: If M1610 is equal to 00 or 02, then M1615 must equal blank (^).	<p>Cause: The value submitted in item M1615 (When does Urinary Incontinence occur) is not consistent with the value submitted in item M1610 (Urinary Incontinence or Catheter).</p> <ul style="list-style-type: none"> IF M1610 is 00 or 02, THEN M1615 must be blank (^). <p>Tip: This is a skip pattern. If M1610 is 00 or 02, then skip to M1620 (Bowel Incontinence Frequency) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4340	Fatal	Inconsistent M1610/M1615 Values: If M1610 is equal to 01, then M1615 must not equal blank (^).	<p>Cause: The value submitted in item M1615 (When does Urinary Incontinence occur) is not consistent with the value submitted in item M1610 (Urinary Incontinence or Catheter).</p> <ul style="list-style-type: none"> IF M1610 is 01, THEN M1615 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4350	Fatal	Inconsistent M0100/M1620 Values: If M0100 is equal to 04, 05, or 09, then M1620 must not equal UK.	Cause: The value submitted in item M1620 (Bowel Incontinence Frequency) is not consistent with the value submitted in item M0100 (Reason for Assessment). <ul style="list-style-type: none"> IF M0100 is 04, 05, or 09, THEN M1620 must not be UK. Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.
-4360	Fatal	Inconsistent M1620/M1630 Values: If M1620 is equal to 00, 01, 02, 03, 04, 05, or UK, then M1630 must equal 00.	Cause: The value submitted in item M1630 (Ostomy for Bowel Elimination) is not consistent with the value submitted in item M1620 (Bowel Incontinence Frequency). <ul style="list-style-type: none"> IF M1620 is 00, 01, 02, 03, 04, 05, or UK, THEN M1630 must be 00. Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.
-4370	Fatal	Inconsistent M1620/M1630 Values: If M1620 is equal to NA, then M1630 must equal 01 or 02.	Cause: The value submitted in item M1630 (Ostomy for Bowel Elimination) is not consistent with the value submitted in item M1620 (Bowel Incontinence Frequency). <ul style="list-style-type: none"> IF M1620 is NA, THEN M1630 must be 01 or 02. Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.
-4380	Fatal	Inconsistent M1730 Values: If M1730 is equal to 00, 02, or 03, then PHQ-2 items M1730-1a and M1730-1b must equal blank (^).	Cause: The values submitted in PHQ-2 items M17300-1a and M1730-1b are not consistent with the value submitted in item M1730 (Depression Screening). <ul style="list-style-type: none"> IF M1730 is 00, 02, or 03, THEN M1730-1a and M1730-1b must be blank (^). Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.

Error ID	Sev	Error Message	Error Description
-4390	Fatal	Inconsistent M1730 Values: If M1730 is equal to 01, then PHQ-2 items M1730-1a and M1730-1b must not equal blank (^).	<p>Cause: The values submitted in PHQ-2 items M17300-1a and M1730-1b are not consistent with the value submitted in item M1730 (Depression Screening).</p> <ul style="list-style-type: none"> • IF M1730 is 01, THEN M1730-1a and M1730-1b must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4400	Fatal	Inconsistent M1740 Items: If M1740-7 is equal to 0, then at least one item M1740-1 through M1740-6 must equal 1.	<p>Cause: The values submitted in the M1740 (Cognitive, behavioral, and psychiatric symptoms) items are not consistent.</p> <ul style="list-style-type: none"> • IF M1740-7 is 0, THEN at least one item M1740-1 through M1740-6 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4410	Fatal	Inconsistent M1740 Items: If M1740-7 is equal to 1, then all items M1740-1 through M1740-6 must equal 0.	<p>Cause: The values submitted in the M1740 (Cognitive, behavioral, and psychiatric symptoms) items are not consistent.</p> <ul style="list-style-type: none"> • IF M1740-7 is 1, THEN at all items M1740-1 through M1740-6 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4420	Fatal	Invalid Skip Pattern: If M2000 is equal to 00, 01, or NA, then all items M2002 through M2004 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2000 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2000 is 00, 01, or NA, THEN all items M2002 (Medication Follow-up) through M2004 (Medication Intervention) must be blank (^). <p>Tip: This is a skip pattern. If M2000 is 00 or 01, then skip to M2010 (Patient/Caregiver High Risk Drug Education) or the next active item. If M2000 is NA, then skip to M2040 (Prior Medication Management)</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4421	Fatal	Invalid Skip Pattern: If M2001 is equal to 0, then M2003 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2001 is 0, THEN item M2003 (Medication Follow-up) must be blank (^). <p>Tip: This is a skip pattern. If M2001 is 0, then skip to M2010 (Patient/Caregiver High Risk Drug Education) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4430	Fatal	Inconsistent M2000/M2002/M2004 Values: If M2000 is equal to 02, then all items M2002 through M2004 must not equal blank (^).	<p>Cause: The values submitted in items M2002 (Medication Follow-up) and M2004 (Medication Intervention) are not consistent with the value submitted in item M2000 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2000 is 02, THEN M2002 and M2004 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4431	Fatal	Inconsistent M2001 through M2030 Values: If M2001 is equal to 1, then all active items M2003 through M2030 must not equal blank (^).	<p>Cause: The values submitted in one or more of these items are not consistent with the value submitted in item M2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2001 is 1, THEN all active items M2003 (Medication Follow-up) through M2030 (Management of Injectable Medications) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4440	Fatal	Invalid Skip Pattern: If M2000 is equal to NA, then all items M2010 through M2030 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2000 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2000 is NA, THEN all items M2010 (Patient/Caregiver High Risk Drug Education) through M2030 (Management of Injectable Medications) must be blank (^). <p>Tip: This is a skip pattern. If M2000 is NA, then skip to M2040 (Prior Medication Management) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4441	Fatal	Invalid Skip Pattern: If M2001 is equal to 9, then all active items M2003 through M2030 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2001 is 9, THEN all active items M2003 (Medication Follow-up) through M2030 (Management of Injectable Medications) must be blank (^). <p>Tip: This is a skip pattern. If M2001 is 9, then skip to M2040 (Prior Medication Management) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4450	Fatal	Inconsistent M2000/M2010-M2030 Values: If M2000 is equal to 00, 01, or 02, then all items M2010 through M2030 must not equal blank (^).	<p>Cause: The values submitted in items M2010 through M2030 are not consistent with the value submitted in item M2000 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2000 is 00, 01, or 02, THEN all items M2010 through M2030 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4480	Fatal	Inconsistent M0100/M2020 Values: If M0100 is equal to 09 then M2020 must not equal blank (^).	<p>Cause: The value submitted in item M2020 (Management of Oral Medications) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 09, THEN M2020 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4490	Fatal	Inconsistent M0100/M2030 Values: If M0100 is equal to 04, 05, or 09, then M2030 must not equal blank (^).	<p>Cause: The value submitted in item M2030 (Management of Injectable Medications) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 04, 05, or 09, THEN M2030 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4500	Fatal	'Inconsistent M0100/M2110 Values: If M0100 is equal to 09, then M2110 must not equal UK.'	<p>Cause: The value submitted in item M2110 (ADL or IADL assistance frequency) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 09, THEN M2110 must not be UK. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4510	Fatal	Inconsistent M2200 Values: If M2200-NA is equal to 0, then M2200 Number of Therapy Visits must not equal blank (^).	<p>Cause: The values submitted in the M2200 (Therapy Need) items are not consistent.</p> <ul style="list-style-type: none"> IF M2200-NA is unchecked, THEN M2200 Number of Therapy Visits must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4520	Fatal	Inconsistent M2200 Values: If M2200-NA is equal to 1, then M2200 Number of Therapy Visits must equal blank (^).	<p>Cause: The values submitted in the M2200 (Therapy Need) items are not consistent.</p> <ul style="list-style-type: none"> IF M2200-NA is checked, THEN M2200 Number of Therapy Visits must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4530	Fatal	Invalid Skip Pattern: If M2300 is equal to 00 or UK, then all items M2310-1 through M2310-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2300 (Emergent Care).</p> <ul style="list-style-type: none"> IF M2300 is 00 or UK, THEN all Reason for Emergent Care items M2310-1 through M2310-UK must be blank (^). <p>Tip: This is a skip pattern. If M2300 is 00 or UK, then skip to M2400 (Intervention Synopsis) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4531	Fatal	Invalid Skip Pattern: If M2301 is equal to 00 or UK, then all active items M2310-1 through M2310-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2301 (Emergent Care).</p> <ul style="list-style-type: none"> • IF M2301 is 00 or UK, THEN all Reason for Emergent Care items M2310-1 through M2310-UK must be blank (^). <p>Tip: This is a skip pattern. If M2301 is 00 or UK, then skip to M2401 (Intervention Synopsis) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4540	Fatal	Inconsistent M2300/M2310 Values: If M2300 is equal to 01 or 02, then all items M2310-1 through M2310-UK must not equal blank (^).	<p>Cause: The values submitted in items M2310 (Reason for Emergent Care) are not consistent with the value submitted in item M2300 (Emergent Care).</p> <ul style="list-style-type: none"> • IF M2300 is 01 or 02, THEN all items M2310-1 through M2310-UK must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4541	Fatal	Inconsistent M2301/M2310 Values: If M2301 is equal to 01 or 02, then all active items M2310-1 through M2310-UK must not equal blank (^).	<p>Cause: The values submitted in M2310 (Reason for Emergent Care) items are not consistent with the value submitted in item M2301 (Emergent Care).</p> <ul style="list-style-type: none"> • IF M2301 is 01 or 02, THEN all items M2310-1 through M2310-UK must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4550	Fatal	Inconsistent M2310 Values: If M2310-UK is equal to 0, then at least one item M2310-1 through M2310-19 must equal 1.	<p>Cause: The values submitted in Reason for Emergent Care items M2310-1 through M2310-19 are not consistent with the value submitted in item M2310-UK.</p> <ul style="list-style-type: none"> • IF M2310-UK is unchecked, THEN at least one item M2310-1 through M2310-19 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4560	Fatal	Inconsistent M2310 Values: If M2310-UK is equal to 1, then all items M2310-1 through M2310-19 must equal 0.	<p>Cause: The values submitted in Reason for Emergent Care items M2310-1 through M2310-19 are not consistent with the value submitted in item M2310-UK.</p> <ul style="list-style-type: none"> • IF M2310-UK is checked, THEN all items M2310-1 through M2310-19 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4570	Fatal	Inconsistent M0100/M2410 Values: If M0100 is equal to 09, then M2410 must equal NA.	<p>Cause: The value submitted in item M2410 (Inpatient Facility) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 09, THEN M2410 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4580	Fatal	Inconsistent M0100/M2410 Values: If M0100 is equal to 06 or 07, then M2410 must not equal NA.	<p>Cause: The value submitted in item M2410 (Inpatient Facility) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 06 or 07, THEN M2410 must not be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4590	Fatal	Inconsistent M2410/M2430 Values: If M2410 is equal to 01, then all items M2430-1 through M2430-UK must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2410 (Inpatient Facility).</p> <ul style="list-style-type: none"> • IF M2410 is 01, THEN all Reason for Hospitalization items M2430-1 through M2430-UK must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4600	Fatal	Invalid Skip Pattern: If M2410 is equal to 02, 03, 04, or NA, then all items M2430-1 through M2430-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2410 (Inpatient Facility).</p> <ul style="list-style-type: none"> • IF M2410 is 02, 03, 04, or NA, THEN all Reason for Hospitalization items M2430-1 through M2430-UK must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4610	Fatal	Invalid Skip Pattern: If M2410 is equal to 01, 02, 04, or NA, then all items M2440-1 through M2440-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2410 (Inpatient Facility).</p> <ul style="list-style-type: none"> • IF M2410 is 01, 02, 04, or NA, THEN all Reason for Nursing Home Admission items M2440-1 through M2440-UK must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4620	Fatal	Inconsistent M2410/M2440 Values: If M2410 is equal to 03, then all items M2440-1 through M2440-UK must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2410 (Inpatient Facility).</p> <ul style="list-style-type: none"> • IF M2410 is 03, THEN all Reason for Nursing Home Admission items M2440-1 through M2440-UK must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4630	Fatal	Inconsistent M2430 Values: If M2430-UK is equal to 0, then at least one item M2430-1 through M2430-20 must equal 1.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2430-UK (Reason for Hospitalization-Unknown).</p> <ul style="list-style-type: none"> • IF M2430-UK is unchecked, THEN at least one Reason for Hospitalization item M2430-1 through M2430-20 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4640	Fatal	Inconsistent M2430 Values: If M2430-UK is equal to 1, then all items M2430-1 through M2430-20 must equal 0.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2430-UK (Reason for Hospitalization-Unknown).</p> <ul style="list-style-type: none"> • IF M2430-UK is checked, THEN all Reason for Hospitalization items M2430-1 through M2430-20 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4650	Fatal	Inconsistent M2440 Values: If M2440-UK is equal to 0, then at least one item M2440-1 through M2440-6 must equal 1.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2440-UK (Reason Admitted to a Nursing Home-Unknown).</p> <ul style="list-style-type: none"> • IF M2440-UK is unchecked, THEN at least one Reason Admitted to a Nursing Home item M2440-1 through M2440-6 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4660	Fatal	Inconsistent M2440 Values: If M2440-UK is equal to 1, then all items M2440-1 through M2440-6 must equal 0.	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M2440-UK (Reason Admitted to a Nursing Home-Unknown).</p> <ul style="list-style-type: none"> • IF M2440-UK is checked, THEN all Reason Admitted to a Nursing Home items M2440-1 through M2440-6 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4670	Fatal	Inconsistent M1308/M1310-M1314 Values: If Column 1 (Number Currently Present) of M1308-b or M1308-c or M1308-d.2 is greater than 00, then all items M1310 through M1314 must not equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in Column 1 (Number Currently Present) of Current Number of Unhealed PU at Each Stage items M1308-b, M1308-c, or M1308-d.2.</p> <ul style="list-style-type: none"> • IF Column 1 of M1308-b, M1308-c, or M1308-d.2 is greater than 00, THEN all PU Dimensions items M1310 through M1314 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4680	Fatal	Inconsistent M1308/M1310/M1314 Values: If Column 1 (Current Number) of M1308-b, M1308-c, and M1308-d.2 are all equal to 00, then all items M1310 through M1314 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the values submitted in Column 1 (Number Currently Present) of Current Number of Unhealed PU at Each Stage items M1308-b, M1308-c, and M1308-d.2.</p> <ul style="list-style-type: none"> • IF Column 1 of M1308-b, M1308-c, and M1308-d.2 are all 00, THEN all PU Dimensions items M1310 through M1314 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4690	Fatal	Invalid Branch: If the assessment was performed by an HHA with no branches or by a subunit with no branches, then M0016 must contain N.	<p>Cause: The value submitted in M0016 (Branch ID Number) is inconsistent with the known organization of the agency or subunit submitting this record as identified by the value submitted in HHA_AGENCY_ID. IF the agency or subunit submitting this record has no branches, THEN M0016 must be N. Open branches are evaluated per the certification in effect at the time of the assessment, based on the assessment's Effective Date.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4700	Fatal	Invalid Branch: If the assessment was performed by the home office of an HHA with branches or by the home office of a subunit with branches, then M0016 must contain P.	<p>Cause: The value submitted in M0016 (Branch ID Number) is inconsistent with the known organization of the agency or subunit submitting this record as identified by the value submitted in HHA_AGENCY_ID. IF the home office of the agency or subunit completed this record, THEN M0016 must be P. Open branches are evaluated per the certification in effect at the time of the assessment, based on the assessment's Effective Date.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4710	Fatal	Invalid Branch: M0016 must contain a standard branch ID, N, or P.	<p>Cause: The value submitted in M0016 (Branch ID Number) is invalid. M0016 must contain either a standard branch ID, N, or P.</p> <p>Definition: N = Agency or subunit has no branches P = Agency is a parent ##Q##### = a standard branch ID assigned by the State Agency</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4720	Warn	Invalid Branch: The standard branch ID submitted in M0016 is not currently a branch ID associated with this agency.	<p>Cause: The Branch ID submitted in M0016 (Branch ID Number) is not currently associated with the agency or subunit submitting this record as identified by the value submitted in HHA_AGENCY_ID; however, the Branch ID matches a past Branch ID.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4730	Fatal	Inconsistent M0100/M0032 Values: If M0100 is equal to 01, then M0032-NA must equal 1.	<p>Cause: The value submitted in item M0032-NA (Resumption of Care Date-NA) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 01, THEN M0032-NA must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4740	Fatal	Inconsistent M0100/M0032 Items: If M0100 is equal to 03, then M0032-NA must equal 0.	<p>Cause: The value submitted in item M0032-NA (Resumption of Care Date-NA) is not consistent with the value submitted in item M0100 (Reason for Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 03, THEN M0032-NA must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4750	Fatal	Inconsistent M1020/M1022 Values: If the Primary/Other ICD code in Column 2 is an E- or V-code, then the corresponding severity code must equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1020 (Primary Diagnosis) and M1022 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> • IF an ICD code in Column 2 of M1020 or M1022 is an E- or V-code, THEN the corresponding severity code must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4760	Fatal	Inconsistent M1020/M1022 Values: If the Primary/Other ICD code in Column 2 is NOT equal to blank (^) and is NOT an E- or V-code, then the corresponding severity code must not equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1020 (Primary Diagnosis) and M1022 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> • IF an ICD code in Column 2 of M1020 or M1022 is not blank (^) and is not an E- or V-code, THEN the corresponding severity code must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4770	Fatal	Inconsistent M1020/M1022 Values: If the Primary/Other ICD code in Column 2 is equal to blank (^), then the corresponding severity code must equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1020 (Primary Diagnosis) and M1022 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> IF an ICD code in Column 2 of M1020 or M1022 is blank (^), THEN the corresponding severity code must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4780	Warn	Inconsistent M1020/M1022/M1024 Values: If the Column 3 diagnosis code is not equal to blank (^), then the corresponding Column 2 Primary/Other code should be a V-code.	<p>Cause: One or more payment diagnosis codes submitted in Column 3 of item M1024 (Payment Diagnoses) are not consistent with the corresponding Primary/Other diagnosis codes submitted in Column 2 of items M1020 (Primary Diagnosis) and M1022 (Other Diagnoses).</p> <ul style="list-style-type: none"> IF a payment diagnosis code in Column 3 of M1024 is not blank (^), THEN the corresponding M1020/M1022 Primary/Other diagnosis code in Column 2 should be a V-code. <p>Action: No action is required.</p>
-4790	Warn	Inconsistent M1020/M1022/M1024 Values: If the Column 4 diagnosis code is not equal to blank (^), then the corresponding Column 2 Primary/Other code should be a V-code.	<p>Cause: One or more payment diagnosis codes submitted in Column 4 of item M1024 (Payment Diagnoses) are not consistent with the corresponding Primary/Other diagnosis codes submitted in Column 2 of items M1020 (Primary Diagnosis) and M1022 (Other Diagnoses).</p> <ul style="list-style-type: none"> IF a payment diagnosis code in Column 4 of M1024 is not blank (^), THEN the corresponding M1020/M1022 Primary/Other diagnosis code in Column 2 should be a V-code. <p>Action: No action is required.</p>
-4800	Fatal	Inconsistent M2410/M2420 Values: If M2410 is equal to NA, then M2420 must not equal blank (^).	<p>Cause: The value submitted in item M2420 (Discharge Disposition) is not consistent with the value submitted in item M2410 (Inpatient Facility).</p> <ul style="list-style-type: none"> IF M2410 is NA, THEN M2420 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4810	Fatal	Inconsistent HIPPS Values: If SUBM_HIPPS_CODE is not equal to blank (^), then SUBM_HIPPS_VERSION must not equal blank (^) and must match the appropriate HIPPS version code.	<p>Cause: The value submitted in SUBM_HIPPS_VERSION (HIPPS Version Code) is not consistent with the value submitted SUBM_HIPPS_CODE (HIPPS Code).</p> <ul style="list-style-type: none"> • IF SUBM_HIPPS_CODE is not blank (^), THEN SUBM_HIPPS_VERSION must not be blank (^) and must match the HIPPS Version Code calculated by the ASAP system. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4820	Warn	Invalid HIPPS Values: SUBM_HIPPS_CODE and SUBM_HIPPS_VERSION values should match the system-calculated values.	<p>Cause: The values submitted in SUBM_HIPPS_CODE (HIPPS Code) and SUBM_HIPPS_VERSION (HIPPS Version Code) do not match the HIPPS values calculated by the ASAP system. If M2200 (Therapy Need Not Applicable) is 1, the HIPPS value is not calculated.</p> <p>Definition: HIPPS Version – The HIPPS version of the Grouper used for the assessment.</p> <p>Action: No action is required.</p>
-4830	Fatal	Inconsistent M1000/M1012 Values: If any item M1000-1 through M1000-7 is equal to 1, then at least one item M1012-a through M1012-d must not equal blank (^) or M1012-NA must equal 1 or M1012-UK must equal 1.	<p>Cause: The values submitted in M1012 (Inpatient Procedure) items are not consistent with the values submitted in Discharged from Inpatient Facilities items M1000-1 through M1000-7.</p> <ul style="list-style-type: none"> • IF any item M1000-1 through M1000-7 is checked, THEN at least one item M1012-a through M1012-d must not be blank (^) OR M1012-NA must be checked OR M1012-UK must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4840	Fatal	Inconsistent M1000/M1010 Values: If any item M1000-1 through M1000-7 is equal to 1, then M1010-a must not equal blank (^).	<p>Cause: The value submitted in item M1010-a (Inpatient Diagnosis) is not consistent with one or more values submitted in Discharged from Inpatient Facilities items M1000-1 through M1000-7.</p> <ul style="list-style-type: none"> • IF any item M1000-1 through M1000-7 is checked, THEN M1010-a must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4850	Fatal	Inconsistent M0150/M0063 Values: If M0150-1 is equal to 1, then M0063 Medicare Number must not equal blank (^).	<p>Cause: The value submitted in item M0063 (Medicare Number) is not consistent with the value submitted item M0150-1 (Current Payment Sources-Medicare FFS).</p> <ul style="list-style-type: none"> • IF M0150-1 is checked, THEN M0063 must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4860	Fatal	Inconsistent M0150/M0065 Values: If M0150-3 is equal to 1, then M0065 Medicaid Number must not equal blank (^).	<p>Cause: The value submitted in item M0065 (Medicaid Number) is not consistent with the value submitted item M0150-3 (Current Payment Sources-Medicaid FFS).</p> <ul style="list-style-type: none"> • IF M0150-3 is checked, THEN M0065 must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4870	Fatal	Inconsistent Software Vendor Information: If the SFW_ID is not equal blank (^), then SFW_NAME and SFW_EMAIL_ADR must not equal blank (^).	<p>Cause: The values submitted in items SFW_NAME and SFW_EMAIL_ADR are not consistent with the value submitted item SFW_ID.</p> <ul style="list-style-type: none"> • IF SFW_ID is not blank (^), THEN SFW_NAME and SFW_EMAIL_ADR must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4880	Fatal	Inconsistent Software Vendor Information: If the SFW_ID is equal to blank (^), then SFW_NAME and SFW_EMAIL_ADR must equal blank (^).	<p>Cause: The values submitted in items SFW_NAME and SFW_EMAIL_ADR are not consistent with the value submitted item SFW_ID.</p> <ul style="list-style-type: none"> • IF SFW_ID is blank (^), THEN SFW_NAME and SFW_EMAIL_ADR must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4885	Fatal	Incorrect ICD Format: Invalid ICD-10 diagnosis code.	<p>Cause: The value submitted in this item is not valid. ICD-10 diagnosis codes must conform with the following formatting rules:</p> <ul style="list-style-type: none"> • Character 1 must be a letter A-Z or a-z. • Character 2 must be a number 0-9. • Character 3 must be a letter or a number. • Character 4 must be a decimal point. • Character 5 through 8 must be a number, a letter, or blank (^). • If any character 5 through 8 is a blank (^), all subsequent characters must be blank (^). <p>Tip: An ICD-9 diagnosis code is not valid for this item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4890	Fatal	Incorrect ICD Format: Invalid ICD-10 format. Character 1 of the ICD code must not equal V, W, X, Y, Z, v, w, x, y, or z.	<p>Cause: The ICD-10 code value submitted in this item is not valid. The first character of the ICD code must not be V, W, X, Y, Z, v, w, x, y, or z.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4900	Fatal	Incorrect ICD Format: Invalid ICD-10 format. Character 1 of the ICD code must not equal V, W, X, Y, v, w, x, or y.	<p>Cause: The ICD-10 code value submitted in this item is not valid. The first character of the ICD code must not be V, W, X, Y, v, w, x, or y.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4920	Fatal	Invalid Skip Pattern: If M1000-NA is equal to 1, then all items M1005 through M1011-NA must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).</p> <ul style="list-style-type: none"> • IF M1000-NA is checked, THEN all items M1005 (Inpatient Discharge Date) through M1011 (Inpatient Diagnosis) must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report. This is a skip pattern. If M1000-NA is 1 then skip to M1017 (Diagnoses Requiring Regimen Change) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4921	Fatal	Invalid Skip Pattern: If M1000-NA is equal to 1, then items M1005 and M1005-UK must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).</p> <ul style="list-style-type: none"> • IF M1000-NA is checked, THEN items M1005 (Inpatient Discharge Date) and M1005-UK (Inpatient Discharge Date Unknown) must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report. This is a skip pattern. If M1000-NA is 1 then skip to M1021 (Diagnoses and Symptom Control) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4930	Fatal	Inconsistent M1011 Values: If a value submitted in one of the M1011 items is not equal to blank (^), it must not equal any value submitted in the remaining M1011 items.	<p>Cause: One or more duplicate non-blank (^) ICD-10 code values were submitted in Inpatient Diagnosis items M1011-a through M1011-f.</p> <ul style="list-style-type: none"> • IF an ICD-10 item M1011-a through M1011-f is not blank, THEN it must not be the same as any other item M1011-a through M1011-f. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4940	Fatal	Inconsistent M1017 Values: If M1017-NA is equal to 0, then at least one item M1017-a ICD through M1017-f ICD must not equal blank (^).	<p>Cause: One or more ICD-10 code values submitted in Diagnosis Requiring Regimen Change items M1017-a through M1017-f are not consistent with the value submitted in item M1017-NA (Diagnosis Requiring Regimen Change-NA).</p> <ul style="list-style-type: none"> • IF M1017-NA is not checked, THEN at least one item M1017-a through M1017-f must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4950	Fatal	Inconsistent M1017 Values: If M1017-NA is equal to 1, then M1017-a ICD through M1017-f ICD must equal blank (^).	<p>Cause: One or more ICD-10 code values submitted in Diagnosis Requiring Regimen Change items M1017-a through M1017-f are not consistent with the value submitted in item M1017-NA (Diagnosis Requiring Regimen Change-NA).</p> <ul style="list-style-type: none"> • IF M1017-NA is checked, THEN all items M1017-a through M1017-f must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4960	Fatal	Inconsistent M1017 Values: If a value submitted in one of the M1017 items is not equal to blank (^), it must not equal any value submitted in the remaining M1017 items.	<p>Cause: One or more duplicate non-blank (^) ICD-10 code values were submitted in Diagnoses Requiring Regimen Change items M1017-a through M1017-f.</p> <ul style="list-style-type: none"> • IF an ICD-10 item M1017-a through M1017-f is not blank, THEN it must not be the same as any other item M1017-a through M1017-f. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4970	Fatal	Inconsistent M1000/M1017/M1018 Values: If any item M1000-1 through M1000-7 is equal to 1 or if M1017-NA is equal to 0, then M1018-NA must equal 0.	<p>Cause: The value submitted in M1018-NA (Conditions Prior to Regimen-NA) is not consistent with one or more values submitted in Discharged from Inpatient Facilities items M1000-1 through M1000-7 or M1017-NA (Diagnoses Requiring Regimen Change-NA).</p> <ul style="list-style-type: none"> • IF any item M1000-1 through M1000-7 is checked OR M1017-NA is unchecked, THEN M1018-NA must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-4980	Fatal	Inconsistent M1000/M1017/M1018 Values: If M1000-NA is equal to 1 and M1017-NA is equal to 1, then M1018-NA must equal 1.	<p>Cause: The value submitted in M1018-NA (Conditions Prior to Regimen-NA) is not consistent with the values submitted in M1000-NA (Discharged from Inpatient Facilities-NA and M1017-NA (Diagnoses Requiring Regimen Change-NA)</p> <ul style="list-style-type: none"> • IF M1000-NA and M1017-NA is checked, THEN M1018-NA must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-4990	Warn	Invalid M1021 Value: The M1021 Severity Rating should not equal 00.	<p>Cause: The value submitted in M1021 (Primary Diagnosis Severity) is not valid. The Severity Rating should not be 00. Valid values include 01, 02, 03, 04, and blank (^).</p> <p>Action: No action is required.</p>
-5000	Fatal	Inconsistent M1021/M1023 Values: If a value submitted in items M1021-a, M1023-b, M1023-c, M1023-d, M1023-e, or M1023-f is not equal to blank (^), it must not equal the value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Primary and Other Diagnoses items M1021-a through M1023-f in Column 2.</p> <ul style="list-style-type: none"> • IF an item M1021-a through M1023-f is not blank (^), THEN it must not be the same as a value submitted in the other M1021-a through M1023-f items in Column 2. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5010	Fatal	Inconsistent M1025 Values: If a value submitted in items M1025-a3, M1025-b3, M1025-c3, M1025-d3, M1025-e3, or M1025-f3 is not equal to blank (^), it must not equal any value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Optional Diagnoses items M1025-a3 through M1025-f3 in Column 3.</p> <ul style="list-style-type: none"> • IF an item M1025-a3 through M1025-f3 is not blank (^), THEN it must not be the same as a value submitted in the other M1025-a3 through M1025-f3 items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5020	Fatal	Inconsistent M1025 Values: If a value submitted in items M1025-a4, M1025-b4, M1025-c4, M1025-d4, M1025-e4, or M1025-f4 is not equal to blank (^), it must not equal any value submitted in any other item in this list.	<p>Cause: One or more duplicate non-blank (^) diagnosis code values were submitted in Optional Diagnoses items M1025-a4 through M1025-f4 in Column 4.</p> <ul style="list-style-type: none"> • IF an item M1025-a4 through M1025-f4 is not blank (^), THEN it must not be the same as a value submitted in the other M1025-a4 through M1025-f4 items. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5030	Fatal	Inconsistent M1021/M1023 Values: If the Primary/Other ICD code in M1021/M1023 Column 2 is equal to blank (^), then the corresponding ICD Code in M1025 Column 3 must equal blank (^).	<p>Cause: One or more M1025 Optional Diagnoses values submitted in Column 3 are not consistent with the corresponding Primary/Other Diagnoses values submitted in M1021/M1023 Column 2.</p> <ul style="list-style-type: none"> • If the Primary/Other ICD code in M1021/M1023 Column 2 is blank (^), THEN the corresponding M1025 Optional Diagnoses code in Column 3 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5040	Fatal	Inconsistent M1025 Values: If the ICD code in M1025 Column 3 is equal to blank (^), then the corresponding ICD code in M1025 Column 4 must equal blank (^).	<p>Cause: One or more M1025 Optional Diagnoses values submitted in Column 4 are not consistent with the corresponding Primary/Other Diagnoses values submitted in M1021/M1023 Column 3.</p> <ul style="list-style-type: none"> • If the Primary/Other ICD code in M1021/M1023 Column 3 is blank (^), THEN the corresponding M1025 Optional Diagnoses code in Column 4 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5050	Fatal	Inconsistent M1033 Values: If M1033-10 is equal to 0, then at least one item M1033-1 through M1033-9 must equal 1.	<p>Cause: The value submitted in item M1033-10 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1033-1 through M1033-9.</p> <ul style="list-style-type: none"> • IF M1033-10 is unchecked, THEN one or more active items M1033-1 through M1033-9 must be checked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5060	Fatal	Inconsistent M1033 Values: If M1033-10 is equal to 1, then all items M1033-1 through M1033-9 must equal 0.	<p>Cause: The value submitted in item M1033-10 (Risk for Hospitalization: None of the above) is not consistent with one or more values submitted in related items M1033-1 through M1033-9.</p> <ul style="list-style-type: none"> • IF M1033-10 is checked, THEN all active items M1033-1 through M1033-9 must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5070	Fatal	Inconsistent M1041/M1046 Values: If M1041 is equal to 1, then M1046 must not equal blank (^).	<p>Cause: The value submitted in item M1041 (Influenza Vaccine Data Collection Period) is not consistent with the value submitted in item M1046 (Influenza Vaccine Received).</p> <ul style="list-style-type: none"> • IF M1041 is 1, THEN M1046, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5080	Fatal	Invalid Skip Pattern: If M1041 is equal to 0, then M1046 must equal blank (^).	<p>Cause: The value submitted in item M1046 (Influenza Vaccine Received) is not consistent with the value submitted in item M1041 (Influenza Vaccine Data Collection Period).</p> <ul style="list-style-type: none"> • IF M1041 is 0, THEN M1046 must be blank (^). <p>Tip: This is a skip pattern. If M1041 is 0 then skip to M1051 (Pneumococcal Vaccine) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5090	Fatal	Inconsistent M1051/M1056 Values: If M1051 is equal to 0, then M1056 must not equal blank (^).	<p>Cause: The value submitted in item M1056 (Reason Pneumococcal Vaccine not received) is not consistent with the value submitted in item M1051 (Pneumococcal Vaccine).</p> <ul style="list-style-type: none"> • IF M1051 is 0, THEN M1056 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5100	Fatal	Invalid Skip Pattern: If M1051 is equal to 1, then M1056 must equal blank (^).	<p>Cause: The value submitted in item M1056 (Reason Pneumococcal Vaccine not received) is not consistent with the value submitted in item M1051 (Pneumococcal Vaccine).</p> <ul style="list-style-type: none"> • IF M1051 is 1, THEN M1056 must be blank (^). <p>Tip: This is a skip pattern. If M1051 is 1 then skip to M1100 (Patient Living Situation) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5110	Fatal	Invalid Skip Pattern: If M1306 is equal to 0, then all items M1307 through M1320 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 0, THEN all items M1307 (Oldest Non-epithelialized Stage II PU) through M1320 (Status of Most Problematic PU) must be blank (^). <p>Tip: This is a skip pattern. If M1306 is 0, then skip to M1322 (Current Number of Stage I PU) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5111	Fatal	Invalid Skip Pattern: If M1306 is equal to 0, then all active items M1307 through M1311 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1306 (Unhealed PU/Injury Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 0, THEN all active items M1307 (Oldest Non-epithelialized Stage II PU) through M1311 (Current Number of Unhealed PU/Injuries) must be blank (^). <p>Tip: This is a skip pattern. If M1306 is 0, then skip to M1322 (Current Number of Stage I Pressure Injuries) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5120	Fatal	Inconsistent M1306 through M1320 Values: If M1306 is equal to 1, then M1307 and all active items M1308 through M1320 must not equal blank (^).	<p>Cause: The values submitted in one or more of these items are not consistent with the value submitted in item M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1307 (Oldest Stage II PU) and M1308 (Current Number of Unhealed Pressure Ulcers at Each Stage or Unstageable) through M1320 (Status of Most Problematic Observable PU) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5121	Fatal	Inconsistent M1306 through M1320 Values: If M1306 is equal to 1, then M1307, M1311A1 through M1311F1 (current PU numbers only), and M1313A through M1320 must not equal blank (^).	<p>Cause: The values submitted in one or more of these items are not consistent with the value submitted in item M1306 (Unhealed PU Stage 2 or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1307 (Oldest Stage 2 PU) and M1311 (Current Number of Unhealed Pressure Ulcers at Each Stage) through M1320 (Status of Most Problematic Observable PU) must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5122	Fatal	Inconsistent M1306/M1307/M1311 Values: If M1306 is equal to 1, then M1307 and M1311A1 through M1311F1 must not equal blank (^).	<p>Cause: The values submitted in one or more of these items are not consistent with the value submitted in item M1306 (Unhealed PU/Injury Stage 2 or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1307 (Oldest Stage 2 PU) and all M1311 (Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage) items must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5130	Fatal	Inconsistent M1306/M1308 Values: If M1306 is equal to 1, then at least one item M1308-a through M1308-d.3 must be greater than 0.	<p>Cause: The values submitted in these items are not consistent with the value submitted in item M1306 (Unhealed PU Stage II or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN at least one Current Number of Unhealed PU at Each Stage item M1308-a through M1308-d.3 must be greater than 0. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5131	Fatal	Inconsistent M1306/M1311 Values: If M1306 is equal to 1, then at least one item M1311A1 through M1311F1 must be greater than 0.	<p>Cause: The values submitted in these items are not consistent with the value submitted in item M1306 (Unhealed PU Stage 2 or Higher).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN at least one Current Number of Unhealed PU at Each Stage item M1311A1 through M1311F1 must be greater than 0. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5140	Fatal	Inconsistent M1306/M1308/M1309 Values: If M1306 is equal to 1, then M1309-a must be less than or equal to M1308-a.	<p>Cause: The value submitted in item M1309-a (Worsening in PU Status-Stage II) is not consistent with the value submitted in items M1306 (Unhealed PU Stage II or Higher) and M1308-a (Current Number of Unhealed PU at Each Stage-Stage II).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1309-a must be less than or the same as M1308-a. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5141	Fatal	Inconsistent M1306/M1311/M1313 Values: If M1306 is equal to 1, then M1313a, if active, must be less than or equal to M1311A1.	<p>Cause: The value submitted in item M1313a (Worsening in PU Status: Stage 2) is not consistent with the value submitted in items M1306 (Unhealed PU Stage 2 or Higher) and M1311A1 (Current Number of Unhealed PU at Each Stage: Stage 2).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313a must be less than or the same as M1311A1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5150	Fatal	Inconsistent M1306/M1308/M1309 Values: If M1306 is equal to 1, then M1309-b must be less than or equal to M1308-b.	<p>Cause: The value submitted in item M1309-b (Worsening in PU Status-Stage III) is not consistent with the value submitted in items M1306 (Unhealed PU Stage II or Higher) and M1308-b (Current Number of Unhealed PU at Each Stage-Stage III).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1309-b must be less than or the same as M1308-b. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5151	Fatal	Inconsistent M1306/M1311/M1313 Values: If M1306 is equal to 1, then M1313b, if active, must be less than or equal to M1311B1.	<p>Cause: The value submitted in item M1313b (Worsening in PU Status: Stage 3) is not consistent with the value submitted in items M1306 (Unhealed PU Stage 2 or Higher) and M1311B1 (Current Number of Unhealed PU at Each Stage: Stage 3).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313b must be less than or the same as M1311B1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5160	Fatal	Inconsistent M1306/M1308/M1309 Values: If M1306 is equal to 1, then M1309-c must be less than or equal to M1308-c.	<p>Cause: The value submitted in item M1309-c (Worsening in PU Status: Stage IV) is not consistent with the value submitted in items M1306 (Unhealed PU Stage II or Higher) and M1308-c (Current Number of Unhealed PU at Each Stage-Stage IV).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1309-c must be less than or the same as M1308-c. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5161	Fatal	Inconsistent M1306/M1311/M1313 Values: If M1306 is equal to 1, then M1313c, if active, must be less than or equal to M1311C1.	<p>Cause: The value submitted in item M1313c (Worsening in PU Status: Stage 4) is not consistent with the value submitted in items M1306 (Unhealed PU Stage 2 or Higher) and M1311C1 (Current Number of Unhealed PU at Each Stage: Stage 4).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313c must be less than or the same as M1311C1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5200	Fatal	Inconsistent M1021/M1023 Values: If character 1 of the Primary/Other ICD code in Column 2 is equal to V, W, X, Y, Z, v, w, x, y, or z then the corresponding severity code must equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> • IF the first character of an M1021 or M1023 ICD code is V, W, X, Y, Z, v, w, x, y, or z, THEN the corresponding severity code must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5210	Fatal	Inconsistent M1021/M1023 Values: If the Primary/Other ICD code in Column 2 is NOT equal to blank (^) and character 1 of the ICD code is NOT equal to V, W, X, Y, Z, v, w, x, y, or z, then the corresponding severity code must not equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> • IF an M1021 or M1023 ICD code is not blank (^) and the first character is not V, W, X, Y, Z, v, w, x, y, or z, THEN the corresponding severity code must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5220	Fatal	Inconsistent M1021/M1023 Values: If the Primary/Other ICD code in Column 2 is equal to blank (^), then the corresponding severity code must equal blank (^).	<p>Cause: One or more severity codes submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses) are not consistent with the corresponding ICD code submitted.</p> <ul style="list-style-type: none"> • IF an M1021 or M1023 ICD code is blank (^), THEN the corresponding severity code must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5230	Warn	Inconsistent M1021/M1023/M1025 Values: If the Column 3 diagnosis code is not equal to blank (^), then the corresponding Column 2 Primary/Other code should be a Z-code.	<p>Cause: One or more optional diagnosis codes submitted in Column 3 of item M1025 (Optional Diagnoses) are not consistent with the corresponding Primary/Other diagnosis codes submitted in Column 2 of items M1021 (Primary Diagnosis) and M1023 (Other Diagnoses).</p> <ul style="list-style-type: none"> • IF an M1025 optional diagnosis code in Column 3 is not blank (^), THEN the corresponding M1021/M1023 Primary/Other diagnosis code in Column 2 should be a Z-code (character 1 is Z or z). <p>Action: No action is required.</p>
-5240	Warn	Inconsistent M1021/M1023/M1025 Values: If the Column 4 diagnosis code is not equal to blank (^), then the corresponding Column 2 Primary/Other code should be a Z-code.	<p>Cause: One or more optional diagnosis codes submitted in Column 4 of item M1025 (Optional Diagnoses) are not consistent with the corresponding optional diagnosis codes submitted in Column 3 of items M1025.</p> <ul style="list-style-type: none"> • IF an M1025 optional diagnosis code in Column 4 is not blank (^), THEN the corresponding M1021/M1023 Primary/Other diagnosis code in Column 2 should be a Z-code (character 1 is Z or z). <p>Action: No action is required.</p>

Error ID	Sev	Error Message	Error Description
-5250	Fatal	Inconsistent M1000/M1011 Values: If any item M1000-1 through M1000-7 is equal to 1, then M1011-a ICD must not equal blank (^).	<p>Cause: The value submitted in item M1011-a ICD (Inpatient Diagnosis ICD) is not consistent with one or more values submitted in Discharged from Inpatient Facilities items M1000-1 through M1000-7.</p> <ul style="list-style-type: none"> • IF any item M1000-1 through M1000-7 is checked, THEN M1011-a ICD must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5260	Fatal	Inconsistent M1011 Values: If M1011-NA is equal to 0, then at least one item M1011-a ICD through M1011-f ICD must not equal blank (^).	<p>Cause: The Inpatient Diagnosis ICD codes submitted in items M1011-a through M1011-f are not consistent with the value submitted in M1011-NA (Inpatient Diagnosis-NA).</p> <ul style="list-style-type: none"> • IF M1011-NA is unchecked, THEN at least one item M1011-a ICD through M1011-f ICD must not be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5270	Fatal	Inconsistent M1011 Values: If M1011-NA is equal to 1, then all items M1011-a ICD through M1011-f ICD must equal blank (^).	<p>Cause: The Inpatient Diagnosis ICD codes submitted in items M1011-a through M1011-f are not consistent with the value submitted in M1011-NA (Inpatient Diagnosis-NA).</p> <ul style="list-style-type: none"> • IF M1011-NA is checked, THEN all items M1011-a ICD through M1011-f ICD must be blank (^). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5280	Fatal	Incorrect Format: The value submitted in M0010 must either equal blank (^) or be exactly 6 characters in length.	<p>Cause: The value submitted in M0010 (CMS Certification Number) must either be blank (^) or exactly 6 characters in length.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5290	Fatal	Inconsistent M0100/M0906 Values: If M0100 is equal to 06, 07, 08, or 09, then M0906 must not equal blank (^).	<p>Cause: The value submitted in item M0906 (Discharge/Transfer/Death Date) is not consistent the value submitted in M0100 (Reason For Assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 06, 07, 08, or 09, THEN M0906 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5300	Fatal	Inconsistent M0100/M0906 Values: If M0100 is equal to 01, 03, 04, or 05, then M0906 must equal blank (^) for an inactivation record.	<p>Cause: The value submitted in item M0906 (Discharge/Transfer/Death Date) is not consistent the value submitted in M0100 (Reason For Assessment) for this inactivation record.</p> <ul style="list-style-type: none"> • IF this is an inactivation record AND M0100 is 01, 03, 04, or 05, THEN M0906 must be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5310	Fatal	Inconsistent M1306/M1308/M1309 Values: If M1306 is equal to 1, then M1309-d must be less than or equal to M1308-d.2.	<p>Cause: The value submitted in item M1309-d (Worsening in PU Status-Unstageable due to slough/eschar) is not consistent with the value submitted in items M1306 (Unhealed PU Stage II or Higher) and M1308-d.2 (Current Number of Unhealed PU at Each Stage-Unstageable due to slough/eschar).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1309-d must be less than or the same as M1308-d.2. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5311	Fatal	Inconsistent M1306/M1311/M1313 Values: If M1306 is equal to 1, then M1313e, if active, must be less than or equal to M1311E1.	<p>Cause: The value submitted in item M1313e (Worsening in PU Status: Unstageable due to slough/eschar) is not consistent with the value submitted in items M1306 (Unhealed PU Stage 2 or Higher) and M1311E1 (Current Number of Unhealed PU at Each Stage: Unstageable due to slough/eschar).</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313e must be less than or the same as M1311E1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5320	Fatal	Inconsistent M1000/M1005 Values: If M1000-NA is equal to 0, then M1005-UK must not equal blank (^).	<p>Cause: The value submitted in item M1005 (Inpatient Discharge Date) is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).</p> <ul style="list-style-type: none"> • IF M1000-NA is 0, THEN item M1005, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5330	Fatal	Invalid Skip Pattern: If M1000-NA is equal to 1, then all items M1005 through M1010-f must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M1000-NA (Discharged from Inpatient Facilities-NA).</p> <ul style="list-style-type: none"> • IF M1000-NA is 1, THEN all active items from M1005 (Inpatient Discharge Date) through M1010-f (Inpatient Diagnosis) must be blank (^). <p>Tip: This is a skip pattern. If M1000-NA is 1, then skip to M1016 (Diagnoses Requiring Regimen Change) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5340	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are inconsistent.</p> <ul style="list-style-type: none"> IF M0104 (Date of Referral) is not a blank (^) and M0100 (Reason for Assessment) is 01, THEN M0104 must be greater than M0066 (Birth Date) AND less than or equal to M0030 (Start of Care Date) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5350	Fatal	Inconsistent Dates: The dates listed are out of logical order.	<p>Cause: The dates submitted in the noted items are inconsistent.</p> <ul style="list-style-type: none"> IF M0104 (Date of Referral) is not a blank (^) and M0100 (Reason for Assessment) is 03, THEN M0104 must be greater than M0066 (Birth Date) AND less than or equal to M0032 (Resumption of Care Date). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5360	Warn	Invalid Version Code: The value submitted for this item is not an acceptable value.	<p>Cause: A valid value was not submitted in this item. The value for this item is either missing or invalid.</p> <p>Action: Verify that the version code in the encoding software is correct. Contact your software vendor.</p>
-5370	Fatal	Inconsistent M1311 Values: If M1311A1 is greater than 0, then M1311A2, if active, must be less than or equal to M1311A1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.</p> <ul style="list-style-type: none"> IF M1311A1 is greater than 0, THEN M1311A2, if active, must be less than or the same as M1311A1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5371a	Fatal	Invalid Skip Pattern: If M1311A1 is equal to 0, then M1311A2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311A1 is 0, THEN M1311A2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311A1 is 0, then skip to M1311B1 (Current Stage 3) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5371b	Fatal	Inconsistent M1311 Values: If M1311A1 is greater than 0, then M1311A2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311A1 is greater than 0, THEN M1311A2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5372	Fatal	Inconsistent M1311 Values: If M1311A1 is greater than 0, then M1311A2, if active, must be less than or equal to M1311A1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311A1 is greater than 0, THEN M1311A2, if active, must be less than or the same as M1311A1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5373	Fatal	Inconsistent M1311 Values: If M1311A1 is equal to dash (-), then M1311A2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311A2 (Stage 2 PU present at SOC/ROC) and M1311A1 (Current Stage 2) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311A1 is a dash (-), THEN M1311A2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5380	Fatal	Inconsistent M1311 Values: If M1311B1 is greater than 0, then M1311B2, if active, must be less than or equal to M1311B1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.</p> <ul style="list-style-type: none"> IF M1311B1 is greater than 0, THEN M1311B2, if active, must be less than or the same as M1311B1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5381a	Fatal	Invalid Skip Pattern: If M1311B1 is equal to 0, then M1311B2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.</p> <ul style="list-style-type: none"> IF M1311B1 is 0, THEN M1311B2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311B1 is 0, then skip to M1311C1 (Current Stage 4) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5381b	Fatal	Inconsistent M1311 Values: If M1311B1 is greater than 0, then M1311B2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.</p> <ul style="list-style-type: none"> IF M1311B1 is greater than 0, THEN M1311B2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5382	Fatal	Inconsistent M1311 Values: If M1311B1 is greater than 0, then M1311B2, if active, must be less than or equal to M1311B1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.</p> <ul style="list-style-type: none"> IF M1311B1 is greater than 0, THEN M1311B2, if active, must be less than or the same as M1311B1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5383	Fatal	Inconsistent M1311 Values: If M1311B1 is equal to dash (-), then M1311B2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311B2 (Stage 3 PU present at SOC/ROC) and M1311B1 (Current Stage 3) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311B1 is a dash (-), THEN M1311B2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5390	Fatal	Inconsistent M1311 Values: If M1311C1 is greater than 0, then M1311C2, if active, must be less than or equal to M1311C1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311C1 is greater than 0, THEN M1311C2, if active, must be less than or the same as M1311C1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5391a	Fatal	Invalid Skip Pattern: If M1311C1 is equal to 0, then M1311C2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311C1 is 0, THEN M1311C2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311C1 is 0, then skip to M1311D1 (Current Unstageable: Non-removable dressing) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5391b	Fatal	Inconsistent M1311 Values: If M1311C1 is greater than 0, then M1311C2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311C1 is greater than 0, THEN M1311C2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5392	Fatal	Inconsistent M1311 Values: If M1311C1 is greater than 0, then M1311C2, if active, must be less than or equal to M1311C1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311C1 is greater than 0, THEN M1311C2, if active, must be less than or the same as M1311C1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5393	Fatal	Inconsistent M1311 Values: If M1311C1 is equal to dash (-), then M1311C2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311C2 (Stage 4 PU present at SOC/ROC) and M1311C1 (Current Stage 4) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311C1 is a dash (-), THEN M1311C2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5400	Fatal	Inconsistent M1311 Values: If M1311D1 is greater than 0, then M1311D2, if active, must be less than or equal to M1311D1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311D1 is greater than 0, THEN M1311D2, if active, must be less than or the same as M1311D1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5401a	Fatal	Invalid Skip Pattern: If M1311D1 is equal to 0, then M1311D2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311D1 is 0, THEN M1311D2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311D1 is 0, then skip to M1311E1 (Current Unstageable: Slough and/or eschar) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5401b	Fatal	Inconsistent M1311 Values: If M1311D1 is greater than 0, then M1311D2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311D1 is greater than 0, THEN M1311D2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5402	Fatal	Inconsistent M1311 Values: If M1311D1 is greater than 0, then M1311D2, if active, must be less than or equal to M1311D1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311D1 is greater than 0, THEN M1311D2, if active, must be less than or the same as M1311D1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5403	Fatal	Inconsistent M1311 Values: If M1311D1 is equal to a dash (-), then M1311D2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311D2 (Unstageable: Non-removable dressing PU present at SOC/ROC) and M1311D1 (Current Unstageable: Non-removable dressing) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311D1 is a dash (-), THEN M1311D2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5410	Fatal	Inconsistent M1311 Values: If M1311E1 is greater than 0, then M1311E2, if active, must be less than or equal to M1311E1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311E1 is greater than 0, THEN M1311E2, if active, must be less than or the same as M1311E1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5411a	Fatal	Invalid Skip Pattern: If M1311E1 is equal to 0, then M1311E2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311E1 is 0, THEN M1311E2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311E1 is 0, then skip to M1311F1 (Current Unstageable: Deep tissue injury) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5411b	Fatal	Inconsistent M1311 Values: If M1311E1 is greater than 0, then M1311E2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311E1 is greater than 0, THEN M1311E2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5412	Fatal	Inconsistent M1311 Values: If M1311E1 is greater than 0, then M1311E2, if active, must be less than or equal to M1311E1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311E1 is greater than 0, THEN M1311E2, if active, must be less than or the same as M1311E1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5413	Fatal	Inconsistent M1311 Values: If M1311E1 is equal to dash (-), then M1311E2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311E2 (Unstageable: Slough and/or eschar PU present at SOC/ROC) and M1311E1 (Current Unstageable: Slough and/or eschar) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311E1 is a dash (-), THEN M1311E2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5420	Fatal	Inconsistent M1311 Values: If M1311F1 is greater than 0, then M1311F2, if active, must be less than or equal to M1311F1.	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311F1 is greater than 0, THEN M1311F2, if active, must be less than or the same as M1311F1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5421a	Fatal	Invalid Skip Pattern: If M1311F1 is equal to 0, then M1311F2, if active, must equal blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311F1 is 0, THEN M1311F2, if active, must be blank (^). <p>Tip: This is a skip pattern. If M1311F1 is 0, then skip to M1313a (Worsening in PU Status: Stage 2) or the next active item.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5421b	Fatal	Inconsistent M1311 Values: If M1311F1 is greater than 0, then M1311F2, if active, must not be blank (^).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Unstageable: Deep tissue injury) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311F1 is greater than 0, THEN M1311F2, if active, must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5422	Fatal	Inconsistent M1311 Values: If M1311F1 is greater than 0, then M1311F2, if active, must be less than or equal to M1311F1 or equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311F1 is greater than 0, THEN M1311F2, if active, must be less than or the same as M1311F1 or a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5423	Fatal	Inconsistent M1311 Values: If M1311F1 is equal to a dash (-), then M1311F2, if active, must equal dash (-).	<p>Cause: The values submitted in Current Number of Unhealed PU at Each Stage items M1311F2 (Unstageable: Deep tissue injury PU present at SOC/ROC) and M1311F1 (Current Unstageable: Deep tissue injury) are not consistent.</p> <ul style="list-style-type: none"> • IF M1311F1 is a dash (-), THEN M1311F2, if active, must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5430	Fatal	Inconsistent M1306/M1313/M1311 Values: If M1306 is equal to 1, then M1313d, if active, must be less than or equal to M1311D1.	<p>Cause: The values submitted in M1313d (Worsening in PU Status: Unstageable: Non-removable dressing) and M1311D1 (Current Number of Unhealed PU at Each Stage: Unstageable: Non-removable dressing) are inconsistent.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313d, if active, must be less than or the same as M1311D1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5450	Fatal	Inconsistent M1306/M1313/M1311 Values: If M1306 is equal to 1, then M1313f, if active, must be less than or equal to M1311F1.	<p>Cause: The values submitted in M1313f (Worsening in PU Status: Unstageable: Deep tissue injury) and M1311F1 (Current Number of Unhealed PU at Each Stage: Unstageable: Deep tissue injury) are inconsistent.</p> <ul style="list-style-type: none"> • IF M1306 is 1, THEN M1313f, if active, must be less than or the same as M1311F1. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5460	Fatal	Inconsistent Dates: M0090 must be within the allowable date range specified for the SPEC_VRSN_CD.	<p>Cause: The value submitted for M0090 (Date Assessment Completed) must fall within the allowable date range associated with the submitted SPEC_VRSN_CD (Data Specifications Version).</p> <p>Action: Verify that the specification version code in the encoding software is correct for the submitted M0090 date. Contact your software vendor. Refer to Section 2 of the OASIS Data Submission Specifications Overview document for the effective dates associated with each version of the OASIS Data Submission Specifications.</p>

Error ID	Sev	Error Message	Error Description
-5470	Fatal	Inconsistent M2001/M2003 Values: If M2001 is equal to dash (-), then M2003 must equal dash (-).	<p>Cause: The value submitted in item M2003 (Medication Follow-up) is not consistent with the value submitted in item M2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2001 is a dash (-), THEN M2003 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5480	Fatal	Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): The MBI or Medicare Number format is invalid.	<p>Cause: The value submitted in item M0063 (Medicare Number) is not correct. This item must conform to one of two possible formats:</p> <ul style="list-style-type: none"> • MBI format: The MBI must be 11 characters in length. The first character must be numeric, excluding zero. The second, fifth, eighth, and ninth characters must be alphabetic, excluding the letters S, L, O, I, B, and Z. The fourth, seventh, tenth, and eleventh characters must be numeric. The third and sixth characters must be numeric or alphabetic, excluding the letters S, L, O, I, B, and Z. • Medicare Number format: If the first character is numeric (0 through 9), which is an SSN, the first 9 characters must be numeric (0 through 9). If the first character is alphabetic, which is a RR insurance number, there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5490	Fatal	Inconsistent M2001/M2010 Values: If M2001 is equal to 0, then M2010 must not equal blank (^).	<p>Cause: The value submitted in item M2010 (High-risk Drug Education) is not consistent with the value submitted in item M2001 (Drug Regimen Review).</p> <ul style="list-style-type: none"> • IF M2001 is 0, THEN M2010 must not be blank (^). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5500a	Fatal	Inconsistent None of the Above Value: If GG0110Z equals 1, then all items from GG0110A through GG0110E must equal 0.	<p>Cause: The value submitted in item GG0110Z (Prior Device Use: None of the above) is not consistent with one or more values submitted in related items GG0110A through GG0110E.</p> <ul style="list-style-type: none"> • IF GG0110Z is checked, THEN all items GG0110A through GG0110E must be unchecked. • IF GG0110Z is unchecked, THEN one or more active items GG0110A through GG0110E must be checked. • IF GG0110Z is a dash (-), THEN one or more active items GG0110A through GG0110E must be a dash (-) and the remaining items GG0110A through GG0110E must be unchecked. <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5500b	Fatal	Inconsistent None of the Above Value: If GG0110Z equals 0, then at least one item from GG0110A through GG0110E must equal 1.	See error number -5500a
-5500c	Fatal	Inconsistent None of the Above Value: If GG0110Z equals dash (-), then at least one item from GG0110A through GG0110E must equal dash (-) and all remaining items must equal 0 or dash (-).	See error number -5500a

Error ID	Sev	Error Message	Error Description
-5510	Fatal	Discharge Goal Not Identified: At least one of the Discharge Goal items GG0130A2 through GG0130C2, GG0170B2 through GG0170F2, GG0170J2, GG0170K2, G0170R2, and GG0170S2 should equal 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88.	<p>Cause: A value of 01, 02, 03, 04, 05, 06, 07, 09, 10, or 88 should be submitted for at least one of the following Self-care and Mobility Discharge Goals:</p> <ul style="list-style-type: none"> o GG0130A2 (Self-Care: Eating) o GG0130B2 (Self-Care: Oral hygiene) o GG0130C2 (Self-Care: Toileting hygiene) o GG0170B2 (Mobility: Sit to lying) o GG0170C2 (Mobility: Lying to sitting on side of bed) o GG0170D2 (Mobility: Sit to stand) o GG0170E2 (Mobility: Chair/bed-to-chair transfer) o GG0170F2 (Mobility: Toilet transfer) o GG0170J2 (Mobility: Walk 50 feet with two turns) o GG0170K2 (Mobility: Walk 150 feet) o GG0170R2 (Mobility: Wheel 50 feet with two turns) o GG0170S2 (Mobility: Wheel 150 feet) <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5520a	Fatal	Invalid Skip Pattern: If GG0170I1 equals 07, 09, 10, or 88, then items GG0170J1, GG0170K1, and GG0170L1 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item GG0170I1 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I1 is 07, 09, 10, or 88, THEN GG0170J1 (Mobility: Walk 50 feet with two turns), GG0170K1 (Walk 150 feet), and GG0170L1 (Walking 10 feet on uneven surfaces) must be blank (^). • IF GG0170I1 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J1, GG0170K1, and GG0170L1 must not be blank (^). • IF GG0170I1 is a dash (-), THEN items GG0170J1, GG0170K1, and GG0170L1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I1 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5520b	Fatal	Invalid Skip Pattern: If GG0170I1 equals 06, 05, 04, 03, 02, or 01, then items GG0170J1, GG0170K1, and GG0170L1 must not equal blank (^).	See error number -5520a
-5520c	Fatal	Invalid Skip Pattern: If GG0170I1 equals dash (-), then items GG0170J1, GG0170K1, and GG0170L1 must equal dash (-).	See error number -5520a
-5530a	Fatal	Invalid Skip Pattern: If GG0170I3 equals 07, 09, 10, or 88, then items GG0170J3, GG0170K3, and GG0170L3 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item GG0170I3 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I3 is 07, 09, 10, or 88, THEN GG0170J3 (Mobility: Walk 50 feet with two turns), GG0170K3 (Walk 150 feet), and GG0170L3 (Walking 10 feet on uneven surfaces) must be blank (^). • IF GG0170I3 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J3, GG0170K3, and GG0170L3 must not be blank (^). • IF GG0170I3 is a dash (-), THEN items GG0170J3, GG0170K3, and GG0170L3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I3 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5530b	Fatal	Invalid Skip Pattern: If GG0170I3 equals 06, 05, 04, 03, 02, or 01, then items GG0170J3, GG0170K3, and GG0170L3 must not equal blank (^).	See error number -5530a
-5530c	Fatal	Invalid Skip Pattern: If GG0170I3 equals dash (-), then items GG0170J3, GG0170K3, and GG0170L3 must equal dash (-).	See error number -5530a

Error ID	Sev	Error Message	Error Description
-5540a	Fatal	Invalid Skip Pattern: If GG0170I4 equals 07, 09, 10, or 88, then items GG0170J4 and GG0170L4 must equal blank (^).	<p>Cause: The value submitted in this item is not consistent with the value submitted in Follow-up item GG0170I4 (Mobility: Walk 10 feet).</p> <ul style="list-style-type: none"> • IF GG0170I4 is 07, 09, 10, or 88, THEN GG0170J4 (Mobility: Walk 50 feet with two turns) and GG0170L4 (Walking 10 feet on uneven surfaces) must be blank (^). • IF GG0170I4 is 06, 05, 04, 03, 02, or 01, THEN items GG0170J4 and GG0170L4 must not be blank (^). • IF GG0170I4 is a dash (-), THEN items GG0170J4 and GG0170L4 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170I4 is 07, 09, 10, or 88, then skip to GG0170M (Mobility: 1 step (curb)).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5540b	Fatal	Invalid Skip Pattern: If GG0170I4 equals 06, 05, 04, 03, 02, or 01, then items GG0170J4 and GG0170L4 must not equal blank (^).	See error number -5540a
-5540c	Fatal	Invalid Skip Pattern: If GG0170I4 equals dash (-), then items GG0170J4 and GG0170L4 must equal dash (-).	See error number -5540a

Error ID	Sev	Error Message	Error Description
-5550a	Fatal	Invalid Skip Pattern: If GG0170M1 equals 07, 09, 10, or 88, then GG0170N1 must equal blank (^).	<p>Cause: The value submitted in item GG0170N1 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M1 (Mobility: 1 step).</p> <ul style="list-style-type: none"> • IF GG0170M1 is 07, 09, 10, or 88, THEN item GG0170N1 must be blank (^). • IF GG0170M1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N1 must not be blank (^). • IF GG0170M1 is a dash (-), THEN item GG0170N1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170M1 is 07, 09, 10, or 88, then GG0170N1 must be blank (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5550b	Fatal	Invalid Skip Pattern: If GG0170M1 equals 06, 05, 04, 03, 02, or 01, then GG0170N1 must not equal blank (^).	See error number -5550a
-5550c	Fatal	Invalid Skip Pattern: If GG0170M1 equals dash (-), then GG0170N1 must equal dash (-).	See error number -5550a
-5560a	Fatal	Invalid Skip Pattern: If GG0170M3 equals 07, 09, 10, or 88, then GG0170N3 must equal blank (^).	<p>Cause: The value submitted in item GG0170N3 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M3 (Mobility: 1 step).</p> <ul style="list-style-type: none"> • IF GG0170M3 is 07, 09, 10, or 88, THEN item GG0170N3 must be blank (^). • IF GG0170M3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N3 must not be blank (^). • IF GG0170M3 is a dash (-), THEN item GG0170N3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170M3 is 07, 09, 10, or 88, then GG0170N3 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5560b	Fatal	Invalid Skip Pattern: If GG0170M3 equals 06, 05, 04, 03, 02, or 01, then GG0170N3 must not equal blank (^).	See error number -5560a
-5560c	Fatal	Invalid Skip Pattern: If GG0170M3 equals dash (-), then GG0170N3 must equal dash (-).	See error number -5560a
-5570a	Fatal	Invalid Skip Pattern: If GG0170M4 equals 07, 09, 10, or 88, then GG0170N4 must equal blank (^).	<p>Cause: The value submitted in item GG0170N4 (Mobility: 4 steps) is not consistent with the value submitted in item GG0170M4 (Mobility: 1 step).</p> <ul style="list-style-type: none"> • IF GG0170M4 is 07, 09, 10, or 88, THEN item GG0170N4 must be blank (^). • IF GG0170M4 is 06, 05, 04, 03, 02, or 01, THEN item GG0170N4 must not be blank (^). • IF GG0170M4 is a dash (-), THEN item GG0170N4 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170M4 is 07, 09, 10, or 88, then GG0170N4 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5570b	Fatal	Invalid Skip Pattern: If GG0170M4 equals 06, 05, 04, 03, 02, or 01, then GG0170N4 must not equal blank (^).	See error number -5570a
-5570c	Fatal	Invalid Skip Pattern: If GG0170M4 equals dash (-), then GG0170N4 must equal dash (-).	See error number -5570a

Error ID	Sev	Error Message	Error Description
-5580a	Fatal	Invalid Skip Pattern: If GG0170N1 equals 07, 09, 10, 88, or blank (^), then GG0170O1 must equal blank (^).	<p>Cause: The value submitted in item GG0170O1 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N1 (Mobility: 4 step).</p> <ul style="list-style-type: none"> • IF GG0170N1 is 07, 09, 10, 88, or blank (^), THEN item GG0170O1 must be blank (^). • IF GG0170N1 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O1 must not be blank (^). • IF GG0170N1 is a dash (-), THEN item GG0170O1 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170N1 is 07, 09, 10, 88, or blank (^), then GG0170O1 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5580b	Fatal	Invalid Skip Pattern: If GG0170N1 equals 06, 05, 04, 03, 02, or 01, then GG0170O1 must not equal blank (^).	See error number -5580a
-5580c	Fatal	Invalid Skip Pattern: If GG0170N1 equals dash (-), then GG0170O1 must equal dash (-).	See error number -5580a
-5590a	Fatal	Invalid Skip Pattern: If GG0170N3 equals 07, 09, 10, 88, or blank (^), then GG0170O3 must equal blank (^).	<p>Cause: The value submitted in item GG0170O3 (Mobility: 12 steps) is not consistent with the value submitted in item GG0170N3 (Mobility: 4 step).</p> <ul style="list-style-type: none"> • IF GG0170N3 is 07, 09, 10, 88, or blank (^), THEN item GG0170O3 must be blank (^). • IF GG0170N3 is 06, 05, 04, 03, 02, or 01, THEN item GG0170O3 must not be blank (^). • IF GG0170N3 is a dash (-), THEN item GG0170O3 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170N3 is 07, 09, 10, 88, or blank (^), then GG0170O3 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5590b	Fatal	Invalid Skip Pattern: If GG0170N3 equals 06, 05, 04, 03, 02, or 01, then GG0170O3 must not equal blank (^).	See error number -5590a
-5590c	Fatal	Invalid Skip Pattern: If GG0170N3 equals dash (-), then GG0170O3 must equal dash (-).	See error number -5590a
-5600a	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 0, then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal blank (^).	<p>Cause: The value submitted in item GG0170Q1 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Admission Performance and Discharge Goal items GG0170R1 (Wheel 50 feet with two turns) through GG0170SS1 (Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> • IF GG0170Q1 is 0, THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be blank (^). • IF GG0170Q1 is 1, THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be blank (^). • IF GG0170Q1 is a dash (-), THEN all items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5600b	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals 1, then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not equal blank (^).	See error number -5600a
-5600c	Fatal	Inconsistent GG0170 Items: If GG0170Q1 equals dash (-), then Admission Performance and Discharge Goal items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must equal dash (-).	See error number -5600a

Error ID	Sev	Error Message	Error Description
-5610a	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals 0, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal blank (^).	<p>Cause: The value submitted in item GG0170Q3 (Mobility: Does the resident use a wheelchair/scooter?) is not consistent with one or more values submitted in Mobility Discharge Performance items GG0170R3 (Wheel 50 feet with two turns), GG0170RR3 (Type of wheelchair or scooter), GG0170S3 (Wheel 150 feet), and GG0170SS3 (Indicate the type of wheelchair/scooter used).</p> <ul style="list-style-type: none"> • IF GG0170Q3 is 0, THEN all items GG0170R3 through GG0170SS3 must be blank (^). • IF GG0170Q3 is 1, THEN all items GG0170R3 through GG0170SS3 must not be blank (^). • IF GG0170Q3 is a dash (-), THEN all items GG0170R3 through GG0170SS3 must be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5610b	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals 1, then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must not equal blank (^).	See error number -5610a
-5610c	Fatal	Inconsistent GG0170 Items: If GG0170Q3 equals dash (-), then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must equal dash (-).	See error number -5610a

Error ID	Sev	Error Message	Error Description
-5620a	Fatal	Invalid Skip Pattern: If GG0170Q4 equals 0, then GG0170R4 must equal blank (^).	<p>Cause: The value submitted in item GG0170Q4 (Mobility: Use wheelchair and/or scooter) is not consistent with the value submitted in item GG0170R4 (Mobility: Wheel 50 feet with two turns).</p> <ul style="list-style-type: none"> • IF GG0170Q4 is 0, THEN item GG0170R4 must be blank (^). • IF GG0170Q4 is 1, THEN item GG0170R4 must not be blank (^). • IF GG0170Q4 is a dash (-), THEN item GG0170R4 must be a dash (-). <p>Tip: This is a skip pattern. If GG0170Q4 is 0, then GG0170R4 must be skipped (^).</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5620b	Fatal	Invalid Skip Pattern: If GG0170Q4 equals 1, then GG0170R4 must not equal blank (^).	See error number -5620a
-5620c	Fatal	Invalid Skip Pattern: If GG0170Q4 equals dash (-), then GG0170R4 must equal dash (-).	See error number -5620a
-5630a	Fatal	Invalid Skip Pattern: If J1800 equals 0, then all active items from J1900A through J1900C must equal blank (^).	<p>Cause: The number of falls submitted in items J1900A (No injury), J1900B (Injury non major), and/or J1900C (Major injury) is not consistent with the value submitted in item J1800 (Any Falls Since Admission or Prior Assessment?).</p> <ul style="list-style-type: none"> • IF J1800 is 0, THEN all active items J1900A through J1900C must be blank (^). • IF J1800 is 1, THEN all active items J1900A through J1900C must not be blank (^) and at least one of these items must be (-), 1, or 2. • IF J1800 is a dash (-), THEN all active items J1900A through J1900C must be a dash (-). <p>Tip: This is a skip pattern. If J1800 is 0, then skip J1900.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5630b	Fatal	Invalid Skip Pattern: If J1800 equals 1, then all active items from J1900A through J1900C must not equal blank (^) and at least one of these items must equal dash (-), 1, or 2.	See error number -5630a
-5630c	Fatal	Invalid Skip Pattern: If J1800 equals dash (-), then all active items from J1900A through J1900C must equal dash (-).	See error number -5630a
-5660	Fatal	Inconsistent M1311 Values: If M0100 equals 01, 03, 04, or 05, then all active items from M1311A1 through M1311F1 must not equal dash (-).	<p>Cause: The value submitted in this item is not consistent with the value submitted in item M0100 (Reason for assessment).</p> <ul style="list-style-type: none"> • IF M0100 is 01, 03, 04, or 05, THEN all Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage items M1311A1 through M1311F1 must not be a dash (-). <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5670a	Fatal	Inconsistent M1028 Values: If M1028-3 is equal to 0, then at least one item M1028-1 through M1028-2 must equal 1.	<p>Cause: The value submitted in item M1028-3 (Active Diagnoses – Comorbidities and Co-existing Conditions: None of the above) is not consistent with one or more values submitted in related items M1028-1 through M1028-2.</p> <ul style="list-style-type: none"> • IF M1028-3 is unchecked, THEN one or more active items M1028-1 through M1028-2 must be checked. • IF M1028-3 is checked, THEN items M1028-1 and M1028-2 must be unchecked. • IF M1038-3 is a dash (-), THEN at least one item M1038-1 or M1028-2 must be a dash (-) and the other must be 0 or a dash (-). <p>Tip: A checked response displays as a “1” on the validation report. An unchecked response displays as a “0” on the validation report.</p> <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>

Error ID	Sev	Error Message	Error Description
-5670b	Fatal	Inconsistent M1028 Values: If M1028-3 is equal to 1, then M1028-1 and M1028-2 must equal 0.	See error number -5670a
-5670c	Fatal	Inconsistent M1028 Values: If M1028-3 is equal to dash (-), then at least one item M1028-1 or M1028-2 must equal dash (-) and the other must equal 0 or dash (-).	See error number -5670a
-5680a	Fatal	Inconsistent M1322/M1311/M1324 Values: If M0100 equals 01, 03, 04 or 05 and M1322 equals 00 and M1311A1, M1311B1, and M1311C1 are equal to 00 or blank (^), then M1324 must equal NA.	<p>Cause: The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in items M0100 (Assessment Reason), M1322 (Current Number of Stage I PU), and M1311 (Current Number of Unhealed PU at Each Stage) items.</p> <ul style="list-style-type: none"> IF M0100 is 01, 03, 04, or 05 and M1322 is 00 and M1311A1 (Stage 2), M1311B1 (Stage 3), and M1311C1 (Stage 4) are all 00 or blank (^), THEN M1324 must be NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>
-5680b	Fatal	Inconsistent M1322/M1311/M1324 Values: If M0100 equals 09 and M1311A1, M1311B1, and M1311C1 are equal to 00, dash (-) or blank (^), then M1324 must equal 1 or NA.	<p>Cause: The value submitted in item M1324 (Stage of Most Problematic Unhealed Observable PU) is not consistent with the values submitted in M0100 (Assessment Reason) and M1311 (Current Number of Unhealed PU at Each Stage) items.</p> <ul style="list-style-type: none"> IF M0100 is 09 and M1311A1 (Stage 2), M1311B1 (Stage 3), and M1311C1 (Stage 4) are all 00, dash (-), or blank (^), THEN M1324 must be 01 or NA. <p>Action: Make appropriate corrections to the record and resubmit. Refer to the data specifications in effect for this record to identify the acceptable values for this item.</p>